

Jensen Beach to Jupiter Inlet Aquatic Preserve

SEACAR Water Quality Analysis

Last compiled on 27 January, 2025

Contents

Indicators	2
Nutrients	2
Total Nitrogen - Discrete	2
Total Phosphorus - Discrete	3
Water Quality	4
Dissolved Oxygen - Discrete	4
Dissolved Oxygen Saturation - Discrete	5
Salinity - Discrete	6
Salinity - Continuous	7
Water Temperature - Discrete	8
Water Temperature - Continuous	9
pH - Discrete	10
Water Clarity	11
Turbidity - Discrete	11
Total Suspended Solids - Discrete	12
Chlorophyll a, Uncorrected for Pheophytin - Discrete	13
Chlorophyll a, Corrected for Pheophytin - Discrete	14
Secchi Depth - Discrete	15
Colored Dissolved Organic Matter - Discrete	16

Indicators

Nutrients

Total Nitrogen - Discrete




Table 1: Seasonal Kendall-Tau Results for - Total Nitrogen

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	629	24	2000 - 2024	0.251	-0.0016	0.25345	0	0.9778

Total Phosphorus - Discrete




Table 2: Seasonal Kendall-Tau Results for - Total Phosphorus

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	1135	34	1991 - 2024	0.026	-0.0674	0.02581	-0.00013	0.1584

Water Quality

Dissolved Oxygen - Discrete




Table 3: Seasonal Kendall-Tau Results for - Dissolved Oxygen

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Significantly increasing trend	10687	35	1972 - 2024	6.4	0.2016	5.83105	0.01787	0.0000

Dissolved Oxygen Saturation - Discrete

Dissolved Oxygen Saturation - Discrete, All Depths
Jensen Beach to Jupiter Inlet Aquatic Preserve




Table 4: Seasonal Kendall-Tau Results for - Dissolved Oxygen Saturation

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Significantly increasing trend	4222	32	1993 - 2024	79.082	0.6763	18.71729	2.79786	0.0000

Salinity - Discrete




Table 5: Seasonal Kendall-Tau Results for - Salinity

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
All	Significantly increasing trend	10708	35	1972 - 2024	32.8	0.1504	30.04103	0.07281	0.0000

Salinity - Continuous




Table 6: Seasonal Kendall-Tau Results for All Stations - Salinity

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
02253800	Insufficient data to calculate trend	1213	3	2001 - 2003	33	-	-	-	NA

Water Temperature - Discrete




Table 7: Seasonal Kendall-Tau Results for - Water Temperature

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Significantly increasing trend	10620	35	1972 - 2024	25.5	0.2027	23.92331	0.03525	0.0000

Water Temperature - Continuous




Table 8: Seasonal Kendall-Tau Results for All Stations - Water Temperature

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
02253800	Insufficient data to calculate trend	1186	3	2001 - 2003	27.1	-	-	-	NA

pH - Discrete




Table 9: Seasonal Kendall-Tau Results for - pH

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Significantly decreasing trend	9671	35	1972 - 2024	8.01	-0.1683	8.1735	-0.00388	0.0000

Water Clarity

Turbidity - Discrete




Table 10: Seasonal Kendall-Tau Results for - Turbidity

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Significantly increasing trend	872	34	1991 - 2024	2.2	0.0971	1.77238	0.02083	0.0472

Total Suspended Solids - Discrete




Table 11: Seasonal Kendall-Tau Results for - Total Suspended Solids

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	1194	31	1994 - 2024	6	-0.07	5.72661	-0.03166	0.1212

Chlorophyll a, Uncorrected for Pheophytin - Discrete




Table 12: Seasonal Kendall-Tau Results for - Chlorophyll a, Uncorrected for Pheophytin

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	477	28	1997 - 2024		2	-0.1134	2.14	-0.01586 0.0795

Chlorophyll a, Corrected for Pheophytin - Discrete




Table 13: Seasonal Kendall-Tau Results for - Chlorophyll a, Corrected for Pheophytin

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	344	20	2002 - 2024	1.4	0.0752	1.2232	0.0036	0.3353

Secchi Depth - Discrete




Table 14: Seasonal Kendall-Tau Results for - Secchi Depth

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P	
Field	No significant trend	6164	32	1993 - 2024		1	0.0103	1.12206	0.00048	0.8248

Colored Dissolved Organic Matter - Discrete




Table 15: Seasonal Kendall-Tau Results for - Colored Dissolved Organic Matter

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Insufficient data to calculate trend	317	8	2017 - 2024	7.5	-	-	-	NA