

home • parent • another

Nested routes

- | Child 1
- Child 2
- Child 3

1

```
<div class="page">
  <ul class="menu view">
    <router-link to="/" exact="exact">home</router-link>
    <router-link to="/parent/">parent</router-link>
    <router-link to="/another">another</router-link>
  </ul>

  <transition name="fade" mode="out-in">
    <router-view class="view" />
  </transition>
</div>
```

```
.fade-enter-active,  
.fade-leave-active {  
  transition: opacity .5s ease;  
}
```

```
.fade-enter,  
.fade-leave-to {  
  opacity: 0  
}
```



home • parent • another

Nested routes

- | Child 1
- Child 2
- Child 3

1

[home](#) • [parent](#) • [another](#)

Nested routes

- | [Child 1](#)
- [Child 2](#)
- [Child 3](#)

1

home • parent • another

Nested routes

- | Child 1
- Child 2
- Child 3

1

```

<h2>Nested routes</h2>
<nav class="menu menu--vertical">
  <router-link to="/parent/1">
    Child 1
  </router-link>
  <router-link to="/parent/2">
    Child 2
  </router-link>
  <router-link to="/parent/3">
    Child 3
  </router-link>
</nav>
<div class="child-wrapper">
  <transition :name="transitionName">
    <router-view
      class="child-view"
      :key="$route.path"
    />
  </transition>
</div>
</div>
</template>

<script>
export default {
  data () {
    return {
      transitionName: 'slide-up'
    }
  },
  beforeRouteUpdate (to, from, next) {
    console.log(to)
    this.transitionName = (to.params.child < from.params.child)
      ? 'slide-down'
      : 'slide-up'
    next()
  }
}
</script>

```