

Event Sharing Android App

Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Bacister, Camille Grace
Lenon, Mikaela Jun
Ubias, Zachary James

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2015-2016

Unique Reference:

The documents are stored in the [GitHub Repository Link].

[File Reference in GitHub, preferably link.]

Document Purpose:

The purpose of this document is to give a clear understanding on how the use-case Report_Event works for different possible alternative flows there are.

Target Audience:

This documents aim to target possible users of the project, the client, and developers interested in making a project similar to this.

Revision Control*History Revision:*

Revision Date	Person Responsible	Version Number	Modification
08/16/15	Camille Bacister	1.0	Initial Document; Flow of Events
08/16/15	Mika Lenon	1.1	Added and updated flow of events, and other conditions
08/16/15	Zachary Ubias	2.1	Created activity diagram

Use-Case Name: 10.1 Report Event


Description: The user can report suspicious published events. There is a chance that an event owner might use false information to make the administrator approve his post. A solution for a situation like this is to add a functionality of Report Event under the users.

Preconditions: None

Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow) Submit action	1. The user opt to report wrong events or events with invalid information. 2. The user submits the action to the system. 3. The user will wait for the administrator's verification before the event gets deleted.
Scenario 2 Discard action	1. The user opt to report wrong events or events with invalid information. 2. The user opt not to confirm the action.

Activity Diagram of the Flow of Events:



Postcondition: *None*

Relationships: *NONE*

Special Requirements: *NONE*