# 01204211 Discrete Mathematics Lecture 7: Mathematical Induction 2

Jittat Fakcharoenphol

September 2, 2015

#### Review: Mathematical Induction

Suppose that you want to prove that property P(n) is true for every natural number n.

Suppose that we can prove the following two facts:

Base case: P(1)

**Inductive step:** For any  $k \ge 1$ ,  $P(k) \Rightarrow P(k+1)$ 

The **Principle of Mathematical Induction** states that P(n) is true for every natural number n.

The assumption P(k) in the inductive step is usually referred to as the Induction Hypothesis.

### Example 1

**Theorem:** For every natural number n,  $\sum_{i=1}^{n} i^2 = \frac{n}{6}(n+1)(2n+1)$ 

**Proof:** We prove by induction. The property that we want to prove P(n) is " $\sum_{i=1}^{n} i^2 = \frac{n}{6}(n+1)(2n+1)$ ."

Base case: We can plug in n=1 to check that P(1) is true:  $1^2=\frac{1}{6}(1+1)(2\cdot 1+1).$ 

**Inductive step:** We assume that P(k) is true for  $k \ge 1$  and show that P(k+1) is true.

We first assume the Induction Hypothesis P(k):  $\sum_{i=1}^{k} i^2 = \frac{k}{6}(k+1)(2k+1)$ 

(continue on the next page)

## Example 1 (cont.)

Let's show P(k+1). We write  $\sum_{i=1}^{k+1} i^2 = \left(\sum_{i=1}^k i^2\right) + (k+1)^2$ .

Using the Induction Hypothesis, we know that this is equal to

$$\begin{array}{rcl} (k/6)(k+1)(2k+1)+(k+1)^2 & = & \dfrac{(k+1)}{6}(k(2k+1)+6(k+1)) \\ & & \qquad \qquad \\ & \qquad \qquad \\ & = & \dfrac{(k+1)}{6}(2k^2+7k+6) \\ & = & \dfrac{(k+1)}{6}((k+1)+1)(2(k+1)+1). \end{array}$$

This implies P(k+1) as required.

From the Principle of Mathematical Induction, this implies that P(n) is true for every natural number n.

# Not an example (1)

#### Theorem 1

For any set of cows, all cows have the same color.

#### Proof.

We prove by induction on the size n of the set of cows.

**Base case:** For n=1, clearly for any set of a single cow, every cow in the set has the same color.

**Inductive step:** Suppose that for every set of size k of cows, all cows in the set have the same color.

We will show that every set of size k+1 of cows, all cows in this set have the same color.

### Not an example (2)

**Inductive step (cont.):** Consider set A of k+1 cows.

## Not an example (2)

**Inductive step (cont.):** Consider set A of k+1 cows.

Because we have established that the base case and the inductive step is true, we can conclude that for any set of cows, all cows have the same color.

# Not an example (3)

Clearly the following theorem cannot be true.

#### Theorem 2

For any set of cows, all cows have the same color.

What is wrong with its proof based on mathematical induction?

#### Unused facts

▶ Let's informally think about how proving P(1) and  $P(k) \Rightarrow P(k+1)$  for all  $k \geq 1$  implies that P(n) is true for all natural number n.

### Unused facts

▶ Let's informally think about how proving P(1) and  $P(k) \Rightarrow P(k+1)$  for all  $k \geq 1$  implies that P(n) is true for all natural number n.

One may notice that when we prove a statement P(n) for all natural number n by induction, during the inductive step where we want to show P(k+1) from P(k), we usually have that  $P(1), P(2), \ldots, P(k)$  is true at hands as well.

### Unused facts

▶ Let's informally think about how proving P(1) and  $P(k) \Rightarrow P(k+1)$  for all  $k \geq 1$  implies that P(n) is true for all natural number n.

- One may notice that when we prove a statement P(n) for all natural number n by induction, during the inductive step where we want to show P(k+1) from P(k), we usually have that  $P(1), P(2), \ldots, P(k)$  is true at hands as well.
- ▶ Then why don't we use them as well?



### Strong Mathematical Induction

#### Strong Induction

Suppose that you want to prove that property P(n) is true for every natural number n.

Suppose that we can prove the following two facts:

Base case: P(1)

**Inductive step:** For any  $k \ge 1$ ,

$$P(1) \wedge P(2) \wedge \cdots \wedge P(k) \Rightarrow P(k+1).$$

Then P(n) is true for every natural number n.