01204211 Discrete Mathematics Lecture 7: Mathematical Induction 2

Jittat Fakcharoenphol

September 2, 2015

Review: Mathematical Induction

Suppose that you want to prove that property P(n) is true for every natural number n.

Suppose that we can prove the following two facts:

Base case: P(1)

Inductive step: For any $k \ge 1$, $P(k) \Rightarrow P(k+1)$

The **Principle of Mathematical Induction** states that P(n) is true for every natural number n.

The assumption P(k) in the inductive step is usually referred to as the Induction Hypothesis.

Example 1

Theorem: For every natural number n, $\sum_{i=1}^{n} i^2 = \frac{n}{6}(n+1)(2n+1)$

Proof: We prove by induction. The property that we want to prove P(n) is " $\sum_{i=1}^n i^2 = \frac{n}{6}(n+1)(2n+1)$."

Base case: We can plug in n=1 to check that P(1) is true: $1^2=\frac{1}{6}(1+1)(2\cdot 1+1).$

Inductive step: We assume that P(k) is true for $k \ge 1$ and show that P(k+1) is true.

We first assume the Induction Hypothesis P(k): $\sum_{i=1}^{k} i^2 = \frac{k}{6}(k+1)(2k+1)$

(continue on the next page)

Example 1 (cont.)

Let's show P(k+1). We write $\sum_{i=1}^{k+1} i^2 = \left(\sum_{i=1}^k i^2\right) + (k+1)^2$.

Using the Induction Hypothesis, we know that this is equal to

$$\begin{array}{ll} (k/6)(k+1)(2k+1)+(k+1)^2 & = & \displaystyle \frac{(k+1)}{6}(k(2k+1)+6(k+1)) \\ & \qquad \qquad \text{(In this step, we factor out } (k+1)/6) \\ \\ & = & \displaystyle \frac{(k+1)}{6}(2k^2+7k+6) \\ \\ & = & \displaystyle \frac{(k+1)}{6}((k+1)+1)(2(k+1)+1). \end{array}$$

This implies P(k+1) as required. From the Principle of Mathematical Induction, this implies that

P(n) is true for every natural number $n.\ \blacksquare$

Not an example (1)

Theorem 1

For any set of cows, all cows have the same color.

Proof.

We prove by induction on the size n of the set of cows.

Base case: For n=1, clearly for any set of a single cow, every cow in the set has the same color.

Inductive step: Suppose that for every set of size k of cows, all cows in the set have the same color.

We will show that every set of size k+1 of cows, all cows in this set have the same color.

Not an example (2)

Inductive step (cont.): Consider set A of k+1 cows.

Because we have established that the base case and the inductive step is true, we can conclude that for any set of cows, all cows have the same color.

Not an example (3)

Clearly the following theorem cannot be true.

Theorem 2

For any set of cows, all cows have the same color.

What is wrong with its proof based on mathematical induction?

Strong induction