



Politecnico di Milano

Computer Science and Engineering

Requirement Analysis and Specifications Document

DREAM

Software Engineering 2

Optional Project AY 2021-2022

Curated by: Francesco Mazzola and Alessio Ferrara

CONTENTS

Sommario

1 INTRODUCTION	3
1.1 PURPOSE	3
1.1.1 Goals	4
1.2 SCOPE	4
1.2.1 World Phenomena.....	4
1.2.2 Shared Phenomena	5
1.3 DEFINITIONS AND ABBREVIATIONS.....	6
1.3.1 Definitions	6
1.3.2 Abbreviations	6
1.4 REVISION HISTORY	7
2 OVERALL DESCRIPTION.....	7
2.1 PRODUCT PERSPECTIVE	7
2.1.1 Scenarios	7
2.1.2 Class Diagram.....	9
2.1.3 Statechart Diagram.....	10
2.2 PRODUCT FUNCTIONS.....	11
2.3 USER CHARACTERISTICS.....	11
2.4 ASSUMPTIONS, DEPENDENCIES AND CONSTRAINTS	12
2.4.1 Domain Assumptions.....	12
3 SPECIFIC REQUIREMENTS	12
3.1 EXTERNAL INTERFACES REQUIREMENTS	12
3.1.1 Software Interfaces	12
3.2 FUNCTIONAL REQUIREMENTS	13
3.2.1 List of Requirements.....	13
3.2.2 Mapping of Goals and Domain Assumptions	14
3.2.3 Mapping of Goals and Domain Requirements	14
3.2.4 Use case Diagrams	15
3.2.5 Use cases	16
3.2.6 Sequence Diagrams.....	20
3.3 PERFORMANCE REQUIREMENTS	25
3.4 DESIGN CONSTRAINTS	25
3.4.1 Standards Compliance.....	25
3.4.2 Hardware Limitations.....	25
3.5 SOFTWARE SYSTEM ATTRIBUTES.....	25
3.5.1 Reliability.....	25
3.5.2 Availability.....	25
3.5.3 Security.....	25

3.5.4 Maintainability.....	26
3.5.5 Portability.....	26
3.5.6 Usability	26
4 FORMAL ANALYSIS USING ALLOY	27
4.1 CODE	27
4.2 RESULT	30
4.3 GENERATED INSTANCES.....	31
5 EFFORT SPENT	32

1 INTRODUCTION

1.1 Purpose

The goal of Telangana's government is to design, develop and demonstrate anticipatory governance models for food systems using digital public goods and community-centric approaches to strengthen data-driven policy making in the state. This will require the involvement of multiple stakeholders, from normal citizens to policy makers, farmers, market analysts, agronomists, etc.

The purpose is to create an application that aims to make the farmers learn new techniques and improve their production through the help of other farmers and agronomists.

This document contains an analysis of the system starting from a general description of the main goals, functionalities and scenarios and then going more into details describing the functional and non-functional requirements that the system should fulfill, the use cases and their relative sequence diagrams that show the main interactions with the system.

1.1.1 Goals

Goals	Description
G1	Allow farmer to inspect personalized data based on their type of production and location.
G2	Allow farmer to insert their production data with the problems correlated.
G3	Allow farmers to ask and give help through forum discussions.
G4	Allow policy makers to check the data inserted by farmers and evaluate them.
G5	Allow policy makers to assign a poorly performing farmer to a steering initiative.
G6	Allow policy makers to evaluate the results of a steering initiative carried out by a farmer.

1.2 Scope

DREAMS allows the farmer to insert their production data directly from their device. Moreover, they can view their personalized data based on their type of production and location and interact with other farmers in discussion forums.

The system also allows the Policy Maker to check the progress made by the farmers that are registered on DREAMS to help the farmers increase their production.

Furthermore, whether the Policy Maker evaluates a farmer as performing particularly badly he can pair said farmer with agronomist in order to carry a Steering Initiative aiming at improving the farmer's performance.

1.2.1 World Phenomena

World Phenomena	Description
WP1	The user accesses the application web
WP2	The deployed sensors measure some data

1.2.2 Shared Phenomena

Shared Phenomena	Description	Control
SP1	The user selects the option to log-in	WC
SP2	The user selects the option to log-out	WC
SP3	The farmer selects the option to insert production data	WC
SP4	The farmer selects the type of his production	WC
SP5	The farmer inserts the production data	WC
SP6	The farmer inserts the problem/s he faced during production	WC
SP7	The farmer selects the option to add a comment to a discussion	WC
SP8	The farmer selects the option to create a forum discussion	WC
SP9	The system shows the farmer all his personalized data	MC
SP10	The sensors collect the data that the system elaborates	WC
SP11	The policy maker selects the option to view farmer's data	WC
SP12	The system shows the policy maker the data inherent to a farmer	MC
SP13	The policy maker selects the option to mark a farmer as a "Good farmer"	WC
SP14	The farmer receives a notification informing him of being identified as a "Good farmer"	MC
SP15	The policy maker selects the option to view all the farmers that are performing particularly badly	WC
SP16	The policy maker selects the option to view all ongoing steering initiatives	WC
SP17	The system shows the policy maker all the informations about the steering initiative production	MC
SP18	The system collects the data from the deployed sensors	WC

1.3 Definitions and abbreviations

1.3.1 Definitions

Definition	Description
Type of Production	The food that the farmer is producing
Good Farmer	A farmer that is performing particularly well
Steering initiative	A set of instructions that are provided by an Agronomist that is assigned to a farmer that is performing badly
Agronomist	A person that provides useful practices to those farmers that are having problems
Discussion Forum	A post in which a farmer asks for help or provides information on some problems to other farmers

1.3.2 Abbreviations

Abbreviation	Description
WP	World Phenomena
SP	Shared Phenomena
WC	World Controlled
MC	Machine Controlled
G	Goals
D	Domain Assumptions
R	Requirements
RASD	Requirement Analysis and Specification Document
DD	Design Document

1.4 Revision history

Version	Date	Description
1.0	19/11/2020	The first version of the RASD
1.1	02/12/2020	List of changes: <ul style="list-style-type: none">• Added Alloy modulation and results.• Added sequence diagrams
1.2	18/12/2020	List of changes: <ul style="list-style-type: none">• Fixed some use cases diagram• Fixed some use cases
1.3	20/12/2020	Final review before delivery.

2 OVERALL DESCRIPTION

2.1 PRODUCT PERSPECTIVE

2.1.1 Scenarios

1 Marking a Farmer

John is a Telangana's Policy Maker and wants to have an overview on how a particular farmer is doing. After the log-in in the DREAMS Application he selects the option to have displayed a list of farmers with their production information. After some reasoning John, based on the data that the farmer and some sensors have provided, decides to mark a specific farmer as a “Good Farmer”.

2 Analyse Results of Steering Initiatives

Frank is a Telangana's Policy Maker that aims to analyse the production of a farmer after the tutoring of an agronomist. After the log-in in the DRAEMS Application Frank chooses the option to have displayed a list of Steering Initiatives pursued on some Farmers.

Frank selects a Steering Initiative and gets displayed the evolution of the production results during the timespan starting from two months before the help received by an Agronomist and ending three months later. Frank, once he has analysed the data

can decide that the Steering Initiative carried by the Agronomist and the Farmer hasn't produced significant results.

3 Getting Personalized Informations

Alex is an Indian Farmer in the Telangana State and is registered into the DREAMS Application. Today Alex has decided to log into the Application to get an overview of the weather forecast and all the data that can be useful before farming.

Alex after the log-in into the DREAMS selects the option to show the personalized suggestions and informations. The application shows him the data based on his location and type of production, so Alex writes it in a notebook to inform all his co-workers.

4 Insert in the System

Rajesh is a Farmer whose farm is in the Telangana State. After the end of a workday, he decides to put all the information about the production into the DREAMS application. So, Rajesh logs into the application and selects the option to insert the production results, inserting that he has produced 50Kgs of rice and 40Kgs of bananas stating that he and his co-workers had some problems with the rice since some of it was unusable and went bad due to the excessive humidity of soil.

5 Requesting for help and suggestions


Shanti, a farmer from the Telangana District working for the family's farm has encountered some problems producing cotton. Since she's registered into the DREAMS application she decides to log in and select the option to request for some help by creating a new forum.

She writes her post asking for help on how to improve the production of cotton and giving some information about her farm to give more details on the problems she encountered in order to get more specific responses from other farmers or agronomists.

6 Commenting in a discussion forum


Joel is a farmer from the Telangana state in India that is very good at his job. He's currently at home after a productive workday and he decides to log-in into the DREAMS application to check if there are any help requests from other farmers. After finding a forum whose topic is inherent to Joel expertise, he opens he inserts a new comment answering the farmer who's created the form.

2.1.2 Class Diagram




2.1.3 Statechart Diagram

Farmer Statechart Diagram



Policy Maker Statechart Diagram



2.2 PRODUCT FUNCTIONS

The system provides the users the following functionalities:

- **Collect production data:** The farmer can keep track of his productions inserting into the system all the informations concerning his productions, the type of productions, the amount and any problems he/she may have encountered.
- **Improve farmer production:** The farmer can request help by creating discussion forms asking for solutions to problems he may have encountered and getting some feedback from other farmers/ agronomists. In order to improve their production, the system also provides to the farmer a set of informations and suggestions based on his/her location and production type. Furthermore, a policy maker can pair a particularly bad performing farmer with an agronomist in order to carry a Steering Initiative aiming at improving the farmer's production.

2.3 USER CHARACTERISTICS

The system involves the following actors:

- **User**
A person that still need to login into the customer application to be able to be identified.
- **Farmer**
A farmer that can insert information about their production and ask for help to other users.
- **Policy Maker**
A person that has been granted the ability to overview the Farmers data into the application and manage them.

2.4 ASSUMPTIONS, DEPENDENCIES AND CONSTRAINTS

2.4.1 Domain Assumptions

Domain Assumption	Description
D1	The location of the user corresponds to the location of his farm.
D2	The data of production declared by the farmer is correct.
D3	The information that the sensor provide is correct.
D4	The policy maker evaluates correctly the farmer.
D5	The farmer follows the steering initiatives properly.
D6	The reports about the steering initiatives results are correct.
D7	The farmer asks for help only when he needs it.
D8	The farmer comments the discussions with correct information.

3 Specific Requirements

3.1 External Interfaces Requirements

3.1.1 Software Interfaces

The System is deployed on an application that can be accessed via webpage, in order to retrieve all the data that the user needs.

Some data may be obtained thanks to the use of some sensors that are deployed in the Telangana Region. The information that the above sensors provide are useful to our application but the hardware implementation of them is not of our concern.

3.2 Functional Requirements

3.2.1 List of Requirements

Requirements	
R1	The system should allow the user to log-in.
R2	The system shall allow the farmer to view his personalized data.
R3	The system shall allow the farmer to edit his personal information.
R4	The system shall allow the farmer to edit his location.
R5	The system shall allow the farmer to edit his type of production.
R6	The system shall allow the farmer to insert data about his production and any problems he had.
R7	During the insertion of the production data the system shall allow the user to select the production type.
R8	The system shall allow the farmer to request for help and suggestions to other farmers.
R9	The system shall allow the farmer to create discussion forums.
R10	The system shall allow the farmer to view discussion opened by other farmers.
R11	The system shall allow the user to comment the opened discussion.
R12	The system should be able to create a report on the data before and after the Steering Initiative.
R13	The system should display to the Policy Maker all the farmers.
R14	The system should display to the Policy Maker the informations about a specific farmer.
R15	The system should let the Policy Maker decide whether the Farmer is performing well or not.
R16	The system shall allow the Policy Maker to see the farmers that are performing particularly badly.
R17	The system shall display the Policy Maker all the Steering Initiatives.
R18	The system shall display the data concerning a specific Steering Initiative.
R19	The system shall allow the Farmer to delete a discussion.
R20	The system shall allow the Farmer to edit a discussion.
R21	The system shall allow the Farmer to delete a comment.
R22	The system shall allow the Policy maker to assign a badly performing farmer to a Steering Initiative.

3.2.2 Mapping of Goals and Domain Assumptions

	G1	G2	G3	G4	G5	G6
D1						
D2						
D3						
D4						
D5						
D6						
D7						
D8						

3.2.3 Mapping of Goals and Domain Requirements

	G1	G2	G3	G4	G5	G6
R1						
R2						
R3						
R4						
R5						
R6						
R7						
R8						
R9						
R10						
R11						
R12						
R13						
R14						
R15						
R16						
R17						
R18						
R19						
R20						
R21						
R22						

-To archive G1 we need to let the farmer log-in and let him modify his informations in order to update the personalized data according to his most updated informations such as location or type of production.

-To archive G2 we need to let the farmer log-in and let him add his productions and let him point out any problems he had. The farmer also needs to interact with the other farmers in order to learn new techniques, hence he needs to be able to view, create and comment a discussion.

-To archive G3 we need to let the policy maker log-in and evaluate all the informations about the farmers in order to help them improve their production or let them inform other farmers on the best techniques that they are using if performing well.


-To archive G4 we need to let the policy maker view all the farmers and their data in order to evaluate them as Good Farmers or Bad Farmers.

-To archive G5 we need to let the policy maker view all the bad performing farmers and allow the policy maker to assign a specific farmer to a Steering Initiative.


-To archive G6 we need to provide the policy maker a report on the Steering Initiative in order to let him/her decide whether the initiative has produced good results. The Policy Maker can view a list of all Steering Initiatives and their specific data in order to make the correct evaluation.

3.2.4 Use case Diagrams


- **User**



- **Farmer**



- **Policy Maker**



The farmer has been added to the Policy Maker Use Case Diagram in order to emphasize his passiveness in the “Evaluating Farmer” Use case.

3.2.5 Use cases

Name	User log-in
Actors	User
Entry Conditions	The user, from one of the system pages, has selected the option to log-in in our system
Flow of events	<ol style="list-style-type: none"> 1. The system shows the user the log-in page. 2. The user inserts his credentials. 3. The user selects the confirm option. 4. The system checks the credentials (username and password) submitted by the user.
Exit Conditions	The user is successfully logged in either as a farmer or a policy maker. The system displays the user the last page visited before the log-in process.
Exceptions	5. If the system doesn't find any matching users, it displays an error message and it will go back to point 1

Name	Inserting Production
Actors	Farmer
Entry Conditions	The farmer selects the option to add a new production
Flow of events	<ol style="list-style-type: none"> 1. The system shows the farmer the form to fill. 2. The farmer inserts the amount information. 3. The system shows the farmer one of the available production types that the farmer has declared. 4. The farmer selects one of the available production types. <ol style="list-style-type: none"> 4.1. The farmer can insert any problems he faced during production. 5. The Farmer selects the option to submit all the informations. 6. The system shows the farmer the Personal Data page.
Exit Conditions	The production has been inserted successfully in the system.

Name	Checking personalized information
Actors	Farmer
Entry Conditions	The farmer selects the option to check personalized informations
Flow of events	<ol style="list-style-type: none"> 1. The system shows the farmer his personalized informations based on his location and production type such as the: weather forecast, suggestions concerning specific crops to plant or specific fertilizers to use. <ol style="list-style-type: none"> 1.1. The farmer can select a different time period in order to view the weather forecast for that timespan.
Exit Conditions	The farmer can correctly visualize all the personalized informations and suggestions.

Name	Creating a new discussion
Actors	Farmer
Entry Conditions	The farmer selects the option to create a new discussion.
Flow of events	<ol style="list-style-type: none"> 1. The system shows the farmer the form to create a new discussion. 2. The farmer fills the form with all the needed informations to create the discussion. 3. The farmer selects the option to create discussion. 4. The system asks the farmer to confirm that the inserted data is correct. 5. The farmer selects the confirm option. 6. The system shows the farmer the discussion created.
Exit Conditions	The discussion has been correctly created and inserted in the system.

Name	View an open discussion
Actors	Farmer
Entry Conditions	The farmer selects the option to view opened discussions.
Flow of events	<ol style="list-style-type: none"> 1. The system shows the farmer a list of all opened discussions by other farmers. 2. The farmer selects a discussion that he is interested into. 3. The system shows the farmer the discussion with all the comments from the other users.
Exit Conditions	The farmer can successfully view the desired discussion and interact with other users.

Name	Commenting an open discussion
Actors	Farmer
Entry Conditions	The farmer is viewing an open discussion and selects the option to comment
Flow of events	<ol style="list-style-type: none"> 1. The system shows the farmer the form to fill in order to create the comment. 2. The farmer fills the form with the desired comment. 3. The farmer selects the option to post the comment. 4. The system shows the user the updated discussion with the newly created comment.
Exit Conditions	The comment is correctly posted in the system and it is shown in the discussion.


Name	Evaluating a farmer
Actors	Policy Maker, Farmer
Entry Conditions	The Policy Maker selects the option to view all farmers
Flow of events	<ol style="list-style-type: none"> 1. The system shows the policy maker the list of all farmers. 2. The policy maker selects the farmer that he wants to evaluate. 3. The system shows the policy maker the selected farmer's data. 4. The policy maker can make an evaluation on the farmer's productivity. 5. The policy maker evaluates the farmer either as negative or as positive, he selects the option to mark him as a "Good Farmer" or "Bad Farmer". 6. The system asks the policy maker to confirm his choice. 7. The policy maker selects the option to confirm. 8. The system notifies the farmer that he/her is now been evaluated by a policy maker as a "Good Farmer" or "Bad Farmer". 9. The system shows the policy maker the list of all farmers as described in point 1.
Exit Conditions	The evaluation has been correctly inserted in the system. Either the farmer has been evaluated correctly as a "Good Farmer" and will see a notification after the evaluation or the farmer has been evaluated correctly as a "Bad Farmer" and it's been inserted in the list of bad farmers and will also see a notification after the evaluation.
Exceptions	If the policy maker doesn't evaluate the farmer as a "Good Farmer" or "Bad Farmer" he can go back to the list of all farmers as described in point 1.

Name	Evaluating a steering initiative
Actors	Policy Maker
Entry Conditions	The Policy Maker selects the option to view all the concluded steering initiatives
Flow of events	<ol style="list-style-type: none"> 1. The system shows the policy maker the list of all steering initiatives that have ended. 2. The policy maker selects one steering initiative to evaluate in the list. 3. The system shows the policy maker the data useful to evaluate the steering initiative and all the informations about the steering initiative itself. 4. The policy maker evaluates the steering initiative as positive. 5. The policy maker selects the option to mark the steering initiative as positive 6. The system asks the policy maker to confirm his choice. 7. The policy maker selects the option to confirm. 8. The system shows the policy maker the list of all steering initiatives as described in point 1.
Exit Conditions	<p>The evaluation has been correctly inserted in the system.</p> <p>The policy maker has been evaluated correctly the steering initiative.</p>
Exceptions	If the policy maker doesn't evaluate the steering imitative as positive, he can go back to the list of all steering initiatives as described in point 1.


3.2.6 Sequence Diagrams

For all the sequence diagrams our aim describes how—and in what order—a group of objects works together, especially the interactions between actor and system. For this reason, we are only considering the main “success” flow in order to keep them as readable as possible


- **User Log-in**




- **Inserting Production**




- **Checking personalized information**




- **Creating a new discussion**




- **View an open discussion**




- **Commenting an open discussion**



- **Evaluating a farmer**



- **Evaluating a Steering initiative**



3.3 PERFORMANCE REQUIREMENTS

- The system should be available 99% of the time. Maintenance should require the minimum amount of time in order to let the system be available for the maximum amount of time as possible.

3.4 DESIGN CONSTRAINTS

3.4.1 Standards Compliance

- The system must ask the user permission to let the Policy Makers retrieve their data.
- The system must manage the data retrieved from the users in respect with the privacy laws.

3.4.2 Hardware Limitations

1. Customer Device

- Network connection

2. Sensors

- Network connection

3. Server

- Cabled network connection
- Sufficient processing power to handle the multiple requests in parallel

3.5 SOFTWARE SYSTEM ATTRIBUTES

3.5.1 Reliability

The system shall never crash or hang, other than as the result of an operating system error. The system shall provide graceful degradation in the face of network delays and failures, or when handling large amounts of data.

3.5.2 Availability

In order to have the lowest downtime possible we should guarantee that:

The system should be available 99.9% (three nines) so that we would have maximum total downtime of 8.7 hours per year.

3.5.3 Security

The user information provided by the users should be treated as sensible and thus protected by possible attacks on the database.

The transmission of data should be secured by encryption and decryption techniques.

The system shall perform a Role Based Access Control (RBAD): an authorization scheme that grants the access rights based on the role of the user. Such components shall grant:

- Authentication: Request and verify the identity of a DREAM user attempting to login using username and password
- Authorization: Verify the permissions of the logged user to perform any requested action before performing it.

3.5.4 Maintainability

All code shall be fully documented. Each function shall be commented with pre- and post-conditions. All program files shall include comments concerning authorship and date of last change. The code shall be modular to permit future modifications. The main aspects of maintainability and modularity will be addressed in the design document.

3.5.5 Portability

The software shall be designed to run on at least one of the following four platforms:

- Microsoft Windows (Windows implementations shall be portable to all versions of Windows up to and including Windows XP)
- UNIX (Unix implementation shall be portable to any version of Unix that supports the user interface libraries used)
- Apple Macintosh OS (Apple Mac implementations shall be portable to all current versions of the MacOS)
- Linux (Linux implementations shall run on at least one version of Linux) No other specific portability requirements have been identified

Using one of the available browsers (Chrome, Edge, Safari etc...) on the above platforms.

3.5.6 Usability

The web application will be designed to be use friendly and with a fluid graphical interface in order to be available on multiple devices. The application will be user friendly and in order to allow even the less expert users to complete the desired tasks without requiring assistance.

4 FORMAL ANALYSIS USING ALLOY

4.1 Code

The main goal of our Alloy analysis is to validate the model, imposing some constraints that aren't shown in the class diagram.

Those constraints are:

- The farmer can only insert a production coherent with his production type

And are expressed by the following Alloy code:

```
open util/integer
```

```
//----SIGNATURES----
```

```
abstract sig User { }
```

```
sig Farmer extends User {  
  location: one Location,  
  typeP: set ProductionTypes ,  
  production: set Production,  
  discussion: set Discussion,  
  comment: set Comment  
}
```

```
sig Policymaker extends User {  
  badgeNumber: one Int  
  {badgeNumber >= 0}
```

```
sig Location {
```

```
weather: set Weather
```

```
}
```

```
sig Weather {
```

```
month: one Int,
```

```
day: one Int ,
```

```
hour: one Int
```

```
{day > 0 and month > 0 and hour > 0}
```

```
sig Discussion {
```

```
commentDiscussion : set Comment}
```

```
sig Comment {}
```

```
//The most common productions in Telangana according to Professor Jayashankar, Professor at the Telangana  
state agricultural university
```

```
enum ProductionTypes {
```

```
Rice,
```

```
Corn,
```

```
Jowar,
```

```
Cotton,
```

```
Castor,
```

```
Groundnut,
```

```
Soya,
```

```
RedGram,
```

```
GreenGram,
```

```
BlackGram,
```

```
Sesame
```

```
}
```

```
sig Production{
```

```
kilograms: one Int,
```

```
type: one ProductionTypes,
```

```
{kilograms > 0}
```

```
//FACTS
```

//A production is always associated with a farmer

```
fact farmerProduction {  
  all p: Production | one f: Farmer | p in f.production  
}
```

//A production have a type in the farmer typeP

```
fact farmerTypeProd{  
  all p: Production | one f: Farmer | p in f.production &&  
  p.type in f.typeP  
}
```

//A weather is always associated with a location

```
fact weatherLocation{  
  all w: Weather | one l: Location | w in l.weather  
}
```

//Polimakers should have different bedge number

```
fact differenteBedge {  
  all p1: Policymaker , p2: Policymaker | p1.badgeNumber = p2.badgeNumber implies p1 = p2  
}
```

//Every comment is always associated witha one farmer

```
fact commentFarmer {  
  all c: Comment | one f: Farmer | c in f.comment  
}
```

//Every comment is always associated with one discussion

```
fact commentDiscussion {  
  all c: Comment | one d: Discussion | c in d.commentDiscussion  
}
```

```
//Every discussion is always associated with one farmer
fact discussionFarmer {
all d: Discussion | one f: Farmer | d in f.discussion
}
```

```
pred show{
#Farmer > 1
#Policymaker > 1
#Production = 3
#Location= 2
#Weather > 2
#Comment = 4
#Discussion= 4}
```

```
run show for 10
```

4.2 Result


Executing "Run show for 10"

Solver=sat4j Bitwidth=4 MaxSeq=7 SkolemDepth=1 Symmetry=
21794 vars. 1690 primary vars. 56772 clauses. 194ms.


Instance found. Predicate is consistent. 165ms.

4.3 Generated instances

- **First run**



- **Second run**



5 EFFORT SPENT

Francesco Mazzola

Topic	Hours
General Reasoning	5 h
Purpose & Scope	2 h
Class Diagram	1 h
Statechart	1 h
Product Functions	1 h
Domain Assumptions	2 h
Functional Requirements	4 h
Use Cases and Use Cases Diagrams	5 h
Sequence Diagrams	6 h
Alloy	4 h
Document Review	5 h

Alessio Ferrara

Topic	Hours
General Reasoning	5 h
Purpose & Scope	2 h
Class Diagram	1 h
Statechart	1 h
Product Functions	1 h
Domain Assumptions	2 h
Functional Requirements	3 h
Use Cases and Use Cases Diagrams	5 h
Sequence Diagrams	4 h
Alloy	6 h
Document Review	5 h