Requirements - Group

Please, fill in the following form, make sure that you have ticked the requirements that you consider fulfilled, save this document, and attach it in its original format (.docx) to every deliverable. Regarding your ID, please keep only four random digits and mask the others using an asterisk. Please, note that this document must be edited with the desktop version of Word since the web version does not properly support forms. Attaching this document entails that you are the authors of the work delivered, you have not cheated in any way, and you have read and understood the information delivered regarding the subject, with a special emphasis on the methodological guidelines and how your work is going to be graded. Make sure that your project works well with the latest version of the development framework.

Group: C1.022

Repository: https://github.com/FranciscoFernandezN/Acme-ANS

Student #1 Student #2

 ID:
 2656*****
 ID:
 7**4*4*7*

 UVUS:
 BBP9011
 UVUS:
 BPP4634

Name: Fernández Noguerol, Francisco Name: Gutiérrez Arazo, Beatriz

Roles: Analista, Desarrollador, Tester Roles: Manager, Operadora, Analista,

Desarrolladora, Tester

Student #3 Student #4

 ID:
 49*2**4**
 ID:
 0921*****

 UVUS:
 juavarver
 UVUS:
 MQV0326

Name: Varo Vera, Juan Name: Benito Merchán, Manuel Jesús Roles: Analista, Desarrollador, Tester Roles: Analista, Desarrollador, Tester

Student #5

ID: ****2653* UVUS: CKS4123

Name: Gómez Navarro, Esteban Roles: Analista, Desarrollador, Tester

<u>Date:</u> Sevilla Marzo 22, 2025

MANDATORY

Deliverable D01: introduction

Information requirements

Intentionally blank.

Functional requirements

Intentionally blank.

Non-functional requirements

Intentionally blank.

Testing requirements

Intentionally blank.

Managerial requirements

1) Instantiate and customise the appropriate starter project so that you can work on this project. Make sure that the name of your project folder, maven configuration (pom.xml), and database is "Acme-ANS-D(dd)", where "(dd)" denotes the deliverable number using two digits. Make sure that you have followed the instructions in the "On Your Deliverables" document to package and deliver your work. This requirement must be fulfilled in this and every other group or individual deliverable for it to be considered satisfied.

Χ

2) Produce a chartering report.

Χ

3) Provide a link to your planning dashboard in GitHub to review the tasks, their current status, and your schedule.

MANDATORY

Deliverable D02: data models

Information requirements

4) An **airport** is a facility that enables airlines to operate by providing flights for passengers travelling between cities or countries. The system must store the following data about airports: a **name** (up to 50 characters), an **IATA code** (a unique three-uppercase-letter identifier), an **operational scope** ("INTERNATIONAL", "DOMESTIC", "REGIONAL"), a **city** and a **country** (up to 50 characters). Additionally, optional fields include a **website**, **email** address, and **contact phone number** (pattern " ^\+?\d{6,15}\$"). It is assumed that airports have only two runways, one for landing and one for take-offs; no further information about them is needed in the system.

Χ

An **airline** is a company that provides air transportation services for passengers by operating flights between different airports. The system must store a **name** (up to 50 characters), an **IATA code** (a unique three-uppercase-letter identifier, where the last letter is typically an "X"), a **website**, a **type** ("LUXURY", "STANDARD", "LOW-COST"), a **foundation moment** (in the past), and optional **email address** and **phone number** (pattern "^\+?\d{6,15}\$").

Χ

An aircraft is a vehicle designed for air travel that belongs to an airline and is used to transport passengers between cities or countries. The system must store the following data about them: a model (up to 50 characters), a registration number (unique, up to 50 characters), its capacity as a number of passengers, its cargo weight (between 2K and 50K kgs), a status, which reports on whether the aircraft is in active service or under maintenance, and optional details (up to 255 characters).

Χ

A **service** is an offering provided by airports to enhance a passenger's experience. The system must store the following data about them: a **name** (up to 50 characters), a link to a **picture** that must be stored somewhere else, and its **average dwell time** (in hours); optionally, it can store a **promotion code** (unique, "^[A-Z]{4}-[0-9]{2}\$", the last two digits correspond to the current year), and the **money** that should be discounted when the promotion code is applied.

Χ

8) A **review** is a short message posted by a user to share his or her experiences. The reviews may deal with aspects such as airport cleanliness, services (e.g., restaurants, customer service, or assistance), or experiences with airlines or flights. The system must

store the following data: a **name** or an alias of the person who posts it (up to 50 characters), the **moment** when the review is posted (in the past), a **subject** (up to 50 characters), a piece of **text** (up to 255 characters), and, optionally, a **score** (a double between 0 and 10), and whether the experience is **recommended** or not.

Χ

Functional requirements

Intentionally blank.

Non-functional requirements

Intentionally blank.

Testing requirements

9) Produce initial data to cold start your project; it must include an administrator account with credentials "administrator/administrator". Produce sample data to test your requirements; it must include additional administrator accounts with credentials "administrator1/administrator1" and "administrator2/administrator2".

Χ

Managerial requirements

10) Provide a link to your planning dashboard in GitHub to review the tasks, their current status, and your schedule.

MANDATORY

Deliverable D03: implementing features

Information requirements

Intentionally blank.

Functional requirements

11) Operations by administrators on airports:

- List the airports and show their details.
- Create and update an airport. Both operations require confirmation.

12) Operations by administrators on airlines:

- List the airlines and show their details.
- Create and update an airline. Both operations require confirmation.

13) Operations by administrators on aircrafts:

- List the aircrafts and show their details.
- Create, update, or disable an aircraft. These operations require confirmation.

14) Operations by any principals on services:

• Display any of them randomly (only its picture); the services must be promoted in every page as little intrusively as possible.

Χ

Non-functional requirements

Intentionally blank.

Testing requirements

Intentionally blank.

Managerial requirements

15) Provide a link to your planning dashboard in GitHub to review the tasks, their current status, and your schedule.

MANDATORY		
Deliverable D04: formal testing		
Information requirements		
16) Create appropriate indexes for your entities, if required.		
Functional requirements		
Intentionally blank.		
Non-functional requirements		
Intentionally blank.		
Testing requirements		
17) Produce as a complete test suite as possible for Requirement #11.		
Managerial requirements		
18) Provide a link to your planning dashboard in GitHub to review the tasks, their curren status, and your schedule.		
19) Produce a testing report.		

Deliverable D01: introduction

Information requirements

Intentionally blank.

Functional requirements

Intentionally blank.

Non-functional requirements

20) The default language must be English, but Spanish must be supported, as well. Other mainstream languages are welcome but not required. This requirement must be met in this and every other group or individual deliverable for it to be considered satisfied.

Χ

Testing requirements

Intentionally blank.

Managerial requirements

21) Produce a report on what you knew about the architecture of a WIS before this subject.

Χ

22) Produce a report on what you knew about testing a WIS before this subject.

Χ

23) Produce a report on how you have set up your development configuration. You must not reproduce the guideline to set it up, but to make it clear that you have followed it, and you have your development configuration ready to work.

Deliverable D02: data models

Information requirements

- 24) The **system configuration** must include the following initial data: a **system currency**, which must be initialised to "EUR" and a list of **accepted currencies**, which must be initialised to "EUR", "USD", and "GBP".
- 25) The system must handle administrator dashboards with the following indicators:
 - Total number of airports grouped by their operational scope.
 - Number of airlines grouped by their type.
 - Ratio of airlines with both an email address and a phone number.
 - Ratios of active and non-active aircrafts.
 - Ratio of reviews with a score above 5.00.
 - Count, average, minimum, maximum, and standard deviation of the number of reviews posted over the last 10 weeks.

Χ

Functional requirements

Intentionally blank.

Non-functional requirements

Intentionally blank.

Testing requirements

Intentionally blank.

Managerial requirements

26) Produce a UML domain model regarding the information requirements.

Deliverable D03: implementing features

Information requirements

Intentionally blank.

Functional requirements

- 27) Operations by any principals on services:
 - List and show the services.
- 28) Operations by any principals on reviews:
 - List the reviews posted in the last year and their details. Note that the number of reviews in a year is expected to be huge.
 - Post a review. This operation requires a confirmation since reviews cannot be updated or deleted.
- 29) Operations by administrators on the system configuration:
 - Show the system configuration.
 - Update the system configuration.
- 30) Operations by administrators on services:
 - List the services and their details.
 - Create, update, or delete a service.
- 31) Operations by administrators on dashboards:
 - Show their administrator dashboards.

Non-functional requirements

32) Money amounts, Booleans, and moments must be internationalised when they are shown. Other kinds of data are not expected to be internationalised. Internally, all

moments must be stored in GMT format. This requirement must be fulfilled in this and every other group or individual deliverable for it to be considered satisfied.

Testing requirements

Intentionally blank.

Managerial requirements

33) Provide a link to a video in which you informally test Requirement #14. Videos should not exceed 10 minutes in length and must be stored at the USE's facilities.

Information requirements Intentionally blank. Functional requirements Intentionally blank. Non-functional requirements Intentionally blank. Testing requirements 34) Perform five mutations in your code and report on the results. Managerial requirements 35) Produce a lint report.

SUPPLEMENTARY I

Deliverable D01: introduction		
Information requirements		
Intentionally blank.		
Functional requirements		
Intentionally blank.		
Non-functional requirements		
Intentionally blank.		
Testing requirements		
Intentionally blank.		
Managerial requirements		
36) Produce an analysis report.		
X		
37) Produce a planning and progress report.		
X		

Deliverable D02: data models

Information requirements

38) The system must manage data about **banned passengers**. The system must store the following data: a **full name** (up to 50 characters), **date of birth** (in the past), a **passport number** (pattern "^[A-Z0-9]{6,9}\$"), **nationality** (up to 50 characters), the **reason** for the ban (up to 255 characters), the **date the ban was issued** (in the past), and an optional **lift date** (in the past) to indicate whether the passenger is still banned or if the prohibition has been lifted.

Χ

Functional requirements

Intentionally blank.

Non-functional requirements

39) The system must show money amounts as they are entered by the users, but also their corresponding **money exchanges** according to the system currency. It is the students' responsibility to find the appropriate exchange-rate service; no implicit or explicit liabilities shall be covered by the University of Seville or their individual affiliates if the students contract pay-per-use services! This requirement must be fulfilled in this and every other group or individual deliverable for it to be considered satisfied.

Testing requirements

Intentionally blank.

Managerial requirements

40) Produce an analysis report.

Χ

41) Produce a planning and progress report.

Deliverable D03: implementing features

Information requirements

Intentionally blank.

Functional requirements

42) Operations by administrators on banned passengers:

- Create or update a banned passenger record. This operation requires confirmation since banned passengers cannot be deleted. Instead, the prohibition can be lifted by specifying a ban lift date.
- List the passengers who are currently banned and show their details.
- List the passengers whose bans have been lifted and show their details.
- List the passengers that have been banned in the last month.

43) Operations by any principal on airports:

List the airports and show their details.

Non-functional requirements

44) The system must prevent storing data that can be considered spam. A piece of text is classified as spam if it contains a percentage of spam terms that exceeds a given threshold. The default list of spam terms includes words such as "sex", "viagra", "cialis", "one million", "you've won", "nigeria", and their corresponding translations in the supported languages. The default threshold for identifying spam is preset to 10%. Administrators may modify both the spam terms and the threshold. The system must preprocess text to account for "emphatic spacing" by removing any punctuation between consecutive letters (e.g., "S.E.X", "H:A:R:D C:O:R:E", or "V*I:AG!\$R-A"). A term is considered spam regardless of letter case or the placement of punctuation symbols in between letters. For instance, "one million" would match "ONE MILLION", "*O*n*E* M:i:L:L:i:O:n", and "One__d__Million", but would not match "One__Millionaire", "One__or__two__millions", or "One sexy million". The spam detection mechanism must be easily reusable across forthcoming projects. Ensure that the spam detection project is delivered separately for evaluation. This requirement must be met in this and all other group or individual deliverables for it to be considered valid.

Testing requirements		
Intentionally blank.		
Managerial requirements		
45)	Produce an analysis report.	
46)	Produce a planning and progress report.	

Deliverable D04: formal testing			
Info	rmation requirements		
Inter	Intentionally blank.		
Functional requirements			
Inter	ntionally blank.		
Non	n-functional requirements		
Inter	ntionally blank.		
Test	ting requirements		
47)	Produce as a complete test suite as possible for Requirement #39 ensuring that the web service is properly mocked.		
Mar	nagerial requirements		
48)	Produce an analysis report.		
49)	Produce a planning and progress report.		