Skip to content $\mathbf{Index} - \mathbf{V}$

- v (mathutils.Color attribute)
- valid_message() (bpy.types.Spline method)
- valid_socket_type() (bpy.types.NodeTree class method)
- validate() (bmesh.types.BMEditSelSeq method)
 - (bpy.types.Mesh method)
- validate_material_indices() (bpy.types.Curve method)
 - (bpy.types.Mesh method)
- validity threshold (bpy.types.LightProbeVolume attribute)
- value (bpy.types.BoolAttributeValue attribute)
 - (bpy.types.ByteIntAttributeValue attribute)
 - (bpy.types.Float4x4AttributeValue attribute)
 - (bpy.types.FloatAttributeValue attribute)
 - (bpy.types.FunctionNodeInputColor attribute)
 - (bpy.types.GreasePencilColorModifier attribute)
 - (bpy.types.Int2AttributeValue attribute)
 - (bpy.types.IntAttributeValue attribute)
 - (bpy.types.KeyMapItem attribute)
 - (bpy.types.QuaternionAttributeValue attribute)
 - (bpy.types.ShapeKey attribute)
 - (bpy.types.Short2AttributeValue attribute)
 - (bpy.types.StringAttributeValue attribute)
- value boolean (bpy.types.SpreadsheetRowFilter attribute)
- value color (bpy.types.SpreadsheetRowFilter attribute)
- value float (bpy.types.SpreadsheetRowFilter attribute)
- value_float2 (bpy.types.SpreadsheetRowFilter attribute)
- value_float3 (bpy.types.SpreadsheetRowFilter attribute)
- value_int (bpy.types.SpreadsheetRowFilter attribute)
- value int2 (bpy.types.SpreadsheetRowFilter attribute)
- value_int8 (bpy.types.SpreadsheetRowFilter attribute)
- value_layer_name (bpy.types.ParticleInstanceModifier attribute)
- value max (bpy.types.LineStyleThicknessModifier AlongStroke attribute)
 - $\circ \ \ (bpy.types.LineStyleThicknessModifier_DistanceFromCamera\ attribute) \\$
 - (bpy.types.LineStyleThicknessModifier DistanceFromObject attribute)
 - ${\color{gray} \circ} \ \ (bpy.types.LineStyleThicknessModifier_Material\ attribute) \\$
- value_min (bpy.types.LineStyleThicknessModifier_AlongStroke attribute)
 - (bpy.types.LineStyleThicknessModifier DistanceFromCamera attribute)
 - (bpy.types.LineStyleThicknessModifier DistanceFromObject attribute)
 - ${\color{gray} \circ} \ \ (bpy.types.LineStyleThicknessModifier_Material\ attribute) \\$
- value_offset (bpy.types.FModifierFunctionGenerator attribute)
- value sliders (bpy.types.ThemeDopeSheet attribute)
- value string (bpy.types.SpreadsheetRowFilter attribute)
- values() (bmesh.types.BMDeformVert method)
 - (bmesh.types.BMLayerCollection method)
 - (bpy.types.bpy_prop_collection method)
 - (bpy.types.bpy struct method)
 - (idprop.types.IDPropertyGroup method)
- variable_lacunarity() (in module mathutils.noise)
- variation (bpy.types.CompositorNodeKuwahara attribute)
- vbo_collection_rate (bpy.types.PreferencesSystem attribute)
- vbo_time_out (bpy.types.PreferencesSystem attribute)
- vector (bpy.types.Float2AttributeValue attribute)
 - (bpy.types.FloatVectorAttributeValue attribute)
 - (bpy.types.FunctionNodeInputVector attribute)

- view2d_grid_spacing_min (bpy.types.PreferencesView attribute)
- VIEW3D_AST_brush_gpencil_paint (class in bpy.types)
- VIEW3D AST brush gpencil sculpt (class in bpy.types)
- VIEW3D_AST_brush_gpencil_vertex (class in bpy.types)
- VIEW3D AST brush gpencil weight (class in bpy.types)
- VIEW3D_AST_brush_sculpt (class in bpy.types)
- VIEW3D_AST_brush_sculpt_curves (class in bpy.types)
- VIEW3D AST brush texture paint (class in bpy.types)
- VIEW3D AST brush vertex_paint (class in bpy.types)
- VIEW3D_AST_brush_weight_paint (class in bpy.types)
- VIEW3D_AST_pose_library (class in bpy.types)
- VIEW3D FH camera background image (class in bpy.type
- VIEW3D_FH_empty_image (class in bpy.types)
- VIEW3D_FH_vdb_volume (class in bpy.types)
- View3DCursor (class in bpy.types)
- View3DOverlay (class in bpy.types)
- View3DOverlay.grid_scale_unit (in module bpy.types)
- View3DShading (class in bpy.types)
- View3DShading.cycles (in module bpy.types)
- View3DShading.selected_studio_light (in module bpy.types)
- view all() (in module bpy.ops.action)
 - (in module bpy.ops.clip)
 - (in module bpy.ops.graph)
 - (in module bpy.ops.image)
 - (in module bpy.ops.nla)
 - (in module bpy.ops.node)
 - (in module bpy.ops.sequencer)
 - (in module bpy.ops.view3d)
- view all preview() (in module bpy.ops.sequencer)
- view axis() (in module bpy.ops.view3d)
- view_bias (bpy.types.LightProbeVolume attribute)
- view camera() (in module bpy.ops.view3d)
- view_camera_offset (bpy.types.RegionView3D attribute)
- view_camera_zoom(bpy.types.RegionView3D attribute)
- view cancel() (in module bpy.ops.render)
- view center camera() (in module bpy.ops.view3d)
- view center cursor() (in module bpy.ops.clip)
 - (in module bpy.ops.image)
 - (in module bpy.ops.view3d)
- view center lock() (in module bpy.ops.view3d)
- view center pick() (in module bpy.ops.view3d)
- view_cursor_center() (in module bpy.ops.image)
- view curve in graph editor() (in module bpy.ops.anim)
- view distance (bpy.types.RegionView3D attribute)
- view_draw() (bpy.types.HydraRenderEngine method)
 - (bpy.types.RenderEngine method)
- view_drop() (in module bpy.ops.ui)
- view_frame() (bpy.types.Camera method)
 - (in module bpy.ops.action)
 - (in module bpy.ops.graph)
 - (in module bpy.ops.nla)
 - (in module bpy.ops.sequencer)

- Vector (class in mathutils)
- Vector.angle() (in module mathutils)
- Vector.angle signed() (in module mathutils)
- Vector.copy() (in module mathutils)
- Vector.freeze() (in module mathutils)
- Vector.lerp() (in module mathutils)
- Vector.project() (in module mathutils)
- Vector.rotate() (in module mathutils)
- Vector.rotation difference() (in module mathutils)
- Vector.slerp() (in module mathutils)
- vector display type (bpy.types.FluidDomainSettings attribute)
- vector field (bpy.types.FluidDomainSettings attribute)
- vector node (bpy.types.ThemeNodeEditor attribute)
- vector scale (bpy.types.FluidDomainSettings attribute)
- vector scale with magnitude (bpy.types.FluidDomainSettings attribute)
- vector_show_mac_x (bpy.types.FluidDomainSettings attribute)
- vector show mac y (bpy.types.FluidDomainSettings attribute)
- vector show mac z (bpy.types.FluidDomainSettings attribute)
- vector type (bpy.types.ShaderNodeMapping attribute)
 - (bpy.types.ShaderNodeVectorTransform attribute)
 - (bpy.types.TexMapping attribute)
- VectorFont (class in bpy.types)
- VectorFont.packed_file (in module bpy.types)
- vectorscope alpha (bpy.types.Scopes attribute)
- vectorscope mode (bpy.types.Scopes attribute)
- velocity (aud. Handle attribute)
 - (bpy.types.Particle attribute)
 - (bpy.types.ParticleKey attribute)
- velocity_coord (bpy.types.FluidFlowSettings attribute)
- velocity factor (bpy.types.FluidEffectorSettings attribute)
 - (bpy.types.FluidFlowSettings attribute)
 - (bpy.types.ParticleSettingsTextureSlot attribute)
- velocity_grid (bpy.types.Volume attribute)
- velocity max (bpy.types.DynamicPaintBrushSettings attribute)
 - (bpy.types.Itasc attribute)
- velocity_name (bpy.types.CacheFile attribute)
- velocity_normal (bpy.types.FluidFlowSettings attribute)
- velocity_random(bpy.types.FluidFlowSettings attribute)
- velocity scale (bpy.types.FluidDomainSettings attribute)
 - (bpy.types.MeshSequenceCacheModifier attribute)
 - (bpy.types.Volume attribute)
- velocity_unit (bpy.types.CacheFile attribute)
 - (bpy.types.Volume attribute)
- vendor get() (in module gpu.platform)
- verify() (bmesh.types.BMLayerCollection method)
- version (in module bpy.app)
- version cycle (in module bpy.app)
- version file (in module bpy.app)
- version_get() (in module gpu.platform)
- version_string (in module bpy.app)
- version_update (in module bpy.app.handlers)
- vert (bmesh.types.BMLoop attribute)
- vert_collapse_edge() (in module bmesh.utils)
- vert_collapse_faces() (in module bmesh.utils)
- vert_connect() (in module bpy.ops.mesh)
- vert connect concave() (in module bpy.ops.mesh)

- view_frame_keyframes (bpy.types.PreferencesView attribute)
- view frame seconds (bpy.types.PreferencesView attribute)
- view frame type (bpy.types.PreferencesView attribute)
- view from (bpy.types.BakeSettings attribute)
- view_ghost_border() (in module bpy.ops.sequencer)
- view_height (bpy.types.WalkNavigation attribute)
- view_item_rename() (in module bpy.ops.ui)
- view_layer (bpy.types.Window attribute)
 - (in module bpy.context)
- view_layer_add() (in module bpy.ops.scene)
- view_layer_add_aov() (in module bpy.ops.scene)
- view layer add lightgroup() (in module bpy.ops.scene)
- view layer add used lightgroups() (in module bpy.ops.scene
- view layer remove() (in module bpy.ops.scene)
- view layer remove aov() (in module bpy.ops.scene)
- view_layer_remove_lightgroup() (in module bpy.ops.scene)
- view_layer_remove_unused_lightgroups() (in module bpy.ops.scene)
- view location (bpy.types.RegionView3D attribute)
- view lock clear() (in module bpy.ops.view3d)
- view lock to active() (in module bpy.ops.view3d)
- view matrix (bpy.types.RegionView3D attribute)
- view_ndof() (in module bpy.ops.clip)
 - (in module bpy.ops.image)
- view_orbit() (in module bpy.ops.view3d)
- view overlay (bpy.types.ThemeView3D attribute)
- view_pan() (in module bpy.ops.clip)
 - (in module bpy.ops.image)
 - (in module bpy.ops.view3d)
- view perspective (bpy.types.RegionView3D attribute)
- view persportho() (in module bpy.ops.view3d)
- view roll() (in module bpy.ops.view3d)
- view rotate method (bpy.types.PreferencesInput attribute)
- view_rotate_sensitivity_trackball (bpy.types.PreferencesInput attribute)
- view_rotate_sensitivity_turntable (bpy.types.PreferencesInput attribute)
- view_rotation (bpy.types.RegionView3D attribute)
- view scroll() (in module bpy.ops.ui)
- view selected() (in module bpy.ops.action)
 - (in module bpy.ops.clip)
 - (in module bpy.ops.file)
 - (in module bpy.ops.graph)
 - (in module bpy.ops.image)
 - (in module bpy.ops.nla)
 - (in module bpy.ops.node)
 - (in module bpy.ops.sequencer)
 - (in module bpy.ops.view3d)
- view_show() (in module bpy.ops.render)
- view sliders (bpy.types.ThemeDopeSheet attribute)
 - (bpy.types.ThemeNLAEditor attribute)
- view start filter() (in module bpy.ops.ui)
- view to region() (bpy.types. View2D method)
- view_transform(bpy.types.ColorManagedViewSettings attribute)
- view_type (bpy.types.SpaceSequenceEditor attribute)

- vert connect nonplanar() (in module bpv.ops.mesh)
- vert connect path() (in module bpy.ops.mesh)
- vert crease() (in module bpy.ops.transform)
- vert dissolve() (in module bmesh.utils)
- vert mapping (bpy.types.DataTransferModifier attribute)
- vert select all() (in module bpy.ops.paint)
- vert select hide() (in module bpy.ops.paint)
- vert select less() (in module bpy.ops.paint)
- vert select linked() (in module bpy.ops.paint)
- vert_select_linked_pick() (in module bpy.ops.paint)
- vert select more() (in module bpy.ops.paint)
- vert select ungrouped() (in module bpy.ops.paint)
- vert separate() (in module bmesh.utils)
- vert slide() (in module bpy.ops.transform)
- vert splice() (in module bmesh.utils)
- vertbuf add() (gpu.types.GPUBatch method)
- vertex (bpy.types.ThemeGraphEditor attribute)
 - (bpy.types.ThemeImageEditor attribute)
 - (bpy.types.ThemeView3D attribute)
- vertex active (bpy.types.ThemeGraphEditor attribute)
- vertex_add() (in module bpy.ops.curve)
- vertex_attribute_name (bpy.types.ShaderNodeTexPointDensity attribute)
- vertex bevel (bpy.types.ThemeGraphEditor attribute)
 - (bpy.types.ThemeImageEditor attribute)
 - (bpy.types.ThemeView3D attribute)
- vertex brush stroke() (in module bpy.ops.grease pencil)
- vertex_color_brightness_contrast() (in module bpy.ops.grease_pencil)
 - (in module bpy.ops.paint)
- vertex_color_dirt() (in module bpy.ops.paint)
- vertex color factor (bpy.types.BrushGpencilSettings attribute)
- vertex color from weight() (in module bpy.ops.paint)
- vertex_color_hsv() (in module bpy.ops.grease_pencil)
 - (in module bpy.ops.paint)
- vertex color invert() (in module bpy.ops.grease pencil)
 - (in module bpy.ops.paint)
- vertex_color_levels() (in module bpy.ops.grease_pencil)
 - (in module bpy.ops.paint)
- vertex color set() (in module bpy.ops.grease pencil)
 - (in module bpy.ops.paint)
- vertex_color_smooth() (in module bpy.ops.paint)
- vertex_color_source (bpy.types.ShaderNodeTexPointDensity attribute)
- vertex_creases_ensure() (bpy.types.Mesh method)
- vertex_creases_remove() (bpy.types.Mesh method)
- vertex_group (bpy.types.ArmatureModifier attribute)
 - (bpy.types.BevelModifier attribute)
 - (bpy.types.CastModifier attribute)
 - (bpy.types.CorrectiveSmoothModifier attribute)
 - (bpy.types.CurveModifier attribute)
 - (bpy.types.DataTransferModifier attribute)
 - (bpy.types.DecimateModifier attribute)
 - (bpy.types.DisplaceModifier attribute)
 - (bpy.types.ExplodeModifier attribute)
 - (bpy.types.GreasePencilLineartModifier attribute)
 - (bpy.types.HookModifier attribute)
 - (bpy.types.LaplacianDeformModifier attribute)
 - (bpy.types.LaplacianSmoothModifier attribute)
 - (bpy.types.Lattice attribute)

- view update() (bpy.types.HydraRenderEngine method)
 - (bpy.types.RenderEngine method)
- view zoom() (in module bpy.ops.clip)
 - (in module bpy.ops.image)
- view zoom axis (bpy.types.PreferencesInput attribute)
- view_zoom_border() (in module bpy.ops.image)
- view zoom in() (in module bpy.ops.clip)
 - (in module bpy.ops.image)
- view zoom method (bpy.types.PreferencesInput attribute)
- view_zoom_out() (in module bpy.ops.clip)
 - (in module bpy.ops.image)
- view zoom ratio() (in module bpy.ops.clip)
 - (in module bpy.ops.image)
 - (in module bpy.ops.sequencer)
- ViewEdge (class in freestyle.types)
- viewedge (freestyle.types.FEdge attribute)
- ViewEdgeIterator (class in freestyle.types)
- viewer_attribute_opacity (bpy.types.View3DOverlay attribute
- viewer border() (in module bpy.ops.node)
- viewer shortcut get() (in module bpy.ops.node)
- viewer_shortcut_set() (in module bpy.ops.node)
- ViewerNodeViewerPathElem (class in bpy.types)
- ViewerPath (class in bpy.types)
- ViewerPath.path (in module bpy.types)
- ViewerPathElem (class in bpy.types)
- ViewerPathElem.type (in module bpy.types)
- ViewerPathElemui name (in module bpy.types)
- ViewLayer (class in bpy.types)
- ViewLayer.active aov (in module bpy.types)
- ViewLayer.active lightgroup (in module bpy.types)
- ViewLayer.aovs (in module bpy.types)
- ViewLayer.cycles (in module bpy.types)
- ViewLayer.depsgraph (in module bpy.types)ViewLayer.eevee (in module bpy.types)
- ViewLayer.freestyle settings (in module bpy.types)
- ViewLayer.has export collections (in module bpy.types)
- ViewLayer.layer_collection (in module bpy.types)
- ViewLayer.lightgroups (in module bpy.types)
- ViewLayer.objects (in module bpy.types)
- viewlayer render (bpy.types.GreasePencilLayer attribute)
- VIEWLAYER_UL_aov (class in bpy.types)
- VIEWLAYER_UL_linesets (class in bpy.types)
- ViewLayerEEVEE (class in bpy.types)
- ViewLayers (class in bpy.types)
- ViewMap (class in freestyle.types)
- ViewMapGradientNormBP1D (class in freestyle.predicates)
- viewport aa (bpy.types.PreferencesSystem attribute)
 - (bpy.types.SceneDisplay attribute)
- viewport get() (in module gpu.state)
- viewport_resolution (bpy.types.OceanModifier attribute)
- viewport set() (in module gpu.state)
- views format (bpy.types.Image attribute)
 - (bpy.types.ImageFormatSettings attribute)
 - (bpy.types.ImageStrip attribute)
 - (bpy.types.MovieStrip attribute)
 - (bpy.types.RenderSettings attribute)
- ViewShape (class in freestyle.types)

- (bpy.types.LatticeModifier attribute)
- (bpy.types.MaskModifier attribute)
- (bpy.types.MeshCacheModifier attribute)
- (bpy.types.MeshDeformModifier attribute)
- (bpy.types.NormalEditModifier attribute)
- (bpy.types.ShapeKey attribute)
- (bpy.types.ShrinkwrapModifier attribute)
- (bpy.types.SimpleDeformModifier attribute)
- (bpy.types.SmoothModifier attribute)
- (bpy.types.SolidifyModifier attribute)
- (bpy.types.SurfaceDeformModifier attribute)
- (bpy.types.UVWarpModifier attribute)
- (bpy.types.VertexWeightEditModifier attribute)
- (bpy.types.VertexWeightProximityModifier attribute)
- (bpy.types.WarpModifier attribute)
- (bpy.types.WaveModifier attribute)
- (bpy.types.WeightedNormalModifier attribute)
- (bpy.types.WeldModifier attribute)
- (bpy.types.WireframeModifier attribute)
- vertex_group_a (bpy.types.VertexWeightMixModifier attribute)
- vertex group add() (in module bpy.ops.object)
- vertex_group_assign() (in module bpy.ops.object)
- vertex_group_assign_new() (in module bpy.ops.object)
- vertex group b (bpy.types.VertexWeightMixModifier attribute)
- vertex group bending (bpy.types.ClothSettings attribute)
- vertex_group_clean() (in module bpy.ops.object)
- vertex_group_clump (bpy.types.ParticleSystem attribute)
- vertex_group_copy() (in module bpy.ops.object)
- vertex group copy to selected() (in module bpy.ops.object)
- vertex_group_density (bpy.types.ParticleSystem attribute)
- vertex group deselect() (in module bpy.ops.object)
- vertex group factor (bpy.types.DecimateModifier attribute)
- vertex_group_field (bpy.types.ParticleSystem attribute)
- vertex_group_goal (bpy.types.SoftBodySettings attribute)
- vertex_group_intern (bpy.types.ClothSettings attribute)
- vertex_group_invert() (in module bpy.ops.object)
- vertex_group_kink (bpy.types.ParticleSystem attribute)
- vertex group length (bpy.types.ParticleSystem attribute)
- vertex_group_levels() (in module bpy.ops.object)
- vertex_group_limit_total() (in module bpy.ops.object)
- vertex_group_lock() (in module bpy.ops.object)
- vertex_group_mass (bpy.types.ClothSettings attribute)
 - (bpy.types.SoftBodySettings attribute)
- vertex_group_mirror() (in module bpy.ops.object)
- vertex_group_move() (in module bpy.ops.object)
- vertex group name (bpy.types.GreasePencilArmatureModifier attribute)
 - (bpy.types.GreasePencilEnvelopeModifier attribute)
 - (bpy.types.GreasePencilHookModifier attribute)
 - (bpy.types.GreasePencilLatticeModifier attribute)
 - (bpy.types.GreasePencilNoiseModifier attribute)
 - (bpy.types.GreasePencilOffsetModifier attribute)
 - (bpy.types.GreasePencilOpacityModifier attribute)
 - (bpy.types.GreasePencilShrinkwrapModifier attribute)
 - (bpy.types.GreasePencilSimplifyModifier attribute)
 - (bpy.types.GreasePencilSmoothModifier attribute)
 - (bpy.types.GreasePencilThickModifierData attribute)

- viewshape (freestyle.types.ViewEdge attribute)
- ViewVertex (class in freestyle.types)
- viewvertex (freestyle.types.SVertex attribute)
- virtual_parents (bpy.types.ParticleSettings attribute)
- viscosity_base (bpy.types.FluidDomainSettings attribute)
- viscosity_exponent (bpy.types.FluidDomainSettings attribute)
- viscosity_value (bpy.types.FluidDomainSettings attribute)
- visibility (bpy.types.FreestyleLineSet attribute)
- visibility_bleed_bias (bpy.types.LightProbe attribute)
- visibility_blur (bpy.types.LightProbe attribute)
- visibility_buffer_bias (bpy.types.LightProbe attribute)
- visibility collection (bpy.types.LightProbe attribute)
- visibility filter() (in module bpy.ops.paint)
- visibility_invert() (in module bpy.ops.paint)
- visible (freestyle.types.StrokeAttribute attribute)
- visible bones (in module bpy.context)
- visible camera (bpy.types.Object attribute)
- visible diffuse (bpy.types.Object attribute)
- visible feurves (in module bpy.context)
- visible get() (bpy.types.LayerCollection method)
 - (bpy.types.Object method)
- visible_glossy (bpy.types.Object attribute)
- visible in viewport get() (bpy.types.Object method)
- visible objects (in module bpy.context)
- visible pose bones (in module bpy.context)
- visible_shadow (bpy.types.Object attribute)
- visible transmission (bpy.types.Object attribute)
- visible_volume_scatter (bpy.types.Object attribute)
- visual transform apply() (in module bpy.ops.object)
 - (in module bpy.ops.pose)
- vmesh method (bpy.types.BevelModifier attribute)
- volume (aud. Device attribute)
 - (aud.DynamicMusic attribute)
 - (aud.Handle attribute)
 - (bpy.types.BoidState attribute)
 - (bpy.types.MaintainVolumeConstraint attribute)
 - (bpy.types.SceneStrip attribute)
 - (bpy.types.SoundStrip attribute)
 - (bpy.types.Speaker attribute)
 - (bpy.types.StretchToConstraint attribute)
- Volume (class in bpy.types)
- volume (in module bpy.context)
- volume() (aud.Sound method)
- Volume.animation_data (in module bpy.types)
- Volume.display (in module bpy.types)
- Volume.grids (in module bpy.types)
- Volume.materials (in module bpy.types)
- Volume.packed_file (in module bpy.types)
- Volume.render (in module bpy.types)
- Volume.velocity_x_grid (in module bpy.types)
- Volume.velocity_y_grid (in module bpy.types)
- Volume.velocity_z_grid (in module bpy.types)
- volume_add() (in module bpy.ops.object)
- volume density (bpy.types.FluidFlowSettings attribute)
- volume_factor (bpy.types.Light attribute)
- volume_import() (in module bpy.ops.object)

- (bpy.types.GreasePencilTintModifier attribute)
- (bpy.types.GreasePencilWeightAngleModifier attribute)
- (bpy.types.GreasePencilWeightProximityModifier attribute)
- vertex group normalize() (in module bpy.ops.grease pencil)
 - o (in module bpy.ops.object)
- vertex_group_normalize_all() (in module bpy.ops.grease_pencil)
 - (in module bpy.ops.object)
- vertex group object collisions (bpy.types.ClothCollisionSettings attribute)
- vertex_group_pressure (bpy.types.ClothSettings attribute)
- vertex_group_quantize() (in module bpy.ops.object)
- vertex group remove() (in module bpy.ops.object)
- vertex group remove from() (in module bpy.ops.object)
- vertex group rotation (bpy.types.ParticleSystem attribute)
- vertex_group_roughness_1 (bpy.types.ParticleSystem attribute)
- vertex group roughness 2 (bpy.types.ParticleSystem attribute)
- vertex_group_roughness_end (bpy.types.ParticleSystem attribute)
- vertex group select() (in module bpy.ops.object)
- vertex group self collisions (bpy.types.ClothCollisionSettings attribute)
- vertex group set active() (in module bpy.ops.object)
- vertex_group_shear_stiffness (bpy.types.ClothSettings attribute)
- vertex_group_shrink (bpy.types.ClothSettings attribute)
- vertex group size (bpy.types.ParticleSystem attribute)
- vertex_group_smooth() (in module bpy.ops.grease_pencil)
 - (in module bpy.ops.object)
- vertex_group_sort() (in module bpy.ops.object)
- vertex group spring (bpy.types.SoftBodySettings attribute)
- vertex_group_structural_stiffness (bpy.types.ClothSettings attribute)
- vertex_group_subset (bpy.types.ToolSettings attribute)
- vertex_group_tangent (bpy.types.ParticleSystem attribute)
- vertex group twist (bpy.types.ParticleSystem attribute)
- vertex_group_user (bpy.types.ToolSettings attribute)
- vertex_group_velocity (bpy.types.ParticleSystem attribute)
- vertex_group_weight (bpy.types.ToolSettings attribute)
- vertex_in() (gpu.types.GPUShaderCreateInfo method)
- vertex_index (bpy.types.MeshLoop attribute)
- vertex_indices_set() (bpy.types.HookModifier method)
- vertex mode (bpy.types.BrushGpencilSettings attribute)
- vertex normal (bpy.types.ThemeView3D attribute)
- vertex_opacity (bpy.types.View3DOverlay attribute)
- vertex_out() (gpu.types.GPUShaderCreateInfo method)
- vertex paint() (in module bpy.ops.paint)
- vertex paint mask ensure() (bpy.types.Mesh method)
- vertex_paint_mask_remove() (bpy.types.Mesh method)
- vertex_paint_mode_opacity (bpy.types.View3DOverlay attribute)
- vertex paint object (in module bpy.context)
- vertex paint toggle() (in module bpy.ops.paint)
- vertex_parent_set() (in module bpy.ops.object)
- vertex_random() (in module bpy.ops.transform)
- vertex_select (bpy.types.ThemeGraphEditor attribute)
 - (bpy.types.ThemeImageEditor attribute)
 - (bpy.types.ThemeView3D attribute)
- vertex size (bpy.types.ThemeGraphEditor attribute)
 - (bpy.types.ThemeImageEditor attribute)
 - (bpy.types.ThemeView3D attribute)
- vertex source() (gpu.types.GPUShaderCreateInfo method)
- vertex_tool (bpy.types.Brush attribute)
- vertex unreferenced (bnv.tvnes.ThemeGranhEditor attribute)

- volume intersection method (bpy.types.Material attribute)
- volume max (bpy.types.Speaker attribute)
- volume_maximum (aud.Handle attribute)
 - (aud.SequenceEntry attribute)
- volume_min (bpy.types.Speaker attribute)
- volume minimum (aud. Handle attribute)
 - (aud.SequenceEntry attribute)
- volume_tetrahedron() (in module mathutils.geometry)
- VOLUME UL grids (class in bpy.types)
- VolumeDisplaceModifier (class in bpy.types)
- VolumeDisplay (class in bpy.types)
- VolumeGrid (class in bpy.types)
- VolumeGrid.channels (in module bpy.types)
- VolumeGrid.data_type (in module bpy.types)
- VolumeGrid.is loaded (in module bpy.types)
- VolumeGrid.matrix_object (in module bpy.types)
- VolumeGrid.name (in module bpy.types)
- VolumeGrids (class in bpy.types)
- VolumeGrids.error message (in module bpy.types)
- VolumeGrids.frame (in module bpy.types)
- VolumeGrids.frame_filepath (in module bpy.types)
- VolumeGrids.is_loaded (in module bpy.types)
- VolumeRender (class in bpy.types)
- VolumeToMeshModifier (class in bpy.types)
- volumetric_end (bpy.types.SceneEEVEE attribute)
- volumetric light clamp (bpy.types.SceneEEVEE attribute)
- volumetric_ray_depth (bpy.types.SceneEEVEE attribute)
- volumetric_sample_distribution (bpy.types.SceneEEVEE attribute)
- volumetric_samples (bpy.types.SceneEEVEE attribute)
- volumetric_shadow_samples (bpy.types.SceneEEVEE attribute)
- volumetric_start (bpy.types.SceneEEVEE attribute)
- volumetric tile size (bpy.types.SceneEEVEE attribute)
- voronoi() (in module mathutils.noise)
- voronoi_dimensions (bpy.types.ShaderNodeTexVoronoi attribute)
- VoronoiTexture (class in bpy.types)
- VoronoiTexture.users material (in module bpy.types)
- VoronoiTexture.users_object_modifier (in module bpy.types)
- vortex (bpy.types.EffectorWeights attribute)
- vorticity (bpy.types.FluidDomainSettings attribute)
- voxel_amount (bpy.types.MeshToVolumeModifier attribute)
 - (bpy.types.VolumeToMeshModifier attribute)
- voxel cell size (bpy.types.ClothSettings attribute)
- voxel_size (bpy.types.MeshToVolumeModifier attribute)
 - (bpy.types.RemeshModifier attribute)

• voxel remesh() (in module bpy.ops.object)

- (bpy.types.VolumeToMeshModifier attribute)
- voxel_size_edit() (in module bpy.ops.object)

- (bpy.types.ThemeImageEditor attribute)
- (bpy.types.ThemeView3D attribute)
- vertex_warp() (in module bpy.ops.transform)
- vertex weight (bpy.types.BevelModifier attribute)
- vertex_weight_copy() (in module bpy.ops.object)
- vertex weight delete() (in module bpy.ops.object)
- vertex_weight_normalize_active_vertex() (in module bpy.ops.object)
- vertex weight paste() (in module bpy.ops.object)
- vertex weight set active() (in module bpy.ops.object)
- VertexGroup (class in bpy.types)
- VertexGroup.index (in module bpy.types)
- VertexGroupElement (class in bpy.types)
- VertexGroupElement.group (in module bpy.types)
- VertexGroups (class in bpy.types)
- vertexmode toggle() (in module bpy.ops.grease pencil)
- VertexOrientation2DF0D (class in freestyle functions)
- VertexOrientation3DF0D (class in freestyle.functions)
- VertexPaint (class in bpy.types)
- VertexWeightEditModifier (class in bpy.types)
- VertexWeightEditModifier.map curve (in module bpy.types)
- VertexWeightMixModifier (class in bpy.types)
- VertexWeightProximityModifier (class in bpy.types)
- VertexWeightProximityModifier.map curve (in module bpy.types)
- vertices (bpy.types.MeshEdge attribute)
 - (bpy.types.MeshPolygon attribute)
 - (freestyle.types.SShape attribute)
 - (freestyle.types.ViewShape attribute)
- vertices begin() (freestyle.types.Interface1D method)
- vertices end() (freestyle.types.Interface1D method)
- vertices smooth() (in module bpy.ops.mesh)
- vertices smooth laplacian() (in module bpy.ops.mesh)
- verts (bmesh.types.BMEdge attribute)
 - (bmesh.types.BMesh attribute)
 - (bmesh.types.BMFace attribute)
- video bitrate (bpy.types.FFmpegSettings attribute)
- view (bpy.types.CompositorNodeCryptomatteV2 attribute)
 - (bpy.types.CompositorNodeImage attribute)
 - (bpy.types.SpaceClipEditor attribute)
- View2D (class in bpy.types)

Copyright © Blender Authors

Made with Furo