## Skip to content CacheObjectPaths(bpy\_struct)

```
base class — bpy_struct
class bpy.types.CacheObjectPaths(bpy struct)
    Collection of object paths
    classmethod bl rna get subclass(id, default=None)
        PARAMETERS:
             id(str) – The RNA type identifier.
        RETURNS:
             The RNA type or default when not found.
        RETURN TYPE:
             bpy.types.Struct subclass
    classmethod bl_rna_get_subclass_py(id, default=None)
        PARAMETERS:
             id (str) – The RNA type identifier.
        RETURNS:
             The class or default when not found.
        RETURN TYPE:
             type
```

## **Inherited Properties**

• bpy struct.id data

## **Inherited Functions**

```
• bpy_struct.as_pointer
                                            • bpy struct.items
• bpy struct.driver add
                                            • bpy struct.keyframe delete
                                            • bpy struct.keyframe insert
• bpy struct.driver remove
• bpy struct.get
                                            • bpy struct.keys
• bpy_struct.id_properties_clear
                                            • bpy struct.path from id
• bpy struct.id properties ensure
                                            • bpy struct.path resolve
• bpy struct.id properties ui
                                            • bpy struct.pop
• bpy_struct.is_property_hidden
                                            • bpy_struct.property_overridable_library_set
• bpy struct.is property overridable library • bpy struct.property unset
bpy_struct.is_property_readonly
                                            • bpy_struct.type_recast
• bpy_struct.is_property_set
                                           • bpy struct.values
```

## References

• CacheFile.active\_index • CacheFile.object\_paths

Copyright © Blender Authors Made with Furo

Previous CacheObjectPath(bpy\_struct) Report issue on this page