



# Sic Semper Tyrannosaurus!

Time limit: 1000 ms  
Memory limit: 256 MB

After finding out that a senator that cannot chew and senator W have conspired against Herr Tyrannosaurus, Caesar had to ditch his efforts to impress Tiranca and come to give them an outright Promethean punishment! He gave them a sequence  $v$  of  $N$  numbers, an initial number  $K$  and  $Q$  updates and queries of the following form:

- **Update:** Change the value of an element
- **Query:** You are given two numbers  $l$  and  $r$ . A *tambourinishment* is the operation of taking a **subarray**  $v_l, v_{l+1}, \dots, v_r$  and transforming each of its elements  $v_{l \leq i \leq r}$  into  $\sum_{k=l}^i v_k$  (in some more elevated circles, they call this applying partial sums only to the elements of the given subarray). You have to output the value of  $v_r$  after *tambourinishing* the subarray  $K$  times. As these values can get quite large, you have to output their remainder after being divided by  $10^9 + 7$ . The query is not persistent (after applying the *tambourinishments*, the sequence goes back to its state before the query).

## Standard input

The first line will contain the numbers  $N$ ,  $K$  and  $Q$  in this order. The second line will contain  $N$  numbers representing the values of sequence  $v$ . The  $i$ -th of the next  $Q$  lines will describe updates and queries in the following format: the line will begin with the character  $q$  or  $u$ . In case the character is  $q$ , the line will describe a query and the character will be followed by two numbers  $l$  and  $r$  mentioned in the problem statement. In case the character is  $u$ , the line will describe an update and the character will be followed by two numbers  $p$  and  $x$  implying that the value of  $v_p$  will be changed with  $x$ .

## Standard output

The output will contain the answers of the queries, each written in order

## Constraints and notes

- $1 \leq N, Q \leq 10^5$
- $2 \leq K \leq 8$
- The elements of the sequence will never exceed  $10^9$
- For all queries,  $1 \leq l \leq r \leq N$
- For all updates,  $1 \leq p \leq N$
- Note: the author knows that the title of the problem is not fully adequate to the problem statement, but couldn't resist making that pun, also *tambourinishment* is a made-up word that the author had to use after being forced by his girlfriend.

### Input

### Output

### Explanation

```
5 3 4
3 1 4 1 5
Q 1 5
Q 2 4
U 4 6
Q 3 5
```

```
87
19
47
```

We have 3 queries and 1 update.

The last query is performed on the following subarray:  $[4, 6, 5]$ .

After each of the 3 steps, the subarray looks as the following:

### Input

### Output

### Explanation

1 1 1 [4 10 15]