

Requirements Document for Co-opMeeting

Leonie Pelle

Gero Büßing

Sebastian Müller

Sven Bamberger

November 10, 2013

Glossary

3G is the third generation of mobile telecommunications technology. 3G telecommunication networks support services that provide an information transfer rate of at least 200 kbit/s up to several Mbit/s to smartphones and mobile modems in laptop computers. 18

Account describes the privileges for registered users. 11–13, 19

Admin User administartes and maintains the system. 13

Alias is the displayed user name in a session. 11, 20

Anonymous User is someone who is not registered to the system and therefore has no user account. 11

API (application programming interface) specifies how some software components should interact with each other. 20

Blacklist is a list or register of entities who, for one reason or another, are being denied a particular privilege, service, or access. 13

Cache is a mechanism for temporary storage of web documents to increase performance. 18

Caching is a mechanism for temporary storage of web documents to increase performance. 19

Codec a codec is a way to en-/decode datastreams for better performance, wider support or higher security. 18

CSS (Cascading Style Sheets) is a style sheet language used for describing the presentation semantics (the look and formatting) of a document written in a markup language. Its most common application is to style web pages written in HTML. 19

GPL The GNU General Public License (GNU GPL or GPL) is the most widely used free software license, which guarantees end users (individuals, organizations, companies) the freedoms to use, study, share (copy), and modify

the software. Software that ensures that these rights are retained is called free software. 20

HTML (HyperText Markup Language) is the main markup language for creating web pages and other information that can be displayed in a web browser. 19

Installed Plugins are plugins which are approved by an admin user and installed on the server, so that every regular user can use them. 11–13

Invitations are used to ask regular users to join a session. 12

JavaScript (JS) is an interpreted computer programming language. As part of web browsers, implementations allow client-side scripts to interact with the user, control the browser, communicate asynchronously, and alter the document content that is displayed. 19

Keys are used to invite anonymous users to a session. 12

Man-in-the-middle attacks in computer security are a form of active eavesdropping in which the attacker makes independent connections with the victims and relays messages between them, making them believe that they are talking directly to each other over a private connection, when in fact the entire conversation is controlled by the attacker.. 19

Michael's smartphone is an old outdated smartphone that is only capable of running Android 2.2. 18

Moderator is a regular user. Moderators can restrict the privileges of regular users. 12, 13

Plugins are software components that add a specific feature to an existing software. 12, 13, 18, 20

Ports are application-specific or process-specific software constructs serving as communications endpoints in a computer's host operating system. 17

Registration is the process of creating a new user account. 11

Regular User is someone who is registered and has an account. 11–13

Session can be a text based chat, telephone or video conference. 11, 12, 18, 19

Tunneling is the process of encapsulating one network protocol within another network protocol to circumvent the problems of incompatible delivery-networks and creating secure Connection. 17

UTF-8 allows the representation of every existent character. 18

Window is a simple, guilike windows, containing at least one plugin. 21

Contents

Glossary	3
I User Requirements	9
II System Requirements	15
1 Non-Functional Requirements	17
1.1 Product Requirements	17
1.1.1 Usability Requirements	17
1.1.1.0.1 NFR001	17
1.1.1.0.2 NFR002	17
1.1.1.0.3 NFR003	17
1.1.1.0.4 NFR004	17
1.1.1.0.5 NFR005	18
1.1.2 Efficiency Requirements	18
1.1.2.1 Performance Requirements	18
1.1.2.1.1 NFR006	18
1.1.2.1.2 NFR007	18
1.1.2.1.3 NFR008	18
1.1.2.2 Space Requirements	18
1.1.2.2.1 NFR009	18
1.1.2.2.2 NFR010	18
1.1.3 Dependability Requirements	18
1.1.3.0.3 NFR011	18
1.1.3.0.4 NFR012	19
1.1.4 Security Requirements	19
1.1.4.0.5 NFR013	19
1.1.4.0.6 NFR014	19
1.1.4.0.7 NFR015	19
1.2 Organizational Requirements	19
1.2.1 Environmental Requirements	19
1.2.1.0.8 NFR016	19

1.2.2	Operational Requirements	19
1.2.3	Development Requirements	19
1.2.3.0.9	NFR017	19
1.3	External Requirements	20
1.3.1	Regulatory Requirements	20
1.3.1.0.10	NFR018	20
1.3.1.0.11	NFR019	20
1.3.2	Ethical Requirements	20
1.3.2.0.12	NFR020	20
1.3.3	Legislative Requirements	20
1.3.3.1	Software License Requirements	20
1.3.3.1.1	NFR021	20
1.3.3.1.2	NFR022	20
1.3.3.2	Safety / Security Requirements	20
2	Functional Requirements	21
2.0.3.2.1	FR001	21
2.0.3.2.2	FR002	21
2.0.3.2.3	FR003	21
2.0.3.2.4	FR004	21
2.0.3.2.5	FR005	22
2.0.3.2.6	FR006	22
2.0.3.2.7	FR007	22
2.0.3.2.8	FR008	22
2.0.3.2.9	FR009	22
2.0.3.2.10	FR010	22
2.0.3.2.11	FR011	22
2.0.3.2.12	FR012	23
2.0.3.2.13	FR013	23
2.0.3.2.14	FR014	23
2.0.3.2.15	FR015	23
2.0.3.2.16	FR016	23
2.0.3.2.17	FR017	23
2.0.3.2.18	FR018	23
3	Scenarios	25
3.1	Scenario for a general video conference	25
3.2	Scenario for a meeting planned via doodle plugin	26
3.3	Scenario for a research presentation and discussion	27
3.4	Scenario for recording a session	27

Part I

User Requirements

UR001

Statement *An Anonymous User may be invited to any Session by a key from Regular Users.*

Priority *A*

UR002

Statement *An Anonymous User shall be able to use Installed Plugins for the Session he is invited to.*

Priority *A*

UR003

Statement *An Anonymous User shall be able to register at the server, if Registration is possible.*

Priority *A*

UR004

Statement *A Regular User must register with a valid email address.*

Priority *A*

UR005

Statement *A Regular User shall be able to login with his email address and password.*

Priority *A*

UR006

Statement *A Regular User shall be able to change his password and/or Alias.*

Priority *A*

UR007

Statement *A Regular User shall be able to delete his own Account.*

Priority *A*

UR008

Statement *A Regular User shall be able to open Sessions.*

Priority *A*

UR009

Statement *A Regular User shall be able to join any Session he is invited to.*

Priority *A*

UR010

Statement *A Regular User shall be able to close Sessions he has the rights to.*

Priority *A*

UR011

Statement *A Regular User shall be able to create and distribute Keys and send
Invitations to every Session he has the rights to.*

Priority *A*

UR012

Statement *A Regular User may activate or deactivate Installed Plugins.*

Priority *A*

UR013

Statement *A Regular User shall be able to request installation of new Plugins.*

Priority *A*

UR014

Statement *A Moderator shall be able to restrict privileges of Regular Users, if
a Regular User misbehaves like insulting others, uploading inappropriate
content or harming the system.*

Priority *A*

UR015

Statement *A Moderator shall be able to restore privileges of Regular Users.*

Priority *A*

UR016

Statement *A Moderator shall be able to suspend Accounts of Regular Users
for a certain amount of time.*

Priority *A*

UR017

Statement *An Admin User shall be able to reset passwords for every Account, if a Regular User, a Moderator or an Admin User forgot the password.*

Priority *A*

UR018

Statement *An Admin User shall be able to test Plugins requested by a Regular User.*

Priority *A*

UR019

Statement *An Admin User shall be able to install tested Plugins.*

Priority *A*

UR020

Statement *An Admin User shall be able to remove previously Installed Plugins.*

Priority *A*

UR021

Statement *An Admin User shall be able to add Plugins to a Blacklist, if they may harm the system.*

Priority *A*

UR022

Statement *An Admin User shall be able to remove Plugins from a Blacklist, if they were accidentally added.*

Priority *A*

Part II

System Requirements

Chapter 1

Non-Functional Requirements

1.1 Product Requirements

1.1.1 Usability Requirements

1.1.1.0.1 NFR001

Statement *The website should be usable with touchscreen devices.*

Priority *A*

1.1.1.0.2 NFR002

Statement *The website should support the most popular browsers such as Mozilla Firefox, Safari, Opera, Google Chrome and Internet Explorer.*

Priority *A*

1.1.1.0.3 NFR003

Statement *The service should prevent epileptic fits.*

Priority *A*

1.1.1.0.4 NFR004

Statement *The service should use Tunneling to provide its service when certain Ports are unavailable.*

Priority *A*

1.1.1.0.5 NFR005

Statement *The characters should be encoded using UTF-8*

Priority *A*

1.1.2 Efficiency Requirements**1.1.2.1 Performance Requirements****1.1.2.1.1 NFR006**

Statement *The website should work on Michael's smartphone.*

Priority *A*

1.1.2.1.2 NFR007

Statement *Sessions should work with limited internet bandwidth (minimum of 3G) on mobile devices.*

Priority *A*

1.1.2.1.3 NFR008

Statement *The service should provide automatic scaling of the video size/quality based on internet bandwidth.*

Priority *A*

1.1.2.2 Space Requirements**1.1.2.2.1 NFR009**

Statement *The Service should use lossless Codecs to reduce filesize.*

Priority *A*

1.1.2.2.2 NFR010

Statement *The Service must not exceed 20Mb of Cache on mobile devices.*

Priority *A*

1.1.3 Dependability Requirements**1.1.3.0.3 NFR011**

Statement *The Login data and available Plugins should be redundant on multiple servers.*

Priority *A*

1.1.3.0.4 NFR012

Statement *The client should use Caching to minimize bandwidth consumption.*

Priority *A*

1.1.4 Security Requirements

1.1.4.0.5 NFR013

Statement *The service must always use encryption to transmit credentials to the server.*

Priority *A*

1.1.4.0.6 NFR014

Statement *The service must save the password as a salted hash on the server.*

Priority *A*

1.1.4.0.7 NFR015

Statement *The service must provide encryption for transmission of Session data to ensure privacy and to prevent Man-in-the-middle attacks.*

Priority *A*

1.2 Organizational Requirements

1.2.1 Environmental Requirements

1.2.1.0.8 NFR016

Statement *User Accounts are verified through the user's email address and password.*

Priority *A*

1.2.2 Operational Requirements

1.2.3 Development Requirements

1.2.3.0.9 NFR017

Statement *To maintain compatibility with web browsers, the service must use standards like HTML, CSS and JavaScript.*

Priority *A*

1.3 External Requirements

1.3.1 Regulatory Requirements

1.3.1.0.10 NFR018

Statement *The source code should be open to a developer community.*

Priority A

1.3.1.0.11 NFR019

Statement *The API for Plugins must be documented to help developers to create new Plugins.*

Priority A

1.3.2 Ethical Requirements

1.3.2.0.12 NFR020

Statement *The service must not gather user data. Data like the Alias are voluntary.*

Priority A

1.3.3 Legislative Requirements

1.3.3.1 Software License Requirements

1.3.3.1.1 NFR021

Statement *The service should only use libraries that have been published under the terms of GPL.*

Priority A

1.3.3.1.2 NFR022

Statement *The service must be published under the terms of GPL.*

Priority A

1.3.3.2 Safety / Security Requirements

Chapter 2

Functional Requirements

2.0.3.2.1 FR001

Statement *The user shall be able to compose and configure Window setups to save them and load them at later points in time*

Priority *B*

2.0.3.2.2 FR002

Statement *The service should provide the functionality to split a conference into multiple conferences. The service should provide the functionality to merge multiple conferences into a single one.*

Priority *A*

2.0.3.2.3 FR003

Statement *The service should provide the functionality to set a reminder for appointments and has the option of notifying every user/email that he associates with that appointment*

Priority *A*

2.0.3.2.4 FR004

Statement *The service should provide the functionality to insert preinstalled and customized emoticons in the chatting plugins*

Priority *G*

2.0.3.2.5 FR005

Statement *The service should provide the functionality to use a Doodle like plugin to find times for appointments and have the option to set a reminder(see FR003)*

Priority *A*

2.0.3.2.6 FR006

Statement *The service should provide the functionality to use a whiteboard like plugin to freely draw in a session*

Priority *A*

2.0.3.2.7 FR007

Statement *The service should provide the functionality to create and edit contact lists.*

Priority *A*

2.0.3.2.8 FR008

Statement *The service should provide the functionality to create Business Cards/Profiles other users can see.*

Priority *B*

2.0.3.2.9 FR009

Statement *The service should provide the functionality to edit Files online and see edits from other users instantly*

Priority *A*

2.0.3.2.10 FR010

Statement *The Whiteboard Plugin(FR006) should have the capability to import pictures to edit and, if the user allows it, give every listener the option of downloading/saving the picture*

Priority *A*

2.0.3.2.11 FR011

Statement *The service should provide the functionality to mute/disable streams at the will of the user.*

Priority *B*

2.0.3.2.12 FR012

Statement *The service should provide the functionality to call for a quick vote or simple choice.*

Priority *A*

2.0.3.2.13 FR013

Statement *The service should provide the functionality to search the web and display the search results to every one who watches the session*

Priority *A*

2.0.3.2.14 FR014

Statement *The service should provide the functionality to recognize and execute voice commands*

Priority *C*

2.0.3.2.15 FR015

Statement *The service should provide the functionality for remote desktop recording/viewing.*

Priority *B*

2.0.3.2.16 FR016

Statement *The service should provide the functionality for client side desktop recording.*

Priority *B*

2.0.3.2.17 FR017

Statement *The service should provide the functionality to open a chat with at least one other user.*

Priority *A*

2.0.3.2.18 FR018

Statement *The service should provide the functionality to start audio/video calls with at least one other user.*

Priority *A*

Chapter 3

Scenarios

3.1 Scenario for a general video conference

INITIAL ASSUMPTION: *Max, a member of an international research group, is responsible for the organization and conduct of internal group meetings. All research group members are already regular users and registered in Max's contact list. He created a contact group that contains all group members. All participants know about the appointed date for the meeting. Unless otherwise stated, this assumptions hold for all following scenarios as well as the consequences that are discussed below.*

NORMAL: *Before the given meeting date, Max creates a new video conference session and adjusts all necessary and optionally some advanced general session settings. He manipulates the list of participants by selecting the participating group members one by one out of his contact list or by selecting the whole contact group and deselecting some afterwards, where required. As the moderator of the new session, he may decide to elevate the privileges of members of the list of participants up to the moderator level. Now he may save the session for later use or start it immediately. When the session starts, all participants that are already online within the tool get a popup window that asks whether they want to join. Those that are not online receive an email that tells them about the invitation. If a user accepts an invitation, he is immediately part of the video conference and will be able to communicate with the others.*

WHAT CAN GO WRONG: *Some members of the research group are not already regular users and therefore Max cannot invite them regularly. After making notice of that, Max invites the missing users by sending them an one-way session key via email. This can be used once to join the session without regular invitation. As an alternative, he asks them to register to the server and then he invites them regularly. Some members of the research group are regular users but not members*

of Max's group of contacts, so they will not get invited if only the contact group is selected for invitation. Max can invite them via his contact list while the session is running.

Some participants lose their internet connection temporarily. When they are connected again, they should rejoin the session automatically.

OTHER ACTIVITIES:

Some invited users may be part of another session at the time of invitation. As long as no element of their current session prohibits multiple sessions, they can join the new session regularly. Otherwise, they will be asked to drop the old session in favor of the new one.

SYSTEM STATE ON COMPLETION: *The video conference session is running and all participants can communicate with each other.*

3.2 Scenario for a meeting planned via doodle plugin

INITIAL ASSUMPTION: *All group members know about a doodle poll for the next meeting date and have the doodle plugin installed.*

NORMAL: *To reach an agreement on a group meeting date, Max wants to use the doodle plugin. In the plugin window he uses an option to create a new poll. He enters the information needed for a new doodle poll and selects his research contact group to be informed about the poll.*

After creation, Max can edit the poll or vote for his favorite dates. Max activates the reminder function with a set time distance to the date that he will choose after all have voted.

At the set notification time, Max gets a notification email and, if he has the application open at that time, also a notification popup window within the tool.

WHAT CAN GO WRONG: *Some group members did not install the doodle plugin and be part of the poll within the tool. They can install the plugin and join the poll with the tool or join the poll without the tool via the doodle website. In the latter case they will not receive any notification from our tool.*

OTHER ACTIVITIES: *Other plugin users may also decide to be reminded before the date that Max chooses.*

SYSTEM STATE ON COMPLETION: *All relevant users got notified by a popup window and/or email before the planned meeting date.*

3.3 Scenario for a research presentation and discussion

INITIAL ASSUMPTION: *Max wants to present his recent research results and discuss it with the whole group. This should be supported by the usage of document sharing and placement and modification of graphics on the whiteboard.*

NORMAL: *Max creates the desired session and selects some of his local files containing data to be shared within the session. All session participants can download this files after the upload is completed. Max opens a new whiteboard, which is now visible to all participants. He selects some supported graphics files to be displayed on the whiteboard. Then he starts to draw on top of the graphics to help the others to understand his explanations. As the moderator of the session, he may also allow others to use the whiteboard.*

WHAT CAN GO WRONG: *Placing the uploaded files on the whiteboard is not possible, because the file format is not supported for that purpose. Max gets an error message, which explains the problem and states which files are supported. If possible, he converts them and is able to present them on the whiteboard.*

OTHER ACTIVITIES: *Because modifications of the whiteboard by different users may happen concurrently, it is advisable to agree on who is modifying the whiteboard at a time. This can be enforced by the moderator.*

SYSTEM STATE ON COMPLETION: *Session participants are able to download shared files and the content of a graphics file is visible on the whiteboard together with modifications by hand.*

3.4 Scenario for recording a session

INITIAL ASSUMPTION: *Max has created a new plugin for the tool and wants to record an example session to show how it can be used.*

NORMAL: *Max creates a new session and afterwards selects to start a new record. In a window he configures where to save the record file and audio/video settings. After some time he stops the record.*

WHAT CAN GO WRONG: *While recording, the space at the record file location may come to an end. The recording of the session will stop and Max will get an appropriate error message.*

OTHER ACTIVITIES:

SYSTEM STATE ON COMPLETION: *Max has saved a video record of the session window to a location of his choice.*