
P525/2

CHEMISTRY

Paper 2

August 2022

 $2\frac{1}{2}$ hours.



JINJA JOINT EXAMINATIONS BOARD

Uganda Advanced Certificate of Education

MOCK EXAMINATIONS AUGUST, 2022

CHEMISTRY

(Principal Subject)

Paper 2

2 hours 30 minutes.

INSTRUCTION TO CANDIDATES:

Answer FIVE questions including three questions from section A and any two from section B.

Write answers in the answer booklet provided

Begin each question on a fresh page.

Mathematical tables and graph papers are provided.

Non-programmable scientific electronic calculators may be used.

Use equations where necessary to illustrate your answers

Where necessary use (Cu = 64, S = 32, O = 16, Br = 79.9, H = 1)

Faraday's constant is 96500c

Turn Over

SECTION A

(Answer three questions from this section)

- Some of the elements in the Period 3 of the Periodic Table are sodium, aluminium, silicon, phosphorus and chlorine.
 - (a) Write the formulae of the oxide(s) of the each of the elements given above.

(04 marks)

(b) Describe the reaction(s) of the oxides of sodium, aluminium and phosphorus with water. In each case comment on the pH of the resultant solution.

 $(5\frac{1}{2} \text{ marks})$

- (c) Write equation
 - (i) for the reaction between the oxides of aluminium and silicon with aqueous sodium hydroxide. (02 marks)
 - (ii) to show how the anhydrous chlorides of silicon and aluminium can be prepared. In each case state the condition(s). (04 marks
- (d) Aluminium chloride was dissolved in water and to the resultant solution was added concentrated potassium hydrogen carbonate solution. State what was observed and explain your answer. (4½ marks)
- (a) Explain what is meant by the following terms
 - (i) Order of reaction

(01 mark)

(ii) Molecularity of a reaction

(01 mark)

(iii) Elementary reaction

(01 mark)

(b) The following data was obtained for the reaction below;

$$A_{2(g)} + 2B_{(g)} = 2AB_{(g)} \Delta H = -50 \text{ kjmol}^{-1}$$

Experiment	$[A](molL^{-1})$	$[B](molL^{-1})$	Initial rate $(molL^{-1}s^{-1})$		
1	0.03	0.03	0.3×10 ⁻⁴		
2	0.06	0.06	1.2×10 ⁻⁴		
3	0.06	0.09	2.7×10 ⁻⁴		

- (i) State the order of reaction with respect to A_2 and B. Give reasons for your answer (02marks)
- (ii) Write the rate equation for the reaction

(01 mark)

(iii) Calculate the rate constant and its units

(02 marks)

- (c) (i) Draw a labeled energy diagram for the reaction in (b) above (activation energy Ea =+250 kjmol⁻¹, enthalpy change) (03 mark)
 - (ii) Calculate the activation energy for the backward reaction (01 mark)
- (d) Explain the effect of increasing temperature for the above reaction on;

(03 marks)

- (i) Equilibrium constant
- (ii) Position of equilibrium

© 2022 Jinja Joint Examinations Board

Turn over

3 (iii) Rate of reaction Draw a sketch graph to show the change in concentration of AB with time at a (f) given temperature. (02 marks) A compound Q contains carbon, hydrogen and nitrogen only and burns with a sooty flame. On complete combustion, 2.325g of Q yields 3.36 liters at of carbon dioxide at s.t.p and 295.5 cm³ of nitrogen gas measured at 15°C and 1 atmosphere Calculate the empirical formula of Q When Q was steam distilled at 98°C and 760mmHg, the distillate contained 45.49 % (06 marks) by mass of Q (the saturated vapour pressure of water at this temperature is 655mmHg). Determine the molecular formula of Q (i) (03 marks) Write the structural formula of Q (ii) (01 mark) When Compound Q was treated with sodium nitrite solution and concentrated hydrochloric acid in a boiling tube kept at 0°C, compound R was formed to which hydroxy benzene was added in presence of sodium hydroxide solution.. (i) Write the equation for the reaction leading to formation of compound R. (02 marks) (ii) State what is observed when hydroxy benzene was added to compound R in presence of sodium hydroxide and write the equation for the reaction. (02 marks) (d) Without equations describe how; Compound Q can be converted to nitrobenzene (i) (03 marks) Compound Q can be synthesized from benzene sulphonic acid (ii) (03 marks) When propanone was mixed with trichloromethane, a warm miscible mixture was formed whose volume was lower than the sum of the volumes of the individual components (04 marks) Methanoic acid forms a silver mirror with Tollen's reagent while ethanoic

4 Explain each of following observations;

√₃

(a)

(b)

(c)

(a)

(b) acid gives no observable change

Hydrofluoric acid is a weak acid but its strength increases with increase in (c) (05marks)

A mixture of benzene (boiling point 80°C) and water (boiling point 100°C) (d) boils at a temperature of 70°C (03 marks)

Phenyl amine is a weaker base than Ethyl amine (e)

(04 marks)

SECTION B

Answer two questions from this section

using suitable examples explain what is meant by the terms; 5 (a) Salt hydrolysis (i) (02 marks) (ii) acidic buffer solution (02 marks)

© 2022 Jinja Joint Examinations Board

Turn over



Explain why it's not advisable to use soap solutions to wash aluminium (b) (03marks) utensils

The PH readings below refer to the titration of sodium hydroxide solution

against 25cm3 of 0.1M ethanoic acid.

against 25cm ³ of 0.1M ethanoic acid.											
Volume of	0	4	8	12	16	20	22	22.5	23 ·	24	28
NaOH											
(cm ³)			ne siebe								
PH of the	2.8	3.5	4.0	4.5	5.1	5.8	7.0	9.0	10.5	11.4	12.3
mixture											
IIIIACUIC											

(i) (ii) (iii) (iv)	Plot a graph of PH against volume of sodium hydroxide. Explain the shape of the curve Determine the PH at end point Calculate the molarity of sodium hydroxide solution.	(03 marks) (03 marks) (01 mark) (02 marks)
(iv) (v)	Determine the dissociation constant, Ka of ethanoic acid used.	(04 marks)
()	Determine are areases and a	

Write the equation to show how the following compounds can be synthesized and in each case outline a mechanism leading to formation of the major product.

eacn	(21		
(a)	Benzene sulphonic acid	from benzene	$(3\frac{1}{2} \text{ marks})$
(b)	**	from phenylmethanal +	$(4\frac{1}{2} \text{ marks})$
(c) (d) (e) (f)	2-methylpropan-2-ol Propyne 1-bromopropane HCOOCH ₂ CH ₃	from 2-chloro-2-methylpropane from bromomethane, from propene from ethanol	$(2\frac{1}{2} \text{ marks})$ $(1\frac{1}{2} \text{ marks})$ (03 marks) (05 marks)

The most important ore of copper is copper pyrites. 7.

- (01mark) Write down the formula of copper pyrites. (i) (a) Describe concisely how pure copper can be extracted from copper (ii) pyrites (write equations for the reactions that take place). (12 marks) Explain why sulphuric acid manufacturing plants are constructed near (i) (b)
- $(1\frac{1}{2} \text{ marks})$ copper extraction plants.
 - Using equations only show how sulphuric acid is manufactured by the (ii) (0 3 marks) contact process
- State what is observed and write equation(s) for the reaction that takes place when excess concentrated hydrochloric acid is added to copper (II) sulphate (c) $(2\frac{1}{2} \text{ marks})$ solution followed by dilution with water.
- using relevant examples differentiate between each of the following terms (03 marks) V 8 (a) Thermo softening and Thermosetting plastics (i)
 - (03 marks) Condensation and addition polymers (ii)

© 2022 Jinja Joint Examinations Board

Turn over

Natural rubber is a natural polymer while Nylon 6, 10 is an artificial (b) polymer. Write the structural formulae of each of the polymers named in (b) (i) (02 marks) above Suggest the structure(s) and IUPAC name(s) of the monomer(s) of the (ii) (04 marks) polymers named in (b) above Briefly explain how the properties of natural rubber can be improved (c) (i) (03 marks) State two uses of the product obtained in c (i) (01 mark) (ii) The osmotic pressure of a solution containing 2gdm⁻³ of nylon 6, 10 at (i) (d) 25°C was 0.155mmHg. Calculate the relative molecular (03 marks) mass of nylon6, 10 (01 mark) State two uses of nylon 6, 10 (i)

Physical Co.

© 2022 Jinja Joint Examinations Board

End

