Name:	STATE OF A STATE OF THE STATE O	Centre/index No
Signature:	\$196 x 30, 100°	me A maile of the rise of
		The service of the se
P525/1		
CHEMISTRY		
Paper 1		

RUKUNGIRI DISTRICT SECONDARY SCHOOLS' JOINT MOCK EXAMINATIONS 2022

Uganda Advanced Certificate of Education

Chemistry

Paper 1

2 Hours 45 Minutes.

INSTRUCTIONS TO CANDIDATES.

Aug. 2022

2 1/2 hours

- Answer all questions in section A and any six questions in section B.
- All questions must be answered in the spaces provided
- The periodic table, with relative atomic masses, is attached at the end of the paper.
- Non-programmable scientific electronic calculators may be used.
- Illustrate your answers with equations where applicable.
- Molar gas constant, R= 8.31Jk mol
- Molar volume of gas at s.t.p is 22.4 litres.

11.5						For	Exam	iner'	s Onl	y			-	-		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
														4 4	1437	

Rukungiri District Secondary Schools' Joint Mock Examinations 2022

SECTION A: (46 MARKS)

Answer all questions from this section.

1. (a) Define a transition element.	(01 marks)
•••••••••••••••••••••••••••••••••••••••	
(b)Explain two reasons why transition elements form complexes.	(02marks)
(c)Name the following complexes.	
(i) $\left[\text{Fe OH(H}_2\text{O})\right]^{2+}$	(01mark)
(ii) Cr (H ₂ O) ₆ Cl ₃	(01mark)
(iii) K ₄ Fe(CN) ₆	(01 marks)
2. (a) The activity of Bismuth was reduced by ¾ in 40 minutes. Determine its halflife.	
 (b) Complete the following nuclear equations. (i) H →+ 0 ∩ 	(01 mark)
(ii) $\frac{7}{3}L_i + \dots \rightarrow 2\infty$	(01mark)

	e application of r		(½ mark
			······
-	the following equ CHCH ₂ OH	nations and in each case state the $Mn O_4^- / \overline{OH}_{\bullet}$	
b)	CH ₃		
	·····		
c) CH ₃ Cl	-I ₂ ССОН + СН ₃ С	CH ₂ OH con. H ₂ SO ₄	
		heat	
(a) Name		t can be used to distinguish bety	
			·····
(b)State w	what would be obs	served if a solution of the above	ions is treated separately
with t	he reagent (s) you	i have named in (a) above.	(02mark
		•••••	
		••••••	•••••••••••••••••••••••••••••••••••••••
(c) Draw	the structure and	name the shape of the following	ions.
			ions.
(c) Draw	the structure and	name the shape of the following	ions.
(c) Draw	the structure and	name the shape of the following	ions.
(c) Draw	the structure and	name the shape of the following	ions.
(c) Draw	the structure and	name the shape of the following	ions.
(c) Draw ion	the structure and	name the shape of the following	ions.
(c) Draw ion NO_3^-	the structure and	name the shape of the following shape	ions.
(c) Draw ion NO_3^-	the structure and Structure	name the shape of the following shape	
(c) Draw ion NO ₃	the structure and Structure	name the shape of the following shape aration of iron.	(01mark)
(c) Draw ion NO ₃ NO ₂ (a) Write(b)Iron(II	the structure and Structure electronic configu	name the shape of the following shape shape aration of iron.	(01mark) ted with litmus paper.
(c) Draw ion NO ₃ NO ₂ (a) Write(b)Iron(II	the structure and Structure electronic configu	name the shape of the following shape aration of iron.	(01mark)
(c) Draw ion NO ₃ NO ₂ (a) Write(b)Iron(II	the structure and Structure electronic configu	name the shape of the following shape shape aration of iron.	(01mark) ted with litmus paper.

5.	(a) Name a reagent that can be used to distinguish between the following pair of compounds. State what would be observed if each member of the pair is treated with the reagent. (03marks)
	CH_2CI and CI
	(b)Ammoniacal silver nitrate solution is used to distinguish between different classes of organic compounds. Name the class of organic compounds and state
	what would be observed. (03marks)
•	Methane takes 10 seconds to diffuse. Another gas. A. of the same volume take 12.5 seconds to diffuse through the same opening.
	(a) Determine the relative molecular mass of the other gas. (2 ½ marks
	(b) If the gas is a hydrocarbon of the general formula C_nH_2r .
	what is its structure (1 ½ marks

(b) CH ₃ CH CH CH ₃ CH ₃ CH ₂ ON ₂ /CH ₃ CH ₂ OH (03marks	Complete the following for the reaction.	equations and in each case, write an	accepted mechanism
(b) CH ₂ CH ₂ CH ₃ CH ₂ CH ₃ CH ₃ CH ₃ CH ₂ CH ₃ CH ₂ OH (03 marks) The standard electrode potentials of two half cells are given in the table below. Half cell \$\epsilon^{\theta}(v)\$ H+(aq)/H ₂ (g) 0.00 Cd(s)/Cd ^{2*} (aq) 0.40 (a) Write the cell notation for the cell formed by combining the two half cells. (01 mark) (b) Write ionic equation for the; (i) reaction at cathode. (01 mark) (ii) reaction at anode. (01 mark)	(a) CH ₃ CH + NaHSO ₃	· · · · · · · · · · · · · · · · · · ·	(03mar
(b) CH ₃ CH CH CH ₃ CH ₃ CH ₂ ON ₃ /CH ₃ CH ₂ OH (03marks C/C) (03mar	***************************************		
(b) CH ₂ CH CH CH ₃ CH ₂ CH ₂ ON ₂ /CH ₃ CH ₂ OH (03marks C/			
(b) CH ₂ CH CH CH ₃ CH ₂ CH ₂ ON ₂ /CH ₃ CH ₂ OH (03marks C/			
(b) CH, CH CH CH ₃ CH ₃ CH ₂ ON ₂ /CH ₃ CH ₂ OH (03marks) The standard electrode potentials of two half cells are given in the table below. Half cell ε ^θ (v) H+(aq) / H ₂ (g) 0.00 Cd(s) / Cd ^{2*} (aq) 0.40 (a) Write the cell notation for the cell formed by combining the two half cells. (01max) (b) Write ionic equation for the; (i) reaction at cathode. (01mark) (iii) reaction at anode. (01mark)			
(b) CH; CH CH CH; CH; CH; CH; CH; CH; CH; C		f•	
The standard electrode potentials of two half cells are given in the table below.	(b) CH ₃ CH CH CH ₃ C/ C/	CH₃CH₂ŌNa/CH₃CH₂OH	(03marks)
The standard electrode potentials of two half cells are given in the table below.	***************************************		
The standard electrode potentials of two half cells are given in the table below.	***************************************		
The standard electrode potentials of two half cells are given in the table below. Half cell ϵ^{θ} (v) H+(aq) / H ₂ (g) 0.00 Cd(s) / Cd ²⁺ (aq) 0.40 (a) Write the cell notation for the cell formed by combining the two half cells. (01 max) (b) Write ionic equation for the; (i) reaction at cathode. (01 mark) (ii) reaction at anode. (01 mark)			
The standard electrode potentials of two half cells are given in the table below.			
Half cell ϵ^{θ} (v) $H+(aq)/H_2(g)$ 0.00 $Cd(s)/Cd^{2^+}(aq)$ 0.40 (a) Write the cell notation for the cell formed by combining the two half cells. (01max) (b) Write ionic equation for the; (i) reaction at cathode. (01mark) (ii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)			* ·
Half cell ϵ^{θ} (v) $H+(aq)/H_2(g)$ 0.00 $Cd(s)/Cd^{2+}(aq)$ 0.40 (a) Write the cell notation for the cell formed by combining the two half cells. (01max) (b) Write ionic equation for the; (i) reaction at cathode. (01mark) (ii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
H+(aq) / H ₂ (g) 0.00 Cd(s) / Cd ²⁺ (aq) 0.40 (a) Write the cell notation for the cell formed by combining the two half cells. (01max) (b) Write ionic equation for the; (i) reaction at cathode. (01mark) (ii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)			the table below.
Cd(s) / Cd ²⁺ (aq) 0.40 (a) Write the cell notation for the cell formed by combining the two half cells. (01max) (b) Write ionic equation for the; (i) reaction at cathode. (01mark) (ii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)	Half cell	ϵ^{θ} (v)	
(a) Write the cell notation for the cell formed by combining the two half cells. (01 max) (b) Write ionic equation for the; (i) reaction at cathode. (01 mark) (ii) reaction at anode. (01 mark) (iii) Overall cell reaction. (01 mark)		0.00	
(b) Write ionic equation for the; (i) reaction at cathode. (01mark) (ii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)	$Cd(s) / Cd^{2+}(aq)$	0.40	
(ii) reaction at cathode. (01mark) (iii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)	(a) Write the cell notati	on for the cell formed by combining th	ne two half cells. (01ma
(ii) reaction at cathode. (01mark) (iii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)	(L) White ionic aquetion	n for the	
(ii) reaction at anode. (01mark) (iii) Overall cell reaction. (01mark)			
(iii) Overall cell reaction. (01 mark)	(1) reaction at cathe	de. (ormark)	
(iii) Overall cell reaction. (01 mark)			
(iii) Overall cell reaction. (01 mark)			
(iii) Overall cell reaction. (01 mark)	(ii) reaction at anod	e.	(01mark)
	(iii) Overall cell read	ction.	(01 mark)
			Ser.

(c) Calculate the emf of the cell.	(Olmark)
SECTION B (54 MARKS)	
Answer any six questions from this section.	
10.(a)(i) What is meant by the term thermosoftening plastics?	(01mark)
······ production of the second control of t	,
(ii)ivame two dietmosoftening plastics.	(Olmak)

(b) The structural formula of the polymer, synthetic rubber is:	'
$-\left(CH_{2}C = CHCH_{2}\right)_{n}$	•
(i) Write the structural formula and name of monomer.	(02marks)
(ii) State the type of polymerization that occur in synthetic rubber.	(01mark)
(iii) State one disadvantage of synthetic polymers.	
	(01mark)
(c) A sample of soap was produced from 20g of vegetable oil containing a heptadecanoic acid (C ₁₆ H ₃₃ COOH) and concentrated potage.	
heptadecanoic acid (C ₁₆ H ₃₃ COOH) and concentrated potassium hydroxide Calculate the mass of soap formed.	:.
	(03marks)
······································	

11. State what would be observed and write equation for the reaction take place if;	on that would
(a) tin(II) chloride is added to acidified potassium manganate(V	/I). (02marks)

· · · · · · · · · · · · · · · · · · ·	
(b) Ethene was added to the solution of bromine in tetrachloron	nethane. (02marks)
(c)excess hydrogen peroxide was added to acidified potassium of	lichromate(VII)
	(02 ½ marks)

(d)oxalic acid is added to acidified potassium manganate(VII) ar	nd the mixture
heated.	(02 ½ marks)
· · · · · · · · · · · · · · · · · · ·	
***************************************	·····
12 () D. G the term enthalpy of formation	(03marks)
12.(a) Define the term enthalpy of formation.	(USINAIKS)
(change)	
(b) The enthalpies of formation of methane, water and carbondio and -394 Kgmol ⁻¹ respectively. Calculate the enthalpy change	xide are -76, -242 for the forward
reaction of this equation; $CH_4(g) + 2H_2O(g) \xrightarrow{CO_2(g)} + 4H_2(g)$	
$CH_4(g) + 2H_2O(g) - CO_2(g) + 4H_2(g)$	(03marks)
P. L	7

······	
(c) Carbondioxide burns in oxygen according to the form $2CO(g) + O_2(g) \longrightarrow 2CO_2(g)$	following equation
Calculate the ethalpy of combustion of carbondio formation of carbonmonoxide and carbondioxide	oxide given that the heats of
and 393 KJmol ⁻¹ respectively.	(03marks)
.,	·····
······································	

d) Define the term enthalpy of combustion.	
combustion.	(01mai

6 THANDID, MIDW HOW the fall - '	In he synthas:
a) CH ₃ CH ₂ CH ₂ NH ₂ from ethanol.	
	(03 ½ mark
•••••••••••••	·····

from	
	(02marks

22.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	

(c) NH ₂ from benzoic acid	(03 ½ marks)
	100000000000000000000000000000000000000
14.(a) What is meant by the term buffer solution?	(03marks)
(b) A 0.1M aqueous methanoic acid solution was titrat	ed with a 0.1M sodium
hydroxide solution until the acid was exactly halfw Calculate the pH of the resultant solution. (Ka= 1.6	ox10 ⁻⁴ moldm ⁻³) (04marks)
•••••	
Anara and a second	
A.S.F	
(c) A few drops of dilute hydrochloric acid was added t	
state what happened to the pH of the solution and ex	
	, , , , , , , , , , , , , , , , , , , ,
	A
•••••	***************************************
15.(a) What is meant by the term ionization energy?	(02marks)
	(OZMarks)
	••••

(b) The table below shows the ionization energies (I.E) in KJmol⁻¹ of four elements A, B, C and D.

Element	1 st I.E	2 nd I.E	3 rd I.E	4 th I.E
A	500	4600	6900	9500
В	740	1500	7700	10500
C	900	1800	14800	21000
D	589	1800	2700	11600

(i)	State the two elements which belong to the same group in Identify the group and give a reason for your answer.	(02 ½ marks)
•••••	······································	
(ii)	Which one of these elements is most likely to form an ion y positive one. Give a reason for your answer.	vith a charge of (02marks)
(TH ₂) 1		
	<i>Y-2</i>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
(111)	Write an equation for the reaction between the chloride of D and water.	
		(01 ½ marks)
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
(c)Stat	e any two factors that affect ionization energy.	
		(02marks)
		1 - 1 - 1
 16.(a) Defi	ine the term and the term	
	ine the term empirical formula.	(01mark)
	fri District Secondary Schools I	""""""""""""""""""""""""""""""""""""""

(b) 1.86g of compound Y contains carbon, hydrogen and nitr Y on combustion liberated 5.28g of carbondioxide gas an gas at s.t.p.	rogen only. nd 224cm ³ of nitrogen
(i) Determine the empirical formula of Y.	(03marks)

· · · · · · · · · · · · · · · · · · ·	
<u></u>	
iki la in myakkananahi maraningan malahi kadi merebaha	uostoujav sii s M46).
	144613 10 449
(ii) When vapourised, 0.2g of Y occupied 81cm ³ at 184.1°C Determine the molecular formula of Y.	(03marks)
taning the state of the state o	
	- Littless and
(c)Y burns with a sooty flame and the pH of its aqueous solu	ution is greater than 7
Write the molecular structure of Y.	(01 mark)

(d)Y was reacted with sodium nitrite in the presence of hydroc	hioric acid a	
Write equation for the reaction that took place.	may and 🏋	(01 mark)
regarde lo restil bio es vicinitation de la company		
na kanana na katana n		
17.(a) State three conditions for the manufacture of sulphuric acid.		(03marks)
(b)Write equation to show how sulphuric acid is manufactured f	rom sulphur	dioxide
gas by contact process.		(03marks)
La lacing Gen Distal disease es anoma Vito (Cid. Co. 1911)	20 MW (
discrete formation of the contract materials and	43.5 P 15*4	
(c)Explain why in the manufacture of sulphuric acid, sulphurdio		
in water but in another suitable solvent.		
(d)Write equation for the reaction when sulphurdioxide gas is bu		to the state of
an aqueous solution of iron(III) chloride.	(01 ½ m	arks)
		7 4 /4

THE PERIODIC TABLE

1	2											3	4	5	6	7	8
1.0 H																1.0 H	
6.9 Li 3	9.0 Be 4											10.8 B 5	12.0 C	14.0 N 7	16.0 O 8	1	
23.0 Na 11	Mg											27.0 Al 13			,	35.4 C 17	1
39.1 K 19	40.1 Ca 20	1	47.9 Ti 22	50.9 V 23	52.0 Cr 24	54.9 Mn 25	55.8 Fe 26				•	69.7 Ga 31		i	1	1	
85.5 Rb 37	1	88.9 Y 39	91.2 Zr 40	92.9 Nb 41	1	1	101 Ru 44	F	106 Pd 46	108 Ag 47	112 Cd 48	115 In 49	119 Sn 50	122 Sb 51	128 Te 52	127 I 53	131 Xe 54
133 Cs 55	137 Ba 56	1	178 Hf 72	181 Ta 73	3	186 Re 75	4	L	1	197 Au 79	201 Hg 80		207 Pb 82	ŧ	209 Po 84	210 At 85	222 Rn 86
223 Fr 87	226 R2 88	227 Ac 89			I		L	L		l		L					
			139 La 57	}	141 Pr 59		147 Pm 61	150 Sm 62			159 Tb 65		165 Ho 67		169 Tm 69	173 Yb 70	
		4.0	227 Ac 89	232 Th 90		238 U 92	237 Np 93	1	,	247 Cm 96		251 Cf 98	Es	Fm	Md	No	260 Lw