

Our country, our future

525/1

S6 CHEMISTRY

Exam 16

PAPER 1

DURATION: 2 HOUR 45 MINUTES

For Marking guide contact and consultations: Dr. Bbosa Science 0776 802709.

Instructions to candidates;

- Answer all questions in Section A and any six in Section B.
- All questions must be answered in spaces provided.
- Illustrate your answers with equations where applicable.
- Molar gas constant, R=8.314jk⁻¹mol⁻¹
- Molar volume for a gas at s.t.p is 22400cm³
- Standard temperature = 273k
- Standard pressure =101325 Nm⁻²

SECTION A

Answer all questions from this section.

 State the condition(s) and write equation for the reaction of alu water 	minium and; 2marks)
ii) Iron (III) oxide	(2marks)
2. a) State what is meant by the term ebullioscopic constant.	(1mark)
b) 0.40g of camphor when dissolved in 33.5g of trichloromethane	
solution boiling at 0.30°C above the boiling point of pure solvent.	_
ebullioscopic constant of trichloromethane. (Molar mass of campl	nor = 155).
	(3marks)

3. a) State what is observed and write equation for the reaction when;
i) Ethanal is mixed with a saturated solution of sodium hydrogen sulphite.
(2marks)
Observation:
Equation
ii) Neutral iron(III) chloride solution is added to aqueous solution of
hydroxybenzene. (2marks)
Observation;
Equation;
b) Write the mechanism for the reaction in a(i). (2 $\frac{1}{2}$ marks)

.....

4. a) State what is meant by the to	-	·
b) The electrode potential of some	half cells are given below.	(E <i>C</i> V)
$S_2O_8^{2-}(aq) + 2e^-$	$2SO_4^{2-}(aq)$	+ 2.01
$I_2(aq) + 2e^-$	2I(aq)	+ 0.54
Write;		
i) The cell notation of cell formed	when the half cells are com	bined.
		(1mark)
ii) equation for the overall cell rea		$(1\frac{1}{2} \text{ marks})$
••••••		
••••••		
iii) Calculate the e.m.f of cell.		(1mark)
,		,
iv) State whether the cell reaction	is feasible or not. Give a re	eason for your
answer.		(1mark)

5. a) State two properties in which beryllium show	s diagonal re	elationship with
aluminum.		(2marks)
		•••••
b) Write equations to illustrate the properties state	ed in (a)	(3marks)
	••••••	
State what would be observed and write equation place when	on for the rea	action that takes
a) Chlorine gas is passed through a solution of pot	assium mar	nganate(VI)
		(2 ½ marks)
	••••••	•••••
b) A form drame of broduction managing colorion is ad-		
 b) A few drops of hydrogen peroxide solution is addichromate(VI) solution. 	ded to actuin	(2 ½ marks)
		•••••

7. Write equations to show how the following conversions can be	effected.
	(2½ marks)
a) (CH ₃) ₂ COH to (CH ₃) ₃ COH	
b) CH ₂ CH ₂ Br CHO	
to	
•••••••••••••••••••••••••••••••••••••••	
8. 30cm ³ of a hydrocarbon Q was exploded with 200cm ³ of oxyge	en in excess. The
volume of the residual gas on cooling to room temperature was fo	
155cm ³ . When the residual gas was treated with concentrated po	
hydroxide solution, the volume reduced to 35cm ³ .	Judosium -
a) Calculate the molecular formula of Q.	(3marks)
	,
	• • • • • • • • • • • • • • • • • • • •
b) Write the structures of all possible open chain isomers of Q.	(1mark)
c) Q reacts with ammoniacal copper(I) chloride solution.	
i) State what is observed.	(1mark)
	• • • • • • • • • • • • • • • • • • • •
ii) Write equation for the reaction that takes place.	$(1\frac{1}{2} \text{ marks})$

	•••••
9. The molar conductivity of a 0.093M solution of ethanoic acid $10^{-4}~\rm sm^2mol^{-1}$. The molar conductivity at infinite dilution of H ⁺ a are 3.51 x 10^{-2} and 0.4 x $10^{-2}\rm Sm^2mol^{-1}$ respectively. Calculate this molar conductivity of ethanoic acid at infinite dilution.	nd CH₃COO-ions
ii) degree of dissociation , α of ethanoic acid.	(1 ½ marks)
iii) acid dissociation constant, Ka at 25°C	

SECTION B

Attempt only \mathbf{six} questions from this Section

Write down the structural formula and IUPAC names of all isomers of (3mar) (3mar) b) When Z was heated with sodium metal in ethanol a compound Y way reacts with water in the presences of sulphuric acid and Mercurous	rks)
b) When Z was heated with sodium metal in ethanol a compound Y wa	
b) When Z was heated with sodium metal in ethanol a compound Y wa	
b) When Z was heated with sodium metal in ethanol a compound Y wa	
b) When Z was heated with sodium metal in ethanol a compound Y wa	
b) When Z was heated with sodium metal in ethanol a compound Y wa	
b) When Z was heated with sodium metal in ethanol a compound Y wa	
Y reacts with water in the presences of sulphuric acid and Mercurous	as formed.
The second secon	sulphate
at 60°C to form a compound X. X does not react with Fehling's solution	n but
forms an orange precipitate with Brady's reagent. Identify compound Σ	Κ, Y and Z.
(1½ n	narks)
X	••••
Υ	•••
Z	
c) Write the equation and suggest the mechanism for the reaction betw	veen
i) Z and sodium metal in ethanol.	
	•••••
	•••••
	•••••
	• • • • • • • • • • • • • • • • • • • •
c) Write the equation and suggest the mechanism for the reaction betw i) Z and sodium metal in ethanol.	veen

ii) X and Brady's reagent.	(2 ½ marks)
11. Explain each of the following observations (Your an	
balanced equations if any).	(3marks each)
a) When hydrogen iodide is treated with concentrated s	_
liberated whereas when hydrogen chloride is similarly t	reated, chlorine is not
evolved.	
1) A	
b) An aqueous solution of sodium sulphite has a pH gre	eater than 7 whereas that
of sodium hydrogen sulphite is less than 7.	

	• • • • • • • • • • • • • • • • • • • •
c) When hydrogen sulphide is bubbled through an aqueous	solution of iron(III)
chloride a yellow precipitate is observed.	
	• • • • • • • • • • • • • • • • • • • •
12. a) State Raoults law as applied to binary liquid systems.	(1mark)
	,
b) The mixture of water and nitric deviates negatively from R	
mixture form an azeotropic mixture at 68.2% nitric and boili	
i) Sketch a labeled boiling point – composition diagram for th	
(Bpts of HNO $_3$ and H $_2$ O respectively are 78.2°C and 100°C at	
* *	_
pressure.)	(3marks)

ii) Describe briefly what happens when a mixt	ure containing 50% nitric acid is
distilled.	(2½ marks)
•••••	
	•••••
c) Explain why the mixture deviates negatively	y from Raoults law.
d) Name one method of obtaining pure nitric a	
	(1mark)
13. Name the reagents that can be used to dis	stinguish between the following
pair of organic compounds. In each case state	
compounds are separately treated with the rea a)	agent. (3marks)
COOH and HCOOH	
Reagent	
Observation	


0 I C - CH ₃ and C - CH ₂ CH ₃
Reagent
Observations
OU.
c) OH and
Reagent
Observations
14. a) 0.111g of a vaporized sample of an organic compound R occupied
48.0cm ³ at 20°C and 700mmHg pressure. Calculate the relative molecular mass of R.

b) R consists 59.9% carbon, 26.6% oxygen and the rest is	s hydrogen. Determine;
i) the empirical formula of R	(2marks)
ii) the molecular formula of R	$(1\frac{1}{2} \text{ marks})$
c) Write down the structural formulae and give the IUPAC	C names of all isomers
of R.	(3marks)
15. a) State two characteristic properties exhibited by ma	inganese as a transition
element.	

b) i) Write the electronic configuration of manganese.	(½ mark)

ii) State the common oxidation states exhibited by mangar	(1 ½ marks)
c) i) Manganese (IV) oxide reacts with concentrated hydroc	hloric . Write the
equation of reaction that takes place.	(1 ½ marks)
d) Lead(V) oxide was added to an aqueous solution of man	
followed by concentrated nitric acid. The mixture was then	n heated.
i) State what was observed.	(1½ marks)
ii) Write equation of reaction that takes place.	(1½ marks)

16. a) The standard enthalpies of combustion of some straight chain alkanes and alcohols against number of carbon atoms is shown below.



i) Explain the shape of the graph(s)			
		•••••	
••••••	•••••	• • • • • • • • • • • • • • • • • • • •	
ii) The graph for alcohol passes thr	ough the origin	ı. Explaiı	n why this is so.
			$(1\frac{1}{2} \text{ marks})$
iii) The graph for alkanes has an in	itercept. What	is the sig	inificance of the
intercept?			(1 ½ marks)
	•••••	••••••	
	•••••	• • • • • • • • • • • • • • • • • • • •	•••••
	•••••	• • • • • • • • • • • • • • • • • • • •	
b) Energy changes for some reaction	ons are shown l	below;	
			ΔHO/Kjmol ⁻¹
i) CO(g) + ½ O ₂ (g)	$CO_2(g)$		-283
ii) $H_2(g) + \frac{1}{2} O_2(g)$	$H_2O(l)$	-286	
iii) CH ₃ OH(<i>l</i>) + 3/ ₂ O ₂ (g)	$CO_2(g) + 2H_2(g)$	O(l)	-715
Calculate the enthalpy change for	the reactions		
$CO(g) + 2H_2(g)$	$CH_3OH(l)$		(3marks)
More exams? browse: digitaltears.co.ug	Fo	r consultatio	ons call: +256 776 802709

	•••••	•••••
	•••••	•••••
	•••••	
17. a) Explain what is meant		(1mark)
b) i) Some complex ions are gi	ven below. In each case s	tate the coordination
number and oxidation state o	f the central atom.	(3marks)
Formulae of complex ion	Coordination number	Oxidation state
CoCl ₄ ²⁻		

Formulae of complex ion	Coordination number	Oxidation state
CoCl ₄ ²⁻		
Fe(CN) ₆ ³ -		
Ag(NH ₃) ₂ ⁺		

ii) Explain why transition metals form complex ions.
c) In each case write equation catalyzed by the following ions/species.
i) Vanadium pentoxide
ii) Manganese II ions

****END** **