LESSON NOTES FOR TERM 1 2022

SET CONCEPTS

TERM 1: WEEK 1(Lesson 1 Review of P.5 work on sets)

Definition of a set: A set is a collection of well-defined elements.

Kinds/types of Sets

- a) Equal set and unequal sets
- b) Equivalent set and nonequivalent sets
- c) Joint(intersecting sets) and disjoint sets
- d) Union sets
- e) Difference and complement of sets
- f) Universal sets and the concept of subsets
- q) Subsets and proper subsets

WEEK 1: Lesson 2.

Equal sets

Equal sets are sets with exactly the same members and the same number of elements. The set symbol for equal sets is" =" and unequal sets have the same members but with different number of elements and " \neq "is the symbol for unequal sets

Examples of equal sets

1. Set $A = \{1, 2, 3, 4\}$ and set $B = \{3, 1, 4, 2\}$

- 2. Set $C = \{u, o, i, a, e\}$ and Set $D = \{a, e, i, o, u\}$
- 3. Set $M = \{A, B, C, D, E\}$ and set $N = \{D, E, B, A, C\}$

Examples of unequal sets

- 1. Set $A = \{1, 2, 3, 4\}$ and set $B = \{1, 4, 2\}$
- 2. Set $C = \{u, o, i, a, e\}$ and Set $D = \{i, o, u\}$
- 3. Set $M = \{C, D, E\}$ and set $N = \{D, E, B, A, C\}$

Equivalent sets: These are sets with same number of members but different number. The symbol is " \leftrightarrow "

Examples of equivalent sets

- 1. Set $A = \{1, 2, 3, 4, 5\}$ and set $B = \{a, e, i, o, u\}$
- 2. Set $M=\{A, B, C, D\}$ and set $N=\{p, u, t, k\}$
- 3. Set $G=\{1, 4, 9\}$ and set $H=\{a, e, i\}$

Nonequivalent sets: These are sets with different number of elements and different members.

Examples of Nonequivalent sets

- 1. Set $A = \{1, 2, 3, 4, 5\}$ and set $B = \{e, i, o, u\}$
- 2. Set $M=\{C, D\}$ and set $N=\{p, u, t, k\}$
- 3. Set $G=\{1, 4, 9\}$ and set $H=\{i\}$

Evaluation activity

State the relationship between sets below using equal or equivalent sets.

1.
$$A = \{q, e, t, w\} \text{ and } B = \{1, 2, 3, 4\}$$

- 2. B= $\{1, 3, 5, 7\}$ and $C= \{5, 7, 1, 3\}$
- 3. $D = \{A, D, G, 4, H\}$ and $K = \{a, e, i, o, u\}$
- 4. $E=\{MAP, S\}$ and $H=\{map, s\}$
- 5. $P = \{ M, A, R, K \}$ and $L = \{ m, a, r, k \}$
- 6. R= { 1, 2, 3, 5, 6} and P= { 5, 6, 1, 3, 2}

Ref: MK Pupils` book 5 page 3

WEEK I: Lesson 3

Joint and Disjoint sets

Joint sets are sets with common member(s).

Examples of Joint sets

- 1. R= {1, 3, 5, 8, 9} and P= {5, 7, 1, 3, 2} i.e. 1, 3, and 5 are common in both sets.
- 2. D= {A, D, G, 4, H} and K= {a, A, E, u, D} i.e. A and D are common in both sets.

<u>Disjoint sets</u> are sets with no common member.

Examples of disjoint sets

- 1. $D = \{A, D, G, 4, H\}$ and $K = \{a, e, i, o, u\}$
- 2. $E=\{MAP, S\}$ and $H=\{map, s\}$

Evaluation activity

State the relationship between sets below using joint or disjoint sets.

1.
$$G = \{q, e, t, w\}$$
 and $D = \{1, 2, 3, 4\}$

3.
$$R = \{A, D, G, 4, H\}$$
 and $K = \{a, e, i, o, u\}$

4.
$$B = \{MAP, S\}$$
 and $C = \{map, s\}$

WEEK 1: Lesson 4

Intersection sets. These are sets which form common members. The set symbol for intersection of sets is " \cap "

Listing members of intersection of sets

Examples:

1. Given that set $K = \{1, 2, 3, 4\}$ and set $R = \{3, 4, 5, 6, 8\}$,

$$K \cap R = \{3, 4\}$$

2. Given that set $A = \{ a, (e) I, (o) u \}$ and set $B = \{ 1, 4, (e) (o) \}$,

$$A \cap B = \{e, o\}$$

Union set: This is a set of all members without repeating the common members.

<u>Listing the Union sets.</u>

Examples:

1. Given that set $G = \{ (q)(e), t, (w) \}$ and $D = \{ (e)(w), (q), o \}$, $G \cup D = \{ q, e, t, w, y, o \}$

2. Given that set D=
$$\{2, 4, 6, 8\}$$
 and set E= $\{1, 2, 3, 4\}$, D \cup E = $\{2, 4, 6, 8, 1, 3\}$


- 1. Set $G = \{q, e, t, w\}$ and set $D = \{a, e, i. o, u\}$ Find; a) $G \cap D$ b) $G \cup D$
- 2. Set W= $\{1, 3, 0, 5, 7\}$ and set F= $\{5, 7, 9, 3\}$ Find; a) W \cap F b) W \cup F
- 3. Set R= $\{A, D, G, 4, H\}$ and set K= $\{G, W, 2, 4, 5\}$ Find; a) R \cap K b) R \cup K
- 4. Set B= $\{1, 3, 5, 7\}$ and set $C = \{2, 3, 5, 8, 9\}$ Find; a) B $\cap C$ b) B $\cup C$

WEEK: Lesson 5

Difference of sets

Examples:

1. Study the Venn diagrams below and answer the questions that follow.



a) Find n(A - B)

$$A-B=\{e,a\}$$


$$n(A-B)=2$$

b)
$$n(B - A)$$

$$B-A = \{f, g\}$$

$$n(B-A)= 2$$

2. Given that $X = \{0, 1, 2, 3, 4\}$ and $Y = \{1, 3, 6, 9, 12\}$



a) Find n(X-Y)

$$X-Y = \{0, 2, 4\}$$

$$n(X-Y)=3$$

b)
$$n(Y-X)$$


$$Y-X = \{12, 6, 9\}$$

$$n(Y-X)=3$$

Evaluation activity


Study the venn diagrams below and answer the questions that follow.

1.




- a) Find n(A B)
- b) Find n(B-A)

1.



- a) Find n(X-Y)
- b) Find n(Y-X)

2.



- a) Find n(A-B)
- b) Find n(B-X)

WEEK: Lesson 6

Complement of sets.


Complement of a set means a set of members not in the given set.

OR


Elements in the universal set but not in the given set.

Example

1. Given that; $P = \{4, 3, 6, 7, 9\}$ and $Q = \{1, 2, 3, 5, 7\}$



- a) Write down members in P' (Complement of set P) $P' = \{1, 2, 3\}$
- b) Write down members in Q' (Complement of set Q) $Q' = \{4, 6, 9\}$
- 2. Given that; $A = \{a, e, i, o, u\}$ and $B = \{a, b, c, d, e\}$




- a) Write down members in A' (Complement of set A) $A' = \{b, c, d\}$
- c) Write down members in B' (Complement of set B)


 B' = {u, o, i}

Evaluation activity


Use the venn diagrams below to answer the questions that follow



- a) Write down members in A' (Complement of set A)
- b) Write down members in B' (Complement of set B)



- a) Write down members in X' (Complement of set X)
- b) Write down members in Y' (Complement of set Y)



- a) Write down members in A' (Complement of set A)
- b) Write down members in B' (Complement of set B)

WEEK: Lesson 7

WEEK 1: Lesson 5

SUBSETS

A subset is a small set got from a big set.


The bigger set from which a subset is got is called a Universal set or Super set.

The symbol for is a subset of is \subseteq

The symbol for is not a subset of is $\underline{\sigma}$. The symbol for Universal set is ξ .

1. Draw a Venn diagram to show that all goats (G) are





2. Given that set $Q = \{a, b, c\}$. List down all the subsets in set Q.

$$\{a\}, \{b\}, \{c\}$$

$$\{\}, \{a, b, c\} \implies 8 \text{ Subsets}$$

3. Given that set R = $\{1, 2, 3, 4\}$. List down all the subsets in set R.= $\{\}$, $\{1\}$, $\{2\}$, $\{3\}$, $\{4\}$, $\{1, 2\}$, $\{1, 3\}$, $\{1, 4\}$, $\{2, 3\}$, $\{2, 4\}$, $\{3, 4\}$, $\{1, 2, 3\}$, $\{1, 2, 4\}$, $\{1, 3, 4\}$, $\{2, 3, 4\}$, $\{1, 2, 3, 4\}$

N.B The empty set and the set itself (universal) are subsets of every set.

Evaluation activity

List the subsets for each of the following sets:

- 1. $B = \{p, q\}$
- 2. $C = \{x, y, z\}$
- 3. D= { + }
- 4. $E=\{p, q, r, s\}$
- 5. { }
- 6. Draw a venn diagram to show that;
 - a) All dogs (D) are animals (A)
 - b) All girls (G) are female (F)
 - c) All boys (B) are male (M)

WEEK: Lesson 6

Finding number of subsets:

To find the number of subsets in set i.e. $Z = \{7, 5, 3\}$,

No. of subsets = 2^n where n represents the number of elements in the given set.

- . Set Z has 3 elements
- .. No. of subsets = 2^n = 2^3 = $2 \times 2 \times 2$ = 4×2

<u>= 8 subsets</u>

NB: Adequate examples can be given before the activity

How many subsets are in each of the sets below?

- 1. Set K= {a, e}
- 2. Set M= {1, 2, 3}
- 3. Set $H = \{w, y, z, u\}$
- 4. Set N= {1, 4, 9, 16, 25}
- 5. Set $P = \{a, e, I, o, u\}$

Finding number of elements when given number of subsets

Examples

Set A has 8 subsets. How many elements are in set A?

 2^n = No. of subsets

$$2^{n} = 8$$

2	8	
2	4	
2	2	
	1	

$$2^n = 2^3$$

$$n = 3$$

Note: Give adequate examples to the learners before giving the activity.

Find the number of elements in a set with the following number of subsets;

- 1. 4 subsets
- 2. 16 subsets
- 3. 32 subsets
- 4.64 subsets
- 5. 128 subsets
- 6. 256 subsets

WEEK: Lesson 7

PROPER SUBSETS

A Proper subset is a sub set with less members.

The symbol for is a proper subset of is \subset

The symbol for is not a proper subset of is $\not\subset$. The symbol for Universal set is ξ .

1. Given that set $Q = \{a, b, c\}$. List down all the proper subsets in

set Q.

{a}, {b}, {c}

 $\{a, b\}, \{a, c\}, \{b, c\}, \{\} \longrightarrow 7 \text{ proper Subsets}$

- Given that set R = {1, 2, 3, 4}. List down all the proper subsets in set R.= { }, {1}, {2}, {3}, {4}, {1, 2}, {1, 3}, {1, 4}, {2, 3}, {2, 4}, {3, 4}, {1, 2, 3}, {1, 2, 4}, {1, 3, 4}, {2, 3, 4}
- N.B The empty set is a proper subsets of every set.

List the proper subsets for each of the following sets:

- 1. $B = \{p, q\}$
- 2. $C = \{x, y, z\}$
- 3. D= { t }
- 4. $E=\{p, q, r, s\}$
- 5. { }

WEEK: Lesson 8

Finding number of proper subsets:

To find the number of proper subsets in set i.e.

$$Z = \{7, 5, 3\},\$$

No. of proper subsets = $2^n - 1$ where n represents the number of elements in the given set.

- .. Set Z has 3 elements
- .. No. of subsets = $2^{n} 1$ = $2^{3} - 1$ = $(2 \times 2 \times 2) - 1$ = $(4 \times 2) - 1$

= 7 proper subsets

NB: Adequate examples can be given before the activity Evaluation activity

How many proper subsets are in each of the sets below?

- 1. Set K= {a, e}
- 2. Set M= {1, 2, 3}
- 3. Set H= {w, y, z, u}
- 4. Set N= {1, 4, 9, 16, 25}
- 5. Set $P = \{a, e, I, o, u\}$

Finding number of elements when given number of proper subsets

Examples

Set A has 7 proper subsets. How many elements are in set A?

$$2^n - 1 = No.$$
 of proper subsets

$$2^{n} - 1 = 7$$

$$2^{n}-1+1=7+1$$

$$2^{n} = 8$$

8	4	2	1
2	2	2	

$$2^{n} = 2^{3}$$

$$n = 3$$

Note: Give adequate examples to the learners before giving the activity.

Evaluation activity

Find the number of elements in a set with the following number of proper subsets;

- 1. 3 proper subsets
- 2.15 proper subsets
- 3. 31 proper subsets
- 4.63 proper subsets
- 5. 127 proper subsets
- 6. 255 proper subsets


WEEK: Lesson 9

<u>Listing and finding number of number of elements from venn</u> <u>diagrams:</u>

Examples

Given that
$$X = \{0, (1), 2, (3), 4\}$$
 and $Y = \{(1), (3), 6, 9, 12\}$

a) Represent the two sets on the Venn diagram



$$X-Y = \{2, 4, 0\}$$

$$n(X-Y) = 3$$

c) Find n(Y-X)

$$Y-X = \{12, 9, 6\}$$

$$n(Y-X) = 3$$

d) Find $n(X \cap Y)$

$$X \cap Y = \{1, 3\}$$

$$n(X \cap Y) = 2$$


e) Find $n(X \cup Y)$

$$X \cup Y = \{2, 4, 0, 1, 3, 12, 9, 6\}$$

$$n(X \cup Y) = 8$$


Evaluation activity

- 1. Given that set $P=\{3, 4, 6, 7, 9\}$ and set $Q=\{1, 2, 3, 5, 7\}$
 - a) Represent the two sets on the Venn diagram



- b) Find n(P-Q)
- c) Find n(Q-P)
- d) Find $n(P \cap Q)$

- e) Find $n(P \cup Q)$
- 2. Given that set $M=\{a, e, I, o, u\}$ and set $N=\{a, b, c, d, e\}$.
 - a) Represent the two sets on the Venn diagram



- a) Find n(M)'
- b) Find n(N)'
- c) Find $n(M \cap N)$
- d) Find $n(M \cup N)$
- e) Find n(M)
- f) Find n(N)
- g) Find n(M-N)
- h) Find n(N-M)

WEEK: Lesson 10

Representing sets on venn diagram

In a group of swimmers, 15 do free style (F) 10 do backstroke (B) and 6 do both


backs if one (B) and o do i

$$n(F) = 15$$

$$n(B) = 10$$

$$n(F \cap B) = 6$$

a) Represent the above information on a Venn diagram.



b) How many swimmers swim only back stroke?

4 swimmers

c) How many do only free style?

19 swimmers

d) How many swimmers are in that group?

= 19 swimmers

e) How many swim only one style?

Backstroke only + free style

$$(10 - 6) + 15 - 6$$

= 13 swimmers


Evaluation activity

- 1. Given that n(A) = 15 n(B) = 25 $n(A \cap B) = 5$
- a) Represent the above information on a Venn diagram
- b) Find $n(A \cup B)$
- c) Find $n(A \cap B)'$
- d) Find n(A-B)
- 2. In a class, 30 pupils like Mathematics (M) 20 like Science (S) and 5 pupils like both subjects
 - a) Represent the above information on a Venn diagram
 - b) How many pupils do not like Science?
 - c) How many pupils do not like Mathematics?
 - d) How many pupils are in the class altogether?
 - e) How many pupils like only one subject?

WEEK: Lesson 11


Interpreting venn diagrams

- 1. In a class of 40 pupils, 23 pupils like Maths (M), K pupils like English (E) and 4 pupils like both subjects.
- a) Complete the Venn diagram below.




- b) Find the value of K.
- 2. In a class of 60 pupils, 23 pupils like Mathematics (M), 28 pupils like English (E), and some pupils like both subjects. If 3 pupils like neither of the subjects.
- a) Draw a venn diagram to show the above information.

- b) How many pupils like both subjects?
- 3. In a class of 60 pupils, 28 pupils like mathematics (M), k pupils like English and 10 pupils like both subjects.
- a) Complete the Venn diagram below.



b) Find the value of K.

- c) How many pupils like English only?
- 4. In a class of 40 pupils, 20 like English (E), 25 like Mathematics (M), 2h like both subjects while 5 pupils do not like any of the two subjects.
- a) Complete the Venn diagram below.



b) Find the value of h.

PROBABILITY: This refers to the likelihood for an event to happen. Probability is also known as chance.

Probability =
$$\frac{No.of\ total\ chances}{No.of\ desired\ chances}$$

Tossing a coin

A coin has 2 faces ahead and a tail. When it is tossed, the probability of a head or a tail showing up is a half.

Example: A coin is tossed once, what is the probability that a head will show up?

Total chances = 2 i.e. a head and a tail

Desired chances = 1 i.e. a head

Probability = $\frac{1}{2}$

Tossing a dice

A dice has 6 faces i.e. {1, 2, 3, 4, 5, 6}. The probability of getting one of the faces showing up is a sixth.

Example: A die is tossed once, what is the chance that an even number will show on top?

Total chances = 6 i.e. {1, 2, 3, 4, 5, 6}

Desired chances = 3 i.e. $\{2, 4, 6\}$

Probability = $\frac{3}{6}$

Evaluation activity

- 1. A coin is tossed once, what is the probability that;
 - a) A head will show up?
 - b) A tail will show up?
- 2. A die is tossed once, what is the probability that;
 - a) An odd number will show up?
 - b) A number less than 3 will show up?

- c) A multiple of 3 will show up?
- d) A prime number will show up?
- e) A number greater than 4 will show up?

WEEK 3: Lesson 2

More about probability

Example.

1) What is the probability of picking a ripe mango, if there are 4 ripe mangoes and 6 rotten mangoes in a basket?
Total chances = 10 i.e. 4+6 = 10

Desired chances = 4 i.e. 4 ripe mangoes

Probability =
$$\frac{4}{10}$$

2) We shall go on a tour next week. What is the probability that we shall go on a day that begins with letter "T"?

Total chances = 7 i.e. {Mon, Tue, Wed, Thurs., Fri, Sat, Sun}

Desired chances = 2 i.e. {Tue, Thurs}

Probability =
$$\frac{2}{7}$$

3) Our school will play a football match with Kampala Parents' School. What is the probability that our school will win the match?

Total chances = 3 i.e. {win, lose, draw}

Desired chances = 1 i.e. {win}

Probability = $\frac{1}{3}$

Evaluation activity

- 1. What is the probability of picking a ripe mango, if there are 4 ripe mangoes and 5 raw mangoes in a basket?
- 2. We shall go for a wedding party next week. What is the probability that we shall go on a day that begins with letter "S"?
- 3. In a bag, there are 3 red pens, 5 black pens, 7 green pens and 4 blue pens. Find the chance of picking;A back pen. b) a red pen.

END OF SET CONCEPTS