

Name... WAKISSHA PROPOSED GUIDE Centre/Index No... Kosto
School... 0772244944 / 0758891802 Signature.....

545/3
CHEMISTRY
(PRACTICAL)
Paper 3
July/August 2023
2 hours



WAKISSHA JOINT MOCK EXAMINATIONS

Uganda Certificate of Education

CHEMISTRY PRACTICAL

Paper 3

2 hours

INSTRUCTIONS TO CANDIDATES.

- Answer *both* questions. All answers must be written in the spaces provided.
- You are *not* allowed to use any reference books (i.e text books or handouts on qualitative analysis etc).
- All working must be clearly shown.
- Mathematical tables and silent non-programmable scientific calculators may be used.

For Examiner's use only		
Q.1	Q.2	Total
25	25	50

1. You are provided with the following:

BA1, which is a solution containing 20.0 g/dm^3 of unknown hydrated salt, $\text{RCO}_3 \cdot x\text{H}_2\text{O}$.

BA2, which is a 0.2 M hydrochloric acid.

You are required to determine the number of Moles of water of crystallization, x , in $\text{RCO}_3 \cdot x\text{H}_2\text{O}$ and the percentage of the anhydrous salt, RCO_3 .

(1 mole of hydrated salt reacts with 2 moles of hydrochloric acid)

Procedure

Pipette 25.0 cm^3 (or 20.0 cm^3) of **BA1** into a clean conical flask using a clean pipette. Add 2-3 drops of Methyl orange indicator and titrate it with **BA2** from the burette.

Repeat the procedure above until you obtain consistent results.

Record your results in the table below.

Results:

Volume of pipette used = 25.0 (cm³) $0\frac{1}{2}$ (½mark)

	1	2	3
Final Burette reading (cm ³)	21.10	31.00	21.00
Initial Burette reading (cm ³)	0.00	10.00	0.00
Volume of BA2 used (cm ³)	21.10	21.00	21.00

Titre values of **BA2** used to calculate the average volume.

(7½ marks)

21.00 and 21.00 cm^3 $0\frac{1}{2}$
 (cm³) (½mark)

Average volume of **BA2** used.

$\frac{21.00 + 21.00}{2} = \frac{42.00}{2} = 21.00 \text{ cm}^3$ ± 0.13 $2\frac{1}{2}$
 ± 0.2 2
 ± 0.3 $1\frac{1}{2}$
 (cm³) (2½mark)

(a) Calculate;

(i) the number of moles of **BA2** that reacted.

(03 marks)

1000 cm^3 of **BA2** contain 0.2 moles.
 1 cm^3 of **BA2** contain $\left(\frac{0.2}{1000}\right)$ moles.
 21.00 cm^3 of **BA2** contain $\left(\frac{0.2 \times 21.00}{1000}\right)$ moles 0.3
 $= 0.0042$ moles of **BA2**

(ii) the concentration of the hydrated salt, $\text{RCO}_3 \cdot x\text{H}_2\text{O}$, in Moles per dm^3 . 03

(03 marks)

2 moles of HCl react with 1 mole of hydrated salt
 1 mole of HCl react with $\frac{1}{2}$ moles of hydrated salt
 0.0042 moles of HCl react with $(\frac{1}{2} \times 0.0042)$ moles
 $= 0.0021$ moles
 25 cm^3 of BaI contain 0.0021 moles
 1 cm^3 of BaI contain $(\frac{0.0021}{25})$
 1000 cm^3 of BaI contain $(\frac{0.0021 \times 1000}{25})$
 $= 0.084$ moles per 25 cm^3
 (03 marks)

(iii) the relative formula mass of the dehydrated salt, $\text{RCO}_3 \cdot x\text{H}_2\text{O}$.

(03 marks)

0.084 moles of salt weigh 20 g
 1 mole of hydrated salt weigh $(\frac{20}{0.084}) \text{ g}$
 $= 238.0952 \text{ g}$
 Relative formula mass ≈ 238

(b) Determine the:

(i) the value of x , in $\text{RCO}_3 \cdot x\text{H}_2\text{O}$.

(02 marks)

[$R = 46$, $O = 16$, $C = 12$, $H = 1$]

$\text{RCO}_3 \cdot x\text{H}_2\text{O} = 238$

$46 + 12 + (3 \times 16) + 18x = 238$

$106 + 18x = 238$

$x = \frac{238 - 106}{18} = 7.333$

$x \approx 7$

(ii) the percentage of the anhydrous salt RCO_3 .

(03 marks)

% of anhydrous salt = $\frac{\text{Mass of anhydrous salt}}{\text{Relative formula mass}} \times 100$

$= \frac{106}{238} \times 100$

$= 44.54\%$

You are provided with substance **Q** which contains **two** cations and a common anion. Carry out the following tests on **Q** to identify the cations and anion present. Identify any gas(es) evolved.

Record your observations and deductions in the table below.

(23½ marks)

TEST	OBSERVATION	DEDUCTION
(a) To one spatula endful of Q in a clean test tube, add 4 cm^3 of distilled water and shake well. Filter and keep both the filtrate and residue. Divide the filtrate into three equal portions. (1 cm^3 each)	White powder partially dissolves Colourless filtrate White residue	Mg^{2+} , Ca^{2+} , Pb^{2+} , NH_4^+ , Al^{3+} , Zn^{2+} any two correct Mg^{2+} , Ca^{2+} , Pb^{2+} , NH_4^+ , Al^{3+} , Zn^{2+} Mg^{2+} , Ca^{2+} , Pb^{2+} , Al^{3+} , Zn^{2+}

Turn Over

(i) To the first portion add aqueous ammonia drop wise until in excess.	No observable change ✓	NH_4^+ , Ca^{2+} present ✓	01½
(ii) To the second portion add aqueous sodium hydroxide drop wise until in excess and warm.	Colourless gas with a choking smell which turns moist red litmus paper blue and forms dense white fumes with conc. HCl ✓	NH_3 gas evolved ✓ NH_4^+ confirmed present ✓	02½
(iii) To the remaining portion of the filtrate, add 3 drops of Lead (II) nitrate solution followed by dilute nitric acid solution drop by drop until in excess.	White precipitate which dissolves with effervescence of a colourless gas that turns moist red blue litmus red, and lime water milky. ✓	CO_2 gas formed ✓ CO_3^{2-} present ✓	03
(b) Add dilute Nitric acid to the residue until it dissolves. Divide the resultant solution into four equal portions.	White solid dissolves with effervescence of a colourless gas which turns moist blue litmus red and lime water milky forming a colourless solution. ✓	CO_2 gas ✓ CO_3^{2-} confirmed present ✓ Pb^{2+} , Mg^{2+} , Zn^{2+} , Ca^{2+} , Al^{3+} ✓	05
(i) To the first portion add aqueous sodium hydroxide drop wise until in excess.	White precipitate which dissolves in excess forming a colourless solution ✓	Zn^{2+} , Al^{3+} , Pb^{2+} ✓	03
(ii) To the second portion add aqueous ammonia solution drop wise until in excess.	White precipitate insoluble in excess. ✓	Al^{3+} , Pb^{2+} ✓	02
(iii) To the third portion add 3 drops of dilute hydrochloric acid solution. Warm the mixture, then allow to cool under water.	White precipitate which dissolves on warming and re-appears on cooling. ✓	Pb^{2+} present ✓	02
(iv) Use the fourth portion to carry out a test of your own choice to confirm the cation in the residue. <u>TEST</u> Add 3 drops of Potassium Iodide solution ✓	Yellow precipitate is formed. ✓	Pb^{2+} confirmed present ✓	02

- (e) Identify the ions in Q;
- (i) Cations : NH_4^+ ✓ and Pb^{2+} ✓ (01 mark)
- (ii) Anion : CO_3^{2-} ✓ (½ mark)

END