

University of Victoria
Faculty of Engineering



ENGR 446: Milestone Report I: Project Background

Simplification of Transactions by Leveraging Blockchain Technologies and Smart Contracts

David Li

Computer Engineering

V00818631



June 11, 2018

In partial fulfillment of the academic requirements of this
academic course

Table of Contents

1	Background	3
2	Objective	4
2.1	Problem	4
2.2	Purpose	4
2.3	Aims	4
2.4	Limitations	4
3	Potential Solutions	6
4	Initial Assessment	7

List of Figures

1	Illustrating how a smart contract works	4
2	Architecture of Hyperledger composer	6

List of Tables

1	Timeline of Cryptocurrency	3
2	Sample Decision Matrix for designing a blockchain system	7

1 Background

In 2008 bitcoin white paper [1] described a way to solve the double spending problem without a centralized body using blockchain. Initially, used for cryptocurrencies, the applications of blockchain are numerous including revolutionizing transactions, video games [2] and supply chains. Although, the value of bitcoin (BTC) has grown exponentially, high computational, energy consumption in mining and slow performance [3]. Released in July 30, 2015, Ethereum, an open-source platform based on blockchain technology, distinguishes itself from bitcoin through faster transactions, unlimited processing capability for smart contracts, and optimized to support Decentralized Applications [4].

Table 1: Timeline of Cryptocurrency

2008	•	Bitcoin White Paper
2009	•	Bitcoin Genesis Block
2013	•	1 BTC = \$ 31 USD
2013	•	Ethereum White Paper
2015	•	Ethereum Genesis Block
2015	•	HyperLedger starts
2017	•	Over 1000 different cryptocurrencies
2018	•	AWS Blockchain Templates

Blockchain technology is revolutionizing the internet by establishing trust in shared data. [4]. Additionally, transactions recorded on the blockchain are practically impossible to remove or change. A decentralized application, or DApp are deployed on peer to peer networks such as Ethereum or on the cloud. Traditional legal contracts are written to represent the contracting parties. In a smart contract, self-executing source code is used to automatic transactions that are publicly available on the blockchain [4].




Figure 1: Illustrating how a smart contract works

2 Objective

The prominence of cryptocurrency and decentralized applications suggests usage of smart contracts will experience explosive growth.

2.1 Problem

Currently commonplace transactions require days to process and for parties verify correctness. For example to purchase houses, a plethora of steps are required, one must interactive with lawyers, real-estate agents, home inspector, buy insurance and shop for a mortgage.

2.2 Purpose

Leveraging existing blockchain technologies can automatic the majority of steps and cut out the middlemen, resulting in buyers conversing directing with sellers.

2.3 Aims

The aims of this project are to develop a decentralized blockchain system that:

1. Reduce cost of transactions by at least 50% from removing middlemen.
2. Improve transparency in software systems through augmented accessibility and understandability.
3. Has increased reliability and more secure than traditional systems.

2.4 Limitations

The regulatory uncertainty and impact of future regulations on blockchain technologies such as smart contracts will not be investigated. In addition, criminal usage of cryptocurrencies to avoid taxation and legal repercussions are beyond the scope of

this report. In addition the impacts of quantum computing altering the validity of modern cryptography algorithms will not be investigated.

3 Potential Solutions

- **Public blockchains** are large distributed networks that are run through a native token such as bitcoin or ether. Anyone can participate and the community maintains its open-source code. The two largest public blockchains are Ethereum and Bitcoin. They are open for anyone to participate at any level and have open-source code that their community maintains.
- **Permissioned blockchains** define role based access control for individuals in the network and uses native tokens. HyperLedger Composer, an open-source framework for permissioned blockchains, is used for smart contracts and for blockchain application development [5]. One use case is an accounting system that calculates payment, while hiding that information from unrelated organizations.




Figure 2: Architecture of Hyperledger composer

- **Private blockchains** membership is tightly controlled and lacks a native token. Useful for consortiums with trusted associates and exchanging confidential information, however, less powerful because it is supported by limited private resources. Large organizations such as governments will likely use these extensively.

4 Initial Assessment

Determining which platform is best for smart contracts should be done using a weighted decision matrix, based on the particular application. For internal processes such as supply chains, a private blockchain makes sense (data cannot be changed) and cryptographic auditing with known identities (public keys). For a trustless system that verifies every transaction, using a public blockchain is essential. In comparison, role-based access control is feasible by using a permissioned blockchain.

Despite the slow speed of the public blockchain, innovations such as side chains enable quick transactions and are used in decentralized game development [2]. A permissioned blockchain allows role based access control which is essential in business applications. One example is to prevent unrelated parties from viewing other's data. Furthermore, smart contracts allow buyers and sellers exchange money, property, shares, or anything of value in a transparent, conflict-free way while avoiding the services of a middleman. This allows validation of complex transactions swiftly while maintaining transparency.

Table 2: Sample Decision Matrix for designing a blockchain system

Criteria	Existing Systems	BlockChain Systems		
	Centralized	Public	Permissioned	Private
speed and latency	5	7	7	6
scalability	5	9.8	7	4
security and immutability	3	7	8.5	9
storage capacity	4	9	9	6
transparency	3	9	7	5
Total	21	41.6	38.5	30

A decentralized system (peer to peer) has many advantages over a conventional centralized network including no single points of failure, cheaper distribution (servers are expensive), faster upload speeds and improved security. In addition, irreversible and immutable transactions are both an advantage and disadvantage. For example, an amateur coder killed the contract that allowed users to transfer Ether for the Parity Ethereum Wallet, rendering 150 to 300 million dollars completely useless [6]. Overall, the public blockchain with access to substantial collective resources is most viable in terms of scalability and transparency, however, institutes may prefer implementing permissioned or private blockchains internally for extended security and privacy.

References

- [1] *Bitcoin White Paper*. [Online] Available: <https://bitcoin.org/bitcoin.pdf>. Accessed April 25, 2018.
- [2] Adam Back Matt Corallo. *Loom Network sdk for developers*. [Online] Available: <https://medium.com/loom-network/loom-sdk-for-developers-using-an-indexing-layer-for-lightning-fast-dapp-performance-b17f8ba25a3c>. Accessed May 31, 2018.
- [3] Saeed Elnaj. *The Problems With Bitcoin And The Future Of Blockchain*. [Online] Available: <https://www.forbes.com/sites/forbestechcouncil/2018/03/29/the-problems-with-bitcoin-and-the-future-of-blockchain>. Accessed May 06, 2018.
- [4] *Ethereum White Paper*. [Online] Available: <https://github.com/ethereum/wiki/wiki/White-Paper>. Accessed April 25, 2018.
- [5] *Hyperledger Composer Overview*. [Online] Available: <https://www.hyperledger.org/wp-content/uploads/2017/05/Hyperledger-Composer-Overview.pdf>. Accessed May 27, 2018.
- [6] Thijs Maas. *Yes, this kid really just deleted 300 MILLION by messing around with Etheureums smart contracts*. [Online] Available: <https://hackernoon.com/yes-this-kid-really-just-deleted-150-million-dollar-by-messing-around-with-ethereums-smart-2d6bb6750bb9>. Accessed May 29, 2018.