

*

WolframAlpha (<https://www.wolframalpha.com/>)

GeoGebra (<https://www.geogebra.org/>)


Desmos (<https://www.desmos.com/>).

1

$$1. \quad y = \frac{Ax+B}{Cx+D} \quad (AD - BC \neq 0) \quad \circ$$

$$y = \frac{A}{C} \frac{x + \frac{D}{C}}{x + \frac{D}{C}} = \frac{A}{C} \left(1 + \frac{\frac{D}{C} + \frac{B}{A}}{x + \frac{D}{C}} \right)$$

$$2. \quad k > 0; \quad b > 0 \quad y = kx + \frac{b}{x} \quad y = kx - \frac{b}{x}$$



$$x > 0 \quad y = kx + \frac{b}{x} \quad x = \sqrt{\frac{b}{k}} \quad y = 2\sqrt{kb}$$

$$x < 0 \quad y = kx - \frac{b}{x} \quad x = -\sqrt{\frac{b}{k}} \quad y = -2\sqrt{kb}$$

$$3. \quad y = \frac{x^2 + Ax + B}{x + C} \quad y = \frac{x + C}{x^2 + Ax + B}$$

$$(\quad) \quad \frac{t = x + C}{y(x + C) = x^2 + Ax + B}$$

$$x^2 + (A - y)x + B - yC = 0$$

$$= (A - y)^2 - 4(B - yC) > 0$$

$$y = \frac{(x^2 + Ax + B)(x + C)}{x^2 + Ax + B}$$

$$4. \quad y = \frac{Ax^2 + B}{Cx^2 + D} \quad y = \frac{A}{C} \frac{x^2 + \frac{B}{A}}{x^2 + \frac{D}{C}}$$

$$t = \frac{x^2 + \frac{B}{A}}{x^2 + \frac{D}{C}}$$

$$x^2 = t^2 \frac{B}{A}$$

$$y = \frac{P \frac{B}{A}}{C} \frac{t}{t^2 \frac{B}{A} + \frac{D}{C}} = \frac{P \frac{B}{A}}{C} \frac{1}{t + \frac{D}{C} \frac{B}{A} \frac{1}{t}}$$

$$5. \quad y_i = \frac{4}{Cx_i + D} \quad (AD - BC \neq 0; \quad i = 1; 2; 3; 4)$$

$$\frac{(y_1 \ y_3)(y_2 \ y_4)}{(y_1 \ y_4)(y_2 \ y_3)} = \frac{(x_1 \ x_3)(x_2 \ x_4)}{(x_1 \ x_4)(x_2 \ x_3)}$$

$$6. \quad y = jx \quad b_1 j + jx \quad b_2 j + \quad + jx \quad b_n j \quad b_1 < b_2 < \quad <$$

$$b_n \quad n \quad n \quad x = \frac{[b_{\frac{n}{2}}; b_{\frac{n}{2}+1}]}{b_n}$$

$$7. \quad f(x)_{\max}; f(x)_{\min} \quad f(x) \quad (a; b)$$

$$9 \ x_0 \ 2 \ (a; b); \ f(x_0) > m \) \quad \frac{f(x)_{\max} > m}{f(x)_{\min} < m}$$

$$9 \ x_0 \ 2 \ (a; b); \ f(x_0) < m \) \quad \frac{f(x)_{\min} < m}{f(x)_{\max} < m}$$

$$8 \ x \ 2 \ (a; b); \ f(x) < m \) \quad \frac{f(x)_{\max} < m}{f(x)_{\min} > m}$$

$$8 \ x \ 2 \ (a; b); \ f(x) > m \) \quad \frac{f(x)_{\min} > m}{f(x)_{\max} > m}$$

8

$$\log_a(MN) = \log_a M + \log_a N$$

$$\log_a \frac{M}{N} = \log_a M - \log_a N$$

$$\log_a M^n = n \log_a M \quad \log_{a^n} M = \frac{1}{n} \log_a M$$

$$\log_a M = \frac{\log_b M}{\log_b a}$$

9

$$f(x_1 + x_2) = f(x_1) + f(x_2) \quad kx$$

$$f \frac{x_1 + x_2}{2} = \frac{f(x_1) + f(x_2)}{2} \quad kx + b$$

$$f(x_1 x_2) = f(x_1) f(x_2) \quad x$$

$$f(x_1 + x_2) = f(x_1) f(x_2) \quad a^x$$

$$f(x_1 x_2) = f(x_1) + f(x_2) \quad \log_a x$$

$$f(x_1 x_2) = x_2 f(x_1) + x_1 f(x_2) \quad x \log_a x$$

$$f(x_1 + x_2) + f(x_1 - x_2) = 2 f(x_1) f(x_2) \quad \frac{1}{\cos x}$$

$$f(x_1 + x_2) = f(x_1) + f(x_2) + 2 x_1 x_2 \quad x^2 + x$$

$$10. \quad f(x) = \ln \frac{1+x}{1-x} \quad f(x) = \ln \frac{1}{1+x}$$

$$f(x_1) + f(x_2) = f \frac{x_1 + x_2}{1 + x_1 x_2}$$

$$11. \quad \arctan x_1 + \arctan x_2 = \arctan \frac{x_1 + x_2}{1 - x_1 x_2}$$

12 “ < ” “ > ”
 $x_1; x_2 \in (0; \frac{\pi}{2}); x_1 \notin x_2$
 $\frac{1}{2}(\sin x_1 + \sin x_2) < \sin \frac{x_1 + x_2}{2}$
 $x_1; x_2 \in (0; \frac{\pi}{2}); x_1 \notin x_2$
 $\frac{1}{2}(\tan x_1 + \tan x_2) > \tan \frac{x_1 + x_2}{2}$
 $x_1; x_2 \in \mathbf{R}; x_1 \notin x_2$
 $\frac{e^{x_1} + e^{x_2}}{2} \geq e^{\frac{x_1 + x_2}{2}}$
 $x_1; x_2 \in (0; +1); x_1 \notin x_2$
 $\frac{\ln x_1 + \ln x_2}{2} \leq \ln \frac{x_1 + x_2}{2}$
 $x_1; x_2 \in (0; +1); x_1 \notin x_2; \quad \in \mathbf{R}; \quad > 1$
 $\frac{x_1 + x_2}{2} \geq \frac{x_1 + x_2}{2}$

13 $f(x) \quad f(x) = \frac{1}{f(x+a)} \quad f(x)$
 $\frac{2a}{\quad}$

14 $f(x) \quad f(x+a) = f(b-x) \quad f(x)$
 $x = \frac{a+b}{2}$

15 $f(x) \quad x = a \quad (b; c)$
 $a \notin b \quad f(x) \quad T = \frac{4ja}{bj}$

16 $a; b; c > 0 \quad \frac{a+b+c}{3} >$
 $\frac{D_3}{abc}$

17 $a; b > 0; x > 0$
 $ax^2 + \frac{b}{x} = ax^2 + \frac{b}{2x} + \frac{b}{2x} > 3 \sqrt[3]{\frac{ab^2}{4}}$
 $ax + \frac{b}{x^2} = \frac{1}{2}ax + \frac{1}{2}ax + \frac{b}{x^2} > 3 \sqrt[3]{\frac{a^2b}{4}}$

18 $f(x) \quad [a; b]$
 $f(a) \quad f(b) \leq 0 \quad x_0 \in (a; b) \quad f(x_0) = 0$

19 $f_0(x) = x; f_1(x) = f(x); f_{n+1}(x) = f(f_n(x)).$
 $f_n(x) \quad f(x) \quad n \quad (\quad)$

$f(x)$	$f_n(x)$
$x + 2^{\frac{1}{x}} + 1$	$(\frac{1}{x} + n)^2$
$\frac{x}{a+bx}$	$\frac{x}{a^n + \frac{1}{a^n}bx}$
$\frac{1}{ax^k + b}$	$\frac{1}{a^n x^k + \frac{1}{a^n}b}$
$x^2 + 2x$	$(x+1)^{2^n} - 1$
$\frac{x^2}{2x-1}$	$\frac{x^{2^n}}{x^{2^n} - (x-1)^{2^n}}$

20 $f_1(x) = f(x) = \frac{1+x}{1-x}; f_{n+1}(x) = f(f_n(x)) \quad n \in \mathbf{N}^+$
 $k \in \mathbf{N} \quad f_{4k+1}(x) = \frac{1+x}{1-x}, f_{4k+2}(x) = \frac{1}{x},$
 $f_{4k+3}(x) = \frac{x-1}{x+1}, f_{4k+4}(x) = x.$

2

21. $P_n^k = \frac{n!}{(n-k)!} A_n^k.$

22. $C_n^k = C_n^{n-k} = \frac{n!}{k!(n-k)!}.$
 $C_n^k + C_n^{k-1} = C_{n+1}^k.$

23. $(a+b)^n = \sum_{k=0}^n C_n^k a^k b^{n-k}.$

24. $(a+b+c)^2 = a^2 + b^2 + c^2 + 2(ab+ac+bc).$
 $(\sqrt[3]{a} + \sqrt[3]{b} + \sqrt[3]{c})^2$

25.

1
1 1
1 2 1
1 3 3 1
1 4 6 4 1
1 5 10 10 5 1
1 6 15 20 15 6 1

$n+1 \quad \sum_{k=0}^n C_n^k = 2^n.$

26. $C_{2n}^3 \quad C_{2n}^5; \quad \quad \quad (\quad " \quad " \quad " \quad) \quad C_{2n}^1$

27.

$\sum_{k=r}^n C_k^r = C_{n+1}^{r+1}; \quad \sum_{k=0}^n C_m^k C_n^{r-k} = C_{n+m}^r$
 $\sum_{k=1}^n k C_n^k = n 2^{n-1}; \quad \sum_{k=1}^n k^2 C_n^k = n(n+1) 2^{n-2}$

28. $n \quad D_n \quad D_1 = 0; D_2 = 1$

$D_n = (n-1)(D_{n-1} + D_{n-2})$
 $D_n - nD_{n-1} = [D_{n-1} - (n-1)D_{n-2}] = (-1)^n$
 $\frac{D_n}{n!} - \frac{D_{n-1}}{(n-1)!} = \frac{(-1)^n}{n!}$
 $D_n = n! - 1 \quad \frac{1}{1!} + \frac{1}{2!} + \dots + (-1)^n \frac{1}{n!}$

$$29 \quad ax + bx^n$$

$$T_{r+1} = C_n^r a^{n-r} b^r x^{(n-r)+r};$$

$$\begin{aligned} C_n^m a^n b^m & \geq C_n^m a^{n-m} b^m > \frac{C_n^{m-1} a^{n-m+1} b^{m-1}}{C_n^{m+1} a^{n-m-1} b^{m+1}} \\ & \geq C_n^m a^{n-m} b^m > \frac{C_n^{m+1} a^{n-m-1} b^{m+1}}{C_n^{m+1} a^{n-m-1} b^{m+1}} \end{aligned}$$

$$30 \quad k \in \mathbf{N} \quad 30k+1 \quad 30k+30 \quad 30$$

$$\frac{2}{3} \quad \frac{5}{8}$$

3

$$31. \quad S = f(k_1; k_2; \dots; k_n) g$$

$$f(x) = (1+x^{k_1})(1+x^{k_2}) \dots (1+x^{k_n}) \quad f(x)$$

$$\frac{x^m}{m(m \in \mathbf{N})} \quad S$$

$$32. \quad (\quad) \quad E(X) = \sum_{i=1}^n x_i p_i$$

$$E(aX+b) = aE(X) + b.$$

$$D(X) = E[f(X - E(X))^2] = \frac{E(X^2) - [E(X)]^2}{D(aX+b) = a^2 D(X)}.$$

$$33. \quad n$$

$$n \quad \frac{1}{n}$$

$$34. \quad P(A_1 \cap A_2) = \frac{P(A_1) + P(A_2) - P(A_1 \cup A_2)}{P(A_1 \cup A_2)}$$

$$35. \quad P(B|A) = \frac{P(A \cap B)}{P(A)}.$$

$$P(A \cap B) = \frac{P(A)P(B|A)}{P(A \cap B)}.$$

$$A; B \quad P(A \cap B) = \frac{P(A)P(B)}{P(A \cap B)}.$$

$$36. \quad P(A) = \sum_{k=1}^n P(A \cap B_k) P(B_k).$$

$$37. \quad P(A \cap B) = \frac{P(A \cap B) P(B)}{P(A \cap B) P(B)}$$

$$38. \quad b(n; p) \quad A$$

$$\frac{p^n}{np(1-p)} \quad A \quad k$$

$$PfX = kg = \frac{C_n^k p^k (1-p)^{n-k}}{np(1-p)} \quad np$$

$$39. \quad n \quad k$$

$$PfX = kg = (1-p)^{k-1} p; \quad k \in \mathbf{N}^+; \quad 0 < p < 1.$$

$$\frac{1}{p} \quad \frac{1}{p^2}$$

$$40. \quad N \quad D(D \in N)$$

$$n(n \in N) \quad k(k \in D)$$

$$PfX = kg = \frac{C_D^k C_N^{n-k}}{C_N^n} \quad \frac{nD}{N}$$

$$\frac{nD}{N} \quad \frac{D}{N} \quad \frac{N}{N-1}.$$

$$41. \quad f(x) = \frac{1}{2} e^{\frac{(x-\frac{1}{2})^2}{2}}; \quad x \in \mathbf{R}; \quad > 0.$$

$$\frac{X}{N(0;1)} \quad (\quad).$$

$$42. \quad \hat{y} = \hat{a} + \hat{b}x.$$

$$\hat{b} = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2}$$

$$= \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2}$$

$$\hat{a} = \bar{y} - \hat{b}\bar{x}$$

$$(\bar{x}; \bar{y}).$$

43

$$r = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2}$$

$$= \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2}$$

$$= \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2} = \frac{\sum_{i=1}^n x_i y_i - n\bar{x}\bar{y}}{\sum_{i=1}^n x_i^2 - n\bar{x}^2}$$

$$44. \quad (\quad) \quad 2 \quad 2$$

	$Y = 0$	$Y = 1$	
$X = 0$	a	b	$a + b$
$X = 1$	c	d	$c + d$
	$a + c$	$b + d$	$n = a + b + c + d$

$$2 = \frac{n(ad - bc)^2}{(a+b)(c+d)(a+c)(b+d)}$$

$$2 \quad "X \quad Y \quad "$$

4

45.

$$\cos(\alpha \pm \beta) = \cos \alpha \cos \beta \mp \sin \alpha \sin \beta$$

$$\sin(\alpha \pm \beta) = \sin \alpha \cos \beta \pm \cos \alpha \sin \beta$$

46.

$$\sin 2x = 2 \sin x \cos x$$

$$\cos 2x = 2 \cos^2 x - 1 = 1 - 2 \sin^2 x = \cos^2 x - \sin^2 x$$

47.

$$\sin 3x = 3 \sin x - 4 \sin^3 x$$

$$\cos 3x = 4 \cos^3 x - 3 \cos x$$

48.

$$\cos(n+1) = 2 \cos n \cos 1 - \cos(n-1)$$

49.

:

$$\sin x + \sin y = 2 \sin \frac{x+y}{2} \cos \frac{x-y}{2}$$

$$\cos x + \cos y = 2 \cos \frac{x+y}{2} \cos \frac{x-y}{2}$$

50.

:

$$\sin x \sin y = \frac{1}{2} [\cos(x-y) - \cos(x+y)]$$

$$\cos x \cos y = \frac{1}{2} [\cos(x-y) + \cos(x+y)]$$

$$\sin x \cos y = \frac{1}{2} [\sin(x+y) + \sin(x-y)]$$

51.

$$\begin{aligned} & a \sin x + b \cos x \\ &= \sqrt{a^2 + b^2} \sin(x + \varphi) \quad \tan \varphi = \frac{b}{a} \end{aligned}$$

$$\begin{aligned} & a \sin x + b \cos(x + x_0) \\ &= a \sin x + b \cos x \cos x_0 - b \sin x \sin x_0 \end{aligned}$$

$$\begin{aligned} & a \cos^2 x + b \sin^2 x + c \sin x \cos x \\ &= a \frac{\cos 2x + 1}{2} + b \frac{\cos 2x - 1}{2} + \frac{c}{2} \sin 2x \end{aligned}$$

$$a \sin^2 x + b \cos x = a(1 - \cos^2 x) + b \cos x$$

52.

$$\sum_{k=1}^n \cos kx = \frac{\sin n + \frac{1}{2} x - \sin \frac{x}{2}}{2 \sin \frac{x}{2}}$$

$$\sum_{k=1}^n \sin kx = \frac{\cos n + \frac{1}{2} x + \cos \frac{x}{2}}{2 \sin \frac{x}{2}}$$

$$53. \quad \cos \frac{x}{2} \cos \frac{x}{4} \cdots \cos \frac{x}{2^n} = \frac{\sin x}{2^n \sin \frac{x}{2^n}}$$

$$54. \quad \triangle ABC \quad (A + B + C = \pi)$$

$$\sin A + \sin B + \sin C = 4 \cos \frac{A}{2} \cos \frac{B}{2} \cos \frac{C}{2}$$

$$\cos A + \cos B + \cos C = 1 + 4 \sin \frac{A}{2} \sin \frac{B}{2} \sin \frac{C}{2}$$

$$\tan A + \tan B + \tan C = \tan A \tan B \tan C$$

$$\tan \frac{A}{2} \tan \frac{B}{2} + \tan \frac{B}{2} \tan \frac{C}{2} +$$

$$\tan \frac{A}{2} \tan \frac{C}{2} = 1$$

$$55. \quad \triangle ABC \quad A = B = C = \frac{\pi}{3}$$

$$0 < \sin A + \sin B + \sin C < \frac{3\sqrt{3}}{2}$$

$$0 < \sin A \sin B \sin C < \frac{3\sqrt{3}}{8}$$

$$1 < \cos A + \cos B + \cos C < \frac{3}{2}$$

$$1 < \cos A \cos B \cos C < \frac{1}{8}$$

$$56. \quad x \geq 0; \frac{\pi}{2} < x < \pi \quad \sin x > \frac{2}{\pi} x \quad \cos x > 1 - \frac{2}{\pi} x.$$

$\triangle ABC$

$$\sin A + \sin B + \sin C > \frac{2}{\pi} (A + B + C) = 2$$

$$\cos A + \cos B + \cos C > 3 - \frac{2}{\pi} (A + B + C) = 1$$

$$\tan A + \tan B + \tan C > 3 \tan \frac{A+B+C}{3} = 3^{\frac{2}{\pi}}$$

8

$$< x = A \cos(\omega t + \alpha)$$

57.

$$; AB \neq 0$$

$$y = B \cos(\omega t + \beta)$$

$$\frac{x^2}{A^2} + \frac{y^2}{B^2} - 2 \frac{xy}{AB} \cos(a - b) = \sin^2(a - b)$$

58.

$$\sinh x = \frac{e^x - e^{-x}}{2}$$

$$\operatorname{arcsinh} x = \ln(x + \sqrt{x^2 + 1})$$

$$\cosh x = \frac{e^x + e^{-x}}{2}$$

$$\operatorname{arccosh} x = \ln(x + \sqrt{x^2 - 1}).$$

$$\begin{aligned} (\sinh x)^0 &= \frac{\cosh x}{1} & (\cosh x)^0 &= \frac{\sinh x}{1} \\ (\operatorname{arcsinh} x)^0 &= \frac{1}{\sqrt{x^2 + 1}} & (\operatorname{arccosh} x)^0 &= \frac{1}{\sqrt{x^2 - 1}} \\ (\cosh x)^2 & & (\sinh x)^2 &= 1. \end{aligned}$$

5

$$59. \quad i^{4n} = 1 \quad i^{4n+1} = i \quad i^{4n+2} = -1 \quad i^{4n+3} = -i.$$

60.

$$\begin{aligned} \overline{\overline{z}} &= z & \overline{\frac{z_1}{z_2}} &= \frac{\overline{z_1}}{\overline{z_2}} \\ \overline{\frac{z_1}{z_2}} &= \frac{\overline{z_1}}{\overline{z_2}} & \frac{z_1}{z_2} &= \frac{\overline{\overline{z_1}}}{\overline{\overline{z_2}}} \end{aligned}$$

61.

$$\begin{aligned} jzj &= \overline{jzj} & z\overline{z} &= \overline{jzj}^2 = \overline{jzj}^2 \\ jz_1 z_2 j &= \overline{jz_1 j j z_2 j} & \frac{z_1}{z_2} &= \frac{jz_1 j}{jz_2 j} \\ jz_1 + z_2 j^2 + jz_1 & & z_2 j^2 &= \frac{2(jz_1 j^2 + jz_2 j^2)}{2}. \end{aligned}$$

62.

$$\overline{jz_1 j} \quad \overline{jz_2 j} \quad \overline{jz_1} \quad \overline{jz_2} \quad \overline{jz_1 j + jz_2 j}.$$

63.

$$\begin{aligned} \frac{A+B}{A+B} &= \frac{C}{C} \quad (A > 0; C > 0) \\ \frac{A+B}{A+B} &= \frac{C}{C} = x + y \frac{C}{C} \end{aligned}$$

$$\frac{A = x^2 + y^2 C; B = 2xy.}{jBj \overline{C}} \quad A >$$

$$64. \quad \frac{P}{a+bi} \quad \frac{P}{a+bi} = x + yi$$

$$a = x^2 - y^2; b = 2xy.$$

65.

$$e^{ix} = \cos x + i \sin x.$$

66.

$$\begin{aligned} e &= 2.718281828 \\ e &= \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n} \right)^n \end{aligned}$$

$$67. \quad \cos(n) + i \sin(n) = (\cos + i \sin)^n$$

n

$$68. \quad x^n = 1; n \in \mathbb{N}^+ \quad x \quad n$$

$$\frac{x^n}{e^{2k i/n}; k = 0; 1; 2; \dots; n-1}.$$

69.

$$\begin{aligned} (x + iy)(\cos + i \sin) \\ = \frac{(x \cos - y \sin) + i(x \sin + y \cos)}{1}. \end{aligned}$$

6

70.

$$71. \quad \begin{aligned} \begin{matrix} \downarrow \\ a \end{matrix} &= (a_1; a_2; a_3) & \begin{matrix} \downarrow \\ b \end{matrix} &= (b_1; b_2; b_3) \end{aligned} \quad ("$$

$$\begin{aligned} \begin{matrix} \downarrow \\ a \end{matrix} \begin{matrix} \downarrow \\ b \end{matrix} &= j \begin{matrix} \downarrow \\ a \end{matrix} j j \begin{matrix} \downarrow \\ b \end{matrix} j \cosh \begin{matrix} \downarrow \\ a \end{matrix}; \begin{matrix} \downarrow \\ b \end{matrix} i = \frac{a_1 b_1 + a_2 b_2 + a_3 b_3}{\begin{matrix} \downarrow \\ a \end{matrix}; \begin{matrix} \downarrow \\ b \end{matrix}} \end{aligned}$$

$$\cosh \begin{matrix} \downarrow \\ a \end{matrix}; \begin{matrix} \downarrow \\ b \end{matrix} i = \frac{\begin{matrix} \downarrow \\ a \end{matrix} \begin{matrix} \downarrow \\ b \end{matrix}}{j \begin{matrix} \downarrow \\ a \end{matrix} j j \begin{matrix} \downarrow \\ b \end{matrix} j}$$

72.

$$\frac{a_1}{b_1} \frac{a_2}{b_2} = \frac{a_1 b_2}{a_2 b_1}.$$

73.

$$\begin{aligned} \begin{matrix} \downarrow \\ a \end{matrix} &= (a_1; a_2; a_3) & \begin{matrix} \downarrow \\ b \end{matrix} &= (b_1; b_2; b_3) \end{aligned} \quad ("$$

$$\begin{aligned} \begin{matrix} \downarrow \\ a \end{matrix} \begin{matrix} \downarrow \\ b \end{matrix} &= \begin{matrix} \downarrow \\ i \end{matrix} \begin{matrix} \downarrow \\ j \end{matrix} \begin{matrix} \downarrow \\ k \end{matrix} \\ &= \frac{a_1}{b_1} \frac{a_2}{b_2} \frac{a_3}{b_3} \end{aligned}$$

$$= \frac{(a_2 b_3 \quad a_3 b_2; a_3 b_1 \quad a_1 b_3; a_1 b_2 \quad a_2 b_1)}{x; y; z}$$

$$\begin{aligned} \begin{matrix} \downarrow \\ a \end{matrix} \begin{matrix} \downarrow \\ b \end{matrix} &\notin \\ \begin{matrix} \downarrow \\ b \end{matrix} \begin{matrix} \downarrow \\ a \end{matrix} &= j \begin{matrix} \downarrow \\ a \end{matrix} j \begin{matrix} \downarrow \\ b \end{matrix} j \sinh \begin{matrix} \downarrow \\ a \end{matrix}; \begin{matrix} \downarrow \\ b \end{matrix} i. \end{aligned}$$

74.

$$\begin{aligned} a_3 = b_3 = 0 & \quad j \begin{matrix} \downarrow \\ a \end{matrix} \begin{matrix} \downarrow \\ b \end{matrix} j = \frac{j a_1 b_2 \quad a_2 b_1 j}{2} \\ \begin{matrix} \downarrow \\ a \end{matrix}; \begin{matrix} \downarrow \\ b \end{matrix} & \end{aligned}$$

$$(a_1^2 + a_2^2)(b_1^2 + b_2^2)$$

$$= (a_1 b_1 + a_2 b_2)^2 + (a_1 b_2 - a_2 b_1)^2$$

$$\begin{aligned} \begin{matrix} \downarrow \\ a \end{matrix} \begin{matrix} \downarrow \\ b \end{matrix} &? \begin{matrix} \downarrow \\ b \end{matrix} & \frac{a_1 b_1 + a_2 b_2 = 0}{a_1 b_2 - a_2 b_1 = 0}. \end{aligned}$$

75.

$$\begin{aligned} \begin{matrix} \downarrow \\ e_1 \end{matrix} \begin{matrix} \downarrow \\ e_2 \end{matrix} & \\ \begin{matrix} \downarrow \\ a \end{matrix} & \end{aligned}$$


$$\begin{aligned} \begin{matrix} \downarrow \\ e_1 \end{matrix} \begin{matrix} \downarrow \\ e_2 \end{matrix} & \\ \begin{matrix} \downarrow \\ a \end{matrix} &= \begin{matrix} \downarrow \\ e_1 \end{matrix} + \begin{matrix} \downarrow \\ e_2 \end{matrix}. \end{aligned}$$

76.

$$\begin{aligned} O; P; Q; R & \quad \overline{OR} = \overline{OP} + \overline{OQ} \\ P; Q; R & \quad \underline{\quad + \quad} = 1. \end{aligned}$$

77.

$$\begin{aligned} O & \quad A; B; C & C \\ AB & \quad (&) \quad \overline{OA}; \overline{OB} \\ (0 < & <) & \quad \overline{OC} \quad \overline{OA}; \overline{OB} \\ t; (1 & - t) & \quad 0 < t < 1 \quad \overline{OC} = \overline{OA} + \overline{OB} \\ = \frac{\sin((1-t))}{\sin()} & = \frac{\sin(t)}{\sin()}. \end{aligned}$$



7

78

79

ABC G $1:2$.
 O

$$\vec{OG} = \frac{1}{3} (\vec{OA} + \vec{OB} + \vec{OC})$$

80

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C} = 2R$$

R

81

$$\begin{aligned} c^2 &= a^2 + b^2 - 2ab \cos C \\ \frac{a}{\sin A} \frac{b}{\sin B} &= \frac{a^2 + b^2 - c^2}{2} \\ \cos C &= \frac{a^2 + b^2 - c^2}{2ab} \end{aligned}$$

82

“ ” ” ”

83

ABC

$$a + b + c > 2(a \cos A + b \cos B + c \cos C)$$

$$a^2 + b^2 + c^2 = 2bc \cos A + 2ac \cos B + 2ab \cos C$$

$$a; b; c \quad x; y; z$$

$$A + B + C =$$

$$x^2 + y^2 + z^2 > \frac{2yz \cos A + 2zx \cos B + 2xy \cos C}{2}$$

$$84 \quad (a^2 - b^2)^2 + (2ab)^2 = (a^2 + b^2)^2$$

$$a; b(a \notin b)$$

(3;4;5), (5;12;13), (7;24;25), (8;15;17), (9;40;41),
(11;60;61), (20;21;29).

85.

$$a^2 \quad \frac{1}{a} \quad b^2 \quad \frac{1}{b}$$

$$\frac{4 \frac{1}{a} \frac{1}{b} = (\frac{1}{a} + \frac{1}{b})^2 - (\frac{1}{a} - \frac{1}{b})^2}{2}$$

86.

$$\frac{ABC}{a+b+c} \quad R \quad r \quad p =$$

$$\frac{1}{2} ab \sin C = \frac{1}{2} bc \sin A = \frac{1}{2} ac \sin B.$$

$$R; A; B; C \quad \frac{2R^2 \sin A \sin B \sin C}{abc}$$

$$R; a; b; c \quad \frac{abc}{4R}$$

$$p; r \quad \frac{pr}{p}$$

$$p; a; b; c \quad \frac{p(p-a)(p-b)(p-c)}{p}$$

87. r

$$r = \frac{\frac{(p-a)(p-b)(p-c)}{p}}{p}$$

88

ABC

$$a^2 + b^2 + c^2 > 4 \frac{P}{3} S_{ABC}$$

89.

$$\frac{ABC}{ABC} \quad \frac{AB; BC; AC}{()}$$

120

$$xy + yz + zx = \frac{4}{3} S_{ABC} \leq \frac{1}{3} (a^2 + b^2 + c^2)$$

90.

$$\frac{p}{2} \frac{R(R-2r)}{2}$$

$$(R > 2r).$$

91.

$$\frac{ABC}{COA} \quad O \quad \frac{AOB}{S_C; S_A; S_B} \quad \frac{BOC}{S_C; S_A; S_B}$$

$$S_A \frac{\vec{OA}}{OA} + S_B \frac{\vec{OB}}{OB} + S_C \frac{\vec{OC}}{OC} = \vec{0}$$

$$O \quad ABC$$

$$S_A : S_B : S_C = 1 : 1 : 1$$

$$O \quad ABC$$

$$S_A : S_B : S_C = \tan A : \tan B : \tan C$$

$$O \quad ABC$$


$$S_A : S_B : S_C = a : b : c$$

$$O \quad ABC$$

$$S_A : S_B : S_C = \sin 2A : \sin 2B : \sin 2C$$

92. D

$$\frac{ABC}{AD} \quad \frac{BC}{\angle BAC} \quad \frac{jABj}{jACj} = \frac{jBDj}{jCDj}$$



93 ()

$$\frac{N}{N + \frac{B}{2}} = 1.$$

8

94

$$\begin{aligned} (x^y)^z &= x^{yz} \quad (\ln x)^y = \frac{1}{x^y} \\ (a^x)^y &= (\ln a)a^x \quad (e^x)^y = e^{xy} \\ (\sin x)^y &= \frac{\cos x}{\cos^2 x} \quad (\cos x)^y = \frac{\sin x}{\sin^2 x} \\ (\tan x)^y &= \frac{1}{\cos^2 x}. \end{aligned}$$

95

$$\begin{aligned} [c_1 f(x) + c_2 g(x)]^0 &= c_1 f^0(x) + c_2 g^0(x) \\ [f(x)g(x)]^0 &= f^0(x)g^0(x) + f(x)g^0(x) \\ \frac{f(x)}{g(x)}^0 &= \frac{f^0(x)g(x) - f(x)g^0(x)}{g^2(x)} \end{aligned}$$

96

$$\begin{aligned} [f(x)x^n]^0 &= \frac{x^n f^0(x) + nx^{n-1}f(x)}{x^{n+1}} \\ \frac{f(x)}{x^n}^0 &= \frac{xf^0(x) - nf(x)}{x^{n+1}} \end{aligned}$$

97

$$\begin{aligned} [g(f(x))]^0 &= g^0(u)f^0(x) \\ f(x). \quad [\ln f(x)]^0 &= \frac{f^0(x)}{f(x)}. \end{aligned} \quad u$$

98

$$\begin{aligned} f(x) &= (x - x_0)^n g(x) \\ \ln f(x) &= n \ln(x - x_0) + \ln g(x) \end{aligned}$$

99

$$\frac{f^0(x)}{f(x)} = \frac{n}{x - x_0} + \frac{g^0(x)}{g(x)}$$

100

$$\int_a^b f(x) dx = \frac{f(b) - f(a)}{f'(x)}$$

101

$$\begin{aligned} (L'Hospital) \quad \lim_{x \rightarrow x_0} \frac{f(x)}{g(x)} &= \lim_{x \rightarrow x_0} \frac{f^0(x)}{g^0(x)} \\ \lim_{x \rightarrow 0} x \ln x &= 0. \end{aligned} \quad f(x)$$

102

$$e^x > x + 1 \quad x < 1 \quad e^{x-1} > x$$

103

$$e^x > x + 1 \quad x < 1 \quad e^x \geq \frac{1}{1-x}.$$

104

$$x > 0 \quad e^x > x + 1 \quad 1 + x > 0 \quad e^x > (1+x)^{\frac{1}{x}}.$$

105

$$e \quad n \in \mathbb{N}^+ \quad 2 \leq 1 + \frac{1}{n}^n < e < 1 + \frac{1}{n}^{n+1}$$

106

$$y = f(x) = ax^3 + bx^2 + cx + d \quad \frac{b}{3a}; f \quad \frac{b}{3a}$$

107

$$\begin{aligned} P(x) &= \sum_{j=0}^n \frac{f^{(j)}(x_0)}{j!} (x - x_0)^j \\ \frac{1}{2^{n-1}} \end{aligned}$$

108

$$\begin{aligned} f(x) &= f(x_0) + \frac{f^0(x_0)}{1!} (x - x_0) + \frac{f^0(x_0)}{2!} (x - x_0)^2 \\ &+ \frac{f^0(x_0)}{3!} (x - x_0)^3 + \dots + \frac{f^{(n)}(x_0)}{n!} (x - x_0)^n + \dots \\ x_0 &= 0 \end{aligned}$$

$$e^x = 1 + x + \frac{x^2}{2!} + \dots + \frac{x^n}{n!} + \dots$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \dots + (-1)^n \frac{x^{2n+1}}{(2n+1)!} + \dots$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \dots + (-1)^n \frac{x^{2n}}{(2n)!} + \dots$$

$$\frac{1}{1+x} = 1 - x + x^2 - x^3 + \dots$$

$$\ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4} + \dots + (-1)^{n-1} \frac{x^n}{n} + \dots$$

$$\ln \frac{1+x}{1-x} = 2 \left(x + \frac{x^3}{3} + \frac{x^5}{5} + \dots + \frac{x^{2n-1}}{2n-1} + \dots \right)$$

109

$$|x| < 0.2 \quad \frac{1}{1+x} = 1 - x + x^2 - x^3 + \dots$$

$$\frac{1}{1.1} = 1.048808 \quad 1 + \frac{1}{2} = 1.5$$

$$\frac{1}{73} = 8.544003 \quad \frac{1}{64+9} = \frac{1}{73} = \frac{1}{64} \left(1 + \frac{9}{64} \right)^{-1} = \frac{1}{64} \left(1 - \frac{9}{64} + \frac{9^2}{64^2} - \dots \right)$$

$$123 \quad x \in \mathbf{R} \quad \cos x > 1 - \frac{1}{2}x^2 \quad (x \in [0; \frac{\sqrt{2}}{2}] \quad \cos x < 1 - \frac{4x^2}{2}).$$

$$124 \quad x \in (0; 1) \quad e^{2x} < \frac{1+x}{1-x}.$$

$$2x < \ln \frac{1+x}{1-x}.$$

$$t = \frac{1+x}{1-x} \in (1; +\infty) \quad x = \frac{t-1}{t+1}$$

$$\frac{2(t-1)}{t+1} < \ln t.$$

$$125 \quad t \in (1; +\infty) \quad \ln t < \frac{t-1}{t}.$$

$$126 \quad x_1, x_2$$

$$P_{x_1 x_2} < \frac{x_2}{\ln x_2} \frac{x_1}{\ln x_1} < \frac{x_1 + x_2}{2}$$

$$\frac{x_2}{\ln x_2} \frac{x_1}{\ln x_1} e^{x_2} x_1 e^{x_1}$$

$$e^{\frac{x_1 + x_2}{2}} < \frac{e^{x_2}}{x_2} \frac{e^{x_1}}{x_1} < \frac{e^{x_1} + e^{x_2}}{2}$$

$$127.$$

$$\frac{2}{\frac{1}{a} + \frac{1}{b}} \in P_{ab} \in \frac{a+b}{2} \in \hat{E} \frac{a^2 + b^2}{2}$$

$$128 \quad n$$

$$(H_n) \in (G_n) \in (A_n) \in (Q_n)$$

$$\frac{1}{a_1} + \frac{1}{a_2} + \dots + \frac{1}{a_n} \in P_{a_1 a_2 \dots a_n} \in \hat{E} \frac{a_1^2 + a_2^2 + \dots + a_n^2}{n}$$

$$a_1; a_2; \dots; a_n$$

$$129 \quad a + b = C \quad ab \quad \frac{k_1}{a} + \frac{k_2}{b}$$

$$; ; C; k_1; k_2 \quad a; b$$

$$ab = \frac{1}{C} (a - b) \in \frac{1}{C} \frac{a^2 - b^2}{2} = \frac{C^2}{4}$$

$$\frac{k_1}{a} + \frac{k_2}{b} = \frac{k_1}{a} + \frac{k_2}{b} - \frac{1}{C} (a + b)$$

$$= \frac{1}{C} (k_1 + k_2 + k_1 \frac{b}{a} + k_2 \frac{a}{b})$$

$$130 \quad x \in \mathbf{R} \quad P_{x^2 + 4} + P_{\frac{1}{x^2 + 4}} > \frac{5}{2}.$$

$$131.$$

$$+ \dots + x_n = 1 \quad x_k > 0$$

$$x_1^{-1} x_2^{-2} \dots x_n^{-n} \in x_1 + x_2 + \dots + x_n$$

$$132$$

$$a = (a_1; a_2; \dots; a_n); b = (b_1; b_2; \dots; b_n)$$

$$j a \quad j b = j a j j b j j \cos j \in j a j j b j$$

$$j a \quad j b j^2 \in j a j^2 j b j^2$$

$$\prod_{k=1}^n a_k b_k \in \prod_{k=1}^n a_k^2 \prod_{k=1}^n b_k^2$$

$$133 \quad a; b; c \in \mathbf{R} \quad (a - b)^2 + (b - c)^2 + (c - a)^2 > 0$$

$$a^2 + b^2 + c^2 > ab + bc + ca.$$

$$134 \quad (\text{Hölder}) \quad p > 1; q > 1; \frac{1}{p} + \frac{1}{q} = 1$$

$$a_k > 0; b_k > 0; k = 1; 2 \dots n$$

$$\prod_{k=1}^n a_k b_k \in \prod_{k=1}^n a_k^{\frac{1}{p}} \prod_{k=1}^n b_k^{\frac{1}{q}}$$

$$0 \quad k = 1; 2 \dots n \quad a_k = b_k. \quad p = q = 2$$

$$135. \quad (\text{Minkowski}) \quad r > 0; r \notin 1; a_k > 0; b_k > 0$$

$$\prod_{k=1}^n (a_k + b_k)^r \in \prod_{k=1}^n a_k^r + \prod_{k=1}^n b_k^r \quad (r > 1)$$

$$\prod_{k=1}^n (a_k + b_k)^r > \prod_{k=1}^n a_k^r + \prod_{k=1}^n b_k^r \quad (r < 1)$$

$$0$$

$$k = 1; 2 \dots n \quad a_k = b_k.$$

$$136$$

$$\frac{P_{k+1} + P_{\bar{k}}}{2^{P_{\bar{k}}}} > 2^{P_{\bar{k}}} > \frac{E_{k+1}}{k + \frac{1}{2}} + \frac{E_{\bar{k}}}{k - \frac{1}{2}} >$$

$$\frac{P_{k+1} + P_{\bar{k}}}{2^{P_{\bar{k}}}} > \frac{P_{\bar{k}}}{k + \frac{1}{2}} + \frac{P_{\bar{k}}}{k - \frac{1}{2}}$$

$$137.$$

$$\frac{k(k+1)}{k^2 + 1} > k^2 + 1 > k^2 > \frac{k}{\frac{1}{2}} - \frac{k + \frac{1}{2}}{k^2 + 1}$$

$$> \frac{(k-1)(k+1)}{k^2 + 1} > \frac{k(k-1)}{k^2 + 1}$$

$$138$$

$$\ln(n+1) < \frac{1}{1} + \frac{1}{2} + \dots + \frac{1}{n} < 1 + \ln n$$

10

$$139. \quad f a_n g \quad d \quad S_n \quad n$$

$$\begin{aligned} & \bullet \quad m+n=s+t \quad a_m+a_n=\underline{a_s+a_t} \\ & \bullet \quad S_{m+n}=S_m+S_n+\underline{mnd} \\ & \bullet \quad \frac{S_{2n}-1}{a_n}=\underline{\frac{2n-1}{1}} \\ & \bullet \quad m \notin n \quad \frac{S_m}{m} \cdot \frac{S_n}{n}=\frac{S_{m+n}}{m+n}=\frac{\frac{d}{2}(m+n)+\left(a_1-\frac{d}{2}\right)}{\frac{d}{2}} \\ & \bullet \quad S_n; S_{2n} \quad S_n; S_{3n} \quad S_{2n} \quad \underline{n^2 d} \\ & \bullet \quad \frac{2n}{\frac{a_n}{a_{n+1}}}=\frac{a_1+a_3+\dots+a_{2n-1}}{a_2+a_4+\dots+a_{2n}}= \\ & \bullet \quad \frac{2n+1}{\frac{n+1}{n}}=\frac{a_1+a_3+\dots+a_{2n+1}}{a_2+a_4+\dots+a_{2n}}= \end{aligned}$$

$$140. \quad \begin{aligned} S_n &= \frac{a_n = a_1 x^{n-1}}{\frac{1}{1-x}} = \frac{a_1}{1-x} \cdot \frac{a_{n+1}}{x} \quad x \notin 1 \\ \sum_{k=0}^n x^k &= \frac{1}{1-x} \end{aligned}$$

$$141. \quad \begin{aligned} & (x \notin 1) \\ & \sum_{k=1}^n k x^{k-1} = \frac{n x^{n+1} - (n+1) x^n + 1}{(1-x)^2} \\ & j x j < 1 \end{aligned}$$

$$\sum_{k=1}^n k x^{k-1} = \frac{1}{(1-x)^2}$$

$$\sum_{k=2}^n k(k-1)x^{k-2} = \frac{2}{(1-x)^3}$$

$$k^2 x^{k-1} = x \cdot k(k-1)x^{k-2} + k x^{k-1}$$

$$\sum_{k=1}^n k^2 x^{k-1} = \frac{1+x}{(1-x)^3}$$

$$\sum_{k=1}^n k^2 x^k = \frac{x(1+x)}{(1-x)^3}$$

142.

$$\frac{1}{n(n+k)} = \frac{1}{k} \cdot \frac{1}{n} - \frac{1}{n+k}$$

$$\frac{1}{n(n+1)(n+2)} = \frac{1}{2} \cdot \frac{1}{n(n+1)} - \frac{1}{(n+1)(n+2)}$$

$$\frac{1}{4n^2-1} = \frac{1}{2} \cdot \frac{1}{2n-1} - \frac{1}{2n+1}$$

$$\frac{1}{\overline{n+1}} - \frac{1}{\overline{n+k}} = \frac{1}{\overline{k}} \left(\frac{1}{\overline{n+k}} - \frac{1}{\overline{n}} \right)$$

$$\frac{a^n}{(a^n+1)(a^{n+1}+1)} = \frac{1}{a-1} \cdot \frac{1}{a^n+1} - \frac{1}{a^{n+1}+1}$$

$$143. \quad \begin{aligned} & (\text{Abel}) \quad f a_n g; f b_n g \quad n \\ & A_n; B_n \\ & \sum_{k=1}^n A_k b_k + \sum_{k=1}^{n-1} a_{k+1} B_k = A_n B_n \quad (3) \end{aligned}$$

$$144. \quad f(x) \quad [a; b] \quad 2 \quad f(x)$$

$$\begin{aligned} (1) \quad & x \not\leq [a; b] \quad f(x) \not\leq [a; b]; \\ (2) \quad & x; y \not\leq [a; b] \quad L \not\leq (0; 1) \\ & j f(x) \quad f(y) j \in \underline{L j x \quad y j}. \end{aligned}$$

$$145. \quad \begin{aligned} & f(x) \quad [a; b] \\ & X \not\leq [a; b] \quad \underline{X = f(X)} \\ & X \quad f(x) \end{aligned}$$

$$146. \quad \begin{aligned} & A > 0; B > 0 \quad f(x) = \frac{P}{A x + B}; \quad g(x) = A + \frac{B}{x} \\ & f a_n g \quad a_1 > 0; a_{n+1} = f(a_n) = \frac{P}{A a_n + B} \\ & f b_n g \quad b_1 > 0; b_{n+1} = g(b_n) = A + \frac{B}{b_n} \\ & f a_n g; f b_n g \quad \underline{\frac{A + \frac{P}{A^2 + 4B}}{2}} \end{aligned}$$

$$147. \quad \begin{aligned} & a > 0 \quad a \notin 1 \quad a < 1 \quad x_1 = a \quad a > 1 \\ & x_1 = \frac{1}{a} \quad x_{n+1} = \frac{x_n}{2} (3 - a x_n^2) \\ & f x_n g \quad \underline{\frac{1}{\frac{P}{a}}} \end{aligned}$$

$$148. \quad \begin{aligned} & a_{n+1} = A a_n + B \quad (A \notin 1) \\ & \underline{x = A x + B} \quad x \quad a_{n+1} \\ & x = A(\underline{a_n - x}) \end{aligned}$$

$$149. \quad \begin{aligned} & a_{n+1} = A a_n + B q^n \quad q^n \quad \frac{a_{n+1}}{q^n} = \\ & \underline{\frac{A}{q} \frac{a_n}{q^{n-1}} + B} \end{aligned}$$

$$150. \quad a_{n+1} = A a_n^2 \quad A a_{n+1} = \underline{(A a_n)^2} = \underline{\quad} = \underline{(A a_1)^{2^n}}.$$

$$151. \quad a_{n+1} = a_n^2 + 2 a_n \quad 1 \quad a_{n+1} + 1 = \underline{(a_n + 1)^2}.$$

$$152. \quad a_{n+1} = a_n^2 - 2 a_n + 2 \quad 1 \quad a_{n+1} - 1 = \underline{(a_n - 1)^2}.$$

$$153. \quad \begin{aligned} & a_{n+1} = \frac{A a_n}{\sum \frac{1}{C a_n + D}} \quad \frac{1}{a_{n+1}} = \frac{D}{A} \frac{1}{a_n} + \frac{C}{A} \\ & \frac{1}{a_n} \end{aligned}$$

$$154. \quad \begin{aligned} & p > 1; a < 0 \quad x \neq 0 \quad f(x) \quad x + a x^p \\ & a_{n+1} = f(a_n) \quad n \\ & a_n > 0 \quad \lim_{n \rightarrow \infty} a_n = 0 \end{aligned}$$

$$\lim_{n \rightarrow \infty} n a_n^{p-1} = \frac{1}{a(1-p)}$$

$$155. \quad \begin{aligned} a_n > 0 \quad \lim_{n \rightarrow \infty} a_n = +\infty \\ b_n = \frac{1}{a_n} \quad b_n \end{aligned}$$

$$a_{n+2} = Aa_{n+1} + Ba_n$$

$$\frac{x^2 = Ax + B}{x_1, x_2}$$

$$156. \quad \begin{aligned} a_{n+2} \quad x_2 a_{n+1} &= x_1 (a_{n+1} \quad x_2 a_n) = \\ &= \frac{x_1^n (a_2 \quad x_2 a_1)}{x_1, x_2} \\ a_{n+2} \quad x_1 a_{n+1} &= x_2 (a_{n+1} \quad x_1 a_n) = \\ &= \frac{x_2^n (a_2 \quad x_1 a_1)}{x_1, x_2} \end{aligned}$$

$$x = \frac{Ax + B}{Cx + D}$$

$$\begin{aligned} a_{n+1} &= \frac{Aa_n + B}{Ca_n + D} \\ &= \frac{(A \quad C)(a_n)}{Ca_n + D} \\ a_{n+1} &= \frac{Aa_n + B}{Ca_n + D} \\ &= \frac{(A \quad C)(a_n)}{Ca_n + D} \end{aligned}$$

$$\frac{a_{n+1}}{a_{n+1}} = \frac{A \quad C}{A \quad C} \frac{a_n}{a_n} =$$

$$= \frac{A \quad C}{A \quad C} \frac{a_1}{a_1}$$

$$157. \quad \begin{aligned} a_{n+1} &= \frac{1}{2} a_n + \frac{A^2}{a_n} \\ a_1 \notin A \\ a_{n+1} \quad A &= \frac{a_n^2 + A^2 - 2Aa_n}{2a_n} = \frac{(a_n - A)^2}{2a_n} \\ a_{n+1} + A &= \frac{a_n^2 + A^2 + 2Aa_n}{2a_n} = \frac{(a_n + A)^2}{2a_n} \\ \frac{a_{n+1}}{a_{n+1} + A} &= \frac{(a_n - A)^2}{(a_n + A)^2} = \frac{(a_1 - A)^{2^n}}{(a_1 + A)^{2^n}} \end{aligned}$$

11

158

$$\begin{aligned} Ax + By + C &= 0 \\ A(x - x_0) + B(y - y_0) &= 0 \\ y &= kx + b \\ \frac{y - y_0}{x - x_0} &= k \\ \frac{x}{a} + \frac{y}{b} &= 1 \\ \frac{y}{x} \cdot \frac{y_1}{x_1} &= \frac{y_2}{x_2} \cdot \frac{y_1}{x_1} \end{aligned}$$

$$159. \quad \begin{aligned} & \begin{matrix} 8 \\ < x = \frac{x_0 + t \cos}{(x_0, y_0)}; \\ & y = \frac{y_0 + t \sin}{(x_0, y_0)} \end{matrix} \\ & \begin{matrix} jtj \\ < x = x_0 + at \\ & y = y_0 + bt \end{matrix} \end{aligned}$$

$$160. \quad \frac{jAx_0 + By_0 + Cj}{A^2 + B^2} \cdot Ax + By + C = 0$$

$$161. \quad \frac{Ax + By + C_1 = 0 \quad Ax + By + C_2 = 0}{\frac{jC_1 \quad C_2j}{A^2 + B^2}} \cdot$$

$$162. \quad \begin{aligned} l_1 : A_1x + B_1y + C_1 = 0; \quad l_2 : A_2x + B_2y + \\ C_2 = 0 \quad A_1B_2 \quad A_2B_1 \notin 0 \quad l_1; l_2 \end{aligned}$$

$$\begin{aligned} (A_1x + B_1y + C_1) + (A_2x + B_2y + C_2) &= 0 \\ \frac{l_1 \quad l_2}{\frac{A_1x + B_1y + C_1}{A_1^2 + B_1^2}} &= \frac{A_2x + B_2y + C_2}{A_2^2 + B_2^2} \end{aligned}$$

163

$$\begin{aligned} Ax + By + Cz + D &= 0 \\ \frac{A(x - x_0) + B(y - y_0) + C(z - z_0)}{\frac{x}{a} + \frac{y}{b} + \frac{z}{c}} &= 1 \end{aligned}$$

$$164. \quad \frac{jAx_0 + By_0 + Cz_0 + Dj}{A^2 + B^2 + C^2} \cdot Ax + By + Cz + D = 0$$

$$165. \quad \begin{aligned} ax^2 + bx + c &= 0 \\ jx_1 \quad x_2j &= \frac{jaj}{x_1^2 + x_2^2} = \frac{b^2 - 2ac}{a^2} \end{aligned}$$

$$166. \quad x = \frac{a^2}{c}$$

$$167. \quad \begin{aligned} (x_1; y_1); (x_2; y_2) \\ \frac{x_1^2}{a^2} + \frac{y_1^2}{b^2} &= 1 \\ \frac{x_2^2}{a^2} + \frac{y_2^2}{b^2} &= 1 \end{aligned}$$

$$\begin{aligned} \frac{y_2}{x_2} \cdot \frac{y_1}{x_1} &= \frac{b^2(x_2 + x_1)}{y_2 + y_1} \\ \frac{y_2}{x_2} \cdot \frac{y_1}{x_1} &= \frac{b^2(x_2 + x_1)}{y_2 + y_1} \end{aligned}$$

$$168. \quad \begin{aligned} & \begin{matrix} ep \\ 1 - e \cos \end{matrix} \cdot \begin{matrix} p \\ 0 < e < 1 \end{matrix} = \begin{matrix} e \\ e = 1 \end{matrix} \begin{matrix} e \\ e > 1 \end{matrix} \\ & \frac{2ep}{1 - e^2 \cos^2} \end{aligned}$$

$$169. \quad \frac{x^2}{a^2} + \frac{y^2}{b^2} = 1 \quad \begin{matrix} \text{若} \\ \text{则} \end{matrix} \begin{matrix} x = \frac{a \cos \theta}{\cos \theta} \\ y = \frac{b \sin \theta}{\sin \theta} \end{matrix}$$

$$170. \quad x \quad U(u;0) \quad N;U \quad N \quad P(x;y) \quad \begin{matrix} \text{若} \\ \text{则} \end{matrix} \begin{matrix} x = a \frac{2au}{u^2 + a^2} \\ y = b \frac{u^2 - a^2}{u^2 + a^2} \end{matrix}$$

$$171. \quad \frac{x^2}{a^2} - \frac{y^2}{b^2} = 1 \quad \begin{matrix} \text{若} \\ \text{则} \end{matrix} \begin{matrix} x = \frac{a}{\cos \theta} \\ y = \frac{b \tan \theta}{\sin \theta} \end{matrix}$$

$$172. \quad y^2 = 2px \quad \begin{matrix} \text{若} \\ \text{则} \end{matrix} \begin{matrix} x = \frac{2pt^2}{t^2 + 1} \\ y = \frac{2pt}{t^2 + 1} \end{matrix}$$

$$173. \quad \begin{matrix} \text{若} \\ \text{则} \end{matrix} \begin{matrix} x = R(\sin \theta) \\ y = R(1 - \cos \theta) \end{matrix}$$


$$174. \quad \begin{matrix} \text{若} \\ \text{则} \end{matrix} \begin{matrix} x = R(\cos \theta + \sin \theta) \\ y = R(\sin \theta - \cos \theta) \end{matrix}$$

$$175. \quad S = \frac{4}{3} R^2 \quad V = \frac{4}{3} R^3$$

$$176. \quad \frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1 \quad \frac{1}{2} (a^2 + b^2) \quad \frac{4}{3} abc$$

$$177. \quad (\quad " \quad)$$

$$178. \quad O \quad R \quad O; A; A^0 \quad jOAj \quad jOA^0j = \frac{R^2}{A} \quad A^0 \quad " \quad "$$




$$179. \quad (x_0; y_0) \quad \frac{b^2 x_0}{a^2 y_0} \quad \frac{xx_0}{a^2} + \frac{yy_0}{b^2} = 1 \quad (\quad)$$

$$180. \quad (x_0; y_0) \quad \frac{b^2 x_0}{a^2 y_0} \quad \frac{xx_0}{a^2} - \frac{yy_0}{b^2} = 1 \quad (\quad)$$


$$181. \quad y^2 = 2px \quad (x_0; y_0) \quad \frac{p}{y_0} \quad yy_0 = p(x + x_0) \quad (\quad)$$

$$182. \quad (x_0; y_0) \quad \frac{xx_0}{a^2} + \frac{yy_0}{b^2} = 1 \quad (x_0; y_0)$$




$$(x_0; y_0) \quad 4$$

$$183. \quad (x_0; y_0) \quad \frac{xx_0}{a^2} + \frac{yy_0}{b^2} = 1 \quad (x_0; y_0)$$



$$184. \quad A; B; C; D \quad AB \quad CD \quad P \quad AD \quad BC \quad R \quad AC \quad BD \quad Q \quad P \quad QR \quad Q \quad PR \quad R \quad PQ \quad PQR$$



$$185. \quad l: Ax + By + C = 0$$

$$\frac{Aa^2}{C} x + \frac{Bb^2}{C} y = 1 \quad P \quad \frac{Aa^2}{C}; \frac{Bb^2}{C} \quad P \quad (A^2 a^2 + B^2 b^2 < C^2) \quad l \quad P$$

186. $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1 (a > b > 0)$

• $\frac{x_0^2}{a^2} + \frac{y_0^2}{b^2} = 1$ ()


• O $P; Q$ O PQ H

$\frac{x^2}{a^2} + \frac{y^2}{b^2} = \frac{a^2 b^2}{a^2 + b^2}$ $jPQj$

$\frac{2ab}{a^2 + b^2} \in jPQj \in \frac{P}{a^2 + b^2}$

OPQ

$\frac{a^2 b^2}{a^2 + b^2} \in S_{OPQ} \in \frac{1}{2} ab$

• 

$k_{AP} \cdot k_{BP} = k_{OT} \cdot k_{PT} = k_{OM} \cdot k_{AB} = \frac{b^2}{a^2}$

• $AB; CD$ P $AB; CD$

$jPAj \cdot jPBj = jPCj \cdot jPDj$

• $P(x_0; y_0)$ P

$Q; R$ QR

$\frac{(a^2 - b^2)x_0}{a^2 + b^2}, \frac{(a^2 - b^2)y_0}{a^2 + b^2}$

• $M(x_0; y_0)$

$PQ; RS$ $PQ; RS$ $K; L$ KL

$\frac{a^2 x_0}{a^2 + b^2}, \frac{b^2 y_0}{a^2 + b^2}$

• $P(x_0; y_0)$ P

$Q; R$ QR P

• AB $M(m; 0)$ M

CD $AC; BD$ $k_1; k_2$

$\frac{k_1}{k_2}$

$AC; BD$ $x = \frac{a^2}{m}$

M

$\textcircled{R} - AB H CH; DH$

• P $F_1; F_2$ $\setminus F_1 P F_2 =$

$S_{F_1 P F_2} = \frac{b^2 \tan \frac{\pi}{2}}{2}$

• $F_1; F_2$ P PT

$P F_1 F_2$ P PT

$P F_1 (P F_2)$

• $A_1(a; 0); A_2(a; 0)$ y

$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ $A_1 P_1$ $A_2 P_2$

187. $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$

• $($

$x^2 + y^2 = ja^2 - b^2 j$

• O

$P; Q$ O $P; Q$

H H $($

$x^2 + y^2 = \frac{a^2 b^2}{b^2 - a^2}$ $P_{\frac{2}{2}}$

• $P(x_0; y_0)$ P

$Q; R$ QR

$\frac{(a^2 + b^2)x_0}{a^2 - b^2}, \frac{(a^2 + b^2)y_0}{a^2 - b^2}$

$a \notin b$

• $M(x_0; y_0)$

$PQ; RS$ $PQ; RS$ $K; L$ KL

$\frac{a^2 x_0}{a^2 - b^2}, \frac{b^2 y_0}{a^2 - b^2}$

$a \notin b$

• $P(x_0; y_0)$ P

$Q; R$ QR P

• P $F_1; F_2$ $\setminus F_1 P F_2 =$

$S_{F_1 P F_2} = \frac{b^2}{\tan \frac{\pi}{2}}$

• $k > 0$ $y = \frac{k}{x_{P_{2k}}}$ $(P_{2k}; P_{2k})$

188 $y^2 = 2px$


•
$$\frac{1}{jFPj} + \frac{1}{jFQj} = \frac{1}{1 - \cos} + \frac{1}{1 + \cos} = \frac{2}{\sin^2}$$
$$\frac{1}{jFPj} + \frac{1}{jFQj} = \frac{p}{1 - \cos} + \frac{p}{1 + \cos} = \frac{2p}{\sin^2}$$
$$y_1 y_2 = \frac{p^2}{4}; x_1 x_2 = \frac{y_1^2}{2p} \cdot \frac{y_2^2}{2p} = \frac{p^2}{4}$$
$$S_{OPQ} = \frac{1}{2} \cdot \frac{p}{2} \cdot \frac{2p}{\sin^2} \sin = \frac{p^2}{2 \sin}$$

•
$$P(x_1; y_1); Q(x_2; y_2)$$
$$y_1 y_2 = \frac{2px_0}{2p}; x_1 x_2 = \frac{y_1^2}{2p} \cdot \frac{y_2^2}{2p} = \frac{x_0^2}{4}$$
$$O A; B \quad \overline{OA} \cdot \overline{OB} = p^2$$
$$P \quad \frac{p}{2}; y_0$$
$$Q; R \quad \overline{PQ}; \overline{PR} \quad \overline{PF} \cdot \overline{QR}$$
$$P(x_0; y_0) \quad P$$
$$Q; R \quad \overline{QR} \quad \frac{(x_0 + 2p; -y_0)}{2}$$
$$P(x_0; y_0) \quad P$$
$$Q; R \quad \overline{QR} \quad P$$

189 (Poncellet) $n(n > 3)$

190 $P \overline{R(R - 2r)}$ R
 $2r < R$ $P \overline{R(R - 2r)}$

191 PQ M



12

192 3

193 $\frac{22}{7}$ 3:141592653 $\frac{355}{113}$ 3:14159292.

194 $(a \notin 0)$
$$x^3 + \frac{b}{a}x^2 + \frac{c}{a}x + \frac{d}{a} = (x - x_1)(x - x_2)(x - x_3) = 0$$
$$x_1 + x_2 + x_3 = -\frac{b}{a}$$
$$x_1 x_2 + x_1 x_3 + x_2 x_3 = \frac{c}{a}$$
$$x_1 x_2 x_3 = -\frac{d}{a}$$

195
$$a^3 - b^3 = (a - b)(a^2 + ab + b^2)$$
$$a^4 - b^4 = (a - b)(a^3 + a^2 b + ab^2 + b^3)$$
$$= (a - b)(a + b)(a^2 + b^2)$$
$$a^n - b^n = (a - b)(a^{n-1} + a^{n-2}b + \dots + b^{n-1})$$

$$a^3 + b^3 + c^3 - 3abc = (a + b + c)(a^2 + b^2 + c^2 - ab - bc - ca)$$

196 $V = \frac{1}{3}Sh$

197 $V = \frac{1}{3}(S + P \overline{SS^0} + S^0)h$