



## Detailed Use Cases for First Iteration

Assignment in the course PA1415 Software Design  
2017-04-11

### Authors and Authors contribution

Author Name	Social Security Number	Thinking	Writing
Max Tlatlik	19940813-XXXX	10%	-
Samuel Sarin Drysén	19950113-XXXX	20%	60%
Fredrik Olsson	19910114-XXXX	10%	-

## **System Description**

The goal of this system is to create a game based on the idea of the game Nethack. The system shall adopt the rules of the original Nethack to keep its flare.

The most interesting feature for the system is the map generation where the maps can be generated with the twitter API. The map generation work in a way that the users can generate a map in at least two different ways.

The system also includes multiplayer support. User are able to access games online via the internet or offline via a LAN.

## Detailed Use Cases

### 1. Use Case: Create character

**Actors:** Player

**Description:**

A player wants to create its own character. The player wants to choose from a class and set attributes. The player wants to give its character a name.

The system will create a class entity after player instructions.

**Preconditions:**

- Game is running

**Main course of events:**

Actor	System	Business requirements
1. A player selects the option to create a new character	2. Opens the menu for creating a character	<b>BR1:</b> "As a player I want the game to have a variety of classes so that I can choose to play the game in different ways."
3. The player selects a class	4. The new character is set to the selected class	
5. The player sets his name	6. The new characters name is saved.	
	7. The new character is created with the selected options.	

**Alternative Flows:**

- 2. System fails to open the character creation window and returns the player to the main menu.
- 4. System fails to set the selected class and prompts the failed action.
- 6. System fails to set the character's name and prompts the failed action.
- 7. System fails to create a new character and prompts the failed action.

## 2. Use Case: Enter room

**Actors:** Player

**Description:**

A player gives the command to enter a room.

The system will prompt a message regarding the consequences of the players action.

**Precondition:**

- A room to enter exists

**Main course of events:**

Actor	System	Business requirements
1. A player gives the command to enter a room	2. Prompts a message regarding the consequences of the players action	<b>BR1:</b> "As a player I want to be able to use items so that I can alter/trigger events in the game"
	3. Player is moved into room	

**Alternative Flows:**

- 2. System fails to prompt the message.
- 3. System fails to move the player

### 3. Use Case: Open dialogue with entities

**Actors:** Player, Entity

**Description:**

A player starts a dialogue with an entity.

The player can then select what to say.

**Precondition:**

- An entity exist
- Player has not engaged combat with the entity

**Main course of events:**

Actor	System	Business requirements
1. A player approaches an entity and initiates a dialogue	2. Initiates Use Case "Open dialogue with entities"	<b>BR1:</b> "As a player I want to be able to talk, fight and trade with other players and every NPC so that I can have different kinds of ways to play the game."
3. The player selects what to say	4. Entity responds	

**Alternative Flows:**

- 2. System fails to initiate Use Case "Open dialogue with entities".
- 4. System fails to create response from entity.

#### 4. Use Case: Engage combat with entities

**Actors:** Player, Entity

**Description:**

A player initiates combat with an entity.

**Precondition:**

- An entity exists

**Main course of events:**

Actor	System	Business requirements
1. A player approaches an entity and initiates combat	2. Initiate Use Case "Engage combat with entities"	<b>BR1:</b> "As a player I want to be able to talk, fight and trade with other players and every NPC so that I can have different kinds of ways to play the game."
3. The player decides what weapon to use	4. Calculates damage	

**Alternative Flows:**

- 2. System fails to initiate Use Case "Engage combat with entities"
- 4. System fails to calculate damage.

#### 5. Use Case: Pick up items

**Actors:** Player

**Description:**

A player wants to pick up items.

The system will add the item to the player inventory.

**Preconditions:**

- An item to pick up exists
- The player is close enough to the item in question.

**Main course of events:**

Actor	System	Business requirements
1. A player presses the button to pick up an item.	2. The item is added to the inventory	<b>BF1:</b> "As a player I want to be able to use items so that I can alter/trigger events in the game"

**Alternative Flows:**

- 2. System fails to add item to the inventory and prompts the failed action.
- 2. Players inventory is full and system prompts an "Inventory full" message.

## 6. Use Case: Use item

**Actors:** Player

**Description:**

A player gives the command to use its selected item.

The system will prompt a message regarding the consequences of the players action.

**Precondition:**

- The player have a usable item in his/her possession.

**Main course of events:**

Actor	System	Business requirements
1. A player selects the option to open inventory	2. Initiates Use Case "Open inventory"	<b>BR1:</b> "As a player I want to be able to use items so that I can alter/trigger events in the game."
3. The player selects an item to use	4. Item is used	
	5. Prompts a message regarding the consequences of the players action	

**Alternative Flows:**

- 2. System fails to fails to open inventory and prompts the failed action.
- 4. System fails to activate the item in question and prompts the failed action.
- 5. System fails to prompt the message.

## 7. Use Case: Generate Level

**Actors:** Player

**Description:**

When the player starts the game the system generates a level. When the player finishes that level a new level is generated.

**Preconditions:**

- The game is running.

**Main course of events:**

Actor	System	Business Requirements
1. A player starts the game	2. A level is generated	<b>BR1:</b> "As the software owner I want the maps to be randomly generated so that the players can have different experiences" <b>BR2:</b> "As the software owner I want to have randomly generated levels to increase the game's replay value"
3. The player finishes the level	4. A new level is generated	

**Alternative Flows:**

- 2. System fails to generate a level and prompts the failed action.
- 4. System fails to generate a new level and prompts the failed action.



## 8. Use Case: Start new game

**Actors:** Player

**Description:**

A player requests to start a new game.

The system creates a new game.

**Preconditions:**

- The game is running.

**Main course of events:**

Actor	System	Business requirements
1. A player requests to start a new game.	2. Creates a new game	<b>BR1:</b> "As a player I want to start playing by creating a new game so that I can start exploring a new map"

**Alternative Flows:**

- 2. The system fails to create a new game.

## 9. Use Case: Open inventory

**Actors:** Player

**Description:**

A player requests its inventory content to be shown.

The system prompts a message giving information about the player inventory.

**Preconditions:**

- The player is in a active game

**Main course of events:**

Actor	System	Business requirements
1. A player selects the option to open inventory	2. The inventory is opened	<b>BR1:</b> "As a player I want to be able to use items so that I can alter/trigger events in the game."

**Alternative Flows:**

- 2. System fails to open the inventory and prompts the failed action.

## 10. Use Case: Join existing game

**Actors:** Player

**Description:**

A player requests to join an already existing game.

The system establishes a connection between the existing game and the player.

**Preconditions:**

- The player has a connection to the internet or the local area network.
- The player is logged in

**Main course of events:**

Actor	System	Business requirements
1. A player requests to join an already existing game	2. Establishes a connection between the existing game and the player	<b>BR1:</b> "As the software owner I want the game to be playable online so that the game can be played with more than just one player"

**Alternative Flows:**

- 2. System fails to connect the player to the existing game and returns the player to the main menu