Problem 1. *There is no rational number whose square is* 2.

Proof. Assume, for contradiction, that there exist integers p and q satisfying

$$\frac{p}{q} = \sqrt{2},$$

where p/q is a rational number in lowest terms. By squaring, this is the same as $\frac{p^2}{q^2} = 2$, and by clearing denominators it is the same as

$$p^2 = 2q^2.$$

Thus p^2 is divisible by 2, an even number. This implies that p is also divisible by 2 and can be expressed in the form $p = 2k$ for some $k \in \mathbb{Z}$. If we sbustitute the p in $p^2 = 2q^2$ for $2k$, we get

$$(2k)^2 = 4(k^2) = 2q^2$$

Further reducing this gives us

$$2(k^2) = q^2$$

This is a contradiction as the result implies that q^2 is also even and thus q is even. Therefore p and q are both even and are irreducible.

□

Problem 2. *(a) The negation of "For all real numbers satisfying $a < b$, there exists $n \in \mathbb{N}$ such that $a + (1/n) < b$" is*

(b) The negation of "There exists a real number $x > 0$ such that $x < 1/n$ for all $n \in \mathbb{N}$" is

(b) The negation of "Between every two distinct real numbers there is a rational number" is

Problem 3. *Suppose a and b are real numbers. Then*

(a) $|a - b| \leq |a| + |b|$

(b) $\big||a - b|\big| \leq |a - b|$

Proof. □

Problem 4. *Give an example of each, or state that it is impossible.*

(a) $f : \mathbb{N} \to \mathbb{N}$ *that is one-to-one but not onto.*

(b) $f : \mathbb{N} \to \mathbb{N}$ *that is onto but not one-to-one.*

(d) $f : \mathbb{N} \to \mathbb{Z}$ *that is one-to-one and onto.*

Problem 5. *There exists an infinite collection of sets $A_1, A_2, A_3, \ldots$ with the properties that every A_i has an infinite number of elements, and $A_i \cap A_j = \emptyset$ for all $i \neq j$, and $\bigcup_{i=1}^{\infty} A_i = \mathbb{N}$.*

Proof. □