

CHAPTER 8

Prove the following statements.

Exercise (16). If A, B and C are sets, then $A \times (B \cup C) = (A \times B) \cup (A \times C)$.

Proof: Observe the following sequence of equalities:

$$\begin{aligned}
 A \times (B \cup C) &= \{(x, y) : (x \in A) \wedge (y \in B \cup C)\} && \text{(def. of } \times) \\
 &= \{(x, y) : (x \in A) \wedge (y \in B) \vee (y \in C)\} && \text{(def. of } \cup) \\
 &= \{(x, y) : (x \in A) \wedge (x \in A) \wedge (y \in B) \vee (y \in C)\} && (A = A \wedge A) \\
 &= \{(x, y) : (x \in A) \wedge (y \in B) \vee (x \in A) \wedge (y \in C)\} && \text{(distrib. law for sets)} \\
 &= \{(x, y) : (x \in A) \wedge (y \in B)\} \cup \{(x, y) : (x \in A) \wedge (y \in C)\} && \text{(def. of } \cup) \\
 &= (A \times B) \cup (A \times C) && \text{(def. of } \times)
 \end{aligned}$$

Thus completes the proof. \square

Exercise (22). Let A and B be sets. Prove that $A \subseteq B$ if and only if $A \cap B = A$.

Proof: Suppose $A \subseteq B$. Then by definition, for an arbitrary $x \in A$, then $x \in B$. Since $x \in A$ and $x \in B$ then by definition of the intersection of sets, $x \in A \cap B$. Given that $x \in A \cap B$ and $x \in A$, it follows that $A \cap B \subseteq A$. Furthermore $A \subseteq A \cap B$ since all elements A are in $A \cap B$ as B is a superset of A . Thus if $A \subseteq B$ then $A \cap B = A$.

Conversely if we suppose $A \cap B = A$, then for all $x \in A$, $x \in A \cap B$, so $x \in B$. Thus $A \subseteq B$. \square

Exercise (26). Prove that $\{4k + 5 : k \in \mathbb{Z}\} = \{4k + 1 : k \in \mathbb{Z}\}$.

Proof: Suppose $x \in \{4k + 5 : k \in \mathbb{Z}\}$. Then $x = 4a + 5$ for some $a \in \mathbb{Z}$. From this we get $x = 4(a + 1) + 1$. So $x = 4k + 1$ where $k = (a + 1)$ and $k \in \mathbb{Z}$ by closure properties of the integers. Hence $x \in \{4k + 1 : k \in \mathbb{Z}\}$. Subsequently this means $\{4k + 5 : k \in \mathbb{Z}\} \subseteq \{4k + 1 : k \in \mathbb{Z}\}$

Conversely, suppose $x \in \{4k + 1 : k \in \mathbb{Z}\}$. Then $x = 4a + 1$ for some $a \in \mathbb{Z}$. If we let $a = b + 1$, where $b \in \mathbb{Z}$, then we get $x = 4(b + 1) + 1 = 4b + 5$. So $x \in \{4k + 5 : k \in \mathbb{Z}\}$.

Thus $\{4k + 1 : k \in \mathbb{Z}\} \subseteq \{4k + 5 : k \in \mathbb{Z}\}$.

Since we established that $\{4k + 5 : k \in \mathbb{Z}\} \subseteq \{4k + 1 : k \in \mathbb{Z}\}$ and $\{4k + 1 : k \in \mathbb{Z}\} \subseteq \{4k + 5 : k \in \mathbb{Z}\}$. By definition of equality $\{4k + 5 : k \in \mathbb{Z}\} = \{4k + 1 : k \in \mathbb{Z}\}$. \square

CHAPTER 9

Each of the following statements is either true or false. If a statement is true, prove it. If a statement is false, disprove it.

Exercise (3). If $n \in \mathbb{Z}$ and $n^5 - n$ is even, then n is even.

Proof: (Disproof by counterexample) Let $n = 3$, we know that 3 is an odd number. Observe that $n^5 - n = 3^5 - 3 = 243 - 3 = 240$ which is an even number. Thus the statement is false. \square

Exercise (5). If A, B, C and D are sets, then $(A \times B) \cup (C \times D) = (A \cup C) \times (B \cup D)$.

Proof: (Disproof by counterexample) Suppose $A = \{a\}, B = \{b\}, C = \{c\}$ and $D = \{d\}$. Then $(A \times B) \cup (C \times D) = \{(a, b)\} \cup \{(c, d)\} = \{(a, b), (c, d)\}$. Also $(A \cup C) \times (B \cup D) = \{(a, c)\} \times \{(b, d)\} = \{(a, b), (a, d), (c, b), (c, d)\}$, so you see that $(A \times B) \cup (C \times D) \neq (A \cup C) \times (B \cup D)$. \square

Exercise (8). If A, B and C are sets, and $A - (B \cup C) = (A - B) \cup (A - C)$.

Proof: (Disproof by counterexample) Let $A = \{a, b, c\}, B = \{b\}$, and $C = \{c\}$. Observe the following facts:

$$(B \cup C) = \{b, c\}$$

$$(A - B) = \{a, b, c\} - \{b\} = \{a, c\}$$

$$(A - C) = \{a, b, c\} - \{c\} = \{a, b\}$$

Thus $A - (B \cup C) = \{a, b, c\} - \{b, c\} = \{a\}$ and $(A - B) \cup (A - C) = \{a, c\} \cup \{a, b\} = \{a, b, c\}$. So you see that $A - (B \cup C) \neq (A - B) \cup (A - C)$. \square

Exercise (9). If A and B are sets, then $\mathcal{P}(A) - \mathcal{P}(B) \subseteq \mathcal{P}(A - B)$.

Proof: (Disproof by counterexample) Let $A = \{a, b\}$ and $B = \{b\}$. Then $\mathcal{P}(A) - \mathcal{P}(B) = \{\emptyset, \{a\}, \{b\}, \{a, b\}\} - \{\emptyset, \{b\}\} = \{\{a\}, \{a, b\}\}$. Also $\mathcal{P}(A - B) = \mathcal{P}(\{a\}) = \{\emptyset, \{a\}\}$. In this example we have $\mathcal{P}(A) - \mathcal{P}(B) \not\subseteq \mathcal{P}(A - B)$. \square

Exercise (12). If $a, b, c \in \mathbb{N}$ and ab, bc and ac all have the same parity, then a, b and c all have the same parity.

Proof: (Direct) Suppose ab, bc and ac all have the same parity. We know that the product of 2 numbers will only be odd if both numbers are odd. Thus if ab, bc and ac are odd, then a, b and c must be odd. On the other hand we know that the product of an even and an odd number will be even and the product of an even and an even number is even. So for ab, bc and ac to share even parity, there must be at least 1 even number in each product. If we suppose a is even, then ab and ac are even, for bc to be even, b or c must be even. If we suppose a is odd, then ab needs b to be even and ac needs c to be even. This implies that a, b, c must be even. In either case if ab, bc and ac share the same parity then so must a, b and c . \square

Exercise (30). There exist integers a and b for which $42a + 7b = 1$.

Proof: (Disproof by contradiction) Suppose for the sake of contradiction that there is some $a, b \in \mathbb{Z}$ for which $42a + 7b = 1$. Observe that $42a + 7b = 7(6a + b) = 1$, so $7k = 1$ where $k = 6a + b$ and $k \in \mathbb{Z}$ by closure properties of the integers. Solving for k in $7k = 1$ gives $k = \frac{1}{7}$, a contradiction as k is an integer. Thus there is no $a, b \in \mathbb{Z}$ that satisfies $42a + 7b = 1$. \square

Exercise (34). If $X \subseteq A \cup B$, then $X \subseteq A$ or $X \subseteq B$.

Proof: (Disproof by counterexample) Let $A = \{a\}$ and $B = \{b\}$. It follows that $\{a, b\} \subseteq A \cup B$. Note that $\{a, b\} \not\subseteq A$ and $\{a, b\} \not\subseteq B$. From this example we see that it's not the case that if $X \subseteq A \cup B$, then $X \subseteq A$ or $X \subseteq B$. \square

Exercise (Reflection Problem). Answer the following questions:

Proof:

- How long did it take you to complete each problem?

This one took a few minutes on each one, been trying to get better and fixing typos and errors. Didn't take long to do these.

- What was easy?

The disproofs were pretty easy since I just needed to find counterexamples and I could just find really simple ones.

- What was challenging? What made it challenging?

Probably number 12 in chapter 9 just because I had to figure out how I was even going to write this out in a convincing way. I'm not even entirely convinced by my own argument. Partly its avoiding having to exhaust all cases by writing out $2k + 1$'s and $2n$'s but maybe I should have. Also worried about abbreviating stuff in the first problem, I was running out of space on the aligns. Some of my converse arguments feel not satisfying like in 22 in chapter 8 but I was drawing a blank on how I could flesh that out.

- Compare your answers to the odd numbered exercises to those in the back of the textbook. What did you learn from this comparison?

I've gotten a bit inspired by some of the answers in the back, again a lot of the ones that weren't on the assignment helped inform how I should write the proof for the ones that we're in the assignment.

□