

Crater report 33 of RG2

General information



ID : 33

Study area : RG2

Swirl : off-swirl

Morphology : Bowl-shaped

Estimate state of degradation : C

Mean Diameter : 106m \pm 4.0m

Mean depth : 3.3m \pm 0.2m

d/D ratio : 0.031 \pm 0.002

Circularity index : 0.95

Slope : Between 3.22° et 5.31°

Mean value of TRI on the rim crest : 0.07

Geometric center coordinates : (3656590.2738678395, 236601.25536630774)

Coordinates of the crater's lowest point : (3656591.0000011004, 236605.00000006985)


Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	4.3	0.57
10°	4.18	0.55
20°	4.08	0.51
30°	4.02	0.48
40°	3.87	0.42
50°	3.89	0.42
60°	3.43	0.48
70°	3.45	0.51
80°	3.29	0.55
90°	3.22	0.57
100°	3.86	0.55
110°	4.7	0.51

120°	4.77	0.48
130°	4.87	0.44
140°	4.94	0.42
150°	4.53	0.47
160°	4.48	0.51
170°	4.59	0.55
180°	5.22	0.57
190°	5.25	0.55
200°	5.03	0.52
210°	5.06	0.48
220°	5.31	0.44
230°	5.09	0.44
240°	4.65	0.48
250°	4.66	0.5
260°	5.08	0.56
270°	5.12	0.57
280°	5.03	0.54
290°	4.61	0.52
300°	4.09	0.48
310°	4.32	0.42
320°	4.2	0.42
330°	3.99	0.48
340°	3.92	0.51
350°	4.09	0.54

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



Topographic profiles

