


Crater report 266 of RG2

General information



ID : 266

Study area : RG2

Swirl : off-swirl

Morphology : Bowl-shaped

Estimate state of degradation : C

Mean Diameter : 85m \pm 8.0m

Mean depth : 4.6m \pm 0.5m

d/D ratio : 0.054 \pm 0.008

Circularity index : 0.91

Mean slope : 6.84°

Mean value of TRI on the rim crest : 0.02

Geometric center coordinates : (3656202.944211538, 233832.16527195444)

Coordinates of the crater's lowest point : (3656201.0000011004, 233823.000000069)


Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	8.14	0.57
10°	7.99	0.54
20°	7.71	0.51
30°	8.24	0.48
40°	8.88	0.43
50°	9.1	0.43
60°	9.0	0.48
70°	9.22	0.51
80°	9.33	0.54
90°	9.41	0.57
100°	8.67	0.54
110°	8.23	0.52

120°	7.53	0.48
130°	7.18	0.44
140°	6.56	0.44
150°	5.86	0.48
160°	5.37	0.52
170°	5.23	0.54
180°	5.22	0.57
190°	4.74	0.54
200°	4.5	0.51
210°	4.62	0.47
220°	4.88	0.43
230°	5.06	0.42
240°	5.04	0.48
250°	5.27	0.51
260°	5.76	0.55
270°	6.22	0.57
280°	5.92	0.55
290°	5.99	0.52
300°	6.23	0.48
310°	6.83	0.43
320°	6.93	0.43
330°	6.91	0.47
340°	7.13	0.52
350°	7.51	0.54

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



Topographic profiles

