


Crater report 2161 of RG2

General information



ID:2161

Study area: RG2 Swirl: off-swirl

Morphology: Bowl-shaped

Estimate state of degradation : C

Mean Diameter: 117m ± 7.0m

Mean depht: $6.0m \pm 0.5m$

d/D ratio: 0.051 ± 0.005

Circularity index: 0.93

Mean slope: 5.91°

Mean value of TRI on the rim crest: 0.12

Geometric center coordinates : (3658876.255054521, 219943.59323507806)

Coordinates of the crater's lowest point : (3658877.000001101, 219945.00000006484)

Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	2.45	0.57
10°	2.96	0.55
20°	4.01	0.52
30°	5.11	0.48
40°	5.94	0.43
50°	5.48	0.43
60°	3.77	0.48
70°	2.66	0.51
80°	3.23	0.55
90°	4.26	0.57
100°	5.35	0.55
110°	7.11	0.51






120°	8.16	0.48
130°	8.9	0.43
140°	8.94	0.42
150°	7.74	0.48
160°	7.38	0.52
170°	7.55	0.54
180°	7.94	0.57
190°	7.65	0.54
200°	7.36	0.51
210°	7.47	0.48
220°	7.83	0.42
230°	7.62	0.44
240°	6.75	0.48
250°	6.2	0.52
260°	6.1	0.54
270°	6.54	0.57
280°	6.77	0.55
290°	6.72	0.52
300°	6.48	0.48
310°	6.15	0.43
320°	5.19	0.43
330°	3.69	0.48
340°	2.83	0.52
350°	2.36	0.54

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedeness or the unevenness of terrain. It reflects how much elevation change over a given area.





Topographic profiles

