


Crater report 2500 of RG5

General information



ID: 2500

Study area: RG5 Swirl: on-swirl

Morphology: Bowl-shaped

Mean Diameter: 154m ± 10.0m

Mean depht: $12.2m \pm 0.8m$

d/D ratio: 0.079 ± 0.007

Circularity index: 0.93

Mean slope: 9.24

Geometric center coordinates: (3641001.562,

221671.095)

Coordinates of the crater's lowest point : (3641007.4999999, 221662.4999999907)

Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	9.96	0.22
10°	9.38	0.21
20°	8.37	0.2
30°	7.57	0.19
40°	6.74	0.19
50°	6.23	0.19
60°	5.92	0.2
70°	6.22	0.22
80°	6.81	0.21
90°	7.8	0.22
100°	7.92	0.21
110°	8.09	0.2
120°	8.36	0.19






8.8	0.18
9.73	0.18
9.61	0.18
9.74	0.19
10.04	0.2
10.6	0.21
10.27	0.19
10.25	0.19
10.24	0.18
10.22	0.16
10.15	0.17
9.92	0.18
9.89	0.19
10.72	0.2
11.45	0.21
11.13	0.2
10.62	0.19
10.45	0.18
10.54	0.17
9.89	0.18
9.68	0.19
9.55	0.2
9.69	0.21
	9.73 9.61 9.74 10.04 10.6 10.27 10.25 10.24 10.22 10.15 9.92 9.89 10.72 11.45 11.13 10.62 10.45 10.54 9.89 9.68

Topographic roughness index (TRI)

L'indice TRI est un indice permettant de blablabla bla. Lorem ipsum lorem ipsum. hiefneianslbf phsefibbslvbskib ohsgshrpvnfb shvlihvgsihv hp;sovbns





Topographic profiles

