


Crater report 266 of RG2

General information



ID : 266

Study area : RG2

Swirl : off-swirl

Morphology : Bowl-shaped

Estimate state of degradation : BC - C

Mean Diameter : 85m \pm 8.0m

Mean depth : 4.6m \pm 0.5m

d/D ratio : 0.054 \pm 0.008

Circularity index : 0.91

Slope : Between 5.53° et 10.89°

Mean value of TRI on the rim crest : 0.02

Geometric center coordinates : (3656202.944211538, 233832.16527195444)

Coordinates of the crater's lowest point : (3656201.0000011004, 233823.000000069)


Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	8.69	0.57
10°	8.39	0.54
20°	7.99	0.51
30°	8.76	0.47
40°	9.71	0.42
50°	9.88	0.42
60°	9.97	0.48
70°	10.71	0.51
80°	10.89	0.54
90°	10.86	0.57
100°	9.86	0.54
110°	9.26	0.52

120°	8.19	0.48
130°	7.75	0.45
140°	7.37	0.43
150°	6.5	0.49
160°	6.03	0.53
170°	6.0	0.55
180°	6.12	0.57
190°	5.77	0.55
200°	5.53	0.51
210°	5.64	0.48
220°	6.29	0.4
230°	5.9	0.44
240°	5.74	0.48
250°	5.68	0.5
260°	6.48	0.55
270°	6.75	0.57
280°	6.4	0.56
290°	6.4	0.51
300°	6.65	0.48
310°	7.47	0.42
320°	7.45	0.42
330°	7.41	0.46
340°	7.63	0.51
350°	7.98	0.54

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



Topographic profiles

