


Crater report 3192 of RG2

General information



ID : 3192

Study area : RG2

Swirl : off-swirl

Morphology : Bowl-shaped

Estimate state of degradation : B

Mean Diameter : 317m \pm 31.0m

Mean depth : 32.8m \pm 0.7m

d/D ratio : 0.103 \pm 0.01

Circularity index : 0.91

Slope : Between 15.1° et 19.95°

Mean value of TRI on the rim crest : 0.43

Geometric center coordinates : (3658216.863281557, 212597.1870940177)

Coordinates of the crater's lowest point : (3658237.000001101, 212623.00000006266)


Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	18.85	0.55
10°	17.82	0.53
20°	16.71	0.5
30°	16.42	0.48
40°	17.03	0.43
50°	17.0	0.43
60°	17.16	0.47
70°	16.41	0.51
80°	15.44	0.54
90°	16.15	0.56
100°	15.45	0.53
110°	16.26	0.51

120°	15.88	0.47
130°	16.54	0.43
140°	15.89	0.42
150°	15.63	0.48
160°	15.1	0.51
170°	16.42	0.53
180°	17.77	0.56
190°	17.2	0.53
200°	16.34	0.51
210°	16.82	0.47
220°	17.71	0.43
230°	17.8	0.43
240°	17.23	0.47
250°	15.72	0.51
260°	16.5	0.54
270°	17.01	0.56
280°	16.89	0.53
290°	17.29	0.51
300°	18.95	0.47
310°	19.95	0.42
320°	19.57	0.42
330°	18.25	0.47
340°	17.71	0.5
350°	18.17	0.53

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



Topographic profiles

