


Crater report 3283 of RG2

General information



ID : 3283

Study area : RG2

Swirl : off-swirl

Morphology : Bowl-shaped

Estimate state of degradation : B - BC

Mean Diameter : 92m \pm 3.0m

Mean depth : 8.0m \pm 0.5m

d/D ratio : 0.086 \pm 0.006

Circularity index : 0.94

Mean slope : 11.6°

Mean value of TRI on the rim crest : 0.34

Geometric center coordinates : (3655866.6636284078, 209321.5915595261)

Coordinates of the crater's lowest point : (3655867.0000011, 209321.00000006167)


Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	9.0	0.57
10°	8.46	0.54
20°	7.81	0.52
30°	7.53	0.48
40°	7.95	0.43
50°	8.95	0.43
60°	9.33	0.47
70°	10.4	0.51
80°	11.45	0.54
90°	12.88	0.56
100°	13.27	0.54
110°	14.24	0.51

120°	14.35	0.47
130°	15.07	0.43
140°	14.83	0.43
150°	14.36	0.48
160°	14.49	0.51
170°	14.87	0.53
180°	15.52	0.56
190°	14.77	0.53
200°	14.32	0.51
210°	14.86	0.47
220°	15.31	0.44
230°	14.83	0.42
240°	12.79	0.48
250°	11.9	0.52
260°	11.56	0.54
270°	11.52	0.57
280°	10.48	0.54
290°	9.09	0.51
300°	9.12	0.48
310°	8.67	0.43
320°	8.41	0.43
330°	8.34	0.47
340°	8.11	0.52
350°	8.59	0.54

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



Topographic profiles

