

# Crater report 2285 of RG2

## General information



**ID :** 2285

**Study area :** RG2

**Swirl :** on-swirl

**Morphology :** Bowl-shaped

**Estimate state of degradation :** Unknown

**Mean Diameter :** 161m  $\pm$  6.0m

**Mean depth :** 12.2m  $\pm$  0.3m

**d/D ratio :** 0.075  $\pm$  0.003

**Circularity index :** 0.91

**Slope :** Between 10.09° et 15.74°

**Mean value of TRI on the rim crest :** 0.41

**Geometric center coordinates :** (3659284.320956898, 220175.3855898359)

**Coordinates of the crater's lowest point :** (3659289.0000011013, 220163.00000006493)


## Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	11.26	0.57
10°	10.51	0.54
20°	11.14	0.52
30°	11.63	0.48
40°	12.39	0.43
50°	12.78	0.43
60°	12.54	0.48
70°	12.42	0.51
80°	12.12	0.54
90°	12.63	0.57
100°	11.51	0.54
110°	10.95	0.52

120°	10.64	0.47
130°	10.92	0.43
140°	10.71	0.43
150°	10.09	0.47
160°	10.76	0.51
170°	11.96	0.54
180°	13.1	0.57
190°	13.13	0.54
200°	13.33	0.51
210°	14.22	0.48
220°	15.22	0.44
230°	15.74	0.42
240°	13.97	0.48
250°	14.35	0.51
260°	13.76	0.55
270°	13.64	0.56
280°	12.69	0.54
290°	12.41	0.51
300°	11.83	0.47
310°	12.18	0.43
320°	11.83	0.44
330°	10.98	0.48
340°	10.71	0.52
350°	10.6	0.55

## Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



## Topographic profiles

