

Crater report 2016 of RG2

General information



ID : 2016

Study area : RG2

Swirl : on-swirl

Morphology : Bowl-shaped

Estimate state of degradation : C

Mean Diameter : 128m \pm 8.0m

Mean depht : 5.5m \pm 0.6m

d/D ratio : 0.043 \pm 0.005

Circularity index : 0.91

Mean slope : 5.21°

Mean value of TRI on the rim crest : 0.03

Geometric center coordinates : (3656477.4935557824, 219554.98889076654)

Coordinates of the crater's lowest point : (3656477.0000011004, 219549.00000006473)


Slopes data

North orientation	Slope (°)	Uncertainty (°)
0/360°	8.2	0.57
10°	8.09	0.54
20°	7.64	0.51
30°	7.39	0.48
40°	7.35	0.43
50°	6.68	0.43
60°	6.16	0.48
70°	5.95	0.51
80°	6.04	0.55
90°	6.27	0.57
100°	5.95	0.55
110°	5.55	0.51

120°	5.3	0.48
130°	4.92	0.43
140°	4.31	0.42
150°	3.1	0.48
160°	2.38	0.51
170°	2.34	0.54
180°	2.07	0.57
190°	1.82	0.54
200°	1.78	0.51
210°	2.02	0.48
220°	2.56	0.43
230°	3.11	0.43
240°	3.4	0.47
250°	3.82	0.52
260°	4.46	0.54
270°	5.11	0.57
280°	5.44	0.54
290°	5.88	0.51
300°	6.43	0.48
310°	7.29	0.43
320°	7.06	0.43
330°	7.02	0.48
340°	7.16	0.52
350°	7.68	0.54

Topographic roughness index (TRI)

The Topographic Roughness Index (TRI) is a measure used to quantify the ruggedness or the unevenness of terrain. It reflects how much elevation change over a given area.



Topographic profiles

