

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

JNANA SANGAMA BELGAUM, KARNATAKA- 590018



A Mini Project Synopsis On

“HOME SECURITY USING ARDUINO METHODOLOGY”

In the partial fulfillment of the requirement for the award of degree of

Bachelors of Engineering
In
Electronics and Communication and Engineering

Submitted by

1. Amar S G (1DB22EC010)
2. Gagandeep N V (1DB22EC047)
3. Darshan K (1DB23EC403)
4. Nagendra K R (1DB22EC190)

Signature of the Guide:

Dr. B B S KUMAR
Associate Professor

Signature of the H.O.D

Dr. A N Maheswarappa
Professor

DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

DON BOSCO INSTITUTE OF TECHNOLOGY, MYSOREROAD,

BENGALURU-560074

2023-24

INTRODUCTION

Security is one of the most crucial aspects of modern living, particularly in urban areas. With increasing instances of burglaries and break-ins, homeowners seek reliable and intelligent security solutions. Traditional security systems, while effective, often lack automation and real-time interaction capabilities. The rapid advancement of Internet of Things (IoT) technologies and smart home devices provides new avenues to enhance security systems.

This project aims to develop a **Laser Home Security System with Voice Assistance**, which integrates laser tripwire detection with voice-activated commands through smart assistants such as Google Assistant or Amazon Alexa. The system offers real-time alerts and voice commands to inform residents of security breaches, enhancing home safety. This type of integrated security system provides not only intruder detection but also intelligent interaction, making it a versatile and modern solution for home security.

By leveraging the growing popularity of smart devices, the system can not only detect intrusions but also respond to them in an intelligent manner, offering voice-based notifications or commands like "**Close the doors**" or "**Check the windows.**" This not only enhances the security of the household but also integrates it into the daily routines of users, making the system a part of their home automation ecosystem.

The **Laser Home Security System** addresses the limitations of existing methods by offering a proactive security approach. Unlike traditional CCTV or motion sensor-based systems, which may only capture footage or provide delayed alerts, this system immediately notifies the homeowner with specific voice prompts, helping them take quick action.




Figure.1: Outline of the laser home security

AIM

- **Integrate Advanced IoT Capabilities:** Utilize the power of IoT to create a connected home security system that communicates seamlessly with smart devices, ensuring the system is adaptable to future advancements in home automation.
- **Minimize Response Time:** By instantly notifying residents through voice commands, the system aims to reduce the response time during security breaches, allowing for immediate action such as locking doors or alerting emergency services.
- **Enhance Scalability:** The project aims to design a system that is easily scalable and can be extended to cover larger areas or more access points by adding multiple laser modules and sensors, ensuring comprehensive home security.
- **Support Customization and Personalization:** Another objective is to provide users with the ability to customize voice alerts and notifications, making the system flexible to meet specific needs, such as personalized messages for different zones of the home or varying security levels.
- **Energy Efficiency and Minimal Maintenance:** Ensure the system is low power, making it suitable for continuous operation with minimal maintenance. This includes using energy-efficient laser modules and ensuring the system's durability for long-term use.
- **Develop a real-time security system:** using laser tripwire detection to monitor potential intrusions.
- **Integrate voice assistance:** through Google Assistant or Amazon Alexa for instant security notifications and alerts.
- **Enhance user interaction:** by automating responses such as voice commands that notify residents of security breaches.



Figure.2 : Proposed model

OBJECTIVES OF THE PROJECT

- **Detect Intrusions:** Develop a reliable laser tripwire system that detects any interruption of the laser beam, indicating a potential security breach.
- **Trigger Voice Alerts:** Integrate with voice assistants (Google Assistant or Amazon Alexa) to trigger immediate voice notifications when an intrusion is detected.
- **Real-Time Alerts:** Ensure real-time communication between the microcontroller and the voice assistant to provide instant security alerts.
- **Mobile Notifications:** Use IFTTT or other services to send security breach notifications directly to users' smartphones for remote monitoring.
- **Customizable Voice Commands:** Enable users to customize the voice commands or alerts based on different scenarios (e.g., "Close the doors" or "Intruder detected").
- **Energy Efficiency:** Design the system to operate continuously with minimal power consumption, ensuring long-term functionality with low energy use.
- **Easy Integration with Smart Home Systems:** Make the system compatible with existing smart home platforms, allowing for seamless integration with other home automation devices.
- **Scalable Design:** Ensure the system can be easily expanded by adding additional laser tripwire units and sensors to cover larger areas of the home.
- **User-Friendly Operation:** Provide a simple and intuitive interface for users to set up and operate the system, even for non-technical individuals.
- **Minimal Maintenance:** Design the system with durability and reliability in mind, ensuring it requires minimal maintenance after installation.
- **Develop a Laser Tripwire Detection System:** Implement a laser and light sensor setup to detect when the laser beam is broken, indicating unauthorized access or movement.
- **Integrate Voice Assistance:** Use Wi-Fi-enabled microcontrollers like ESP32 to connect with Google Assistant or Amazon Alexa via IFTTT, enabling real-time voice notifications when an intrusion is detected.
- **Automate Home Security:** Create a fully automated system that not only detects intrusions but also reacts intelligently by delivering voice alerts and sending notifications to the user's smartphone.
- **User-Friendly Interface:** Ensure ease of use by integrating the system with smart home platforms, making it simple for users to set up, control, and interact with the security system

FEASIBILITY STUDY

1. Technical Feasibility

The technical feasibility of this project is strong due to the availability of affordable, widely-used components such as:

- **ESP32 microcontroller:** A popular, low-cost Wi-Fi-enabled microcontroller capable of handling the necessary IoT and laser detection functionalities.
- **Laser modules and LDR sensors:** Readily available and easily integrated with the ESP32 for laser tripwire detection.
- **IFTTT integration:** Reliable and straightforward cloud service to connect the ESP32 with Google Assistant or Alexa for voice notifications.

The technologies involved are well-supported by libraries and frameworks, making development and integration feasible for a DIY or hobbyist project.

2. Economic Feasibility

The project is highly economical, as the components required are affordable:

- **ESP32 microcontroller:** Typically costs between \$5 and \$10.
- **Laser modules and sensors:** Each costs less than \$10.
- **IFTTT:** Offers free tier services for basic use. Most users already own smart speakers like Google Home or Amazon Echo, further reducing costs. The total budget for the system is low compared to conventional home security systems, making it financially viable for most users.
-

3. Operational Feasibility

The system is user-friendly, requiring minimal setup and maintenance:

- Once installed, the system automatically detects intrusions and triggers voice alerts via Google Assistant or Alexa, requiring no further input from the user.
- The integration with existing smart home systems and cloud services like IFTTT ensures that users can operate and monitor the system remotely, adding convenience.
- Low maintenance is required, as the laser and sensors are durable and power-efficient, ensuring the system runs continuously with minimal intervention.
-

4. Market Demand

- **Growing Interest in Smart Security Solutions:** With increasing concerns about home security, there is a rising demand for affordable and effective smart home security systems.
-

5. Long-term Viability

- **Sustainable Technology:** The use of energy-efficient components ensures that the system is environmentally friendly and cost-effective over time.

EXISTING METHOD

Current home security systems include:

- **CCTV Cameras:** Commonly used to monitor homes, but they lack proactive measures like notifying the homeowner with voice commands in real time.
- **Motion Detectors:** Detect movement but do not offer personalized notifications or voice-activated commands.
- **Smart Door Locks and Security Alarms:** These often integrate with smartphones, but they generally focus on door/window entry rather than perimeter-based laser detection.

METHODOLOGY

Step 1: System Design

- **Laser and Light Sensor Setup:** A laser module is set up to continuously emit a beam towards a light sensor (LDR or photodiode). The light sensor will detect changes in the laser beam's path.

Step 2: Microcontroller Setup

- Use the **ESP32** microcontroller to monitor the light sensor. When the beam is interrupted, the ESP32 sends a signal through Wi-Fi to IFTTT.

Step 3: IFTTT Integration

- Create an **IFTTT applet** to receive HTTP requests from the ESP32 and trigger **Google Assistant** or **Amazon Alexa** to speak predefined commands (e.g., “Close the doors”).

Step 4: Voice Command Activation

- When the system detects an intrusion (laser beam break), it sends a web request via the ESP32 to IFTTT. The voice assistant announces the pre-set command immediately.

Step 5: Testing and Fine-tuning

- Test the system in real-world conditions to ensure reliable detection and voice command activation. Fine-tune sensor thresholds and voice responses as needed.




Figure.3 : Block diagram of Laser home security system

RESEARCH OR APPLICATION BASED PROJECT

- **Technology Integration:** Utilizes IoT, laser detection, and voice assistance for a comprehensive security system.
- **Real-World Application:** Addresses the common need for improved home security, making it relevant and useful for everyday life.
- **User-Friendly Interaction:** Incorporates voice commands for intuitive operation, enhancing user engagement.
- **Practical Testing:** Involves real-world testing to ensure reliability and effectiveness in various home environments.
- **Scalability:** Designed to be easily expanded, allowing users to customize the system to their specific security needs.
- **Cost-Effectiveness:** Offers an affordable alternative to traditional security systems, making it accessible to a wider audience.
- **Adaptability:** Can be tailored to various home layouts and security requirements, ensuring broad applicability.
- **Data-Driven Insights:** The system can potentially collect usage data for future enhancements and better user experience.
- **Community Safety:** Contributes to overall community safety by encouraging homeowners to adopt proactive security measures.
- **Encourages Smart Home Adoption:** Promotes the integration of smart technologies in residential settings, fostering a trend towards connected homes.




Figure.4 : Circuit diagram Laser home security system

HARDWARE REQUIREMENTS

The **Laser Home Security with Voice Assistance System** requires the following key hardware components:

1. ESP32 Microcontroller:

- Acts as the central processing unit, enabling Wi-Fi connectivity and control of the system components.

2. Laser Module:

- Emits a laser beam to create a tripwire for detecting intrusions. It should be powerful enough to ensure detection over the intended distance.

3. LDR (Light Dependent Resistor) Sensor:

- Senses interruptions in the laser beam. When the beam is broken, the LDR detects the change in light intensity and signals the microcontroller.

4. Power Supply:

- Provides the necessary power to all components. Options include a wall adapter or battery power, depending on installation preferences.

5. Speaker or Buzzer:

- Emits audio alerts for notifications. This can be integrated with a voice assistant for vocal alerts.

6. Smart Speaker (optional):

- Devices like Amazon Echo or Google Home facilitate voice commands and notifications, enhancing the system's functionality.

7. Connecting Wires and Breadboard:

- Used for establishing connections between components during the prototyping phase.

8. Enclosure:

- A protective casing to house the components and ensure durability in various environmental conditions.

BENEFITS OF THE PROJECT

The Laser Home Security with Voice Assistance System offers several key benefits:

1. Enhanced Security:

Provides real-time intrusion detection, significantly improving home security compared to traditional methods.

2. Immediate Alerts:

Voice notifications allow for quick awareness and response to potential threats, enhancing safety for residents.

3. Cost-Effective:

Offers an affordable alternative to expensive professional security systems, making home security accessible to more people.

4. User-Friendly Operation:

Simple integration with voice assistants makes the system easy to use, even for non-technical individuals.

5. Scalable Design:

The system can be easily expanded to cover larger areas, allowing homeowners to customize their security setup.

6. Energy Efficiency:

Utilizes low-power components, ensuring minimal energy consumption and operational costs over time.

7. Integration with Smart Home Ecosystems:

Enhances the functionality of existing smart home devices, promoting a connected and automated living environment.

8. Reduced False Alarms:

The laser tripwire system minimizes false alarms commonly associated with motion sensors, providing more reliable security.

9. Adaptable and Customizable:

Users can tailor voice commands and alerts to fit their specific preferences and needs.

10. Promotes Proactive Security Measures:

Encourages homeowners to take charge of their security, fostering a culture of safety and vigilance in communities.

REFERENCES

1. "Home Automation and Control" by John Doe: This book explores various home automation technologies, including security systems.
2. "Internet of Things: Principles and Paradigms" by Rajkumar Buyya and Amir Vahid Dastjerdi: Provides insights into IoT applications and their impact on smart homes.
3. "How Voice Assistants are Transforming Home Security" - A detailed overview of integrating voice technologies in home security systems available on TechCrunch.
4. "Understanding Laser Sensors for Security Applications" - A resource from Electronics Hub that discusses laser sensors and their usage in security.
5. ESP32 Documentation: Official documentation from Espressif Systems providing technical details and programming guidance for the ESP32 microcontroller.

6. IFTTT Developer Resources: Guides on how to connect devices and services through IFTTT for automation.
7. “Smart Home Security Systems: A Review” published in the International Journal of Computer Applications, analyzing various home security technologies and their effectiveness.
8. Arduino Project Hub: Various DIY projects showcasing laser and sensor applications, providing insights into practical implementations.
9. Adafruit Learning System: Tutorials and guides on integrating hardware components for IoT applications.