

```
SQL> create table bookshelf_checkout(name varchar2(15),title
varchar2(15),issue_date date,return_date date);
```

Table created.

```
SQL> insert into bookshelf_checkout values('Meena','DEV
C++','01-jan-2024','20-feb-2024');
```

1 row created.

```
SQL> insert into bookshelf_checkout
values('Thavan','Oracle','25-mar-2024','15-apr-2024');
```

1 row created.

```
SQL> insert into bookshelf_checkout
values('Kuruthi','J2EE','15-apr-2024','15-may-2024');
```

1 row created.

```
SQL> insert into bookshelf_checkout
values('charan','Python','25-apr-2024','10-may-2024');
```

1 row created.

```
SQL> insert into bookshelf_checkout
values('Wishwa','HTML','15-jun-2024','10-jul-2024');
```

1 row created.

```
SQL> insert into bookshelf_checkout
values('vasanth','HTML','25-jun-2024','25-jul-2024');
```

1 row created.

```
SQL> insert into bookshelf_checkout
values('kabil','Python','5-sep-2024','23-sep-2024');
```

1 row created.

```
SQL> select *From bookshelf_checkout;
```

NAME	TITLE	ISSUE_DAT	RETURN_DA
Meena	DEV C++	01-JAN-24	20-FEB-24
Thavan	Oracle	25-MAR-24	15-APR-24
Kuruthi	J2EE	15-APR-24	15-MAY-24
charan	Python	25-APR-24	10-MAY-24
Wishwa	HTML	15-JUN-24	10-JUL-24
vasanth	HTML	25-JUN-24	25-JUL-24

kabil Python 05-SEP-24 23-SEP-24

7 rows selected.

```
SQL> start D:\oracletest\report1.sql;
SP2-0310: unable to open file "D:\oracletest\report1.sql"
SQL> start D:\oracletest\report2.sql;
Mon Sep 23
```

page 1

#### checkoutlog

NAME	TITLE	ISSUE_DAT	RETURN_DA	days out
Kuruthi	J2EE	15-APR-24	15-MAY-24	30
Meena	DEV C++	01-JAN-24	20-FEB-24	50
Thavan	Oracle	25-MAR-24	15-APR-24	21
Wishwa	HTML	15-JUN-24	10-JUL-24	25
charan	Python	25-APR-24	10-MAY-24	15
kabil	Python	05-SEP-24	23-SEP-24	18
vasanth	HTML	25-JUN-24	25-JUL-24	30
*****				-----
avg				27

#### from bookshelf

```
SQL> start D:\oracletest\report2.sql;
Mon Sep 23
```

page 1

#### checkoutlog

NAME	TITLE	ISSUE_DAT	RETURN_DA	Days out
Kuruthi	J2EE	15-APR-24	15-MAY-24	30
Meena	DEV C++	01-JAN-24	20-FEB-24	50
Thavan	Oracle	25-MAR-24	15-APR-24	21
Wishwa	HTML	15-JUN-24	10-JUL-24	25
charan	Python	25-APR-24	10-MAY-24	15
kabil	Python	05-SEP-24	23-SEP-24	18

vasanth	HTML	25-JUN-24	25-JUL-24	30
*****				-----
avg				27

from bookshelf

SQL> start D:\oracletest\report2.sql;

Mon Sep 23

checkoutlog

page 1

NAME	TITLE	ISSUE_DAT	RETURN_DA	Days out
-----	-----	-----	-----	-----
Meena	DEV C++	01-JAN-24	20-FEB-24	50
Wishwa	HTML	15-JUN-24	10-JUL-24	25
vasanth	HTML	25-JUN-24	25-JUL-24	30
Kuruthi	J2EE	15-APR-24	15-MAY-24	30
Thavan	Oracle	25-MAR-24	15-APR-24	21
charan	Python	25-APR-24	10-MAY-24	15
kabil	Python	05-SEP-24	23-SEP-24	18
*****				-----
avg				27

from bookshelf

SQL> create table product\_master(prod\_no varchar2(10),description

```

varchar2(15),unit_measures varchar2(12));
create table product_master(prod_no varchar2(10),description
varchar2(15),unit_measures varchar2(12))
*
```

ERROR at line 1:  
ORA-00955: name is already used by an existing object

```

SQL> drop table product_master;
SQL> create table product_master(prod_no varchar2(10),description
varchar2(15),unit_measures varchar2(12));
SQL> insert into product_master values('P1001','Rice','25kg');
SQL> insert into product_master values('P1002','Wheat','10kg');
SQL> insert into product_master values('P1003','Sugar','5kg');
SQL> insert into product_master values('P1004','TSoap','1box');
SQL> insert into product_master values('P1005','wpowder','1box');
SQL> select *From product_master;
```

Mon Sep 23

page 1

checkoutlog

PROD_NO	DESCRIPTION	UNIT_MEASURE
P1001	Rice	25kg
P1002	Wheat	10kg
P1003	Sugar	5kg
P1004	TSoap	1box
P1005	wpowder	1box

from bookshelf

```

SQL> create table sales_order_details(prod_no varchar2(10),description
varchar2(15),unit_measures varchar2(12),qty_ordered number,prod_rate number);
create table sales_order_details(prod_no varchar2(10),description
```

```
varchar2(15),unit_measures varchar2(12),qty_ordered number,prod_rate number)
*
```

ERROR at line 1:

ORA-00955: name is already used by an existing object

```
SQL> drop sales_order_details;
drop sales_order_details
*
```

ERROR at line 1:

ORA-00950: invalid DROP option

```
SQL> create table sales_order_details(prod_no varchar2(10),description
varchar2(15),unit_measures varchar2(12),qty_ordered number,prod_rate number);
create table sales_order_details(prod_no varchar2(10),description
varchar2(15),unit_measures varchar2(12),qty_ordered number,prod_rate number)
*
```

ERROR at line 1:

ORA-00955: name is already used by an existing object

```
SQL> drop table sales_order_details;
SQL> create table sales_order_details(prod_no varchar2(10),description
varchar2(15),unit_measures varchar2(12),qty_ordered number,prod_rate number);
SQL> insert into sales_order_details values('P1001','Rice','25kg',10,1750);
SQL> insert into sales_order_details values('P1002','Wheat','10kg',20,4000);
SQL> insert into sales_order_details values('P1003','Sugar','5kg',10,5000);
SQL> insert into sales_order_details values('P1004','Tsoap','1box',20,8000);
SQL> insert into sales_order_details values('P1005','wpowder','1box',10,7000);
SQL> insert into sales_order_details values('P1001','Rice','25kg',5,1750);
SQL> insert into sales_order_details values('P1002','Wheat','10kg',10,4000);
SQL> insert into sales_order_details values('P1001','Rice','25kg',10,1750);
SQL> commit;
SQL> select *from sales_order_details;
```

Mon Sep 23

page 1

#### checkoutlog

PROD_NO	DESCRIPTION	UNIT_MEASURE	QTY_ORDERED	PROD_RATE
P1001	Rice	25kg	10	1750
P1002	Wheat	10kg	20	4000
P1003	Sugar	5kg	10	5000
P1004	Tsoap	1box	20	8000
P1005	wpowder	1box	10	7000
P1001	Rice	25kg	5	1750
P1002	Wheat	10kg	10	4000
P1001	Rice	25kg	10	1750

from bookshelf

## PRODUCTWISE SALES

⬆️page no: 1

Product No	Description	UOM	Quantity	Price	Total
P1005	wpowder	1box	10	7000	70000
P1004	TSoap	1box	20	8000	160000
P1002	Wheat	10kg	30	4000	120000
P1003	Sugar	5kg	10	5000	50000
P1001	Rice	25kg	25	1750	43750

from bookshelf

```
pool on;
```