## Mock Grade 7

## Maths Booklet 3

Paper 1H Non-Calculator


www.ggmaths.co.uk

1	Three solid shapes A, B and C are similar.
	The surface area of shape <b>A</b> is 9 cm <sup>2</sup> The surface area of shape <b>B</b> is 49 cm <sup>2</sup>
	The ratio of the volume of shape <b>B</b> to the volume of shape <b>C</b> is 125:64
	Work out the ratio of the height of shape <b>A</b> to the height of shape <b>C</b> . Give your answer in its simplest form.
	(Total for Question 1 is 4 marks)
2	Prove algebraically that the recurring decimal $0.216$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.216$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\overline{2}16$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\dot{2}1\dot{6}$ can be written as $\frac{8}{37}$
2	Prove algebraically that the recurring decimal $0.\overline{2}1\overline{6}$ can be written as $\frac{8}{37}$

3 The table gives information about the lengths of time some people were in a supermarket.

Time (t minutes)	Frequency
$0 < t \leqslant 5$	8
5 < <i>t</i> ≤ 15	32
$15 < t \leqslant 30$	36
30 < t ≤ 40	18
$40 < t \leqslant 60$	6

Draw a histogram for the information in the table.




(Total for Question 3 is 3 marks)

4	A factory makes 600 pies every day. The pies are chicken pies or steak pies.
	Each day Milo takes a sample of 20 pies to check.
	The proportion of the pies in his sample that are chicken is the same as the proportion of the pies made that day that are chicken.
	On Monday Milo calculated that he needed exactly 8 chicken pies in his sample.
	(a) Work out the total number of chicken pies that were made on Monday.
	(2)
	On Tuesday, the number of steak pies Milo needs in his sample is 9 correct to the nearest whole number.
	Milo takes at random a pie from the 600 pies made on Tuesday.
	(b) Work out the lower bound of the probability that the pie is a steak pie.
	(2)
	(Total for Question 4 is 4 marks)
	(Total for Question 1 is 1 marks)

5	The ratio $(2y + x)$ : $(y - 2x)$ is equivalent to $k$ : 3
3	
	Show that $y = \frac{x(2k+3)}{k-6}$
	(Total for Question 5 is 3 marks)
6	Write 3.594 as a fraction in its simplest form.
Ū	
_	(Total for Question 6 is 3 marks)

7 y is directly proportional to $\sqrt[4]{x}$
$y = 1\frac{1}{5} \text{ when } x = 16$
Find the value of y when $x = 81$
(Total for Question 7 is 3 marks)
<b>8</b> Prove that the sum of the squares of any two consecutive integers is always an odd number.
(Total for Question 8 is 3 marks)
(Total for Question 6 is 5 marks)





Enlarge shape **P** by scale factor  $-\frac{1}{2}$  with centre of enlargement (0, 0). Label your image **Q**.

(Total for Question 9 is 2 marks)

10 Liquid A and liquid B are mixed to make liquid C.	
Liquid A has a density of $40 \mathrm{kg/m^3}$ Liquid A has a mass of $1200 \mathrm{kg}$	
Liquid <b>B</b> has a density of $120  \text{kg/m}^3$ Liquid <b>B</b> has a volume of $70  \text{m}^3$	
Work out the density of liquid <b>C</b> .	
kg/	$m^3$
(Total for Question 10 is 3 marks)	