

| 2. | A factory buys 10% of its components from supplier A , 30% from supplier B and the rest from supplier C . It is known that 6% of the components it buys are faulty. | |
|----|---|------|
| | from supplier C. It is known that 0/0 of the components it outs are faulty. | |
| | Of the components bought from supplier A , 9% are faulty and of the components bought from supplier B , 3% are faulty. | |
| | (a) Find the percentage of components bought from supplier C that are faulty. | |
| | | (3) |
| | A component is selected at random. | |
| | (b) Explain why the event "the component was bought from supplier B" is not | |
| | statistically independent from the event "the component is faulty". | (41) |
| | | (1) |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| 3. | The Venn diagram shows three events, A , B and C , and their associated probabilities. |
|----|---|
| | $ \begin{array}{c c} A \\ \hline 0.10 \\ y \\ \hline 0.39 \\ \hline 0.39 \\ \hline 0.06 \end{array} $ |
| | Events <i>B</i> and <i>C</i> are mutually exclusive. Events <i>A</i> and <i>C</i> are independent. |
| | Showing your working, find the value of x , the value of y and the value of z . (5) |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| 4. | The Venn diagram shows the probabilities for students at a college taking part in various sports. | |
|----|---|-----|
| | A represents the event that a student takes part in Athletics. | |
| | T represents the event that a student takes part in Tennis. | |
| | C represents the event that a student takes part in Cricket. | |
| | p and q are probabilities. | |
| | The probability that a student selected at random takes part in Athletics or Tennis is 0.75 | |
| | (a) Find the value of p. | |
| | | (1) |
| | (b) State, giving a reason, whether or not the events A and T are statistically independent. | |
| | Show your working clearly. | (3) |
| | (c) Find the probability that a student selected at random does not take part in Athletics | |
| | or Cricket. | (1) |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

......

| 5. | | |
|----|---|-----|
| - | In an after-school club, students can choose to take part in Art, Music, both or neither. | |
| | There are 45 students that attend the after-school club. Of these | |
| | • 25 students take part in Art | |
| | • 12 students take part in both Art and Music | |
| | • the number of students that take part in Music is <i>x</i> | |
| | (a) Find the range of possible values of x | (2) |
| | | (2) |
| | One of the 45 students is selected at random. | |
| | Event A is the event that the student selected takes part in Art. | |
| | Event <i>M</i> is the event that the student selected takes part in Music. | |
| | (b) Determine whether or not it is possible for the events A and M to be independent. | (4) |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | _ |
| | | |

| 6. | Two bags, A and B, each contain balls which are either red or yellow or green. | |
|----|---|-----|
| | Bag A contains 4 red, 3 yellow and <i>n</i> green balls. Bag B contains 5 red, 3 yellow and 1 green ball. | |
| | A ball is selected at random from bag A and placed into bag B . A ball is then selected at random from bag B and placed into bag A . | |
| | The probability that bag A now contains an equal number of red, yellow and green balls is p . | |
| | Given that $p > 0$, find the possible values of n and p . | (5) |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |