sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Library

Cell Groups
SKY130_OSU_SC_18T_HSADDFx
SKY130_OSU_SC_18T_HSADDHx
SKY130_OSU_SC_18T_HSAND2x
SKY130_OSU_SC_18T_HSAOI21
SKY130_OSU_SC_18T_HSAOI22
SKY130_OSU_SC_18T_HSBUFx
SKY130_OSU_SC_18T_HSDFFRx
SKY130_OSU_SC_18T_HSDFFSRx
SKY130_OSU_SC_18T_HSDFFSx
SKY130_OSU_SC_18T_HSDFFx
SKY130_OSU_SC_18T_HSINVx
SKY130_OSU_SC_18T_HSMUX2
SKY130_OSU_SC_18T_HSNAND2x
SKY130_OSU_SC_18T_HSNOR2x
SKY130_OSU_SC_18T_HSOAI21
SKY130_OSU_SC_18T_HSOAI22
SKY130_OSU_SC_18T_HSOR2x
SKY130_OSU_SC_18T_HSTBUFIx
SKY130_OSU_SC_18T_HSTNBUFIx
SKY130_OSU_SC_18T_HSXNOR2
SKY130_OSU_SC_18T_HSXOR2
SKY130_OSU_SC_18T_HS_x

SKY130_OSU_SC_18T_HS__ADDFx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT			OUTPUT		
A	В	CI	co con		S
0	0	0	0	1	0
0	0	1	0	1	1
0	1	0	0	1	1
0	1	1	1	0	0
1	0	0	0	1	1
1	0	1	1	0	0
1	1	0	1	0	0
1	1	1	1	0	1

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsaddf_1	46.88640
sky130_osu_sc_18T_hsaddf_l	46.88640

Pin Capacitance Information

Call Name	1	Pin Cap(pf)			Max Cap(pf)		
Cell Name	A	В	CI	CO	CON	S	
sky130_osu_sc_18T_hsaddf_1	0.01838	0.01837	0.01417	2.85333	1.29430	2.71487	
sky130_osu_sc_18T_hsaddf_l	0.01837	0.01836	0.01414	2.03193	1.29702	2.02906	

Leakage Information

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsaddf_1	0.00000	0.10121	0.14212	
sky130_osu_sc_18T_hsaddf_l	0.00000	0.06701	0.10792	

Delay Information Delay(ns) to CO rising:

C.II V	Timin And (Din)	Delay(ns)		
Cell Name	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsaddf_1	A->CO (RR)	0.10950	1.47029	23.74960
	B->CO (RR)	0.09721	1.39119	22.49690
	CI->CO (RR)	0.10408	1.49024	24.14220
	CON->CO (FR)	0.02404	0.71631	11.48390
	A->CO (RR)	0.10941	1.37353	19.66020
sky130_osu_sc_18T_hsaddf_l	B->CO (RR)	0.09738	1.30767	18.80950
	CI->CO (RR)	0.10399	1.39714	20.09630
	CON->CO (FR)	0.02677	0.76533	11.39860

Delay(ns) to CO falling:

Cell Name	Timing Ang(Din)		Delay(ns)	
Cen Name	Timing Arc(Dir)	First	Mid	Last
	A->CO (FF)	0.16309	1.98467	31.67910
sky130_osu_sc_18T_hsaddf_1	B->CO (FF)	0.14470	1.88993	30.24900
	CI->CO (FF)	0.14052	1.92757	31.18630
	CON->CO (RF)	0.01839	0.52184	8.43104
	A->CO (FF)	0.15708	1.75709	24.84060
sky130_osu_sc_18T_hsaddf_l	B->CO (FF)	0.13911	1.67869	23.83680
	CI->CO (FF)	0.13455	1.70090	24.37960
	CON->CO (RF)	0.01874	0.51139	7.64087

$Delay(ns) \ to \ CON \ rising:$

Cell Name	Timing Ana(Din)			
	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsaddf_1	A->CON (FR)	0.13088	0.96874	11.69020
	B->CON (FR)	0.11246	0.91439	11.24670
	CI->CON (FR)	0.10827	0.91443	11.27740
	A->CON (FR)	0.12543	0.96418	11.69910
sky130_osu_sc_18T_hsaddf_l	B->CON (FR)	0.10746	0.91006	11.25450
	CI->CON (FR)	0.10280	0.90992	11.28050

Delay(ns) to CON falling:

Cell Name	Timin And (Din)	Delay(ns)			
Cen Ivanie	Timing Arc(Dir)	First	Mid	Last	
	A->CON (RF)	0.06328	0.51352	6.18477	
sky130_osu_sc_18T_hsaddf_1	B->CON (RF)	0.05208	0.49196	6.05763	
	CI->CON (RF)	0.05785	0.53948	6.64591	
	A->CON (RF)	0.06121	0.51137	6.19003	
sky130_osu_sc_18T_hsaddf_l	B->CON (RF)	0.05024	0.49018	6.06303	
	CI->CON (RF)	0.05577	0.53766	6.65195	

Delay(ns) to \boldsymbol{S} rising :

Call Name	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsaddf_1	A->S (-R)	0.23673	1.79329	24.85770	
	B->S (-R)	0.23306	1.76076	23.88640	
	CI->S (-R)	0.21233	1.73233	24.37220	
	CON->S (RR)	0.06614	0.54578	6.58207	
sky130_osu_sc_18T_hsaddf_l	A->S (-R)	0.22765	1.69531	21.57130	
	B->S (-R)	0.22445	1.67363	20.88350	
	CI->S (-R)	0.20326	1.63536	21.10740	
	CON->S (RR)	0.06560	0.58886	6.63323	

Delay(ns) to S falling:

C.II V	Timin And (Din)		Delay(ns)	
Cell Name	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsaddf_1	A->S (-F)	0.17922	1.28402	16.90530
	B->S (-F)	0.18373	1.23686	16.21690
	CI->S (-F)	0.17333	1.30088	17.30200
	CON->S (FF)	0.07871	0.61509	6.91245
	A->S (-F)	0.16861	1.17511	14.16880
sky130_osu_sc_18T_hsaddf_l	B->S (-F)	0.17383	1.13782	13.71790
	CI->S (-F)	0.16272	1.19582	14.60160
	CON->S (FF)	0.07399	0.60845	6.48818

Power Information

Internal switching power(pJ) to CO rising:

Cell Name	T4			
	Input	first	mid	last
sky130_osu_sc_18T_hsaddf_1	A	0.00284	0.00311	0.01076
	В	0.00429	0.00434	0.00953
	CI	0.00435	0.00471	0.01240
sky130_osu_sc_18T_hsaddf_l	A	0.00223	0.00243	0.00780
	В	0.00369	0.00369	0.00806
	CI	0.00374	0.00398	0.00967

Internal switching power(pJ) to CO falling:

Call Name	Immun4	Power(pJ)			
Cell Name	Input	first	mid	last	
	A	0.01138	0.01174	0.02717	
sky130_osu_sc_18T_hsaddf_1	В	0.01197	0.01233	0.02560	
	CI	0.00960	0.01001	0.02611	
	A	0.01078	0.01103	0.02202	
sky130_osu_sc_18T_hsaddf_l	В	0.01137	0.01164	0.02086	
	CI	0.00900	0.00929	0.02096	

Internal switching power(pJ) to CON rising:

Cell Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	A	0.01136	0.01151	0.01769	
$sky130_osu_sc_18T_hs__addf_1$	В	0.01172	0.01186	0.01733	
	CI	0.01046	0.01093	0.01671	
sky130_osu_sc_18T_hsaddf_l	A	0.01076	0.01090	0.01741	
	В	0.01114	0.01125	0.01700	
	CI	0.00986	0.01030	0.01639	

Internal switching power(pJ) to CON falling:

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	A	0.00283	0.00298	0.00648	
sky130_osu_sc_18T_hsaddf_1	В	0.00326	0.00336	0.00644	
	CI	0.00434	0.00456	0.00855	
sky130_osu_sc_18T_hsaddf_l	A	0.00222	0.00232	0.00589	
	В	0.00266	0.00271	0.00567	
	CI	0.00373	0.00392	0.00799	

Internal switching power(pJ) to S rising :

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	A	0.01138	0.01173	0.02627	
sky130_osu_sc_18T_hsaddf_1	В	0.01196	0.01231	0.02472	
	CI	0.00960	0.01000	0.02519	
sky130_osu_sc_18T_hsaddf_l	A	0.01078	0.01103	0.02198	
	В	0.01137	0.01164	0.02073	
	CI	0.00900	0.00929	0.02094	

Internal switching power(pJ) to S falling:

Call Nama	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	A	0.02547	0.02561	0.03014	
$sky130_osu_sc_18T_hs__addf_1$	В	0.02265	0.02288	0.03913	
	CI	0.02058	0.02056	0.02549	
	A	0.02461	0.02456	0.02920	
sky130_osu_sc_18T_hsaddf_l	В	0.02181	0.02199	0.03876	
	CI	0.01972	0.01968	0.02478	

SKY130_OSU_SC_18T_HS__ADDHx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INP	UT	OUTPUT			
A	В	co con		S	
0	0	0	1	0	
0	1	0	0	1	
1	0	0	0	1	
1	1	1	1	0	

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsaddh_1	27.83880
sky130_osu_sc_18T_hsaddh_l	27.83880

Pin Capacitance Information

Call Name	Pin Cap(pf)		Max Cap(pf)		
Cell Name	A	В	co	CON	S
sky130_osu_sc_18T_hsaddh_1	0.00899	0.00993	2.75844	1.38218	2.81038
sky130_osu_sc_18T_hsaddh_l	0.00899	0.00993	1.64849	1.38691	1.65673

Leakage Information

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsaddh_1	0.00000	0.12159	0.14186	
sky130_osu_sc_18T_hsaddh_l	0.00000	0.12940	0.14851	

Delay Information Delay(ns) to CO rising:

Call Name	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsaddh_1	A->CO (RR)	0.07517	0.53802	6.18641	
	B->CO (RR)	0.07824	0.54615	6.31046	
sky130_osu_sc_18T_hsaddh_l	A->CO (RR)	0.07643	0.61531	6.25220	
	B->CO (RR)	0.07952	0.62539	6.34446	

Delay(ns) to CO falling:

C.II V	Timin A (Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsaddh_1	A->CO (FF)	0.06765	0.59272	6.91912	
	B->CO (FF)	0.07279	0.60383	6.89476	
sky130_osu_sc_18T_hsaddh_l	A->CO (FF)	0.06427	0.58218	6.05070	
	B->CO (FF)	0.06913	0.59366	6.03011	

Delay(ns) to CON rising (conditional):

Cell Name Timi	Timing Ang(Din)	When	Delay(ns)			
Cen Name	Timing Arc(Dir)	vvnen	First	Mid	Last	
	A->CON (RR)	В	0.10454	0.43074	2.87773	
sky130_osu_sc_18T_hsaddh_1	A->CON (FR)	!B	0.07153	0.85397	11.10530	
	B->CON (RR)	A	0.10760	0.43851	3.00059	
	B->CON (FR)	!A	0.08915	0.91023	11.63480	
	A->CON (RR)	В	0.09459	0.41130	2.86845	
dw.120 con so 10T ha oddh l	A->CON (FR)	!B	0.06409	0.84724	11.12050	
sky130_osu_sc_18T_hsaddh_l	B->CON (RR)	A	0.09765	0.42077	2.96441	
	B->CON (FR)	!A	0.08168	0.90391	11.65030	

Delay(ns) to CON falling (conditional):

C. II V.	Timin A (Din)	XX/I	Delay(ns)			
Cell Name	Timing Arc(Dir)	Fiming Arc(Dir) When		Mid	Last	
	A->CON (FF)	В	0.09903	0.60095	5.58508	
sky130_osu_sc_18T_hsaddh_1	A->CON (RF)	!B	0.03824	0.51239	6.66412	
	B->CON (FF)	A	0.10039	0.63219	5.88484	
	B->CON (RF)	!A	0.04335	0.49137	6.24424	
	A->CON (FF)	В	0.09053	0.57825	5.47414	
sky130_osu_sc_18T_hsaddh_l	A->CON (RF)	!B	0.03559	0.50950	6.67487	
	B->CON (FF)	A	0.09180	0.60989	5.76808	
	B->CON (RF)	!A	0.04081	0.48869	6.25456	

Delay(ns) to S rising (conditional):

C.II V	T:: A(D:)	XX/I	Delay(ns)			
Cell Name	Timing Arc(Dir)	iming Arc(Dir) When		Mid	Last	
	A->S (RR)	!B	0.07982	1.41375	23.16650	
sky130_osu_sc_18T_hsaddh_1	A->S (FR)	В	0.14046	1.47481	21.59590	
	B->S (RR)	!A	0.08423	1.34202	21.81920	
	B->S (FR)	A	0.14314	1.55645	22.86280	
	CON->S (FR)	-	0.02735	0.73704	11.76250	
	A->S (RR)	!B	0.08016	1.29506	17.77080	
sky130_osu_sc_18T_hsaddh_l	A->S (FR)	В	0.13503	1.34707	16.25450	
	B->S (RR)	!A	0.08478	1.24172	16.91030	
	B->S (FR)	A	0.13750	1.41216	17.03150	
	CON->S (FR)	-	0.03130	0.82195	11.65800	

Delay(ns) to S falling (conditional):

Call Name	Timing Ama(Dim)	W/le are	Delay(ns)			
Cell Name	Timing Arc(Dir)	When	First	Mid	Last	
	A->S (FF)	!B	0.09982	1.74536	28.63850	
sky130_osu_sc_18T_hsaddh_1	A->S (RF)	В	0.13010	1.07538	14.98620	
	B->S (FF)	!A	0.11751	1.80756	29.23580	
	B->S (RF)	A	0.13313	1.08254	15.10430	
	CON->S (RF)	-	0.01704	0.50378	8.10912	
	A->S (FF)	!B	0.09154	1.44295	19.80580	
	A->S (RF)	В	0.11943	0.89096	9.69129	
sky130_osu_sc_18T_hsaddh_l	B->S (FF)	!A	0.10913	1.50116	20.35600	
	B->S (RF)	A	0.12250	0.89973	9.78284	
	CON->S (RF)	-	0.01779	0.48680	6.92936	

Power Information

Internal switching power(pJ) to CO rising:

CHY	T .	Power(pJ)			
Cell Name	Input	first	mid	last	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsaddh_1	A	0.00534	0.00507	0.00825	
	В	0.00000	0.00000	0.00000	
	В	0.00488	0.00455	0.00844	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsaddh_l	A	0.00444	0.00413	0.00946	
	В	0.00000	0.00000	0.00000	
	В	0.00398	0.00363	0.00903	

Internal switching power(pJ) to CO falling:

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsaddh_1	A	0.00831	0.00823	0.01507	
	В	0.00000	0.00000	0.00000	
	В	0.00865	0.00897	0.01596	
sky130_osu_sc_18T_hsaddh_l	A	0.00000	0.00000	0.00000	
	A	0.00741	0.00733	0.01432	
	В	0.00000	0.00000	0.00000	
	В	0.00775	0.00800	0.01486	

Internal switching power(pJ) to CON rising (conditional):

Cell Name	T 4	**/1	Power(pJ)			
Cell Name	Input	When	first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00533	0.00507	0.00899	
	A	!B	0.00000	0.00000	0.00000	
alve120 age so 10T ha addle 1	A	!B	0.00727	0.00734	0.00886	
sky130_osu_sc_18T_hsaddh_1	В	A	0.00000	0.00000	0.00000	
	В	A	0.00488	0.00457	0.00934	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00806	0.00794	0.00823	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00443	0.00412	0.00933	
	A	!B	0.00000	0.00000	0.00000	
alve120 agus go 10T ha addh l	A	!B	0.00665	0.00670	0.00835	
sky130_osu_sc_18T_hsaddh_l	В	A	0.00000	0.00000	0.00000	
	В	A	0.00397	0.00368	0.00898	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00745	0.00733	0.00769	

Internal switching power(pJ) to CON falling (conditional):

Cell Name	T 4	**/	Power(pJ)			
Cell Name	Input	When	first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00831	0.00825	0.01530	
	A	!B	0.00000	0.00000	0.00000	
abut 20 agus ao 19T ha addh 1	A	!B	0.00116	0.00116	0.00202	
sky130_osu_sc_18T_hsaddh_1	В	A	0.00000	0.00000	0.00000	
	В	A	0.00865	0.00894	0.01590	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00204	0.00195	0.00216	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00741	0.00733	0.01451	
	A	!B	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsaddh_l	A	!B	0.00041	0.00040	0.00105	
	В	A	0.00000	0.00000	0.00000	
	В	A	0.00775	0.00800	0.01504	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00128	0.00117	0.00142	

Internal switching power(pJ) to S rising (conditional):

Cell Name	T 4	**/1	Power(pJ)			
Cell Name	Input	When	first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00832	0.00824	0.01547	
	A	!B	0.00000	0.00000	0.00000	
alve 120 ages as 10T ha addle 1	A	!B	0.00118	0.00122	0.00192	
sky130_osu_sc_18T_hsaddh_1	В	A	0.00000	0.00000	0.00000	
	В	A	0.00866	0.00897	0.01642	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00206	0.00201	0.00251	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00742	0.00735	0.01486	
	A	!B	0.00000	0.00000	0.00000	
alve120 agus go 10T ha addh l	A	!B	0.00042	0.00038	0.00084	
sky130_osu_sc_18T_hsaddh_l	В	A	0.00000	0.00000	0.00000	
	В	A	0.00776	0.00801	0.01531	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00130	0.00119	0.00185	

Internal switching power(pJ) to S falling (conditional):

Cell Name	Input	**/1	Power(pJ)			
Cen Name		When	first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00535	0.00511	0.00806	
	A	!B	0.00000	0.00000	0.00000	
alve120 age so 10T ha addle 1	A	!B	0.00727	0.00736	0.00854	
sky130_osu_sc_18T_hsaddh_1	В	A	0.00000	0.00000	0.00000	
	В	A	0.00488	0.00454	0.00855	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00807	0.00806	0.00833	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00444	0.00413	0.00928	
	A	!B	0.00000	0.00000	0.00000	
alm120 agu ag 10T ha addh l	A	!B	0.00665	0.00673	0.00828	
sky130_osu_sc_18T_hsaddh_l	В	A	0.00000	0.00000	0.00000	
	В	A	0.00398	0.00361	0.00902	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00745	0.00737	0.00781	

SKY130_OSU_SC_18T_HS__AND2x

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INP	UT	OUTPUT
A	В	Y
0	X	0
1	0	0
1	1	1

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsand2_1	12.45420
sky130_osu_sc_18T_hsand2_2	15.38460
sky130_osu_sc_18T_hsand2_4	21.24540
sky130_osu_sc_18T_hsand2_6	27.10620
sky130_osu_sc_18T_hsand2_8	32.96700
sky130_osu_sc_18T_hsand2_l	12.45420

Pin Capacitance Information

Cell Name	Pin C	ap(pf)	Max Cap(pf)	
Cen Name	A	В	Y	
sky130_osu_sc_18T_hsand2_1	0.00487	0.00498	2.81353	
sky130_osu_sc_18T_hsand2_2	0.00487	0.00499	5.37012	
sky130_osu_sc_18T_hsand2_4	0.00488	0.00499	10.13218	
sky130_osu_sc_18T_hsand2_6	0.00491	0.00499	14.78955	
sky130_osu_sc_18T_hsand2_8	0.00489	0.00501	18.91167	
sky130_osu_sc_18T_hsand2_l	0.00393	0.00404	2.03189	

Leakage Information

C-II N	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsand2_1	0.00000	0.05908	0.09447	
sky130_osu_sc_18T_hsand2_2	0.00000	0.09447	0.09476	
sky130_osu_sc_18T_hsand2_4	0.00000	0.16526	0.18866	
sky130_osu_sc_18T_hsand2_6	0.00000	0.23604	0.28285	
sky130_osu_sc_18T_hsand2_8	0.00000	0.30682	0.37703	
sky130_osu_sc_18T_hsand2_l	0.00000	0.01613	0.02570	

Delay Information Delay(ns) to Y rising:

C.II V	T:		Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last		
alva120 agu sa 19T ha and2 1	A->Y (RR)	0.05732	0.48002	6.14224		
sky130_osu_sc_18T_hsand2_1	B->Y (RR)	0.06115	0.49364	6.05444		
alwa120 agu ag 19T ha and2 2	A->Y (RR)	0.06594	0.43451	6.11531		
sky130_osu_sc_18T_hsand2_2	B->Y (RR)	0.06975	0.44335	6.05270		
1 120 100 1 12 4	A->Y (RR)	0.09086	0.44746	6.30961		
sky130_osu_sc_18T_hsand2_4	B->Y (RR)	0.09465	0.45100	6.28667		
sky120 agy so 19T be and 2 6	A->Y (RR)	0.11433	0.47906	6.49538		
sky130_osu_sc_18T_hsand2_6	B->Y (RR)	0.11805	0.47752	6.49579		
sky 120 ogy ga 19T ba and 2 9	A->Y (RR)	0.13798	0.51533	6.67812		
sky130_osu_sc_18T_hsand2_8	B->Y (RR)	0.14180	0.51053	6.68981		
-l120 10T l 12 l	A->Y (RR)	0.06058	0.52410	6.13030		
sky130_osu_sc_18T_hsand2_l	B->Y (RR)	0.06423	0.53000	6.03086		

Delay(ns) to Y falling:

Call Name	Timin - A (Din)		Delay(ns)			
Cell Name	Cell Name Timing Arc(Dir)		Mid	Last		
alw120 agu ga 10T ha and2 1	A->Y (FF)	0.05254	0.52989	6.46273		
sky130_osu_sc_18T_hsand2_1	B->Y (FF)	0.05600	0.54200	6.47340		
1 130 100 1 33.4	A->Y (FF)	0.05968	0.50436	6.43955		
sky130_osu_sc_18T_hsand2_2	B->Y (FF)	0.06368	0.51613	6.46188		
1 400 400 1 10 4	A->Y (FF)	0.08104	0.52666	6.60603		
sky130_osu_sc_18T_hsand2_4	B->Y (FF)	0.08506	0.53494	6.63416		
abut 20 agu ga 10T ba and 2 (A->Y (FF)	0.10504	0.55875	6.76258		
sky130_osu_sc_18T_hsand2_6	B->Y (FF)	0.10891	0.56666	6.78979		
sky130_osu_sc_18T_hsand2_8	A->Y (FF)	0.12660	0.58767	6.77762		
	B->Y (FF)	0.13055	0.59403	6.80988		
1 120 100 1 12 1	A->Y (FF)	0.05490	0.53713	6.01674		
sky130_osu_sc_18T_hsand2_l	B->Y (FF)	0.05934	0.55137	6.06072		

Power Information

Internal switching power(pJ) to Y rising:

CHN	T		Power(pJ)	
Cell Name	Input	first	mid	last
	A	0.00000	0.00000	0.00000
1 120 10T 1 12 1	A	0.00395	0.00368	0.02673
sky130_osu_sc_18T_hsand2_1	В	0.00000	0.00000	0.00000
	В	0.00402	0.00345	0.01527
	A	0.00000	0.00000	0.00000
1 120 10T 1 12 A	A	0.00782	0.00775	0.02972
sky130_osu_sc_18T_hsand2_2	В	0.00000	0.00000	0.00000
	В	0.00790	0.00768	0.01869
	A	0.00000	0.00000	0.00000
1 120 10T 1 12 4	A	0.01620	0.01662	0.03567
sky130_osu_sc_18T_hsand2_4	В	0.00000	0.00000	0.00000
	В	0.01626	0.01661	0.02574
	A	0.00000	0.00000	0.00000
dw.120 can as 10T be and 2 (A	0.02466	0.02546	0.04203
sky130_osu_sc_18T_hsand2_6	В	0.00000	0.00000	0.00000
	В	0.02485	0.02543	0.03357
	A	0.00000	0.00000	0.00000
dw120 oou oo 10T ba and2 0	A	0.03330	0.03453	0.04836
sky130_osu_sc_18T_hsand2_8	В	0.00000	0.00000	0.00000
	В	0.03340	0.03455	0.04018
	A	0.00000	0.00000	0.00000
chy120 can so 10T be smld 1	A	0.00294	0.00297	0.02745
sky130_osu_sc_18T_hsand2_l	В	0.00000	0.00000	0.00000
	В	0.00302	0.00265	0.01797

Internal switching power(pJ) to Y falling:

CHN	T		Power(pJ)	
Cell Name	Input	first	mid	last
	A	0.00000	0.00000	0.00000
1 120 10T 1 12 1	A	0.01004	0.01106	0.03168
sky130_osu_sc_18T_hsand2_1	В	0.00000	0.00000	0.00000
	В	0.01133	0.01215	0.03121
	A	0.00000	0.00000	0.00000
1 120 10Th 1 12 2	A	0.01283	0.01416	0.03435
sky130_osu_sc_18T_hsand2_2	В	0.00000	0.00000	0.00000
	В	0.01416	0.01521	0.03395
	A	0.00000	0.00000	0.00000
1 120 10T 1 12 4	A	0.01981	0.02179	0.04145
sky130_osu_sc_18T_hsand2_4	В	0.00000	0.00000	0.00000
	В	0.02111	0.02267	0.04089
	A	0.00000	0.00000	0.00000
sky120 osy so 19T be and 2 6	A	0.02672	0.02970	0.04893
sky130_osu_sc_18T_hsand2_6	В	0.00000	0.00000	0.00000
	В	0.02802	0.03020	0.04808
	A	0.00000	0.00000	0.00000
cky130 ocu co 19T bo and? 9	A	0.03401	0.03723	0.05655
sky130_osu_sc_18T_hsand2_8	В	0.00000	0.00000	0.00000
	В	0.03527	0.03774	0.05505
	A	0.00000	0.00000	0.00000
sky120 osy so 10T be said 1	A	0.00802	0.00917	0.02955
sky130_osu_sc_18T_hsand2_l	В	0.00000	0.00000	0.00000
	В	0.00904	0.00998	0.02949

Passive power(pJ) for A rising (conditional):

C.II V	XX/I	Power(pJ)			
Cell Name	When	first	mid	last	
-l120 10T l 12 1	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_1	(!B * !Y)	-0.00369	-0.00370	-0.00373	
1 420 407 1 32.2	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_2	(!B * !Y)	-0.00369	-0.00371	-0.00373	
alm120 agu ag 10T ha guid2 4	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_4	(!B * !Y)	-0.00369	-0.00372	-0.00372	
alw120 agu ga 19T ha and2 ((!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_6	(!B * !Y)	-0.00371	-0.00374	-0.00374	
alm120 agu ag 10T ha guid2 0	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_8	(!B * !Y)	-0.00369	-0.00371	-0.00372	
1 120 10T 1 12 1	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_l	(!B * !Y)	-0.00286	-0.00287	-0.00288	

Passive power(pJ) for A falling (conditional):

Call Name	11 71	Power(pJ)			
Cell Name	When	first	mid	last	
alve120 ages as 10T has and 2.1	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_1	(!B * !Y)	0.00372	0.00381	0.00373	
1 120 100 1 12 2	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_2	(!B * !Y)	0.00372	0.00381	0.00374	
alve120 agu ag 19T ha and2 4	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_4	(!B * !Y)	0.00372	0.00381	0.00374	
alve120 agu ga 19T ha and2 6	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_6	(!B * !Y)	0.00374	0.00384	0.00376	
alve120 agus ag 10T ha sand2 0	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_8	(!B * !Y)	0.00372	0.00381	0.00374	
1 100 100 10	(!B * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_l	(!B * !Y)	0.00287	0.00294	0.00289	

Passive power(pJ) for B rising (conditional):

C.II V	XX71	Power(pJ)			
Cell Name	When	first	mid	last	
-l120 10T l 12 1	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_1	(!A * !Y)	-0.00347	-0.00349	-0.00348	
1 120 1070 1 12 2	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_2	(!A * !Y)	-0.00347	-0.00349	-0.00348	
1.422	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_4	(!A * !Y)	-0.00347	-0.00350	-0.00348	
alm120 agu sa 19T ha and2 ((!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_6	(!A * !Y)	-0.00347	-0.00349	-0.00348	
alm120 agu sa 10T ha and2 0	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_8	(!A * !Y)	-0.00347	-0.00349	-0.00348	
1 420 407 1 12 1	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_l	(!A * !Y)	-0.00269	-0.00271	-0.00270	

Passive power(pJ) for B falling (conditional):

C-II N	11 71	Power(pJ)			
Cell Name	When	first	mid	last	
alve120 agu sa 19T ha and2 1	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_1	(!A * !Y)	0.00352	0.00350	0.00349	
1 120 100 1 22 2	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_2	(!A * !Y)	0.00352	0.00350	0.00349	
-l120 10T l 12 4	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_4	(!A * !Y)	0.00352	0.00350	0.00349	
alve120 agu ag 10T ha and2 ((!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_6	(!A * !Y)	0.00352	0.00350	0.00349	
-l120 10T l12 0	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_8	(!A * !Y)	0.00352	0.00350	0.00349	
1 420 40TE 1 13 1	(!A * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsand2_l	(!A * !Y)	0.00274	0.00272	0.00271	

SKY130_OSU_SC_18T_HS__AOI21

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

I	INPUT		OUTPUT
A0	A1	В0	Y
0	X	0	1
X	X	1	0
1	0	0	1
1	1	x	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsaoi21_l	12.45420

Pin Capacitance Information

Call Name	Pin Cap(pf)			Max Cap(pf)
Cell Name	A0	A1	В0	Y
sky130_osu_sc_18T_hsaoi21_l	0.00461	0.00480	0.00467	1.31207

Leakage Information

Call Nama	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsaoi21_l	0.00000	0.02104	0.04709	

Delay Information Delay(ns) to Y rising:

C.II V	Timin Ama(Din)		Delay(ns)	y(ns)	
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsaoi21_l	A0->Y (FR)	0.07013	0.91416	11.76200	
	A1->Y (FR)	0.05999	0.87117	11.32160	
	B0->Y (FR)	0.05064	0.86392	11.34780	

Delay(ns) to Y falling:

C.II V	Timin And (Din)		Delay(ns)		
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsaoi21_l	A0->Y (RF)	0.03383	0.46406	5.91355	
	A1->Y (RF)	0.03003	0.46863	6.03878	
	B0->Y (RF)	0.02131	0.44199	5.81396	

Power Information

Internal switching power(pJ) to Y rising:

Call Name	T4		Power(pJ)			
Cell Name	Input	first	mid	last		
	A0	0.00000	0.00000	0.00000		
	A0	0.00865	0.00845	0.00895		
sky130_osu_sc_18T_hsaoi21_l	A1	0.00000	0.00000	0.00000		
	A1	0.00722	0.00710	0.00744		
	ВО	0.00525	0.00546	0.00957		

Internal switching power(pJ) to Y falling:

Cell Name	T4		Power(pJ)		
	Input	first	mid	last	
sky130_osu_sc_18T_hsaoi21_l	A0	0.00000	0.00000	0.00000	
	A0	0.00194	0.00168	0.00192	
	A1	0.00000	0.00000	0.00000	
	A1	0.00196	0.00171	0.00230	
	В0	-0.00083	-0.00084	-0.00017	

Passive power(pJ) for A0 rising (conditional):

Cell Name	VV/h oza		Power(pJ)	
	When	first	mid	last
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000
	(A1 * B0 * !Y)	-0.00297	-0.00322	-0.00320
alva120 agu ag 19T ha agi21 l	(!A1 * B0 * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsaoi21_l	(!A1 * B0 * !Y)	-0.00325	-0.00327	-0.00326
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A1 * !B0 * Y)	-0.00325	-0.00326	-0.00326

Passive power(pJ) for A0 falling (conditional):

Call Name	VV/h ove			
Cell Name	When	first	mid	last
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000
	(A1 * B0 * !Y)	0.00318	0.00322	0.00320
	(!A1 * B0 * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsaoi21_l	(!A1 * B0 * !Y)	0.00325	0.00327	0.00327
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A1 * !B0 * Y)	0.00330	0.00327	0.00327

Passive power(pJ) for A1 rising (conditional):

Cell Name	XX/L		Power(pJ)	
	When	first	mid	last
	(A0 * B0 * !Y)	0.00000	0.00000	0.00000
	(A0 * B0 * !Y)	-0.00294	-0.00317	-0.00316
abro120 agus ag 19T ba ag 21 l	(!A0 * B0 * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsaoi21_l	(!A0 * B0 * !Y)	-0.00321	-0.00323	-0.00321
	(!A0 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !B0 * Y)	-0.00350	-0.00354	-0.00354

Passive power(pJ) for A1 falling (conditional):

Call Nama	VV/h ore			
Cell Name	When	first	mid	last
	(A0 * B0 * !Y)	0.00000	0.00000	0.00000
	(A0 * B0 * !Y)	0.00314	0.00318	0.00316
	(!A0 * B0 * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsaoi21_l	(!A0 * B0 * !Y)	0.00321	0.00323	0.00322
	(!A0 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !B0 * Y)	0.00353	0.00355	0.00354

Passive power(pJ) for B0 rising (conditional):

Call Name	XX/Is one			
Cell Name	When	first	mid	last
sky130_osu_sc_18T_hsaoi21_l	(A0 * A1 * !Y)	0.00000	0.00000	0.00000
	(A0 * A1 * !Y)	-0.00166	-0.00170	-0.00166

Passive power(pJ) for B0 falling (conditional):

CHN	W/h ove		Power(pJ)	
Cell Name	When	first	last	
sky130_osu_sc_18T_hsaoi21_l	(A0 * A1 * !Y)	0.00000	0.00000	0.00000
	(A0 * A1 * !Y)	0.00182	0.00182	0.00171

SKY130_OSU_SC_18T_HS__AOI22

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

	INP	OUTPUT		
A0	A1	В0	B1	Y
0	x	0	x	1
0	X	1	0	1
x	x	1	1	0
1	0	0	x	1
1	0	1	0	1
1	1	x	x	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsaoi22_l	15.38460

Pin Capacitance Information

Call Name	Pin Cap(pf)				Max Cap(pf)
Cell Name	A0	A1	В0	B1	Y
sky130_osu_sc_18T_hsaoi22_l	0.00461	0.00480	0.00497	0.00474	1.23735

Leakage Information

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsaoi22_l	0.00000	0.02263	0.09419	

Delay Information Delay(ns) to Y rising:

Cell Name	Timing Ana(Din)	Delay(ns)		
	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsaoi22_l	A0->Y (FR)	0.08943	0.93273	11.59270
	A1->Y (FR)	0.07960	0.90721	11.38010
	B0->Y (FR)	0.05329	0.84795	10.96580
	B1->Y (FR)	0.06325	0.87908	11.24230

Delay(ns) to Y falling:

Cell Name	Timin And (Din)			
	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsaoi22_l	A0->Y (RF)	0.04320	0.46642	5.71133
	A1->Y (RF)	0.03944	0.47107	5.83017
	B0->Y (RF)	0.02389	0.45078	5.81606
	B1->Y (RF)	0.02774	0.44662	5.69836

Power Information

Internal switching power(pJ) to Y rising:

Call Name	T4			
Cell Name	Input	first	mid	last
sky130_osu_sc_18T_hsaoi22_l	A0	0.01046	0.01036	0.01075
	A1	0.00903	0.00891	0.00936
	ВО	0.00574	0.00585	0.00945
	B1	0.00714	0.00681	0.01058

Internal switching power(pJ) to Y falling:

Call Name	T4			
Cell Name	Input	first	mid	last
sky130_osu_sc_18T_hsaoi22_l	A0	0.00389	0.00362	0.00383
	A1	0.00392	0.00365	0.00422
	В0	-0.00049	-0.00053	0.00014
	B1	-0.00040	-0.00050	-0.00019

Passive power(pJ) for A0 rising (conditional):

Cell Name	When			
Cen Name	when	first	mid	last
	(A1 * B0 * B1 * !Y)	0.00000	0.00000	0.00000
	(A1 * B0 * B1 * !Y)	-0.00302	-0.00321	-0.00320
	(!A1 * B0 * B1 * !Y)	0.00000	0.00000	0.00000
sky120 osy so 19T by poi22 l	(!A1 * B0 * B1 * !Y)	-0.00325	-0.00328	-0.00326
sky130_osu_sc_18T_hsaoi22_l	(!A1 * B0 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A1 * B0 * !B1 * Y)	-0.00325	-0.00326	-0.00326
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A1 * !B0 * Y)	-0.00325	-0.00327	-0.00326

Passive power(pJ) for A0 falling (conditional):

Cell Name	XX/I		Power(pJ)		
Ceii Name	When	first	mid	last	
	(A1 * B0 * B1 * !Y)	0.00000	0.00000	0.00000	
	(A1 * B0 * B1 * !Y)	0.00318	0.00321	0.00320	
	(!A1 * B0 * B1 * !Y)	0.00000	0.00000	0.00000	
alm120 agus ag 19T ha agi32 l	(!A1 * B0 * B1 * !Y)	0.00325	0.00328	0.00327	
sky130_osu_sc_18T_hsaoi22_l	(!A1 * B0 * !B1 * Y)	0.00000	0.00000	0.00000	
	(!A1 * B0 * !B1 * Y)	0.00330	0.00327	0.00327	
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B0 * Y)	0.00330	0.00327	0.00327	

Passive power(pJ) for A1 rising (conditional):

Cell Name	When			
Cen Name	vvnen	first	mid	last
	(A0 * B0 * B1 * !Y)	0.00000	0.00000	0.00000
	(A0 * B0 * B1 * !Y)	-0.00298	-0.00316	-0.00316
	(!A0 * B0 * B1 * !Y)	0.00000	0.00000	0.00000
sky120 ogy sa 19T by agi22 l	(!A0 * B0 * B1 * !Y)	-0.00321	-0.00323	-0.00321
sky130_osu_sc_18T_hsaoi22_l	(!A0 * B0 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * B0 * !B1 * Y)	-0.00350	-0.00354	-0.00353
	(!A0 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !B0 * Y)	-0.00350	-0.00353	-0.00353

Passive power(pJ) for A1 falling (conditional):

Cell Name	XX/L			
Cell Name	When	first	mid	last
	(A0 * B0 * B1 * !Y)	0.00000	0.00000	0.00000
	(A0 * B0 * B1 * !Y)	0.00314	0.00317	0.00316
	(!A0 * B0 * B1 * !Y)	0.00000	0.00000	0.00000
alm120 agus ag 19T ha agi22 l	(!A0 * B0 * B1 * !Y)	0.00321	0.00323	0.00323
sky130_osu_sc_18T_hsaoi22_l	(!A0 * B0 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * B0 * !B1 * Y)	0.00352	0.00354	0.00354
	(!A0 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !B0 * Y)	0.00352	0.00353	0.00354

Passive power(pJ) for B0 rising (conditional):

Cell Name	Whon			
Cell Name	When	first	mid	last
	(A0 * A1 * B1 * !Y)	0.00000	0.00000	0.00000
	(A0 * A1 * B1 * !Y)	-0.00166	-0.00170	-0.00167
	(A0 * A1 * !B1 * !Y)	0.00000	0.00000	0.00000
sky120 osu sa 18T ha aai22 l	(A0 * A1 * !B1 * !Y)	-0.00166	-0.00167	-0.00167
sky130_osu_sc_18T_hsaoi22_l	(!A1 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A1 * !B1 * Y)	-0.00361	-0.00361	-0.00364
	(!A0 * A1 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * A1 * !B1 * Y)	-0.00360	-0.00361	-0.00364

Passive power(pJ) for B0 falling (conditional):

C-II N	XX/I	Power(pJ)			
Cell Name	When	first	mid	last	
	(A0 * A1 * B1 * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsaoi22_l	(A0 * A1 * B1 * !Y)	0.00189	0.00190	0.00173	
	(A0 * A1 * !B1 * !Y)	0.00000	0.00000	0.00000	
	(A0 * A1 * !B1 * !Y)	0.00166	0.00167	0.00167	
	(!A1 * !B1 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B1 * Y)	0.00363	0.00365	0.00364	
	(!A0 * A1 * !B1 * Y)	0.00000	0.00000	0.00000	
	(!A0 * A1 * !B1 * Y)	0.00363	0.00365	0.00364	

Passive power(pJ) for B1 rising (conditional):

Call Name	Whon	Power(pJ)			
Cell Name	When	first	mid	last	
	(A0 * A1 * B0 * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsaoi22_l	(A0 * A1 * B0 * !Y)	-0.00167	-0.00172	-0.00168	
	(A0 * A1 * !B0 * !Y)	0.00000	0.00000	0.00000	
	(A0 * A1 * !B0 * !Y)	-0.00167	-0.00168	-0.00168	
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B0 * Y)	-0.00331	-0.00333	-0.00332	
	(!A0 * A1 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A0 * A1 * !B0 * Y)	-0.00331	-0.00333	-0.00332	

Passive power(pJ) for B1 falling (conditional):

C.II V	**/1	Power(pJ)			
Cell Name	When	first	mid	last	
	(A0 * A1 * B0 * !Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsaoi22_l	(A0 * A1 * B0 * !Y)	0.00190	0.00190	0.00174	
	(A0 * A1 * !B0 * !Y)	0.00000	0.00000	0.00000	
	(A0 * A1 * !B0 * !Y)	0.00167	0.00168	0.00168	
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B0 * Y)	0.00336	0.00333	0.00333	
	(!A0 * A1 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A0 * A1 * !B0 * Y)	0.00336	0.00333	0.00333	

SKY130_OSU_SC_18T_HS__BUFx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT	OUTPUT
A	Y
0	0
1	1

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsbuf_1	9.52380
sky130_osu_sc_18T_hsbuf_2	12.45420
sky130_osu_sc_18T_hsbuf_4	18.31500
sky130_osu_sc_18T_hsbuf_6	24.17580
sky130_osu_sc_18T_hsbuf_8	30.03660
sky130_osu_sc_18T_hsbuf_l	9.52380

Pin Capacitance Information

Cell Name	Pin Cap(pf)	Max Cap(pf)
Cen Manne	A	Y
sky130_osu_sc_18T_hsbuf_1	0.00498	2.77837
sky130_osu_sc_18T_hsbuf_2	0.00498	5.40451
sky130_osu_sc_18T_hsbuf_4	0.00497	10.31417
sky130_osu_sc_18T_hsbuf_6	0.00095	1.80000
sky130_osu_sc_18T_hsbuf_8	0.00500	19.63597
sky130_osu_sc_18T_hsbuf_l	0.00407	2.02619

Leakage Information

Cell Name	Leakage(nW)			
	Min.	Avg	Max.	
sky130_osu_sc_18T_hsbuf_1	0.00000	0.04738	0.04738	
sky130_osu_sc_18T_hsbuf_2	0.00000	0.07107	0.09447	
sky130_osu_sc_18T_hsbuf_4	0.00000	0.11845	0.18866	
sky130_osu_sc_18T_hsbuf_6	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_8	0.00000	0.21321	0.37703	
sky130_osu_sc_18T_hsbuf_l	0.00000	0.01318	0.01318	

Delay Information Delay(ns) to Y rising:

Call Name	Timin A (Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsbuf_1	A->Y (RR)	0.04663	0.45633	5.93441	
sky130_osu_sc_18T_hsbuf_2	A->Y (RR)	0.05200	0.40553	5.97986	
sky130_osu_sc_18T_hsbuf_4	A->Y (RR)	0.07053	0.40824	6.19631	
sky130_osu_sc_18T_hsbuf_8	A->Y (RR)	0.10560	0.45975	6.59610	
sky130_osu_sc_18T_hsbuf_l	A->Y (RR)	0.05021	0.49919	5.93037	

Delay(ns) to Y falling:

Call Name	Timin Am (Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsbuf_1	A->Y (FF)	0.05001	0.52026	6.38338	
sky130_osu_sc_18T_hsbuf_2	A->Y (FF)	0.05776	0.50057	6.47531	
sky130_osu_sc_18T_hsbuf_4	A->Y (FF)	0.07923	0.52416	6.67317	
sky130_osu_sc_18T_hsbuf_8	A->Y (FF)	0.12471	0.58777	6.94276	
sky130_osu_sc_18T_hsbuf_l	A->Y (FF)	0.05305	0.53089	6.00329	

Power Information

Internal switching power(pJ) to Y rising:

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
alve120 age so 10T by buf 1	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_1	A	0.00365	0.00333	0.01902	
sky130_osu_sc_18T_hsbuf_2	A	0.00000	0.00000	0.00000	
	A	0.00753	0.00736	0.02261	
alve120 age so 19T by buf 4	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_4	A	0.01588	0.01641	0.03052	
alve 120 age so 10T by buf 0	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_8	A	0.03266	0.03383	0.04450	
sky130_osu_sc_18T_hsbuf_l	A	0.00000	0.00000	0.00000	
	A	0.00281	0.00280	0.02158	

Internal switching power(pJ) to Y falling:

Cell Name	Immut	Power(pJ)			
Cen Name	Input	first	mid	last	
alvil 20 agu ga 19T ha huf 1	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_1	A	0.00965	0.01059	0.03055	
sky130_osu_sc_18T_hsbuf_2	A	0.00000	0.00000	0.00000	
	A	0.01243	0.01360	0.03319	
sky120 ogy so 19T by hyf 4	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_4	A	0.01942	0.02114	0.04011	
cky120 ocu so 19T bo buf 9	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_8	A	0.03368	0.03636	0.05433	
-l120 10T l l£1	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsbuf_l	A	0.00777	0.00885	0.02902	

Passive power(pJ) for A rising:

Call Name	Power(pJ)			
Cell Name	first	mid	last	
sky130_osu_sc_18T_hsbuf_6	0.00000	0.00000	0.00000	
	-0.00056	-0.00056	-0.00056	

Passive power(pJ) for A falling :

Cell Name	Power(pJ)			
	first	mid	last	
sky130_osu_sc_18T_hsbuf_6	0.00000	0.00000	0.00000	
	0.00056	0.00056	0.00056	

SKY130_OSU_SC_18T_HS__DFFRx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT		
D	RN	CK	Q	QN
0	1	R	0	1
1	1	R	1	0
X	0	X	0	1
X	1	X	IQ	IQN

Footprint

Cell Name	Area	
sky130_osu_sc_18T_hsdffr_1	63.73620	
sky130_osu_sc_18T_hsdffr_l	63.73620	

Pin Capacitance Information

Cell Name		Pin Cap(pf)			Max Cap(pf)	
	D	RN	CK	Q	QN	
sky130_osu_sc_18T_hsdffr_1	0.00475	0.00471	0.01393	2.69068	2.68611	
sky130_osu_sc_18T_hsdffr_l	0.00475	0.00471	0.01391	2.05889	2.03658	

Leakage Information

Call Name	Leakage(nW)				
Cell Name	Min.	Avg	Max.		
sky130_osu_sc_18T_hsdffr_1	0.00000	0.13237	0.21814		
sky130_osu_sc_18T_hsdffr_l	0.00000	0.09817	0.18394		

Delay Information Delay(ns) to Q rising:

Cell Name	Timing Ang(Din)		Delay(ns)	r(ns)	
	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffr_1	CK->Q (RR)	0.22053	1.12867	14.25140	
	QN->Q (FR)	0.02861	0.80827	12.84660	
sky130_osu_sc_18T_hsdffr_l	CK->Q (RR)	0.21225	1.17835	13.71470	
	QN->Q (FR)	0.02975	0.83740	12.53180	

Delay(ns) to Q falling:

Cell Name	Timin And (Din)	Delay(ns)	
Ceii Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffr_1	CK->Q (RF)	0.22598	1.14441	14.47920	
	QN->Q (RF)	0.02169	0.62222	9.84280	
	RN->Q (FF)	0.16593	1.26602	16.89890	
sky130_osu_sc_18T_hsdffr_l	CK->Q (RF)	0.22616	1.21757	14.13300	
	QN->Q (RF)	0.02104	0.60194	8.99132	
	RN->Q (FF)	0.16642	1.33901	16.54530	

Delay(ns) to QN rising:

Cell Name	Timing Ang(Din)	Delay(ns		s)	
Cen Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffr_1	CK->QN (RR)	0.20068	0.63562	5.97645	
	RN->QN (FR)	0.14058	0.75740	8.41144	
sky130_osu_sc_18T_hsdffr_l	CK->QN (RR)	0.20037	0.68639	6.10952	
	RN->QN (FR)	0.14058	0.80739	8.51794	

Delay(ns) to QN falling:

Call Name	Timing Ang(Din)		Delay(ns)	ns)	
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffr_1	CK->QN (RF)	0.18258	0.52024	4.12961	
sky130_osu_sc_18T_hsdffr_l	CK->QN (RF)	0.17305	0.51599	3.74711	

Constraint Information

Constraints(ns) for D rising:

Cell Name	Timing Chash	Dof Dire(treese)	Reference Slew Rate(ns)			
	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	hold	CK (R)	-0.03724	-0.06623	-0.28560	
	setup	CK (R)	0.17289	0.22391	0.76213	
sky130_osu_sc_18T_hsdffr_l	hold	CK (R)	-0.04025	-0.06623	-0.28572	
	setup	CK (R)	0.17598	0.22521	0.75710	

Constraints(ns) for D falling:

Cell Name	Timing Chash	Dof Din (Anoma)	Reference Slew Rate(ns)			
	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	hold	CK (R)	-0.09716	-0.36591	-4.50614	
	setup	CK (R)	0.12003	0.37856	4.55595	
sky130_osu_sc_18T_hsdffr_l	hold	CK (R)	-0.09687	-0.36513	-4.50681	
	setup	CK (R)	0.11912	0.37856	4.55588	

Constraints(ns) for D rising (conditional):

Cell Name	Timing Chash	Dof Dire(treese)	Reference Slew Rate(ns)			
	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	hold	CK (R)	-0.03724	-0.06623	-0.28560	
	setup	CK (R)	0.17289	0.22391	0.76213	
sky130_osu_sc_18T_hsdffr_l	hold	CK (R)	-0.04025	-0.06623	-0.28572	
	setup	CK (R)	0.17598	0.22521	0.75710	

Constraints(ns) for D falling (conditional):

Cell Name	Timing Chash	Dof Dire(Arrang)	Reference Slew Rate(ns)			
	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	hold	CK (R)	-0.09716	-0.36591	-4.50614	
	setup	CK (R)	0.12003	0.37856	4.55595	
sky130_osu_sc_18T_hsdffr_l	hold	CK (R)	-0.09687	-0.36513	-4.50681	
	setup	CK (R)	0.11912	0.37856	4.55588	

Constraints(ns) for RN rising:

Cell Name	Tii Chh	D - f D' (4)	Reference Slew Rate(ns)			
	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	recovery	CK (R)	0.14674	0.18732	0.88312	
	removal	CK (R)	-0.02143	-0.02602	-0.08923	
sky130_osu_sc_18T_hsdffr_l	recovery	CK (R)	0.14816	0.18940	0.87677	
	removal	CK (R)	-0.02143	-0.02602	-0.08923	

Constraints(ns) for RN rising (conditional):

Cell Name	Timin a Charle	Dof Div(tuons)	Reference Slew Rate(ns)			
	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	recovery	CK (R)	0.14674	0.18732	0.88312	
	removal	CK (R)	-0.02143	-0.02602	-0.08923	
sky130_osu_sc_18T_hsdffr_l	recovery	CK (R)	0.14816	0.18940	0.87677	
	removal	CK (R)	-0.02143	-0.02602	-0.08923	

$Constraints (ns) \ for \ RN \ falling \ (conditional):$

Cell Name	Timing Charle	Ref	Reference Slew Rate(ns)			
	Timing Check	Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	min_pulse_width	RN ()	0.09715	0.46265	13.33370	
	min_pulse_width	RN ()	0.10063	0.46265	13.33370	
sky130_osu_sc_18T_hsdffr_l	min_pulse_width	RN ()	0.09715	0.46265	13.33370	
	min_pulse_width	RN ()	0.09715	0.46265	13.33370	

Constraints(ns) for CK rising (conditional):

Cell Name	Timin a Chash	Ref	Reference Slew Rate(ns)			
	Timing Check	Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	min_pulse_width	CK ()	0.09367	0.46265	13.33370	
	min_pulse_width	CK ()	0.11456	0.46265	13.33370	
sky130_osu_sc_18T_hsdffr_l	min_pulse_width	CK ()	0.08671	0.46265	13.33370	
	min_pulse_width	CK ()	0.11107	0.46265	13.33370	

$Constraints (ns) \ for \ CK \ falling \ (conditional):$

Cell Name	Timin a Chash	Ref	Reference Slew Rate(ns)			
	Timing Check	Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	min_pulse_width	CK ()	0.22595	0.46265	13.33370	
	min_pulse_width	CK ()	0.09367	0.46265	13.33370	
sky130_osu_sc_18T_hsdffr_l	min_pulse_width	CK ()	0.22595	0.46265	13.33370	
	min_pulse_width	CK ()	0.09367	0.46265	13.33370	

Power Information

Internal switching power(pJ) to Q rising:

Call Name	Innut	Power(pJ)			
Cell Name	Input	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	СК	0.00000	0.00000	0.00000	
	CK	0.00996	0.00573	0.00000	
sky130_osu_sc_18T_hsdffr_l	СК	0.00000	0.00000	0.00000	
	CK	0.00897	0.00569	-0.00197	

Internal switching power(pJ) to Q falling :

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	CK	0.00000	0.00000	0.00000	
	CK	0.01117	0.00916	0.00000	
	RN	-0.00132	-0.09469	-1.63700	
	RN	0.02564	0.02386	0.00733	
	CK	0.00000	0.00000	0.00000	
alus 120 agus ag 10T ha Jeen l	CK	0.01017	0.00862	0.00197	
sky130_osu_sc_18T_hsdffr_l	RN	-0.00132	-0.08064	-1.25263	
	RN	0.02463	0.02337	0.01796	

Internal switching power(pJ) to QN rising:

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	CK	0.00000	0.00000	0.00000	
	CK	0.01117	0.00908	0.00000	
	RN	-0.00132	-0.09459	-1.63420	
	RN	0.02564	0.02383	0.00912	
	CK	0.00000	0.00000	0.00000	
-L120 10T l 166-1	CK	0.01017	0.00864	0.00229	
sky130_osu_sc_18T_hsdffr_l	RN	-0.00132	-0.08012	-1.23905	
	RN	0.02463	0.02338	0.01813	

Internal switching power(pJ) to QN falling :

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
sky130_osu_sc_18T_hsdffr_1	СК	0.00000	0.00000	0.00000	
	СК	0.00992	0.00575	0.00000	
sky130_osu_sc_18T_hsdffr_l	СК	0.00000	0.00000	0.00000	
	СК	0.00893	0.00577	-0.00229	

Passive power(pJ) for D rising (conditional):

Cell Name	XX/I	Power(pJ)			
	When	first	mid	last	
	СК	0.00000	0.00000	0.00000	
	СК	-0.00278	-0.00317	-0.00319	
alve120 agus ao 10T ha differ 1	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffr_1	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.01232	0.01169	0.01729	
	(!CK * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * !Q * QN)	0.00561	0.00509	0.01085	
	СК	0.00000	0.00000	0.00000	
	СК	-0.00278	-0.00317	-0.00319	
sky130_osu_sc_18T_hsdffr_l	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.01232	0.01169	0.01729	
	(!CK * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * !Q * QN)	0.00561	0.00509	0.01085	

Passive power(pJ) for D falling (conditional):

Call Name	XX/I	Power(pJ)			
Cell Name	When	first	mid	last	
	СК	0.00000	0.00000	0.00000	
	CK	0.00316	0.00318	0.00319	
alve120 agus ao 19T ha defer 1	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffr_1	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.01956	0.01920	0.02545	
	(!CK * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * !Q * QN)	0.00899	0.00870	0.01477	
	СК	0.00000	0.00000	0.00000	
	СК	0.00316	0.00318	0.00319	
sky130_osu_sc_18T_hsdffr_l	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * RN * Q * !QN) + (!CK * RN * !Q * QN)	0.01956	0.01921	0.02545	
	(!CK * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * !Q * QN)	0.00899	0.00870	0.01477	

Passive power(pJ) for RN rising (conditional):

Call Name	XX/b ove	Power(pJ)			
Cell Name	When	first	mid	last	
	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffr_1	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00406	0.00371	0.02669	
	(!CK * D * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !Q * QN)	0.01099	0.01037	0.03391	
	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffr_l	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00406	0.00371	0.02669	
	(!CK * D * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !Q * QN)	0.01099	0.01037	0.03391	

Passive power(pJ) for RN falling (conditional):

Coll Nama	When	Power(pJ)			
Cell Name	vv nen	first	mid	last	
	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffr_1	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00911	0.00953	0.03403	
	(!CK * D * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !Q * QN)	0.01934	0.01940	0.04436	
	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffr_l	(CK * !Q * QN) + (!CK * !D * !Q * QN)	0.00911	0.00953	0.03403	
	(!CK * D * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !Q * QN)	0.01933	0.01940	0.04436	

Passive power(pJ) for CK rising (conditional):

C.II V.	¥¥71		Power(pJ)	
Cell Name	When	first	mid	last
	(D * RN * Q * !QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffr_1	(D * RN * Q * !QN)	-0.00056	-0.00102	0.02162
	(D * !RN * !Q * QN)	0.00000	0.00000	0.00000
	(D * !RN * !Q * QN)	0.00577	0.00435	0.02763
	(!D * !Q * QN)	0.00000	0.00000	0.00000
	(!D * !Q * QN)	-0.00100	-0.00137	0.02099
	(D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(D * RN * Q * !QN)	-0.00056	-0.00102	0.02162
-l120 10T l 166- l	(D * !RN * !Q * QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffr_l	(D * !RN * !Q * QN)	0.00577	0.00435	0.02763
	(!D * !Q * QN)	0.00000	0.00000	0.00000
	(!D * !Q * QN)	-0.00100	-0.00137	0.02099

Passive power(pJ) for CK falling (conditional):

Call Name	When		Power(pJ)	
Cell Name	When	first	mid	last
	(D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(D * RN * Q * !QN)	0.01421	0.01477	0.03910
	(D * RN * !Q * QN)	0.00000	0.00000	0.00000
	(D * RN * !Q * QN)	0.03051	0.03002	0.05855
alve120 age so 10T by dffr 1	(D * !RN * !Q * QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffr_1	(D * !RN * !Q * QN)	0.02320	0.02296	0.04743
	(!D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * Q * !QN)	0.02989	0.03057	0.07344
	(!D * !Q * QN)	0.00000	0.00000	0.00000
	(!D * !Q * QN)	0.01560	0.01605	0.03994
	(D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(D * RN * Q * !QN)	0.01421	0.01477	0.03910
	(D * RN * !Q * QN)	0.00000	0.00000	0.00000
	(D * RN * !Q * QN)	0.03050	0.03002	0.05855
sky120 osu so 19T by dffw l	(D * !RN * !Q * QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffr_l	(D * !RN * !Q * QN)	0.02320	0.02296	0.04743
	(!D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * Q * !QN)	0.02989	0.03056	0.07344
	(!D * !Q * QN)	0.00000	0.00000	0.00000
	(!D * !Q * QN)	0.01560	0.01605	0.03994

SKY130_OSU_SC_18T_HS__DFFSRx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT			OU'	ГРUТ	
D	RN	SN	CK	Q	QN
0	1	1	R	0	1
1	1	1	R	1	0
x	0	x	x	0	1
x	1	0	x	1	0
x	1	1	X	IQ	IQN

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsdffsr_1	69.59700
sky130_osu_sc_18T_hsdffsr_l	69.59700

Pin Capacitance Information

Cell Name		Pin C	ap(pf)		Cap(pf)	
	D	RN	SN	CK	Q	QN
sky130_osu_sc_18T_hsdffsr_1	0.00471	0.00471	0.01021	0.01424	2.80194	2.84410
sky130_osu_sc_18T_hsdffsr_l	0.00471	0.00471	0.01020	0.01423	2.05203	2.04071

Leakage Information

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsdffsr_1	0.00000	0.15471	0.21731	
sky130_osu_sc_18T_hsdffsr_l	0.00000	0.12051	0.18311	

Delay Information Delay(ns) to Q rising:

Cell Name	Timing Ang(Din)			
Cen Name	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsdffsr_1	CK->Q (RR)	0.23826	1.13238	14.13140
	QN->Q (FR)	0.02699	0.78312	12.55360
	RN->Q (RR)	0.19027	1.09265	14.09910
	SN->Q (FR)	0.17999	1.30175	17.03850
	CK->Q (RR)	0.23664	1.21237	13.76860
sky130_osu_sc_18T_hsdffsr_l	QN->Q (FR)	0.02968	0.83372	12.46420
	RN->Q (RR)	0.18883	1.17325	13.73660
	SN->Q (FR)	0.17862	1.37964	16.65820

Delay(ns) to Q falling:

C.II V	Timin Ama(Din)			
Cell Name	Timing Arc(Dir)	First	Mid	Last
	CK->Q (RF)	0.25353	1.15232	14.35740
sky130_osu_sc_18T_hsdffsr_1	QN->Q (RF)	0.01962	0.57968	9.25483
	RN->Q (FF)	0.16876	1.25095	16.74990
	CK->Q (RF)	0.25712	1.24872	14.11150
sky130_osu_sc_18T_hsdffsr_l	QN->Q (RF)	0.02100	0.60029	8.96136
	RN->Q (FF)	0.17281	1.34795	16.50230

Delay(ns) to QN rising :

Cell Name	Timin And (Din)			
	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsdffsr_1	CK->QN (RR)	0.22923	0.66349	6.09951
	RN->QN (FR)	0.14511	0.76300	8.49316
sky130_osu_sc_18T_hsdffsr_l	CK->QN (RR)	0.23111	0.72013	6.15860
	RN->QN (FR)	0.14701	0.81888	8.54346

Delay(ns) to QN falling:

C.II N	Timin - And (Din)			
Cell Name	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsdffsr_1	CK->QN (RF)	0.20269	0.54560	4.24049
	RN->QN (RF)	0.15512	0.50717	4.21262
	SN->QN (FF)	0.14480	0.71559	7.14813
	CK->QN (RF)	0.19792	0.55259	3.87936
sky130_osu_sc_18T_hsdffsr_l	RN->QN (RF)	0.15092	0.51504	3.84897
	SN->QN (FF)	0.14038	0.72021	6.77174

Constraint Information

Constraints(ns) for D rising:

Cell Name	Timing Chaple	Dof Din(tuons)	Reference Slew Rate(ns)			
	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	hold	CK (R)	-0.04305	-0.07451	-0.34955	
	setup	CK (R)	0.18367	0.22777	0.84394	
sky130_osu_sc_18T_hsdffsr_l	hold	CK (R)	-0.04329	-0.07533	-0.34984	
	setup	CK (R)	0.18060	0.22834	0.84353	

Constraints(ns) for D falling:

Cell Name	Timing Chaple	heck Ref Pin(trans)	Reference Slew Rate(ns)			
	Timing Check		first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	hold	CK (R)	-0.10733	-0.38242	-4.57472	
	setup	CK (R)	0.13645	0.39324	4.64785	
sky130_osu_sc_18T_hsdffsr_l	hold	CK (R)	-0.10880	-0.38286	-4.57602	
	setup	CK (R)	0.13890	0.39629	4.64713	

Constraints(ns) for D rising (conditional):

Cell Name	Timin a Chaola	Timing Check Ref Pin(trans)	Reference Slew Rate(ns)			
	Timing Check		first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	hold	CK (R)	-0.04305	-0.07451	-0.34955	
	setup	CK (R)	0.18367	0.22777	0.84394	
sky130_osu_sc_18T_hsdffsr_l	hold	CK (R)	-0.04329	-0.07533	-0.34984	
	setup	CK (R)	0.18060	0.22834	0.84353	

Constraints(ns) for D falling (conditional):

Cell Name	Timing Chash	Timing Check Ref Pin(trans)	Reference Slew Rate(ns)			
	Tilling Check		first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	hold	CK (R)	-0.10733	-0.38242	-4.57472	
	setup	CK (R)	0.13645	0.39324	4.64785	
sky130_osu_sc_18T_hsdffsr_l	hold	CK (R)	-0.10880	-0.38286	-4.57602	
	setup	CK (R)	0.13890	0.39629	4.64713	

Constraints(ns) for RN rising:

Call Name	T O	D CD' (4	Reference Slew Rate(ns)			
Cell Name	Timing Check	Ref Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	recovery	CK (R)	0.13946	0.17447	0.87974	
	removal	CK (R)	-0.01525	-0.02104	-0.08469	
	hold	SN (R)	-0.13711	-0.30654	-1.63240	
	setup	SN (R)	0.15990	0.35794	4.21551	
	recovery	CK (R)	0.13945	0.17496	0.87835	
-l120 10T l- 166 l	removal	CK (R)	-0.01525	-0.02104	-0.08469	
sky130_osu_sc_18T_hsdffsr_l	hold	SN (R)	-0.13208	-0.29874	-1.59557	
	setup	SN (R)	0.15698	0.34814	4.06990	

 $Constraints (ns) \ for \ RN \ rising \ (conditional):$

Cell Name	The Charle	D - f D: - (4)	Reference Slew Rate(ns)			
Cell Name	Timing Check	Ref Pin(trans)	first	mid	last	
	recovery	CK (R)	0.13946	0.17447	0.87974	
	removal	CK (R)	-0.01525	-0.02104	-0.08469	
alvy120 agy so 19T be defen 1	hold	SN(R)	-0.13711	-0.30654	-1.63240	
sky130_osu_sc_18T_hsdffsr_1	hold	SN(R)	-0.13956	-0.30782	-1.63561	
	setup	SN (R)	0.15990	0.35396	3.99729	
	setup	SN (R)	0.15382	0.35794	4.21551	
	recovery	CK (R)	0.13945	0.17496	0.87835	
	removal	CK (R)	-0.01525	-0.02104	-0.08469	
alve120 age as 19T by Jefan I	hold	SN (R)	-0.13360	-0.29874	-1.59557	
sky130_osu_sc_18T_hsdffsr_l	hold	SN (R)	-0.13208	-0.30006	-1.60352	
	setup	SN (R)	0.15698	0.34548	3.84123	
	setup	SN (R)	0.14803	0.34814	4.06990	

Constraints(ns) for RN falling (conditional):

Call Name	Ref		Refere	Reference Slew Rate(ns)			
Cell Name	Timing Check	Pin(trans)	first	mid	last		
sky130_osu_sc_18T_hsdffsr_1	min_pulse_width	RN ()	0.11107	0.46265	13.33370		
	min_pulse_width	RN ()	0.11456	0.46265	13.33370		
sky130_osu_sc_18T_hsdffsr_l	min_pulse_width	RN ()	0.11107	0.46265	13.33370		
	min_pulse_width	RN ()	0.11107	0.46265	13.33370		

$Constraints (ns) \ for \ SN \ rising:$

Cell Name	Timin a Chaola	Timing Check Ref Pin(trans)	Reference Slew Rate(ns)			
	Tilling Check		first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	recovery	CK (R)	0.03238	0.06894	3.47361	
	removal	CK (R)	-0.00983	-0.05022	-0.18244	
sky130_osu_sc_18T_hsdffsr_l	recovery	CK (R)	0.03264	0.06881	3.35948	
	removal	CK (R)	-0.00983	-0.05022	-0.18244	

Constraints(ns) for SN rising (conditional):

Cell Name	Timin a Chash	Timing Check Ref Pin(trans)	Reference Slew Rate(ns)			
	Tilling Check		first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	recovery	CK (R)	0.03238	0.06894	3.47361	
	removal	CK (R)	-0.00983	-0.05022	-0.18244	
sky130_osu_sc_18T_hsdffsr_l	recovery	CK (R)	0.03264	0.06881	3.35948	
	removal	CK (R)	-0.00983	-0.05022	-0.18244	

Constraints(ns) for SN falling (conditional):

Cell Name	Timing Charle	Timing Check Ref Pin(trans)	Reference Slew Rate(ns)			
	Timing Check		first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	min_pulse_width	SN()	0.14588	0.46265	13.33370	
	min_pulse_width	SN()	0.14588	0.46265	13.33370	
sky130_osu_sc_18T_hsdffsr_l	min_pulse_width	SN()	0.14588	0.46265	13.33370	
	min_pulse_width	SN()	0.13892	0.46265	13.33370	

Constraints(ns) for CK rising (conditional):

Cell Name	Timin - Charle	Ref	Reference Slew Rate(ns)			
	Timing Check	Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	min_pulse_width	CK ()	0.10759	0.46265	13.33370	
	min_pulse_width	CK ()	0.13196	0.46265	13.33370	
sky130_osu_sc_18T_hsdffsr_l	min_pulse_width	CK ()	0.10411	0.46265	13.33370	
	min_pulse_width	CK ()	0.12848	0.46265	13.33370	

Constraints(ns) for CK falling (conditional):

Cell Name	Timing Charle	Timing Check Ref Pin(trans)	Reference Slew Rate(ns)			
	11ming Check		first	mid	last	
1 420 407 1 100 4	min_pulse_width	CK ()	0.23639	0.46265	13.33370	
sky130_osu_sc_18T_hsdffsr_1	min_pulse_width	CK ()	0.11456	0.46265	13.33370	
sky130_osu_sc_18T_hsdffsr_l	min_pulse_width	CK ()	0.23639	0.46265	13.33370	
	min_pulse_width	CK ()	0.11456	0.46265	13.33370	

Power Information

Internal switching power(pJ) to Q rising:

Call Name	I4	Power(pJ)			
Cell Name	Input	first	mid	last	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_1	CK	0.01225	0.00934	0.00000	
	RN	0.02250	0.01954	-0.01122	
	SN	-0.00132	-0.09702	-1.70470	
	SN	0.02489	0.02181	-0.02106	
	СК	0.00000	0.00000	0.00000	
	СК	0.01137	0.00818	-0.00434	
sky130_osu_sc_18T_hsdffsr_l	RN	0.02161	0.01837	-0.01297	
	SN	-0.00132	-0.08048	-1.24846	
	SN	0.02399	0.02067	-0.01856	

Internal switching power(pJ) to Q falling:

Call Manna	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_1	CK	0.01290	0.01117	0.00000	
	RN	-0.00132	-0.09702	-1.70470	
	RN	0.02628	0.02477	0.01172	
	CK	0.00000	0.00000	0.00000	
-l120 10T l 166 1	CK	0.01201	0.01058	0.00434	
sky130_osu_sc_18T_hsdffsr_l	RN	-0.00132	-0.08048	-1.24845	
	RN	0.02537	0.02415	0.01898	

Internal switching power(pJ) to QN rising:

Cell Name	T4	Power(pJ)			
Ceii Name	Input	first	mid	last	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_1	CK	0.01290	0.01116	0.00000	
	RN	-0.00132	-0.09789	-1.73034	
	RN	0.02628	0.02476	0.01108	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_l	CK	0.01201	0.01059	0.00464	
	RN	-0.00132	-0.08021	-1.24156	
	RN	0.02537	0.02416	0.01910	

Internal switching power(pJ) to QN falling :

C-II N	I4			
Cell Name	Input	first	mid	last
	CK	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffsr_1	CK	0.01220	0.00927	0.00000
	RN	0.02245	0.01943	-0.01081
	SN	-0.00132	-0.09789	-1.73026
	SN	0.02483	0.02176	-0.02109
	CK	0.00000	0.00000	0.00000
	CK	0.01131	0.00817	-0.00464
sky130_osu_sc_18T_hsdffsr_l	RN	0.02154	0.01834	-0.01278
	SN	-0.00132	-0.08021	-1.24147
	SN	0.02392	0.02060	-0.01811

Passive power(pJ) for D rising (conditional):

Cell Name	**/	Power(pJ)			
Cell Name	When	first	mid	last	
	CK	0.00000	0.00000	0.00000	
	CK	-0.00309	-0.00318	-0.00318	
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.01535	0.01475	0.02028	
sky130_osu_sc_18T_hsdffsr_1	(!CK * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * RN * !SN * Q * !QN)	0.00608	0.00554	0.01117	
	(!CK * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * SN * !Q * QN)	0.00604	0.00553	0.01116	
	(!CK * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * !SN * !Q * QN)	0.00611	0.00557	0.01122	
	СК	0.00000	0.00000	0.00000	
	СК	-0.00309	-0.00318	-0.00318	
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.01535	0.01475	0.02028	
sky130_osu_sc_18T_hsdffsr_l	(!CK * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * RN * !SN * Q * !QN)	0.00608	0.00554	0.01116	
	(!CK * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * SN * !Q * QN)	0.00604	0.00553	0.01116	
	(!CK * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * !RN * !SN * !Q * QN)	0.00611	0.00557	0.01122	

Passive power(pJ) for D falling (conditional):

Cell Name	***	Power(pJ)		
Cell Name	When	first	mid	last
	СК	0.00000	0.00000	0.00000
	СК	0.00321	0.00319	0.00318
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.02226	0.02187	0.02749
sky130_osu_sc_18T_hsdffsr_1	(!CK * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!CK * RN * !SN * Q * !QN)	0.00951	0.00929	0.01520
	(!CK * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(!CK * !RN * SN * !Q * QN)	0.00958	0.00934	0.01521
	(!CK * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000
	(!CK * !RN * !SN * !Q * QN)	0.00947	0.00923	0.01515
	СК	0.00000	0.00000	0.00000
	СК	0.00320	0.00319	0.00318
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(!CK * RN * SN * Q * !QN) + (!CK * RN * SN * !Q * QN)	0.02225	0.02186	0.02748
sky130_osu_sc_18T_hsdffsr_l	(!CK * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!CK * RN * !SN * Q * !QN)	0.00950	0.00928	0.01519
	(!CK * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(!CK * !RN * SN * !Q * QN)	0.00957	0.00933	0.01520
	(!CK * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000
	(!CK * !RN * !SN * !Q * QN)	0.00945	0.00924	0.01514

Passive power(pJ) for RN rising (conditional):

Call Name	When]	Power(pJ)		
Cell Name	When	first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00337	0.00299	0.02586	
	(!CK * D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * SN * !Q * QN)	0.01285	0.01214	0.03577	
sky130_osu_sc_18T_hsdffsr_l	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00337	0.00299	0.02587	
	(!CK * D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * SN * !Q * QN)	0.01285	0.01214	0.03577	

Passive power(pJ) for RN falling (conditional):

Call Name	Whon	Power(pJ)			
Cell Name	When	first	mid	last	
sky130_osu_sc_18T_hsdffsr_1	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00980	0.01035	0.03499	
	(!CK * D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * SN * !Q * QN)	0.02034	0.02038	0.04486	
sky130_osu_sc_18T_hsdffsr_l	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(CK * SN * !Q * QN) + (!CK * !D * SN * !Q * QN)	0.00979	0.01034	0.03498	
	(!CK * D * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * SN * !Q * QN)	0.02033	0.02037	0.04485	

Passive power(pJ) for SN rising (conditional):

Cell Name	XX/I		Power(pJ)		
Cell Name	When	first	mid	last	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	-0.00733	-0.00740	-0.00739	
	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_1	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	-0.00727	-0.00761	-0.00761	
	(!CK * D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !RN * !Q * QN)	-0.00710	-0.00732	-0.00728	
	(!CK * !D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * RN * Q * !QN)	0.00500	0.00447	0.01224	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	-0.00733	-0.00740	-0.00739	
	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_l	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	-0.00725	-0.00759	-0.00760	
	(!CK * D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !RN * !Q * QN)	-0.00709	-0.00731	-0.00728	
	(!CK * !D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * RN * Q * !QN)	0.00503	0.00445	0.01225	

Passive power(pJ) for SN falling (conditional):

Cell Name	W/le ove	Power(pJ)			
Cen Name	When	first	mid	last	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	0.00737	0.00740	0.00741	
	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_1	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	0.00757	0.00763	0.00762	
	(!CK * D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !RN * !Q * QN)	0.00726	0.00732	0.00730	
	(!CK * !D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * RN * Q * !QN)	0.01547	0.01507	0.02085	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(CK * RN * Q * !QN) + (!CK * D * RN * Q * !QN)	0.00737	0.00740	0.00741	
	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffsr_l	(CK * !RN * !Q * QN) + (!CK * !D * !RN * !Q * QN)	0.00756	0.00762	0.00760	
	(!CK * D * !RN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * D * !RN * !Q * QN)	0.00725	0.00731	0.00729	
	(!CK * !D * RN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * RN * Q * !QN)	0.01547	0.01508	0.02081	

Passive power(pJ) for CK rising (conditional):

Call Name	XX/I]	Power(pJ)	
Cell Name	When	first	mid	last
	(D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(D * RN * Q * !QN)	-0.00056	-0.00104	0.02162
	(D * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(D * !RN * SN * !Q * QN)	0.00654	0.00518	0.02843
	(D * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffsr_1	(D * !RN * !SN * !Q * QN)	0.00644	0.00508	0.02834
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	0.00000	0.00000	0.00000
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	-0.00081	-0.00117	0.02118
	(!D * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * !SN * Q * !QN)	0.00451	0.00386	0.04724
	$(\mathbf{D} * \mathbf{R} \mathbf{N} * \mathbf{Q} * ! \mathbf{Q} \mathbf{N})$	0.00000	0.00000	0.00000
	$(\mathbf{D} * \mathbf{R} \mathbf{N} * \mathbf{Q} * \mathbf{!} \mathbf{Q} \mathbf{N})$	-0.00056	-0.00105	0.02162
	(D * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(D * !RN * SN * !Q * QN)	0.00653	0.00518	0.02842
	(D * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffsr_l	(D * !RN * !SN * !Q * QN)	0.00643	0.00508	0.02834
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	0.00000	0.00000	0.00000
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	-0.00081	-0.00117	0.02118
	(!D * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * !SN * Q * !QN)	0.00451	0.00386	0.04725

Passive power(pJ) for CK falling (conditional):

Call Name	When	Power(pJ)		
Cell Name	vv nen	first	mid	last

		I	I	I
sky130_osu_sc_18T_hsdffsr_1	(D * RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(D*RN*SN*!Q*QN)	0.03371	0.03320	0.06158
	(D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(D * RN * Q * !QN)	0.01426	0.01481	0.03914
	(D * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(D * !RN * SN * !Q * QN)	0.02339	0.02328	0.04750
	(D * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000
	(D * !RN * !SN * !Q * QN)	0.02346	0.02340	0.04760
	(!D * RN * SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * SN * Q * !QN)	0.03254	0.03305	0.07527
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	0.00000	0.00000	0.00000
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	0.01544	0.01589	0.03979
	(!D * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * !SN * Q * !QN)	0.01856	0.01943	0.06532
	(D*RN*SN*!Q*QN)	0.00000	0.00000	0.00000
	(D * RN * SN * !Q * QN)	0.03371	0.03320	0.06158
	(D * RN * Q * !QN)	0.00000	0.00000	0.00000
	(D * RN * Q * !QN)	0.01426	0.01481	0.03914
sky130_osu_sc_18T_hsdffsr_l	(D * !RN * SN * !Q * QN)	0.00000	0.00000	0.00000
	(D * !RN * SN * !Q * QN)	0.02339	0.02328	0.04750
	(D * !RN * !SN * !Q * QN)	0.00000	0.00000	0.00000
	(D * !RN * !SN * !Q * QN)	0.02346	0.02340	0.04760
	(!D * RN * SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * SN * Q * !QN)	0.03253	0.03304	0.07527
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	0.00000	0.00000	0.00000
	(!D * RN * SN * !Q * QN) + (!D * !RN * !Q * QN)	0.01544	0.01589	0.03979
	(!D * RN * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * RN * !SN * Q * !QN)	0.01856	0.01941	0.06532

SKY130_OSU_SC_18T_HS__DFFSx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT		
D	SN	CK	Q	QN
0	1	R	0	1
1	1	R	1	0
X	0	X	1	0
X	1	X	IQ	IQN

Footprint

Cell Name	Area	
sky130_osu_sc_18T_hsdffs_1	57.87540	
sky130_osu_sc_18T_hsdffs_l	57.87540	

Pin Capacitance Information

Call Name	Pin Cap(pf)			Max Cap(pf)	
Cell Name	D	SN	CK	Q	QN
sky130_osu_sc_18T_hsdffs_1	0.00474	0.00848	0.01401	2.71276	2.69577
sky130_osu_sc_18T_hsdffs_l	0.00474	0.00848	0.01401	2.03747	2.04881

Leakage Information

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsdffs_1	0.00000	0.11729	0.16962	
sky130_osu_sc_18T_hsdffs_l	0.00000	0.08309	0.13542	

Delay Information Delay(ns) to Q rising:

G HN	T:: A(D:)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffs_1	CK->Q (RR)	0.16830	1.06840	14.22460	
	QN->Q (FR)	0.02842	0.80312	12.78690	
	SN->Q (FR)	0.13467	1.24179	16.75090	
	CK->Q (RR)	0.16478	1.11444	13.43710	
sky130_osu_sc_18T_hsdffs_l	QN->Q (FR)	0.02959	0.82861	12.36650	
	SN->Q (FR)	0.13127	1.28326	15.94130	

Delay(ns) to Q falling:

Call Name	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffs_1	CK->Q (RF)	0.24226	1.16335	14.54400	
	QN->Q (RF)	0.02151	0.62041	9.83723	
sky130_osu_sc_18T_hsdffs_l	CK->Q (RF)	0.24116	1.22604	13.94370	
	QN->Q (RF)	0.02090	0.59698	8.89950	

Delay(ns) to QN rising:

Cell Name	Timing Ana(Din)	Delay(ns)			
	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffs_1	CK->QN (RR)	0.21643	0.65272	5.97145	
sky130_osu_sc_18T_hsdffs_l	CK->QN (RR)	0.21503	0.70312	6.13300	

Delay(ns) to QN falling:

CHN	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdffs_1	CK->QN (RF)	0.13399	0.46136	4.05471	
	SN->QN (FF)	0.10005	0.63317	6.57778	
sky130_osu_sc_18T_hsdffs_l	CK->QN (RF)	0.12887	0.46296	3.69097	
	SN->QN (FF)	0.09506	0.62992	6.19685	

Constraint Information

Constraints(ns) for D rising:

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)			
			first	mid	last	
sky130_osu_sc_18T_hsdffs_1	hold	CK (R)	-0.02841	-0.05266	-0.25654	
	setup	CK (R)	0.11683	0.17509	0.69898	
sky130_osu_sc_18T_hsdffs_l	hold	CK (R)	-0.02882	-0.05264	-0.25654	
	setup	CK (R)	0.11688	0.17648	0.69877	

Constraints(ns) for D falling:

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)			
			first	mid	last	
sky130_osu_sc_18T_hsdffs_1	hold	CK (R)	-0.09612	-0.36579	-4.53199	
	setup	CK (R)	0.12737	0.38242	4.57569	
sky130_osu_sc_18T_hsdffs_l	hold	CK (R)	-0.09797	-0.36549	-4.53161	
	setup	CK (R)	0.12740	0.38242	4.57560	

Constraints(ns) for D rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)			
			first	mid	last	
sky130_osu_sc_18T_hsdffs_1	hold	CK (R)	-0.02841	-0.05266	-0.25654	
	setup	CK (R)	0.11683	0.17509	0.69898	
sky130_osu_sc_18T_hsdffs_l	hold	CK (R)	-0.02882	-0.05264	-0.25654	
	setup	CK (R)	0.11688	0.17648	0.69877	

Constraints(ns) for D falling (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)			
			first	mid	last	
1077 1 109 1	hold	CK (R)	-0.09612	-0.36579	-4.53199	
sky130_osu_sc_18T_hsdffs_1	setup	CK (R)	0.12737	0.38242	4.57569	
sky130_osu_sc_18T_hsdffs_l	hold	CK (R)	-0.09797	-0.36549	-4.53161	
	setup	CK (R)	0.12740	0.38242	4.57560	

Constraints(ns) for SN rising:

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)			
			first	mid	last	
sky130_osu_sc_18T_hsdffs_1	recovery	CK (R)	0.03143	0.05360	2.26113	
	removal	CK (R)	-0.01133	-0.03090	-0.28325	
sky130_osu_sc_18T_hsdffs_l	recovery	CK (R)	0.02909	0.05604	2.09388	
	removal	CK (R)	-0.01133	-0.03090	-0.28325	

Constraints(ns) for SN rising (conditional):

Cell Name	Timing Check	Ref Pin(trans)	Reference Slew Rate(ns)			
			first	mid	last	
sky130_osu_sc_18T_hsdffs_1	recovery	CK (R)	0.03143	0.05360	2.26113	
	removal	CK (R)	-0.01133	-0.03090	-0.28325	
sky130_osu_sc_18T_hsdffs_l	recovery	CK (R)	0.02909	0.05604	2.09388	
	removal	CK (R)	-0.01133	-0.03090	-0.28325	

Constraints(ns) for SN falling (conditional):

Cell Name	Timing Check	Ref	Reference Slew Rate(ns)			
		Pin(trans)	first	mid	last	
sky130_osu_sc_18T_hsdffs_1	min_pulse_width	SN()	0.09019	0.46265	13.33370	
	min_pulse_width	SN()	0.09367	0.46265	13.33370	
sky130_osu_sc_18T_hsdffs_l	min_pulse_width	SN()	0.09019	0.46265	13.33370	
	min_pulse_width	SN()	0.09019	0.46265	13.33370	

Constraints(ns) for CK rising (conditional):

Cell Name	Timing Check	Ref	Reference Slew Rate(ns)			
		Pin(trans)	first	mid	last	
1 420 407 1 100 4	min_pulse_width	CK ()	0.06930	0.46265	13.33370	
sky130_osu_sc_18T_hsdffs_1	min_pulse_width	CK ()	0.12152	0.46265	13.33370	
sky130_osu_sc_18T_hsdffs_l	min_pulse_width	CK ()	0.06582	0.46265	13.33370	
	min_pulse_width	CK ()	0.11804	0.46265	13.33370	

$Constraints (ns) \ for \ CK \ falling \ (conditional):$

Call Name	Timin a Chaola	Ref	Reference Slew Rate(ns)			
Cell Name	Timing Check	Pin(trans)	first	mid	last	
alry 120 agus ag 19T ha d e fa 1	min_pulse_width	CK ()	0.17025	0.46265	13.33370	
sky130_osu_sc_18T_hsdffs_1	min_pulse_width	CK ()	0.10411	0.46265	13.33370	
sky130_osu_sc_18T_hsdffs_l	min_pulse_width	CK ()	0.17025	0.46265	13.33370	
	min_pulse_width	CK ()	0.10411	0.46265	13.33370	

Power Information

Internal switching power(pJ) to Q rising:

C.II V	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_1	CK	0.01000	0.00570	0.00000	
	SN	-0.00132	-0.09516	-1.65044	
	SN	0.02171	0.01805	-0.02841	
	СК	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_l	СК	0.00899	0.00577	-0.00335	
	SN	-0.00132	-0.08014	-1.23960	
	SN	0.02071	0.01812	-0.00499	

Internal switching power(pJ) to Q falling:

C.II N.	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_1	CK	0.01109	0.00914	0.00000	
1 120 10T 1 1ee 1	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_l	CK	0.01010	0.00866	0.00335	

Internal switching power(pJ) to QN rising:

Cell Name	T4	Power(pJ)			
Cen Name	Input	first	mid	last	
alva120 con so 10T ha dee 1	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_1	CK	0.01109	0.00915	0.00000	
-l120 10T l- 166-1	СК	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_l	CK	0.01010	0.00866	0.00328	

Internal switching power(pJ) to QN falling:

C.II N	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_1	CK	0.00995	0.00572	0.00000	
	SN	-0.00132	-0.09480	-1.63992	
	SN	0.02166	0.01802	-0.02773	
	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_l	CK	0.00894	0.00572	-0.00328	
	SN	-0.00132	-0.08041	-1.24639	
	SN	0.02066	0.01806	-0.00520	

Passive power(pJ) for D rising (conditional):

C.II N.	XX/I	Power(pJ)			
Cell Name	When	first	mid	last	
	СК	0.00000	0.00000	0.00000	
	CK	-0.00313	-0.00322	-0.00322	
short 20 say as 10T by Jee 1	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_1	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.01194	0.01126	0.01739	
	(!CK * !SN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !SN * Q * !QN)	0.00547	0.00493	0.01068	
	СК	0.00000	0.00000	0.00000	
	CK	-0.00313	-0.00322	-0.00322	
sky130_osu_sc_18T_hsdffs_l	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.01194	0.01126	0.01739	
	(!CK * !SN * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !SN * Q * !QN)	0.00547	0.00493	0.01068	

Passive power(pJ) for D falling (conditional):

Call Name	XX/I	Power(pJ)		
Cell Name	When	first	mid	last
	СК	0.00000	0.00000	0.00000
	СК	0.00325	0.00324	0.00322
shuil 20 say as 10T ha defa 1	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffs_1	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.01900	0.01858	0.02472
	(!CK * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!CK * !SN * Q * !QN)	0.00913	0.00889	0.01496
	СК	0.00000	0.00000	0.00000
	СК	0.00325	0.00324	0.00322
sky130_osu_sc_18T_hsdffs_l	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.00000	0.00000	0.00000
	(!CK * SN * Q * !QN) + (!CK * SN * !Q * QN)	0.01900	0.01858	0.02472
	(!CK * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!CK * !SN * Q * !QN)	0.00913	0.00889	0.01496

Passive power(pJ) for SN rising (conditional):

Call Name	XX/la ova	Power(pJ)			
Cell Name	When	first	mid	last	
	(CK * Q * !QN) + (!CK * D * Q * !QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_1	(CK * Q * !QN) + (!CK * D * Q * !QN)	-0.00572	-0.00575	-0.00576	
	(!CK * !D * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * Q * !QN)	0.00383	0.00359	0.02588	
	(CK * Q * !QN) + (!CK * D * Q * !QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_l	(CK * Q * !QN) + (!CK * D * Q * !QN)	-0.00572	-0.00575	-0.00576	
	(!CK * !D * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * Q * !QN)	0.00383	0.00356	0.02588	

Passive power(pJ) for SN falling (conditional):

Call Name	Whon	Power(pJ)			
Cell Name	When	first	mid	last	
	(CK * Q * !QN) + (!CK * D * Q * !QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_1	(CK * Q * !QN) + (!CK * D * Q * !QN)	0.00579	0.00583	0.00577	
	(!CK * !D * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * Q * !QN)	0.01124	0.01144	0.03507	
	(CK * Q * !QN) + (!CK * D * Q * !QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdffs_l	(CK * Q * !QN) + (!CK * D * Q * !QN)	0.00579	0.00583	0.00577	
	(!CK * !D * Q * !QN)	0.00000	0.00000	0.00000	
	(!CK * !D * Q * !QN)	0.01124	0.01144	0.03506	

Passive power(pJ) for CK rising (conditional):

Cell Name	When		Power(pJ)			
Cen Name	when	first	mid	last		
	$(\mathbf{D} * \mathbf{Q} * ! \mathbf{Q} \mathbf{N})$	0.00000	0.00000	0.00000		
	$(\mathbf{D} * \mathbf{Q} * ! \mathbf{Q} \mathbf{N})$	-0.00058	-0.00106	0.02164		
alvy120 agy so 19T by defa 1	(!D * SN * !Q * QN)	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsdffs_1	(!D * SN * !Q * QN)	-0.00091	-0.00128	0.02111		
	(!D * !SN * Q * !QN)	0.00000	0.00000	0.00000		
	(!D * !SN * Q * !QN)	0.00387	0.00325	0.04717		
	(D * Q * !QN)	0.00000	0.00000	0.00000		
	(D * Q * !QN)	-0.00058	-0.00106	0.02164		
dw.120 agu sa 19T ha dffa l	(!D * SN * !Q * QN)	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsdffs_l	(!D * SN * !Q * QN)	-0.00091	-0.00128	0.02111		
	(!D * !SN * Q * !QN)	0.00000	0.00000	0.00000		
	(!D * !SN * Q * !QN)	0.00387	0.00325	0.04717		

Passive power(pJ) for CK falling (conditional):

Call Name	XX/I		Power(pJ)	
Cell Name	Cell Name When		mid	last
	(D * SN * !Q * QN)	0.00000	0.00000	0.00000
	(D * SN * !Q * QN)	0.03017	0.02968	0.05862
	(D * Q * !QN)	0.00000	0.00000	0.00000
	(D * Q * !QN)	0.01422	0.01478	0.03913
alve120 age so 10T by Jefa 1	(!D * SN * Q * !QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffs_1	(!D * SN * Q * !QN)	0.02922	0.02972	0.07256
	(!D * SN * !Q * QN)	0.00000	0.00000	0.00000
	(!D * SN * !Q * QN)	0.01549	0.01595	0.03987
	(!D * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * !SN * Q * !QN)	0.01809	0.01903	0.06535
	$(\mathbf{D} * \mathbf{S} \mathbf{N} * ! \mathbf{Q} * \mathbf{Q} \mathbf{N})$	0.00000	0.00000	0.00000
	(D * SN * !Q * QN)	0.03017	0.02968	0.05862
	(D * Q * !QN)	0.00000	0.00000	0.00000
	(D * Q * !QN)	0.01422	0.01478	0.03913
sky 120 osy so 19T by defail	(!D * SN * Q * !QN)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsdffs_l	(!D * SN * Q * !QN)	0.02922	0.02977	0.07256
	(!D * SN * !Q * QN)	0.00000	0.00000	0.00000
	(!D * SN * !Q * QN)	0.01549	0.01595	0.03987
	(!D * !SN * Q * !QN)	0.00000	0.00000	0.00000
	(!D * !SN * Q * !QN)	0.01809	0.01903	0.06535

SKY130_OSU_SC_18T_HS__DFFx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT		
D	CK	Q	QN	
0	R	0	1	
1	R	1	0	
x	X	IQ	IQN	

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsdff_1	48.35160
sky130_osu_sc_18T_hsdff_l	48.35160

Pin Capacitance Information

Cell Name	Pin C	ap(pf)	Max Cap(pf)	
Cen Name	D	СК	Q	QN
sky130_osu_sc_18T_hsdff_1	0.00489	0.01372	2.88297	2.82893
sky130_osu_sc_18T_hsdff_l	0.00489	0.01372	2.00939	1.99840

Leakage Information

Cell Name	Leakage(nW)				
Cen Name	Min.	Avg	Max.		
sky130_osu_sc_18T_hsdff_1	0.00000	0.14413	0.18947		
sky130_osu_sc_18T_hsdff_l	0.00000	0.10993	0.15527		

Delay Information Delay(ns) to Q rising:

Cell Name	Timing Ang(Din)	Delay(ns)			
Cen Name	Timing Arc(Dir)	First	Mid	Last	
1 420 4075 1 166 4	CK->Q (RR)	0.15084	1.03759	14.30080	
sky130_osu_sc_18T_hsdff_1	QN->Q (FR)	0.02677	0.78635	12.69660	
1 120 100 1 100 1	CK->Q (RR)	0.15335	1.10507	13.35360	
sky130_osu_sc_18T_hsdff_l	QN->Q (FR)	0.03023	0.84078	12.50270	

Delay(ns) to Q falling:

Call Nama	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdff_1	CK->Q (RF)	0.21502	1.12104	14.68330	
	QN->Q (RF)	0.01952	0.58265	9.37138	
-L120 10T L- 166 l	CK->Q (RF)	0.22033	1.20403	13.87530	
sky130_osu_sc_18T_hsdff_l	QN->Q (RF)	0.02095	0.59389	8.83102	

Delay(ns) to QN rising:

Cell Name	Timing Ang(Div)	Delay(ns)			
Cen Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdff_1	CK->QN (RR)	0.19129	0.61839	5.98037	
sky130_osu_sc_18T_hsdff_l	CK->QN (RR)	0.19460	0.68044	6.06140	

Delay(ns) to QN falling:

Cell Name	Timing Ana(Div)	Delay(ns)			
Cen Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsdff_1	CK->QN (RF)	0.11923	0.44051	4.00277	
sky130_osu_sc_18T_hsdff_l	CK->QN (RF)	0.11789	0.44976	3.58265	

Constraint Information

Constraints(ns) for D rising:

Cell Name	Tii Chh	D - 6 D' (4)	Reference Slew Rate(ns)			
Cen Name	Timing Check	ming Check Ref Pin(trans)	first	mid	last	
sky 120 say as 19T by Jee 1	hold	CK (R)	-0.02691	-0.04990	-0.27578	
sky130_osu_sc_18T_hsdff_1	setup	CK (R)	0.09939	0.15855	0.71475	
shrul20 san as 10T ba det l	hold	CK (R)	-0.02756	-0.05010	-0.27665	
sky130_osu_sc_18T_hsdff_l	setup	CK (R)	0.09910	0.16245	0.71292	

Constraints(ns) for D falling:

Call Nama	Tii Chh	D - f D' (4)	Reference Slew Rate(ns)			
Cell Name	Timing Check	Fiming Check Ref Pin(trans)	first	mid	last	
-L120 10T L- 166 1	hold	CK (R)	-0.08874	-0.36417	-4.53064	
sky130_osu_sc_18T_hsdff_1	setup	CK (R)	0.11088	0.37856	4.58933	
1 120 100 1 100 1	hold	CK (R)	-0.09058	-0.36443	-4.53033	
sky130_osu_sc_18T_hsdff_l	setup	CK (R)	0.11173	0.37856	4.58921	

Constraints(ns) for CK rising (conditional):

Cell Name	Timin Charle	D-f D:- (4)	Reference Slew Rate(ns)			
Cell Name	Timing Check	Ref Pin(trans)	first	mid	last	
alm120 agg ag 19T ha det 1	min_pulse_width	CK ()	0.06234	0.46265	13.33370	
sky130_osu_sc_18T_hsdff_1	min_pulse_width	CK ()	0.11456	0.46265	13.33370	
devilan one so 10T by Jee 1	min_pulse_width	CK ()	0.06234	0.46265	13.33370	
sky130_osu_sc_18T_hsdff_l	min_pulse_width	CK ()	0.11107	0.46265	13.33370	

Constraints(ns) for CK falling (conditional):

Cell Name	Timing Charle	Dof Dire(Arrang)	Reference Slew Rate(ns)		
Cell Name	Timing Check	Ref Pin(trans)	first	mid	last
alw120 can as 19T be def 1	min_pulse_width	CK ()	0.14936	0.46265	13.33370
sky130_osu_sc_18T_hsdff_1	min_pulse_width	CK ()	0.08671	0.46265	13.33370
devilation and a 10T by definition	min_pulse_width	CK ()	0.14936	0.46265	13.33370
sky130_osu_sc_18T_hsdff_l	min_pulse_width	CK ()	0.08671	0.46265	13.33370

Power Information

Internal switching power(pJ) to Q rising:

Cell Name	T4	Power(pJ)			
Cen Name	Input	first	mid	last	
sky130_osu_sc_18T_hsdff_1	CK	0.00000	0.00000	0.00000	
	CK	0.01040	0.00735	0.00000	
sky130_osu_sc_18T_hsdff_l	CK	0.00000	0.00000	0.00000	
	CK	0.00951	0.00629	-0.00186	

Internal switching power(pJ) to Q falling:

Call Name	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
sky130_osu_sc_18T_hsdff_1	CK	0.00000	0.00000	0.00000	
	CK	0.01124	0.00953	0.00000	
sky130_osu_sc_18T_hsdff_l	СК	0.00000	0.00000	0.00000	
	CK	0.01037	0.00884	0.00186	

Internal switching power(pJ) to QN rising:

Cell Name	Innut	Power(pJ)			
Cen Name	Input	first	mid	last	
sky130_osu_sc_18T_hsdff_1	CK	0.00000	0.00000	0.00000	
	CK	0.01124	0.00954	0.00000	
sky130_osu_sc_18T_hsdff_l	CK	0.00000	0.00000	0.00000	
	CK	0.01037	0.00887	0.00201	

Internal switching power(pJ) to QN falling:

Call Name	Immun4	Power(pJ)			
Cell Name	Input	first	mid	last	
107.1	CK	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdff_1	CK	0.01036	0.00723	0.00000	
sky130_osu_sc_18T_hsdff_l	СК	0.00000	0.00000	0.00000	
	CK	0.00946	0.00631	-0.00201	

Passive power(pJ) for D rising (conditional):

Call Name	When	Power(pJ)			
Cell Name	When		mid	last	
	СК	0.00000	0.00000	0.00000	
	CK	-0.00278	-0.00316	-0.00318	
sky130_osu_sc_18T_hsdff_1	(!CK * Q * !QN) + (!CK * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * Q * !QN) + (!CK * !Q * QN)	0.01081	0.01032	0.01643	
	CK	0.00000	0.00000	0.00000	
	СК	-0.00278	-0.00316	-0.00318	
sky130_osu_sc_18T_hsdff_l	(!CK * Q * !QN) + (!CK * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * Q * !QN) + (!CK * !Q * QN)	0.01082	0.01033	0.01640	

Passive power(pJ) for D falling (conditional):

Call Name	When	Power(pJ)			
Cell Name	When	first	mid	last	
	CK	0.00000	0.00000	0.00000	
	CK	0.00315	0.00318	0.00318	
sky130_osu_sc_18T_hsdff_1	(!CK * Q * !QN) + (!CK * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * Q * !QN) + (!CK * !Q * QN)	0.01948	0.01904	0.02516	
	СК	0.00000	0.00000	0.00000	
	СК	0.00315	0.00318	0.00318	
sky130_osu_sc_18T_hsdff_l	(!CK * Q * !QN) + (!CK * !Q * QN)	0.00000	0.00000	0.00000	
	(!CK * Q * !QN) + (!CK * !Q * QN)	0.01949	0.01904	0.02517	

Passive power(pJ) for CK rising (conditional):

Call Nama	Whon	Power(pJ)			
Cen Name	Cell Name When		mid	last	
	(D * Q * !QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdff_1	(D * Q * !QN)	-0.00058	-0.00106	0.02165	
	(!D * !Q * QN)	0.00000	0.00000	0.00000	
	(!D * !Q * QN)	-0.00090	-0.00128	0.02115	
	(D * Q * !QN)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsdff_l	(D * Q * !QN)	-0.00058	-0.00106	0.02165	
	(!D * !Q * QN)	0.00000	0.00000	0.00000	
	(!D * !Q * QN)	-0.00090	-0.00128	0.02115	

Passive power(pJ) for CK falling (conditional):

CHN	**/	Power(pJ)			
Cell Name	When	first	mid	last	
	(D * Q * !QN)	0.00000	0.00000	0.00000	
	(D * Q * !QN)	0.01416	0.01469	0.03909	
	(D * !Q * QN)	0.00000	0.00000	0.00000	
sky 120 ogy sa 19T by def 1	(D * !Q * QN)	0.02911	0.02867	0.05780	
sky130_osu_sc_18T_hsdff_1	(!D * Q * !QN)	0.00000	0.00000	0.00000	
	(!D * Q * !QN)	0.02959	0.03012	0.07302	
	(!D * !Q * QN)	0.00000	0.00000	0.00000	
	(!D * !Q * QN)	0.01542	0.01588	0.03981	
	(D * Q * !QN)	0.00000	0.00000	0.00000	
	(D * Q * !QN)	0.01416	0.01469	0.03909	
	(D * !Q * QN)	0.00000	0.00000	0.00000	
clay120 cay so 19T by dff l	(D * !Q * QN)	0.02912	0.02867	0.05780	
sky130_osu_sc_18T_hsdff_l	(!D * Q * !QN)	0.00000	0.00000	0.00000	
	(!D * Q * !QN)	0.02960	0.03013	0.07302	
	(!D * !Q * QN)	0.00000	0.00000	0.00000	
	(!D * !Q * QN)	0.01542	0.01588	0.03981	

SKY130_OSU_SC_18T_HS__INVx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT	OUTPUT
A	Y
0	1
1	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsinv_1	6.59340
sky130_osu_sc_18T_hsinv_10	32.96700
sky130_osu_sc_18T_hsinv_2	9.52380
sky130_osu_sc_18T_hsinv_3	12.45420
sky130_osu_sc_18T_hsinv_4	15.38460
sky130_osu_sc_18T_hsinv_6	21.24540
sky130_osu_sc_18T_hsinv_8	27.10620
sky130_osu_sc_18T_hsinv_l	6.59340

Pin Capacitance Information

C-II N	Pin Cap(pf)	Max Cap(pf)
Cell Name	A	Y
sky130_osu_sc_18T_hsinv_1	0.00475	2.65947
sky130_osu_sc_18T_hsinv_10	0.04448	23.18755
sky130_osu_sc_18T_hsinv_2	0.00909	5.19033
sky130_osu_sc_18T_hsinv_3	0.01354	7.38350
sky130_osu_sc_18T_hsinv_4	0.01790	9.93437
sky130_osu_sc_18T_hsinv_6	0.02684	14.68884
sky130_osu_sc_18T_hsinv_8	0.03567	19.09127
sky130_osu_sc_18T_hsinv_l	0.00382	1.93022

Leakage Information

Cell Name	Leakage(nW)			
Cen Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsinv_1	0.00000	0.02369	0.04709	
sky130_osu_sc_18T_hsinv_10	0.00000	0.23689	0.47093	
sky130_osu_sc_18T_hsinv_2	0.00000	0.04738	0.09419	
sky130_osu_sc_18T_hsinv_3	0.00000	0.07107	0.14128	
sky130_osu_sc_18T_hsinv_4	0.00000	0.09476	0.18837	
sky130_osu_sc_18T_hsinv_6	0.00000	0.14214	0.28256	
sky130_osu_sc_18T_hsinv_8	0.00000	0.18952	0.37675	
sky130_osu_sc_18T_hsinv_l	0.00000	0.00659	0.01252	

Delay Information Delay(ns) to Y rising:

Cell Name	Timing Arc(Dir)	Delay(ns)			
Ceii Name		First	Mid	Last	
sky130_osu_sc_18T_hsinv_1	A->Y (FR)	0.02501	0.70544	11.10680	
sky130_osu_sc_18T_hsinv_10	A->Y (FR)	0.04314	0.51050	11.14740	
sky130_osu_sc_18T_hsinv_2	A->Y (FR)	0.02117	0.61823	11.08840	
sky130_osu_sc_18T_hsinv_3	A->Y (FR)	0.02401	0.58536	11.10410	
sky130_osu_sc_18T_hsinv_4	A->Y (FR)	0.02539	0.55903	11.08260	
sky130_osu_sc_18T_hsinv_6	A->Y (FR)	0.02982	0.53305	11.13850	
sky130_osu_sc_18T_hsinv_8	A->Y (FR)	0.03606	0.51647	11.11820	
sky130_osu_sc_18T_hsinv_l	A->Y (FR)	0.02778	0.75774	11.13380	

Delay(ns) to Y falling:

Call Name	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsinv_1	A->Y (RF)	0.01712	0.49125	7.80000	
sky130_osu_sc_18T_hsinv_10	A->Y (RF)	0.02978	0.30017	7.55385	
sky130_osu_sc_18T_hsinv_2	A->Y (RF)	0.01479	0.41506	7.73655	
sky130_osu_sc_18T_hsinv_3	A->Y (RF)	0.01647	0.38468	7.73625	
sky130_osu_sc_18T_hsinv_4	A->Y (RF)	0.01683	0.35816	7.73035	
sky130_osu_sc_18T_hsinv_6	A->Y (RF)	0.02154	0.33038	7.74305	
sky130_osu_sc_18T_hsinv_8	A->Y (RF)	0.02564	0.31263	7.67003	
sky130_osu_sc_18T_hsinv_l	A->Y (RF)	0.01814	0.50189	7.38347	

Power Information

Internal switching power(pJ) to Y rising:

CHN	T 4		Power(pJ)			
Cell Name	Input	first	mid	last		
alve120 ages as 10T has been 1	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_1	A	0.00488	0.00514	0.00351		
alva120 con so 10T ha for 10	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_10	A	0.04229	0.04678	0.03423		
sky130_osu_sc_18T_hs_inv_2	A	0.00000	0.00000	0.00000		
sky130_0su_sc_101_nsmv_2	A	0.00876	0.00954	0.01389		
alve120 age so 19T ha inv. 2	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_3	A	0.01339	0.01511	0.01738		
sky120 ogu sa 19T by inv 4	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_4	A	0.01729	0.01827	0.02237		
sky130_osu_sc_18T_hsinv_6	A	0.00000	0.00000	0.00000		
SKy130_0SU_SC_101_HSHIV_0	A	0.02551	0.02847	0.01419		
sky130 osu so 18T hs. inv. 9	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_8	A	0.03380	0.03853	0.05933		
sky130_osu_sc_18T_hs_inv_1	A	0.00000	0.00000	0.00000		
5Ky15U_USU_SC_101_IISIIIV_I	A	0.00392	0.00414	0.00307		

Internal switching power(pJ) to Y falling:

Call Name	T4		Power(pJ)			
Cell Name	Cell Name Input		mid	last		
alus 120 agus ao 19T ha Suru 1	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_1	A	-0.00099	-0.00094	-0.00046		
devilan son so 10T by inv 10	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_10	A	-0.01592	-0.01575	-0.00885		
sky130_osu_sc_18T_hs_inv_2	A	0.00000	0.00000	0.00000		
sky130_0su_sc_101_nsnrv_2	A	-0.00326	-0.00304	-0.00198		
sky130_osu_sc_18T_hsinv_3	A	0.00000	0.00000	0.00000		
	A	-0.00430	-0.00398	-0.00227		
alve120 agu ga 19T ha inv 4	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_4	A	-0.00662	-0.00608	-0.00380		
alve120 agu ga 19T ha inv 6	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_6	A	-0.01009	-0.00941	-0.00561		
alve120 agu ga 19T ha inv 9	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hsinv_8	A	-0.01341	-0.01249	-0.00730		
sky130_osu_sc_18T_hsinv_l	A	0.00000	0.00000	0.00000		
SKy13U_USU_SC_101_IISIIIV_I	A	-0.00077	-0.00071	0.00016		

SKY130_OSU_SC_18T_HS__MUX2

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT	
A0	A1	S0	Y
0	0	x	0
0	1	0	0
x	1	1	1
1	X	0	1
1	0	1	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsmux2_1	18.31500

Pin Capacitance Information

C II N		Pin Cap(pf)	Max Cap(pf)	
Cell Name	A0	A1	S0	Y
sky130_osu_sc_18T_hsmux2_1	0.50631	0.50648	0.00967	0.50816

Leakage Information

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsmux2_1	0.00000	0.04767	0.04808	

Delay Information Delay(ns) to Y rising (conditional):

Cell Name	Timing Ang(Din)	Where	Delay(ns)			
Cen Name	Timing Arc(Dir)	When	First	Mid	Last	
sky130_osu_sc_18T_hsmux2_1	A0->Y (RR)	-	0.01147	0.23118	2.26227	
	A1->Y (RR)	-	0.01264	0.23292	2.25823	
	S0->Y (RR)	(!A0 * A1)	0.03688	0.20382	0.60674	
	S0->Y (FR)	(A0 * !A1)	0.03814	0.38566	3.63169	

Delay(ns) to Y falling (conditional):

Cell Name	Timing Ana(Din)	VVII- ove	Delay(ns)			
Cen Name	Timing Arc(Dir) When		First	Mid	Last	
sky130_osu_sc_18T_hsmux2_1	A0->Y (FF)	-	0.01130	0.23442	2.44779	
	A1->Y (FF)	-	0.01121	0.23285	2.43528	
	S0->Y (FF)	(!A0 * A1)	0.05366	0.35446	2.78952	
	S0->Y (RF)	(A0 * !A1)	0.02060	0.23476	1.76407	

Power Information

Internal switching power(pJ) to Y rising (conditional):

C-II N	T4	Input When		Power(pJ)			
Cell Name	Input	vvnen	first	mid	last		
	A0	-	0.00000	0.00000	0.00000		
	A0	-	-0.00553	-0.00553	-0.00554		
	A1	-	0.00000	0.00000	0.00000		
alvi120 agu ga 19T ha muy2 1	A1	-	-0.00373	-0.00374	-0.00374		
sky130_osu_sc_18T_hsmux2_1	SO	(A0 * !A1)	0.00000	0.00000	0.00000		
	SO	(A0 * !A1)	0.00588	0.00667	0.03230		
	SO	(!A0 * A1)	0.00000	0.00000	0.00000		
	SO	(!A0 * A1)	-0.00349	-0.00354	0.02062		

Internal switching power(pJ) to Y falling (conditional):

Cell Name	Input When		Power(pJ)			
Cell Name	Input	vvnen	first	mid	last	
	A0	-	0.00000	0.00000	0.00000	
	A0	-	0.00553	0.00553	0.00554	
	A1	-	0.00000	0.00000	0.00000	
sky 120 ogy sa 19T by muy 2 1	A1	-	0.00373	0.00374	0.00374	
sky130_osu_sc_18T_hsmux2_1	S0	(A0 * !A1)	0.00000	0.00000	0.00000	
	S0	(A0 * !A1)	0.00113	0.00103	0.02600	
	SO	(!A0 * A1)	0.00000	0.00000	0.00000	
	SO	(!A0 * A1)	0.01348	0.01415	0.03912	

Passive power(pJ) for A0 rising (conditional):

Call Name	When		١	
Cell Name	When	first	mid	last
sky130_osu_sc_18T_hsmux2_1	(A1 * S0 * Y) + (!A1 * S0 * !Y)	0.00000	0.00000	0.00000
	(A1 * S0 * Y) + (!A1 * S0 * !Y)	-0.00142	-0.00141	-0.00142

Passive power(pJ) for A0 falling (conditional):

Call Name	W/h ove])	
Cell Name	When	first	mid	last
-l120 10T l2 1	(A1 * S0 * Y) + (!A1 * S0 * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsmux2_1	(A1 * S0 * Y) + (!A1 * S0 * !Y)	0.00142	0.00141	0.00142

Passive power(pJ) for A1 rising (conditional):

Call Name	When		١	
Cell Name	When	first	mid	last
shu120 sau sa 19T ha muu 1	(A0 * !S0 * Y) + (!A0 * !S0 * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsmux2_1	(A0 * !S0 * Y) + (!A0 * !S0 * !Y)	-0.00169	-0.00168	-0.00169

Passive power(pJ) for A1 falling (conditional):

Call Name	Whon	Power(pJ)		
Cell Name	When	first	mid	last
alw120 can as 10T be muy 1	(A0 * !S0 * Y) + (!A0 * !S0 * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsmux2_1	(A0 * !S0 * Y) + (!A0 * !S0 * !Y)	0.00169	0.00168	0.00169

Passive power(pJ) for S0 rising (conditional):

Cell Name	When			
	when	first	last	
sky130_osu_sc_18T_hsmux2_1	(A0 * A1 * Y)	0.00000	0.00000	0.00000
	(A0 * A1 * Y)	-0.00120	-0.00131	0.02332
	(!A0 * !A1 * !Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * !Y)	-0.00117	-0.00132	0.02352

Passive power(pJ) for S0 falling (conditional):

Cell Name	XX /L	Power(pJ)		
	When	first	last	
sky130_osu_sc_18T_hsmux2_1	(A0 * A1 * Y)	0.00000	0.00000	0.00000
	(A0 * A1 * Y)	0.01002	0.01072	0.03583
	(!A0 * !A1 * !Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * !Y)	0.00933	0.01015	0.03561

SKY130_OSU_SC_18T_HS__NAND2x

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT
A	В	Y
0	x	1
1	0	1
1	1	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsnand2_1	9.52380
sky130_osu_sc_18T_hsnand2_l	9.52380

Pin Capacitance Information

Call Name	Pin Cap(pf)		Max Cap(pf)
Cell Name	A	В	Y
sky130_osu_sc_18T_hsnand2_1	0.00477	0.00474	2.61193
sky130_osu_sc_18T_hsnand2_l	0.00383	0.00382	1.90324

Leakage Information

Call Name		Leakage(nW)			
Cell Name	Min.	Avg	Max.		
sky130_osu_sc_18T_hsnand2_1	0.00000	0.02369	0.09419		
sky130_osu_sc_18T_hsnand2_l	0.00000	0.00658	0.02504		

Delay Information Delay(ns) to Y rising:

Cell Name	Timing Ana(Div)	Delay(ns)		
	Timing Arc(Dir)	First	Last	
sky130_osu_sc_18T_hsnand2_1	A->Y (FR)	0.02549	0.70877	11.11370
	B->Y (FR)	0.03011	0.70451	10.97750
sky130_osu_sc_18T_hsnand2_l	A->Y (FR)	0.02814	0.76014	11.13160
	B->Y (FR)	0.03372	0.76025	11.07510

Delay(ns) to Y falling:

Cell Name	Timing Ang(Din)			
	Timing Arc(Dir)	First Mid L		Last
sky130_osu_sc_18T_hsnand2_1	A->Y (RF)	0.02275	0.58143	9.26079
	B->Y (RF)	0.02632	0.58050	9.16144
sky130_osu_sc_18T_hsnand2_l	A->Y (RF)	0.02391	0.59654	8.76846
	B->Y (RF)	0.02691	0.58421	8.49010

Power Information

Internal switching power(pJ) to Y rising:

C.II V	T4			
Cell Name	Input	first	mid	last
sky130_osu_sc_18T_hsnand2_1	A	0.00000	0.00000	0.00000
	A	0.00522	0.00544	0.00535
	В	0.00000	0.00000	0.00000
	В	0.00667	0.00681	0.00900
	A	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsnand2_l	A	0.00415	0.00431	0.00543
	В	0.00000	0.00000	0.00000
	В	0.00527	0.00541	0.00726

Internal switching power(pJ) to Y falling:

Cell Name	I4			
Centivanie	Input	first	mid	last
sky130_osu_sc_18T_hsnand2_1	A	0.00000	0.00000	0.00000
	A	-0.00060	-0.00061	-0.00016
	В	0.00000	0.00000	0.00000
	В	-0.00055	-0.00059	-0.00038
	A	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsnand2_l	A	-0.00053	-0.00053	0.00028
	В	0.00000	0.00000	0.00000
	В	-0.00051	-0.00053	-0.00003

Passive power(pJ) for A rising (conditional):

Cell Name	XX/h ozo	Power(pJ)		
	When	first	mid	last
sky130_osu_sc_18T_hsnand2_1	(!B * Y)	0.00000	0.00000	0.00000
	(!B * Y)	-0.00362	-0.00364	-0.00366
sky130_osu_sc_18T_hsnand2_l	(!B * Y)	0.00000	0.00000	0.00000
	(!B * Y)	-0.00278	-0.00279	-0.00280

Passive power(pJ) for A falling (conditional):

Cell Name	VV/In ove			
	When	first	mid	last
sky130_osu_sc_18T_hsnand2_1	(!B * Y)	0.00000	0.00000	0.00000
	(!B * Y)	0.00365	0.00374	0.00366
sky130_osu_sc_18T_hsnand2_l	(!B * Y)	0.00000	0.00000	0.00000
	(!B * Y)	0.00279	0.00286	0.00281

Passive power(pJ) for B rising (conditional):

Cell Name	Whon			
	When	first	mid	last
sky130_osu_sc_18T_hsnand2_1	(!A * Y)	0.00000	0.00000	0.00000
	(!A * Y)	-0.00334	-0.00335	-0.00335
sky130_osu_sc_18T_hsnand2_l	(!A * Y)	0.00000	0.00000	0.00000
	(!A * Y)	-0.00257	-0.00258	-0.00258

Passive power(pJ) for B falling (conditional):

Cell Name	XX/le oze			
	When	first	mid	last
sky130_osu_sc_18T_hsnand2_1	(!A * Y)	0.00000	0.00000	0.00000
	(!A * Y)	0.00339	0.00337	0.00336
sky130_osu_sc_18T_hsnand2_l	(!A * Y)	0.00000	0.00000	0.00000
	(!A * Y)	0.00262	0.00261	0.00258

SKY130_OSU_SC_18T_HS__NOR2x

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INP	UT	OUTPUT
A	В	Y
0	0	1
X	1	0
1	X	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsnor2_1	9.52380
sky130_osu_sc_18T_hsnor2_l	9.52380

Pin Capacitance Information

Call Name	Pin C	ap(pf)	Max Cap(pf)	
Cell Name	A	В	Y	
sky130_osu_sc_18T_hsnor2_1	0.00477	0.00507	1.37857	
sky130_osu_sc_18T_hsnor2_l	0.00376	0.00410	1.04773	

Leakage Information

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsnor2_1	0.00000	0.01534	0.04709	
sky130_osu_sc_18T_hsnor2_l	0.00000	0.00446	0.01252	

Delay Information Delay(ns) to Y rising:

Call Name	Timin And (Din)		Delay(ns)	
Cell Name	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hsnor2_1	A->Y (FR)	0.05216	0.87089	11.55790
	B->Y (FR)	0.03965	0.81934	11.02650
sky130_osu_sc_18T_hsnor2_l	A->Y (FR)	0.05587	0.91656	11.31610
	B->Y (FR)	0.04479	0.88862	11.12500

Delay(ns) to Y falling:

C.II V	Timin And (Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsnor2_1	A->Y (RF)	0.02215	0.39884	5.23578	
	B->Y (RF)	0.01801	0.39031	5.21834	
sky130_osu_sc_18T_hsnor2_l	A->Y (RF)	0.02270	0.40981	5.00948	
	B->Y (RF)	0.01902	0.40234	4.99458	

Power Information

Internal switching power(pJ) to Y rising:

Cell Name	T4			
Ceii Name	Input	first	mid	last
sky130_osu_sc_18T_hsnor2_1	A	0.00000	0.00000	0.00000
	A	0.00696	0.00690	0.00734
	В	0.00000	0.00000	0.00000
	В	0.00534	0.00550	0.00883
	A	0.00000	0.00000	0.00000
-l120 10T l2 l	A	0.00535	0.00529	0.00636
sky130_osu_sc_18T_hsnor2_l	В	0.00000	0.00000	0.00000
	В	0.00420	0.00440	0.00853

Internal switching power(pJ) to Y falling:

Cell Name	Tunu4	Power(pJ)			
	Input	first	mid	last	
sky130_osu_sc_18T_hsnor2_1	A	0.00000	0.00000	0.00000	
	A	0.00080	0.00064	0.00126	
	В	0.00000	0.00000	0.00000	
	В	-0.00078	-0.00077	-0.00010	
sky130_osu_sc_18T_hsnor2_l	A	0.00000	0.00000	0.00000	
	A	0.00052	0.00045	0.00168	
	В	0.00000	0.00000	0.00000	
	В	-0.00057	-0.00052	0.00072	

Passive power(pJ) for A rising (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
sky130_osu_sc_18T_hsnor2_1	(B * !Y)	0.00000	0.00000	0.00000
	(B * !Y)	-0.00281	-0.00318	-0.00320
sky130_osu_sc_18T_hsnor2_l	(B * !Y)	0.00000	0.00000	0.00000
	(B * !Y)	-0.00211	-0.00238	-0.00239

Passive power(pJ) for A falling (conditional):

C.II V	When	Power(pJ)		
Cell Name		first	mid	last
sky130_osu_sc_18T_hsnor2_1	(B * !Y)	0.00000	0.00000	0.00000
	(B * !Y)	0.00318	0.00321	0.00320
sky130_osu_sc_18T_hsnor2_l	(B * !Y)	0.00000	0.00000	0.00000
	(B * !Y)	0.00238	0.00241	0.00239

Passive power(pJ) for B rising (conditional):

Call Name	¥¥71	Power(pJ)		
Cell Name	When	first	mid	last
sky130_osu_sc_18T_hsnor2_1	(A * !Y)	0.00000	0.00000	0.00000
	(A * !Y)	-0.00166	-0.00170	-0.00167
sky130_osu_sc_18T_hsnor2_l	(A * !Y)	0.00000	0.00000	0.00000
	(A * !Y)	-0.00123	-0.00126	-0.00124

Passive power(pJ) for B falling (conditional):

Cell Name	When	Power(pJ)		
		first	mid	last
sky130_osu_sc_18T_hsnor2_1	(A * !Y)	0.00000	0.00000	0.00000
	(A * !Y)	0.00175	0.00176	0.00170
sky130_osu_sc_18T_hsnor2_l	(A * !Y)	0.00000	0.00000	0.00000
	(A * !Y)	0.00129	0.00129	0.00126

SKY130_OSU_SC_18T_HS__OAI21

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT	
A0	A1	В0	Y
0	0	X	1
x	1	0	1
x	1	1	0
1	X	0	1
1	X	1	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsoai21_l	12.45420

Pin Capacitance Information

Call Name	Pin Cap(pf)			Pin Cap(pf) Max Cap(Max Cap(pf)
Cell Name	A0 A1		В0	Y			
sky130_osu_sc_18T_hsoai21_l	0.00483	0.00489	0.00423	1.40296			

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsoai21_l	0.00000	0.01246	0.05961	

Delay Information Delay(ns) to Y rising:

Cell Name	Timing Aug(Din)	Delay(ns)			
	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsoai21_l	A0->Y (FR)	0.05360	0.84534	11.24800	
	A1->Y (FR)	0.07020	0.90114	11.78390	
	B0->Y (FR)	0.03461	0.68624	9.36109	

Delay(ns) to Y falling:

Call Name	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsoai21_l	A0->Y (RF)	0.03285	0.49400	6.48545	
	A1->Y (RF)	0.03753	0.49088	6.36106	
	B0->Y (RF)	0.02568	0.51740	6.96477	

Internal switching power(pJ) to Y rising:

Cell Name	T4	Power(pJ)			
	Input	first	mid	last	
sky130_osu_sc_18T_hsoai21_l	A0	0.00000	0.00000	0.00000	
	A0	0.00740	0.00743	0.01037	
	A1	0.00000	0.00000	0.00000	
	A1	0.00905	0.00891	0.00935	
	В0	0.00619	0.00629	0.00940	

Internal switching power(pJ) to Y falling:

Call Nama	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
	A0	0.00000	0.00000	0.00000	
	A0	0.00038	0.00026	0.00054	
sky130_osu_sc_18T_hsoai21_l	A1	0.00000	0.00000	0.00000	
	A1	0.00194	0.00170	0.00195	
	ВО	0.00077	0.00074	0.00182	

Passive power(pJ) for A0 rising (conditional):

Cell Name	Whom	Power(pJ)			
Cell Name	When	first	mid	last	
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000	
	(A1 * B0 * !Y)	-0.00167	-0.00171	-0.00167	
-l120 10T l21 l	(A1 * !B0 * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsoai21_l	(A1 * !B0 * Y)	-0.00313	-0.00322	-0.00322	
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B0 * Y)	-0.00327	-0.00330	-0.00328	

Passive power(pJ) for A0 falling (conditional):

Cell Name	VVIII our	Power(pJ)			
	When	first	mid	last	
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000	
	(A1 * B0 * !Y)	0.00175	0.00178	0.00170	
-l120 10T l21 l	(A1 * !B0 * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsoai21_l	(A1 * !B0 * Y)	0.00321	0.00322	0.00322	
	(!A1 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B0 * Y)	0.00328	0.00331	0.00328	

Passive power(pJ) for A1 rising (conditional):

Cell Name	XX/I	Power(pJ)			
Ceii Name	When	first	mid	last	
	(A0 * B0 * !Y)	0.00000	0.00000	0.00000	
	(A0 * B0 * !Y)	-0.00276	-0.00314	-0.00314	
-l120 10T l21 l	(A0 * !B0 * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsoai21_l	(A0 * !B0 * Y)	-0.00310	-0.00320	-0.00319	
	(!A0 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A0 * !B0 * Y)	-0.00323	-0.00325	-0.00324	

Passive power(pJ) for A1 falling (conditional):

Cell Name	W/h ove	Power(pJ)			
	When	first	mid	last	
	(A0 * B0 * !Y)	0.00000	0.00000	0.00000	
	(A0 * B0 * !Y)	0.00311	0.00314	0.00314	
alve120 ages as 10T by sector 1	(A0 * !B0 * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsoai21_l	(A0 * !B0 * Y)	0.00317	0.00320	0.00319	
	(!A0 * !B0 * Y)	0.00000	0.00000	0.00000	
	(!A0 * !B0 * Y)	0.00324	0.00328	0.00325	

Passive power(pJ) for B0 rising (conditional):

Call Name	W/h ore	Power(pJ)			
Cell Name	When	first	mid	last	
sky130_osu_sc_18T_hsoai21_l	(!A0 * !A1 * Y)	0.00000	0.00000	0.00000	
	(!A0 * !A1 * Y)	-0.00284	-0.00286	-0.00289	

Passive power(pJ) for B0 falling (conditional):

Call Name	W/h on	Power(pJ)			
Cell Name	When	first	mid	last	
sky130_osu_sc_18T_hsoai21_l	(!A0 * !A1 * Y)	0.00000	0.00000	0.00000	
	(!A0 * !A1 * Y)	0.00289	0.00291	0.00290	

SKY130_OSU_SC_18T_HS__OAI22

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT			OUTPUT	
A0	A1	В0	B 1	Y
0	0	x	x	1
X	1	0	0	1
X	1	x	1	0
X	1	1	x	0
1	X	0	0	1
1	x	x	1	0
1	X	1	x	0

Footprint

Cell Name	Area	
sky130_osu_sc_18T_hsoai22_l	15.38460	

Pin Capacitance Information

Call Name	Pin Cap(pf)				Max Cap(pf)
Cell Name	A0	A1	В0	B1	Y
sky130_osu_sc_18T_hsoai22_l	0.00467	0.00494	0.00507	0.00495	1.40110

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsoai22_l	0.00000	0.02300	0.09419	

Delay Information Delay(ns) to Y rising:

Call Name	Timin Ama(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsoai22_l	A0->Y (FR)	0.07530	0.90192	11.72090	
	A1->Y (FR)	0.06277	0.84953	11.19090	
	B0->Y (FR)	0.04494	0.83239	11.19230	
	B1->Y (FR)	0.05778	0.88545	11.72510	

Delay(ns) to Y falling:

C.II N	Timin - Am (Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hsoai22_l	A0->Y (RF)	0.05311	0.52596	6.59428	
	A1->Y (RF)	0.04299	0.50897	6.51438	
	B0->Y (RF)	0.03539	0.52975	6.97834	
	B1->Y (RF)	0.04668	0.55864	7.24612	

Internal switching power(pJ) to Y rising:

Cell Name	T4	Power(pJ)			
	Input	first	mid	last	
sky130_osu_sc_18T_hsoai22_l	A0	0.01167	0.01154	0.01193	
	A1	0.01003	0.01004	0.01288	
	В0	0.00741	0.00747	0.01034	
	B1	0.00913	0.00901	0.00942	

Internal switching power(pJ) to Y falling:

Call Nama	T4	Power(pJ)			
Cell Name	Input	first	mid	last	
sky130_osu_sc_18T_hsoai22_l	A0	0.00302	0.00279	0.00300	
	A1	-0.00020	-0.00029	-0.00003	
	В0	-0.00024	-0.00027	0.00035	
	B1	0.00305	0.00281	0.00332	

Passive power(pJ) for A0 rising (conditional):

Cell Name	When	Power(pJ)			
Cen Name	when	first	mid	last	
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000	
	(A1 * B0 * !Y)	-0.00280	-0.00318	-0.00320	
	(A1 * !B0 * B1 * !Y)	0.00000	0.00000	0.00000	
sky120 ogy sa 18T ha agi22 l	(A1 * !B0 * B1 * !Y)	-0.00280	-0.00318	-0.00320	
sky130_osu_sc_18T_hsoai22_l	(A1 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000	
	(A1 * !B0 * !B1 * Y)	-0.00311	-0.00320	-0.00319	
	(!A1 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B0 * !B1 * Y)	-0.00324	-0.00326	-0.00325	

Passive power(pJ) for A0 falling (conditional):

C.II V	¥¥71	Power(pJ)			
Cell Name	When	first	mid	last	
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000	
	(A1 * B0 * !Y)	0.00317	0.00321	0.00320	
	(A1 * !B0 * B1 * !Y)	0.00000	0.00000	0.00000	
alw120 agu ag 19T ha agi22 l	(A1 * !B0 * B1 * !Y)	0.00317	0.00321	0.00320	
sky130_osu_sc_18T_hsoai22_l	(A1 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000	
	(A1 * !B0 * !B1 * Y)	0.00317	0.00322	0.00319	
	(!A1 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000	
	(!A1 * !B0 * !B1 * Y)	0.00324	0.00328	0.00326	

Passive power(pJ) for A1 rising (conditional):

Call Name	VV/h ove	Power(pJ)		
Cell Name	When	first	mid	last
	(A0 * B0 * !Y)	0.00000	0.00000	0.00000
	(A0 * B0 * !Y)	-0.00165	-0.00169	-0.00166
	(A0 * !B0 * B1 * !Y)	0.00000	0.00000	0.00000
sky120 ogy so 19T by ogi22 l	(A0 * !B0 * B1 * !Y)	-0.00165	-0.00169	-0.00166
sky130_osu_sc_18T_hsoai22_l	(A0 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000
	(A0 * !B0 * !B1 * Y)	-0.00309	-0.00319	-0.00318
	(!A0 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * !B0 * !B1 * Y)	-0.00323	-0.00323	-0.00324

Passive power(pJ) for A1 falling (conditional):

Call Name	¥¥71	Power(pJ)		
Cell Name	When	first	mid	last
	(A0 * B0 * !Y)	0.00000	0.00000	0.00000
	(A0 * B0 * !Y)	0.00174	0.00175	0.00169
	(A0 * !B0 * B1 * !Y)	0.00000	0.00000	0.00000
alw120 agu ag 19T ha agi22 l	(A0 * !B0 * B1 * !Y)	0.00174	0.00175	0.00169
sky130_osu_sc_18T_hsoai22_l	(A0 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000
	(A0 * !B0 * !B1 * Y)	0.00317	0.00319	0.00318
	(!A0 * !B0 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * !B0 * !B1 * Y)	0.00323	0.00327	0.00325

Passive power(pJ) for B0 rising (conditional):

Call Name	VVIII or	Power(pJ)		
Cell Name	When	first	mid	last
	(A1 * B1 * !Y)	0.00000	0.00000	0.00000
	(A1 * B1 * !Y)	-0.00164	-0.00165	-0.00165
	(A0 * !A1 * B1 * !Y)	0.00000	0.00000	0.00000
sky120 ogy sa 18T ha agi22 l	(A0 * !A1 * B1 * !Y)	-0.00164	-0.00165	-0.00165
sky130_osu_sc_18T_hsoai22_l	(!A0 * !A1 * B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * B1 * Y)	-0.00348	-0.00359	-0.00357
	(!A0 * !A1 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * !B1 * Y)	-0.00355	-0.00359	-0.00362

Passive power(pJ) for B0 falling (conditional):

Call Name	XX/I	Power(pJ)		
Cell Name	When	first	mid	last
	(A1 * B1 * !Y)	0.00000	0.00000	0.00000
	(A1 * B1 * !Y)	0.00173	0.00174	0.00168
	(A0 * !A1 * B1 * !Y)	0.00000	0.00000	0.00000
alm120 agu ag 19T ha agi22 l	(A0 * !A1 * B1 * !Y)	0.00173	0.00174	0.00168
sky130_osu_sc_18T_hsoai22_l	(!A0 * !A1 * B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * B1 * Y)	0.00358	0.00360	0.00357
	(!A0 * !A1 * !B1 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * !B1 * Y)	0.00362	0.00364	0.00363

Passive power(pJ) for B1 rising (conditional):

Call Name	XX/le oze	Power(pJ)		
Cell Name	When	first	mid	last
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000
	(A1 * B0 * !Y)	-0.00276	-0.00314	-0.00315
	(A0 * !A1 * B0 * !Y)	0.00000	0.00000	0.00000
sky120 osy so 19T by osi22 l	(A0 * !A1 * B0 * !Y)	-0.00276	-0.00314	-0.00315
sky130_osu_sc_18T_hsoai22_l	(!A0 * !A1 * B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * B0 * Y)	-0.00354	-0.00364	-0.00363
	(!A0 * !A1 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * !B0 * Y)	-0.00360	-0.00362	-0.00368

Passive power(pJ) for B1 falling (conditional):

Cell Name	¥¥71	Power(pJ)		
	When	first	mid	last
	(A1 * B0 * !Y)	0.00000	0.00000	0.00000
	(A1 * B0 * !Y)	0.00312	0.00316	0.00315
	(A0 * !A1 * B0 * !Y)	0.00000	0.00000	0.00000
alm120 agus ao 19T ha aoi322 l	(A0 * !A1 * B0 * !Y)	0.00312	0.00316	0.00315
sky130_osu_sc_18T_hsoai22_l	(!A0 * !A1 * B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * B0 * Y)	0.00363	0.00367	0.00363
	(!A0 * !A1 * !B0 * Y)	0.00000	0.00000	0.00000
	(!A0 * !A1 * !B0 * Y)	0.00367	0.00368	0.00369

$SKY130_OSU_SC_18T_HS__OR2x$

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT
A	В	Y
0	0	0
x	1	1
1	x	1

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsor2_1	12.45420
sky130_osu_sc_18T_hsor2_2	15.38460
sky130_osu_sc_18T_hsor2_4	21.24540
sky130_osu_sc_18T_hsor2_8	32.96700
sky130_osu_sc_18T_hsor2_l	12.45420

Pin Capacitance Information

Cell Name	Pin C	ap(pf)	Max Cap(pf)
Cell Name	A	В	Y
sky130_osu_sc_18T_hsor2_1	0.00511	0.00489	2.75844
sky130_osu_sc_18T_hsor2_2	0.00511	0.00489	5.34873
sky130_osu_sc_18T_hsor2_4	0.00511	0.00490	10.26946
sky130_osu_sc_18T_hsor2_8	0.00511	0.00492	19.20753
sky130_osu_sc_18T_hsor2_l	0.00417	0.00392	1.98924

Cell Name	Leakage(nW)				
Cell Name	Min.	Avg	Max.		
sky130_osu_sc_18T_hsor2_1	0.00000	0.02733	0.04766		
sky130_osu_sc_18T_hsor2_2	0.00000	0.03932	0.09476		
sky130_osu_sc_18T_hsor2_4	0.00000	0.06329	0.18895		
sky130_osu_sc_18T_hsor2_8	0.00000	0.11124	0.37732		
sky130_osu_sc_18T_hsor2_l	0.00000	0.00809	0.01384		

Delay Information Delay(ns) to Y rising:

Cell Name	Timing Ang(Din)			
Cen Name	Timing Arc(Dir)	First	Mid	Last
sky 120 osy so 19T bs ov2 1	A->Y (RR)	0.05327	0.48122	5.74980
sky130_osu_sc_18T_hsor2_1	B->Y (RR)	0.04783	0.45854	5.84700
1 130 100 1 3 3	A->Y (RR)	0.05913	0.42840	5.85114
sky130_osu_sc_18T_hsor2_2	B->Y (RR)	0.05344	0.40861	5.90884
alve120 age so 10T ha ag 4	A->Y (RR)	0.07799	0.42876	6.20823
sky130_osu_sc_18T_hsor2_4	B->Y (RR)	0.07220	0.41348	6.22450
alus 120 agus ag 10T ha ag 20	A->Y (RR)	0.11291	0.47554	6.60259
sky130_osu_sc_18T_hsor2_8	B->Y (RR)	0.10711	0.46359	6.58784
sky130_osu_sc_18T_hsor2_l	A->Y (RR)	0.05687	0.52623	5.78783
	B->Y (RR)	0.05193	0.50619	5.84961

Delay(ns) to Y falling:

Cell Name	Timing Ang(Din)			
	Timing Arc(Dir)	First	Mid	Last
alvu120 agu ga 19T ha ang 1	A->Y (FF)	0.09080	0.62071	6.79226
sky130_osu_sc_18T_hsor2_1	B->Y (FF)	0.07343	0.56269	6.57693
sky130_osu_sc_18T_hsor2_2	A->Y (FF)	0.10811	0.60947	6.92506
	B->Y (FF)	0.09093	0.55536	6.62843
sky120 osy so 19T bs or2 4	A->Y (FF)	0.15022	0.64916	7.27042
sky130_osu_sc_18T_hsor2_4	B->Y (FF)	0.13308	0.60201	6.88305
sky130_osu_sc_18T_hsor2_8	A->Y (FF)	0.23648	0.74595	7.59277
SKy130_08u_8C_101_H8012_0	B->Y (FF)	0.21939	0.70182	7.11898
sky130_osu_sc_18T_hsor2_l	A->Y (FF)	0.09476	0.61064	6.28117
	B->Y (FF)	0.07787	0.57387	6.22081

Internal switching power(pJ) to Y rising:

Cell Name	T .		Power(pJ)	Power(pJ)	
Cell Name	Input	first	mid	last	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_1	A	0.00546	0.00483	0.01184	
	В	0.00000	0.00000	0.00000	
	В	0.00399	0.00399	0.01861	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_2	A	0.00936	0.00898	0.01583	
	В	0.00000	0.00000	0.00000	
	В	0.00781	0.00810	0.02303	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_4	A	0.01773	0.01801	0.02651	
SKy130_08u_8C_101_HS012_4	В	0.00000	0.00000	0.00000	
	В	0.01615	0.01721	0.03108	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_8	A	0.03451	0.03552	0.04264	
SKy130_0SU_SC_101_HS012_0	В	0.00000	0.00000	0.00000	
	В	0.03299	0.03513	0.04628	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_l	A	0.00413	0.00376	0.01333	
5Ky13U_USU_SU_101_HSUF2_I	В	0.00000	0.00000	0.00000	
	В	0.00315	0.00349	0.02033	

Internal switching power(pJ) to Y falling:

Cell Name	T		Power(pJ)		
Cell Name	Input	first	mid	last	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_1	A	0.01167	0.01150	0.01679	
	В	0.00000	0.00000	0.00000	
	В	0.00980	0.01070	0.03191	
sky130_osu_sc_18T_hsor2_2	A	0.00000	0.00000	0.00000	
	A	0.01446	0.01472	0.01967	
	В	0.00000	0.00000	0.00000	
	В	0.01256	0.01375	0.03383	
	A	0.00000	0.00000	0.00000	
-l120 10T l2 4	A	0.02147	0.02245	0.02685	
sky130_osu_sc_18T_hsor2_4	В	0.00000	0.00000	0.00000	
	В	0.01957	0.02139	0.03952	
	A	0.00000	0.00000	0.00000	
-L120 10T L2 0	A	0.03708	0.03733	0.04219	
sky130_osu_sc_18T_hsor2_8	В	0.00000	0.00000	0.00000	
	В	0.03566	0.03627	0.05252	
	A	0.00000	0.00000	0.00000	
100	A	0.00925	0.00908	0.01723	
sky130_osu_sc_18T_hsor2_l	В	0.00000	0.00000	0.00000	
	В	0.00782	0.00874	0.03087	

Passive power(pJ) for A rising (conditional):

Call Nama	W/h oze		Power(pJ)	
Cell Name	When	first	mid	last
alve120 agu sa 10T ha aw2 1	(B * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_1	(B * Y)	-0.00284	-0.00319	-0.00321
107 1 2 2	(B * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_2	(B * Y)	-0.00284	-0.00321	-0.00321
alve120 agu sa 19T ha aw2 4	(B * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_4	(B * Y)	-0.00284	-0.00321	-0.00321
alve120 agu sa 10T ha aw2 0	(B * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_8	(B * Y)	-0.00283	-0.00321	-0.00321
sky130_osu_sc_18T_hsor2_l	(B * Y)	0.00000	0.00000	0.00000
	(B * Y)	-0.00213	-0.00239	-0.00240

Passive power(pJ) for A falling (conditional):

Cell Name	When		Power(pJ)	oJ)	
	vvnen	first	mid	last	
sky 120 osy so 19T bs ov2 1	(B * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_1	(B * Y)	0.00319	0.00319	0.00321	
sky130_osu_sc_18T_hsor2_2	(B * Y)	0.00000	0.00000	0.00000	
	(B * Y)	0.00318	0.00324	0.00321	
sky120 osu so 19T bs. ov2 4	(B * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_4	(B * Y)	0.00319	0.00325	0.00321	
sky120 osu so 19T bs. ov2 9	(B * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hsor2_8	(B * Y)	0.00319	0.00325	0.00321	
sky130_osu_sc_18T_hsor2_l	(B * Y)	0.00000	0.00000	0.00000	
	(B * Y)	0.00238	0.00242	0.00240	

Passive power(pJ) for B rising (conditional):

Cell Name	Where		Power(pJ)	
Ceii Name	When	first	mid	last
alve120 agu sa 19T ha aw2 1	(A * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_1	(A * Y)	-0.00167	-0.00171	-0.00168
sky130_osu_sc_18T_hsor2_2	(A * Y)	0.00000	0.00000	0.00000
	(A * Y)	-0.00167	-0.00171	-0.00168
alus 120 agus ao 10T ha an 2 4	(A * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_4	(A * Y)	-0.00167	-0.00171	-0.00168
alus 120 agus ag 10T ha agus 0	(A * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_8	(A * Y)	-0.00167	-0.00171	-0.00168
sky130_osu_sc_18T_hsor2_l	(A * Y)	0.00000	0.00000	0.00000
	(A * Y)	-0.00126	-0.00129	-0.00126

Passive power(pJ) for B falling (conditional):

Cell Name	W/h ore			
Cell Name	When	first	mid	last
alve120 age as 10T ha av2 1	(A * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_1	(A * Y)	0.00177	0.00179	0.00170
sky130_osu_sc_18T_hsor2_2	(A * Y)	0.00000	0.00000	0.00000
	(A * Y)	0.00177	0.00179	0.00171
alva120 aga ag 10T ha ag2 4	(A * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_4	(A * Y)	0.00177	0.00179	0.00171
alve120 age so 10T be av2 0	(A * Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hsor2_8	(A * Y)	0.00177	0.00179	0.00171
sky130_osu_sc_18T_hsor2_l	(A * Y)	0.00000	0.00000	0.00000
	(A * Y)	0.00132	0.00133	0.00128

SKY130_OSU_SC_18T_HS__TBUFIx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT
A	OE	Y
-	0	HiZ
0	1	1
1	1	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hstbufi_1	12.45420
sky130_osu_sc_18T_hstbufi_l	12.45420

Pin Capacitance Information

Coll Name	Pin C	ap(pf)	Max Cap(pf)	
Cell Name	A	OE	Y	
sky130_osu_sc_18T_hstbufi_1	0.00507	0.00648	1.37902	
sky130_osu_sc_18T_hstbufi_l	0.00411	0.00526	1.02903	

Cell Name		Leakage(nW)				
	Min.	Avg	Max.			
sky130_osu_sc_18T_hstbufi_1	0.00000	0.02382	0.09419			
sky130_osu_sc_18T_hstbufi_l	0.00000	0.00685	0.02504			

Delay Information Delay(ns) to Y rising:

Cell Name	Timin Ama(Din)		Delay(ns)	
	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hstbufi_1	A->Y (FR)	0.03790	0.81771	11.02320
	OE->Y (FR)	0.04005	0.31367	4.59530
	OE->Y (RR)	0.06663	0.59039	6.12043
sky130_osu_sc_18T_hstbufi_l	A->Y (FR)	0.04322	0.88273	11.01920
	OE->Y (FR)	0.04291	0.31329	4.59514
	OE->Y (RR)	0.07038	0.64560	6.06122

Delay(ns) to Y falling:

Call Name	Timing Ang(Dir)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hstbufi_1	A->Y (RF)	0.02192	0.46426	6.22678	
	OE->Y (FF)	0.04030	0.31361	4.59526	
	OE->Y (RF)	0.02200	0.45702	6.09914	
	A->Y (RF)	0.02342	0.47801	5.91871	
sky130_osu_sc_18T_hstbufi_l	OE->Y (FF)	0.04342	0.31323	4.59506	
	OE->Y (RF)	0.02360	0.45908	5.64125	

Internal switching power(pJ) to Y rising:

Cell Name	T4	Power(pJ)			
Cen Name	Input	first	mid	last	
sky130_osu_sc_18T_hstbufi_1	A	0.00000	0.00000	0.00000	
	A	0.00499	0.00514	0.00820	
	OE	0.00000	0.00000	0.00000	
	OE	0.00501	0.00490	0.02599	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstbufi_l	A	0.00396	0.00414	0.00797	
	OE	0.00000	0.00000	0.00000	
	OE	0.00377	0.00407	0.02745	

Internal switching power(pJ) to Y falling:

Call Name	T4		Power(pJ)		
Cell Name	Input	first	mid	last	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstbufi_1	A	-0.00079	-0.00077	-0.00015	
	OE	0.00000	0.00000	0.00000	
	OE	0.00356	0.00348	0.02821	
sky130_osu_sc_18T_hstbufi_l	A	0.00000	0.00000	0.00000	
	A	-0.00057	-0.00054	0.00062	
	OE	0.00000	0.00000	0.00000	
	OE	0.00255	0.00288	0.02919	

Passive power(pJ) for A rising (conditional):

Cell Name	XX71		Power(pJ)	Power(pJ)	
	When	first	mid	last	
sky130_osu_sc_18T_hstbufi_1	(!OE * Y)	0.00000	0.00000	0.00000	
	(!OE * Y)	-0.00272	-0.00276	-0.00273	
	(!OE * !Y)	0.00000	0.00000	0.00000	
	(!OE * !Y)	-0.00247	-0.00252	-0.00248	
	(!OE * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstbufi_l	(!OE * Y)	-0.00212	-0.00213	-0.00213	
	(!OE * !Y)	0.00000	0.00000	0.00000	
	(!OE * !Y)	-0.00194	-0.00197	-0.00195	

Passive power(pJ) for A falling (conditional):

Call Name	Whom		Power(pJ)		
Cell Name	When	first	mid	last	
	(!OE * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstbufi_1	(!OE * Y)	0.00272	0.00276	0.00273	
	(!OE * !Y)	0.00000	0.00000	0.00000	
	(!OE * !Y)	0.00254	0.00255	0.00252	
	(!OE * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstbufi_l	(!OE * Y)	0.00212	0.00213	0.00213	
	(!OE * !Y)	0.00000	0.00000	0.00000	
	(!OE * !Y)	0.00198	0.00199	0.00197	

Passive power(pJ) for OE rising (conditional):

Cell Name	XX/I		Power(pJ)		
	When	first	mid	last	
sky130_osu_sc_18T_hstbufi_1	(A * !Y)	0.00000	0.00000	0.00000	
	(A * !Y)	0.00202	0.00198	0.02737	
	(!A * Y)	0.00000	0.00000	0.00000	
	(!A * Y)	0.00186	0.00180	0.02720	
	(A * !Y)	0.00000	0.00000	0.00000	
1 120 100 1 41 6 1	(A * !Y)	0.00144	0.00183	0.02892	
sky130_osu_sc_18T_hstbufi_l	(!A * Y)	0.00000	0.00000	0.00000	
	(!A * Y)	0.00130	0.00174	0.02875	

Passive power(pJ) for OE falling (conditional):

Cell Name	VV/h ove			
Cen Name	When	first	mid	last
sky130_osu_sc_18T_hstbufi_1	(A * !Y)	0.00000	0.00000	0.00000
	(A * !Y)	0.00585	0.00630	0.03205
	(!A * Y)	0.00000	0.00000	0.00000
	(!A * Y)	0.00588	0.00642	0.03212
	(A * !Y)	0.00000	0.00000	0.00000
sky130_osu_sc_18T_hstbufi_l	(A * !Y)	0.00478	0.00551	0.03263
	(!A * Y)	0.00000	0.00000	0.00000
	(!A * Y)	0.00483	0.00560	0.03270

SKY130_OSU_SC_18T_HS__TNBUFIx

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT
A	OE	Y
0	0	1
1	0	0
-	1	HiZ

Footprint

Cell Name	Area
sky130_osu_sc_18T_hstnbufi_1	12.45420
sky130_osu_sc_18T_hstnbufi_l	12.45420

Pin Capacitance Information

Call Name	Pin C	ap(pf)	Max Cap(pf)	
Cell Name	A	OE	Y	
sky130_osu_sc_18T_hstnbufi_1	0.00507	0.00779	1.37906	
sky130_osu_sc_18T_hstnbufi_l	0.00410	0.00612	1.02904	

Cell Name	Leakage(nW)			
	Min.	Avg	Max.	
sky130_osu_sc_18T_hstnbufi_1	0.00000	0.03942	0.04738	
sky130_osu_sc_18T_hstnbufi_l	0.00000	0.01080	0.01318	

Delay Information Delay(ns) to Y rising:

Cell Name	Timin And (Din)		Delay(ns)	
	Timing Arc(Dir)	First	Mid	Last
sky130_osu_sc_18T_hstnbufi_1	A->Y (FR)	0.03828	0.81774	11.02340
	OE->Y (RR)	0.02174	0.31416	4.59616
	OE->Y (FR)	0.04990	0.86850	11.56350
sky130_osu_sc_18T_hstnbufi_l	A->Y (FR)	0.04361	0.88270	11.01920
	OE->Y (RR)	0.02181	0.31449	4.59648
	OE->Y (FR)	0.05386	0.91043	11.20930

Delay(ns) to Y falling:

Call Name	Timing Ang(Din)	Delay(ns)			
Cell Name	Timing Arc(Dir)	First	Mid	Last	
sky130_osu_sc_18T_hstnbufi_1	A->Y (RF)	0.02160	0.46418	6.22680	
	OE->Y (RF)	0.02154	0.31415	4.59620	
	OE->Y (FF)	0.04341	0.46245	4.96277	
sky130_osu_sc_18T_hstnbufi_l	A->Y (RF)	0.02308	0.47790	5.91864	
	OE->Y (RF)	0.02161	0.31448	4.59654	
	OE->Y (FF)	0.04668	0.47038	4.68137	

Internal switching power(pJ) to Y rising:

Cell Name	T4	Power(pJ)				
Ceii Name	Input	first	mid	last		
sky130_osu_sc_18T_hstnbufi_1	A	0.00000	0.00000	0.00000		
	A	0.00513	0.00528	0.00834		
	OE	0.00000	0.00000	0.00000		
	OE	0.01250	0.01355	0.03999		
	A	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hstnbufi_l	A	0.00411	0.00428	0.00811		
	OE	0.00000	0.00000	0.00000		
	OE	0.00974	0.01092	0.03818		

Internal switching power(pJ) to Y falling:

Cell Name	I4	Power(pJ)			
Cen Name	Input	first	mid	last	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstnbufi_1	A	-0.00097	-0.00094	-0.00033	
	OE	0.00000	0.00000	0.00000	
	OE	0.01127	0.01243	0.03538	
	A	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstnbufi_l	A	-0.00075	-0.00071	0.00044	
	OE	0.00000	0.00000	0.00000	
	OE	0.00870	0.00999	0.03250	

Passive power(pJ) for A rising (conditional):

Cell Name	XX71	Power(pJ)				
Ceii Name	When	first	mid	last		
sky130_osu_sc_18T_hstnbufi_1	(OE * Y)	0.00000	0.00000	0.00000		
	(OE * Y)	-0.00232	-0.00235	-0.00233		
	(OE * !Y)	0.00000	0.00000	0.00000		
	(OE * !Y)	-0.00209	-0.00214	-0.00210		
	(OE * Y)	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hstnbufi_l	(OE * Y)	-0.00173	-0.00174	-0.00174		
	(OE * !Y)	0.00000	0.00000	0.00000		
	(OE * !Y)	-0.00158	-0.00159	-0.00158		

Passive power(pJ) for A falling (conditional):

Cell Name	W/h ore	Power(pJ)			
Cen Ivame	When	first	mid	last	
sky130_osu_sc_18T_hstnbufi_1	(OE * Y)	0.00000	0.00000	0.00000	
	(OE * Y)	0.00232	0.00235	0.00233	
	(OE * !Y)	0.00000	0.00000	0.00000	
	(OE * !Y)	0.00215	0.00216	0.00213	
	(OE * Y)	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstnbufi_l	(OE * Y)	0.00173	0.00174	0.00174	
	(OE * !Y)	0.00000	0.00000	0.00000	
	(OE * !Y)	0.00161	0.00161	0.00160	

Passive power(pJ) for OE rising (conditional):

Cell Name	XX /1	Power(pJ)				
Ceii Name	When	first	mid	last		
sky130_osu_sc_18T_hstnbufi_1	(A * !Y)	0.00000	0.00000	0.00000		
	(A * !Y)	-0.00372	-0.00401	0.02209		
	(!A * Y)	0.00000	0.00000	0.00000		
	(!A * Y)	-0.00368	-0.00398	0.02209		
	(A * !Y)	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hstnbufi_l	(A * !Y)	-0.00279	-0.00252	0.02500		
	(!A * Y)	0.00000	0.00000	0.00000		
	(!A * Y)	-0.00275	-0.00250	0.02502		

Passive power(pJ) for OE falling (conditional):

Call Name	W/h ore	Power(pJ)				
Cell Name	When	first	mid	last		
	(A * !Y)	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hstnbufi_1	(A * !Y)	0.00951	0.01070	0.03706		
	(!A * Y)	0.00000	0.00000	0.00000		
	(!A * Y)	0.00938	0.01057	0.03693		
	(A * !Y)	0.00000	0.00000	0.00000		
sky130_osu_sc_18T_hstnbufi_l	(A * !Y)	0.00741	0.00875	0.03634		
	(!A * Y)	0.00000	0.00000	0.00000		
	(!A * Y)	0.00731	0.00863	0.03625		

SKY130_OSU_SC_18T_HS__XNOR2

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT
A	В	Y
0	0	1
0	1	0
1	0	0
1	1	1

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsxnor2_l	21.24540

Pin Capacitance Information

Coll Name	Pin Cap(pf)		Max Cap(pf)	
Cell Name	A	В	Y	
sky130_osu_sc_18T_hsxnor2_l	0.01002	0.00905	1.45119	

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsxnor2_l	0.00000	0.07776	0.14157	

Delay Information Delay(ns) to Y rising (conditional):

Cell Name	Timing Arc(Dir)	XX /1	Delay(ns)			
		When	First	Mid	Last	
sky130_osu_sc_18T_hsxnor2_l	A->Y (RR)	В	0.08478	0.63786	6.47982	
	A->Y (FR)	!B	0.04927	0.84009	11.30020	
	B->Y (RR)	A	0.06634	0.61434	6.43557	
	B->Y (FR)	!A	0.06872	0.89610	11.85070	

Delay(ns) to Y falling (conditional):

Cell Name	Timin A (Din)	***/	Delay(ns)			
	Timing Arc(Dir)	When	First	Mid	Last	
sky130_osu_sc_18T_hsxnor2_l	A->Y (FF)	В	0.07067	0.53625	5.46825	
	A->Y (RF)	!B	0.03267	0.48846	6.49723	
	B->Y (FF)	A	0.06539	0.53183	5.47449	
	B->Y (RF)	!A	0.03834	0.49659	6.49501	

Internal switching power(pJ) to Y rising (conditional):

Call Name	T4	When	Power(pJ)			
Cell Name	Input		first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00487	0.00457	0.02477	
	A	!B	0.00000	0.00000	0.00000	
-L120 10T L2 l	A	!B	0.01219	0.01310	0.04004	
sky130_osu_sc_18T_hsxnor2_l	В	A	0.00000	0.00000	0.00000	
	В	A	0.00183	0.00189	0.02669	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.01333	0.01384	0.03912	

Internal switching power(pJ) to Y falling (conditional):

Cell Name	Innut W	When	Power(pJ)			
Cell Name	Input		first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.01572	0.01604	0.04032	
	A	!B	0.00000	0.00000	0.00000	
abut 20 agus ag 19T ha suran 2 l	A	!B	0.00373	0.00347	0.02741	
sky130_osu_sc_18T_hsxnor2_l	В	A	0.00000	0.00000	0.00000	
	В	A	0.01421	0.01533	0.04040	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00496	0.00459	0.02848	

SKY130_OSU_SC_18T_HS__XOR2

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT		OUTPUT
A	В	Y
0	0	0
0	1	1
1	0	1
1	1	0

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsxor2_l	21.24540

Pin Capacitance Information

Call Name	Pin C	ap(pf)	Max Cap(pf)	
Cell Name	A	В	Y	
sky130_osu_sc_18T_hsxor2_l	0.01001	0.00909	1.40081	

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsxor2_l	0.00000	0.07776	0.12049	

Delay Information Delay(ns) to Y rising (conditional):

Call Name	Timin A (Din)	E V (D.) MA		Delay(ns)			
Cell Name	Timing Arc(Dir)	When	First	Mid	Last		
	A->Y (RR)	!B	0.08065	0.61141	6.23462		
alm120 agu ga 19T ha man2 l	A->Y (FR)	В	0.06190	0.88433	11.70190		
sky130_osu_sc_18T_hsxor2_l	B->Y (RR)	!A	0.06939	0.60889	6.25416		
	B->Y (FR)	A	0.06646	0.88829	11.67880		

Delay(ns) to Y falling (conditional):

Call Maria	The same (Disc)	XX /1	Delay(ns)			
Cell Name	Timing Arc(Dir)	When	First	Mid	Last	
	A->Y (FF)	!B	0.06512	0.52030	5.12486	
-L120 10T L2 L	A->Y (RF)	В	0.02925	0.48021	6.28995	
sky130_osu_sc_18T_hsxor2_l	B->Y (FF)	!A	0.05977	0.51234	5.19827	
	B->Y (RF)	A	0.03604	0.47653	6.16347	

Internal switching power(pJ) to Y rising (conditional):

Cell Name	T4	When	Power(pJ)			
Ceii Name	Input		first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.01446	0.01513	0.04128	
	A	!B	0.00000	0.00000	0.00000	
shu120 say so 19T be ward l	A	!B	0.00263	0.00154	0.02591	
sky130_osu_sc_18T_hsxor2_l	В	A	0.00000	0.00000	0.00000	
	В	A	0.01475	0.01547	0.04122	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.00160	0.00149	0.02657	

Internal switching power(pJ) to Y falling (conditional):

Call Name	T4	When	Power(pJ)			
Cell Name	Input		first	mid	last	
	A	В	0.00000	0.00000	0.00000	
	A	В	0.00327	0.00278	0.02797	
	A	!B	0.00000	0.00000	0.00000	
shu120 sau sa 10T ba way2 l	A	!B	0.01619	0.01714	0.03929	
sky130_osu_sc_18T_hsxor2_l	В	A	0.00000	0.00000	0.00000	
	В	A	0.00330	0.00288	0.02724	
	В	!A	0.00000	0.00000	0.00000	
	В	!A	0.01443	0.01563	0.04095	

SKY130_OSU_SC_18T_HS_x

sky130_osu_sc_18T_hs_ff_1P56_-40C.ccs Cell Library: Process , Voltage 1.56, Temp -40.00

Truth Table

INPUT
A
X

Footprint

Cell Name	Area
sky130_osu_sc_18T_hsant	6.59340
sky130_osu_sc_18T_hstiehi	6.59340
sky130_osu_sc_18T_hstielo	6.59340

Pin Capacitance Information

Cell Name	Pin Cap(pf)
	A
sky130_osu_sc_18T_hsant	0.73303
sky130_osu_sc_18T_hstiehi	0.00000
sky130_osu_sc_18T_hstielo	0.00000

Call Name	Leakage(nW)			
Cell Name	Min.	Avg	Max.	
sky130_osu_sc_18T_hsant	0.00000	296996.00000	593992.00000	
sky130_osu_sc_18T_hstiehi	0.00000	0.00000	0.00000	
sky130_osu_sc_18T_hstielo	0.00000	0.00000	0.00000	

Passive Power Information

Passive power(pJ) for A rising:

Cell Name	Power(pJ)		
	first	mid	last
sky130_osu_sc_18T_hsant	0.00000	0.00000	0.00000
	-0.00180	0.06396	0.91614

Passive power(pJ) for A falling :

Cell Name	Power(pJ)		
	first	mid	last
sky130_osu_sc_18T_hsant	0.00000	0.00000	0.00000
	5.16815	4.90719	1.14208