

Rajalakshmi Engineering College

Name: Gowtham P
Email: 241501060@rajalakshmi.edu.in
Roll no: 241501060
Phone: 8838517270
Branch: REC
Department: AI & ML - Section 4
Batch: 2028
Degree: B.E - AI & ML

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a ". " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.*;  
  
class DotException extends Exception{  
    public DotException(String message){  
        super(message);  
    }  
}  
class AtTheRateException extends Exception{  
    public AtTheRateException(String message){  
        super(message);  
    }  
}  
class DomainException extends Exception{  
    public DomainException(String message){  
        super(message);  
    }  
}  
  
public class Main{  
    public static void main(String[] args){  
        Scanner sc = new Scanner(System.in);  
        String email = sc.nextLine();  
  
        try{  
            validateEmail(email);  
            System.out.println("Valid email address");  
        }  
        catch(DotException e){  
            System.out.println("DotException: " + e.getMessage());  
            System.out.println("Invalid email address");  
        }  
        catch(AtTheRateException e){  
            System.out.println("AtTheRateException: " + e.getMessage());  
            System.out.println("Invalid email address");  
        }  
    }  
}
```

```
        System.out.println("AtTheRateException: " + e.getMessage());
        System.out.println("Invalid email address");
    }
    catch(DomainException e){
        System.out.println("DomainException: " + e.getMessage());
        System.out.println("Invalid email address");
    }
}

public static void validateEmail(String email) throws DotException,
AtTheRateException, DomainException{
    int atCount = email.length() - email.replace("@", "").length();
    if(atCount != 1){
        throw new AtTheRateException("Invalid @ usage");
    }

    if(email.startsWith(..) || email.endsWith(..) || email.startsWith(@) || email.endsWith(@)){
        throw new DotException("Invalid Dot usage");
    }

    if(email.contains(..) || email.contains(@@)){
        throw new DotException("Invalid Dot usage");
    }

    int atIndex = email.indexOf(@);
    String afterAt = email.substring(atIndex + 1);
    if(!afterAt.contains(..)){
        throw new DotException("Invalid Dot usage");
    }

    if(email.endsWith(..)){
        throw new DotException("Invalid Dot usage");
    }

    int lastDot = email.lastIndexOf(..);
    String domain = email.substring(lastDot + 1);
    List<String> validDomains = Arrays.asList("in", "com", "net", "biz");
    if(!validDomains.contains(domain)){
        throw new DomainException("Invalid Domain");
    }
}
```

}

Status : Correct

Marks : 10/10