

**Date!** □□□□

11

1. 日付	1
2. 時刻	2
2.1. 時刻取得	2
2.2. 時刻設定	4
3. 日付時刻	6
3.1. /date	6
3.2. /year	7
3.3. /month	7
3.4. /day	8
3.5. /time	9
3.6. /hour	9
3.7. /minute	10
3.8. /second	11
3.9. /zone	11
3.10. /timezone	12
3.11. /yday	13
3.12. /weekday	14
3.13. /week	15
3.14. /isoweek	16
3.15. 日付時刻文字列	17
3.16. Pick日付時刻文字列	18
4. 時刻文字列	18
4.1. UNIX時刻	18
4.2. 時刻文字列文字列	19
5. 時刻文字列	19
6. 時刻文字列	20
7. 時刻文字列	21
8. 時刻文字列文字列	22
8.1. Random	22

1.

date!

date time date time 24  
Red date ISO 8601

Note:

- `date!` 日付を指定する。例: `date! 2024-01-01`。日付を指定する場合は、`date!` の後に日付を指定する。
- `date!` の後に日付を指定する場合は、`date!` の後に日付を指定する。例: `date! 2024-01-01`。

## 2. □□

date! `make` to

## 2.1. □□□□□□

Rebol ISO

```
<date>/<time>  
<date>/<time><zone>  
<date>T<time>  
<date>T<time>Z  
<date>T<time><zone>
```

```
<date>   20000000
          <yyyy><sep><mmm><sep><dd>
          <dd><sep><mmm><sep><yyyy>
          <dd><sep><mmm><sep><yy>
```

```
T<date>
<yyyy><mm><dd>
<yyyy>-W<ww>
<yyyy>-W<ww>-<d>
<yyyy>-<ddd>
```

```
<mmm> 000000 0000
<m>
<mon>
<month>
```

```
<time> 00000000
    <hour>:<min>:<sec>
    <hour>:<min>:<sec><zone>
    <hhmmss>
    <hhmmss><zone>
    <hhmmss>.<dec>
    <hhmmss>.<dec><zone>
    <hhmm>
    <hhmm><zone>
```

```
<zone> 0000000000000000
      <sign><hour>
```

<sign><hhmm>

<ss>.<dec>

<hhmmss> : 00000000600000000000

[illegible]

```
<dd>-<mon>-<yyyy>/<hour>:<min>:<sec><sign><hour>:<min15>
```

time-zone[00-000000]/0000000000000000

Notes:

- 前2000年yy前到前5000年2000年到前500年1900年到前

date

1999-10-5  
1999/10/5  
5-10-1999  
5/10/1999  
5-October-1999  
1999-9-11  
11-9-1999  
5/sep/2012  
5-SEPTEMBER-2012

02/03/04  
02/03/71

5/9/2012/6:0  
5/9/2012/6:00  
5/9/2012/6:00+8  
5/9/2012/6:0+0430  
4/Apr/2000/6:00+8:00  
1999-10-2/2:00-4:30  
1/1/1990/12:20:25-6

2017-07-07T08:22:23+00:00  
2017-07-07T08:22:23Z  
20170707T082223Z  
20170707T0822Z  
20170707T082223+0530

2017-W01  
2017-W23-5  
2017-W23-5T10:50Z  
2017-001  
2017-153T10:50:00-4:00

## 2.2. □□□□□□

```

make date! [<day> <month> <year>]
make date! [<year> <month> <day>]
make date! [<day> <month> <year> <time>]
make date! [<day> <month> <year> <time> <zone>]
make date! [<day> <month> <year> <hour> <minute> <second>]
make date! [<day> <month> <year> <hour> <minute> <second> <zone>]

```

```

<year>    : integer!
<month>   : integer!
<day>     : integer!
<time>    : time!
<zone>    : integer!time!pair!
<hour>    : integer!
<minute>  : integer!
<second>  : integer!

```

## Notes:

- 使用 make 函数时，to 后面的数字表示时间单位，如 100 表示 100 天，3 表示 3 小时，1 表示 1 分钟，3 表示 3 秒。
- year 和 day 后面的数字表示年份和天数，如 100 表示 100 年，3 表示 3 天，1 表示 1 天，3 表示 3 天。

□

```
make date! [1978 2 3]
== 3-Feb-1978

make date! [1978 2 3 5:0:0 8]
== 3-Feb-1978/5:00:00+08:00

make date! [1978 2 3 5:0:0]
== 3-Feb-1978/5:00:00

make date! [1978 2 3 5 20 30]
== 3-Feb-1978/5:20:30

make date! [1978 2 3 5 20 30 -4]
== 3-Feb-1978/5:20:30-4:00

make date! [100 12 31]
== 31-Dec-0100

; 32 isn't a valid day
make date! [100 12 32]
*** Script Error: cannot MAKE/TO date! from: [100 12 32]
*** Where: make

; First field is < 100, so not considered as a year
make date! [99 12 31]
*** Script Error: cannot MAKE/TO date! from: [99 12 31]
*** Where: make
```

## 3. □□□□□□

□□□□□□□□□□□□ **date!** □□□□□□□□□□□□

### 3.1. /date

□□

```
<date>/date
<date>/date: <date2>

<date>   : date!□□□□□□word□□□□□□
<date2>  : date!□□
```

□□

□□□□□□□□□□□□time□zone□□□□□□□□□□□□□□□□□□□□□□□□ **date!** □□□□□□□□□□

```
d: now
== 10-Jul-2017/22:46:22-06:00
d/date
== 10-Jul-2017
```

```
d/date: 15/09/2017
== 15-Sep-2017/22:46:22-06:00
```

## 00

```
<date>/year
<date>/year: <year>
```

```
<date> : date!word
<year> : integer!
```

[illegible]

```
d: now
== 10-Jul-2017/22:46:22-06:00
d/year: 16383
== 16383
d
== 10-Jul-16383/22:46:22-06:00
d/year: 16384
== 16384
d
== 10/Jul/-16384/22:46:22-06:00 ; 16384
d/year: 32767
== 32767
d
== 10/Jul/-1/22:46:22-06:00
d/year: 32768
== 32768
d
== 10-Jul-0000/22:46:22-06:00
```

## 7

11

```
<date>/month
<date>/month: <month>

<date>  : date!word
<month> : integer!
```

11

[illegible]

1

```
d: now
== 10-Jul-2017/22:48:31-06:00
d/month: 12
== 12
d
== 10-Dec-2017/22:48:31-06:00
d/month: 13
== 13
d
== 10-Jan-2018/22:48:31-06:00 ; 
d/month ; 
== 1 ;
```

### 3.4. /day

11

```
<date>/day
<date>/day: <day>

<date> : date!word
<day>  : integer!
```

11

[illegible]



□

```
d: 1-jan-2017
== 1-Jan-2017
d/day: 32
== 32
d
== 1-Feb-2017
d/day: 0 ; 0
== 0
d
== 31-Jan-2017
```

## 3.5. /time

□□

```
<date>/time
<date>/time: <time>

<date> : date!word
<time> : time!none!
```

□□

time! time none!

time none! timezone0

□

```
d: now
== 10-Jul-2017/23:18:54-06:00
d/time: 1:2:3
== 1:02:03
d
== 10-Jul-2017/1:02:03-06:00
d/time: none
== 10-Jul-2017
```

## 3.6. /hour

11

```
<date>/hour
<date>/hour: <hour>
```

```
<date> : date!word
<hour> : integer!
```

11

1

```
d: now
== 10-Jul-2017/23:19:40-06:00
d/hour: 0
== 0
d
== 10-Jul-2017/0:19:40-06:00
d/hour: 24
== 24
d
== 11-Jul-2017/0:19:40-06:00
```

### 3.7. /minute

11

```
<date>/minute
<date>/minute: <minute>
```

```
<date>      : date!word
<minute>    : integer!
```

11

[illegible]

```
== 10-Jul-2017/23:20:25-06:00
d/minute: 0
== 0
d
== 10-Jul-2017/23:00:25-06:00
d/minute: 60
== 60
d
== 11-Jul-2017/0:00:25-06:00
```

11

11

1

11

11

```
<date>/zone
<date>/zone: <zone>

<date> : date!word
<zone> : time!integer!
```

11

```
000000000000000000000000000000000000    -16:00   00   +15:00   000   time!   00000000   /zone  
000000000000000000000000000000000000zone000000000000time000000000000000000000000000000
```

integer! 0

000000000015000000000000001500000000000000

1

```
d: 1/3/2017/5:30:0
d/zone: 8
== 1-Mar-2017/5:30:00+08:00

d/zone: -4:00
== 1-Mar-2017/5:30:00-04:00
```

### 3.10. /timezone

11

```
<date>/timezone
<date>/timezone: <zone>

<date>      : date!word
<timezone>  : integer!time!pair!
```

11

```

##### -16:00  ## +15:00  ### time! ##### /timezone
#####time#####zone#####zone#####time#####

```

```
timezone integer! [0]
```

000000000015000000000000001500000000000000

```
d: 1/3/2017/5:30:0
d/timezone: 8
== 1-Mar-2017/13:30:00+08:00

d/timezone: -4:00
== 1-Mar-2017/1:30:00-04:00
```

- /timezone 0000000000UTC000000

## 00

11

- `/yearday` 日付を日数に変換 `/julian` 日付をJulian日数に変換 `Rebol` 日付をJulian日数に変換

```
d: 1-jan-2017
== 1-Jan-2017
d/yearday
== 1
d: 31-dec-2017
== 31-Dec-2017
d/yearday
== 365
d: 31-dec-2020
== 31-Dec-2020
d/yearday
== 366 ; 閏年
d: 31-dec-2017
== 31-Dec-2017
d/yearday: 366
== 366
d
== 1-Jan-2018
```

11

```
<date>/weekday
<date>/weekday: <day>

<date>      : date!word
<weekday>   : integer!
```

[illegible]

```
d: now
== 10-Jul-2017/23:25:35-06:00
d/weekday
== 1
d/weekday: 2
== 2
d
== 11-Jul-2017/23:25:35-06:00
d/weekday: 7
== 7
d
== 16-Jul-2017/23:25:35-06:00
d/weekday: 8
== 8
d
== 17-Jul-2017/23:25:35-06:00
```

## 00

```
<date>/week
<date>/week: <day>

<date> : date!word
<week> : integer!
```

[illegible][illegible]

```
d: now
== 10-Jul-2017/23:28:07-06:00
d/week
== 28
d/week: 29
== 29
d
== 16-Jul-2017/23:28:07-06:00
d/week: 52
== 52
d
== 24-Dec-2017/23:28:07-06:00
d/week: 53
== 53
d
== 31-Dec-2017/23:28:07-06:00
d/week: 54
== 54
d
== 7-Jan-2018/23:28:07-06:00
```

11

```
<date>/isoweek
<date>/isoweek: <day>

<date>      : date!word
<isoweek>   : integer!
```

ISO

8601

[illegible]



```
d: now
== 10-Jul-2017/23:29:13-06:00
d/isoweek
== 28
d/isoweek: 29
== 29
d
== 17-Jul-2017/23:29:13-06:00
d/isoweek: 52
== 52
d
== 25-Dec-2017/23:29:13-06:00
d/isoweek: 53
== 53
d
== 1-Jan-2018/23:29:13-06:00
```

word

```
<date> : date!word!
<index> : integer!
```

時刻要素	時刻要素
1	date
2	year
3	month
4	day
5	zone
6	time
7	hour
8	minute
9	second
10	weekday
11	yearday

000000	000000
12	timezone
13	week
14	isoweek

## 3.16. Pick

pick is a command that can be used to pick a date and time from a field.

pick

```
pick <date> <field>
```

```
<date> : date!
```

```
<field> : integer!
```

integer is a command that can be used to pick a date and time from a field.

pick

```
d: now
== 10-Jul-2017/23:35:01-06:00
names: system/catalog/accessors/date!
repeat i 14 [print [pad i 4 pad names/:i 10 pick d i]]
1   date      11-Jul-2017
2   year      2017
3   month     7
4   day       11
5   zone      8:00:00
6   time      21:43:52
7   hour      21
8   minute    43
9   second    52.0
10  weekday   2
11  yearday   192
12  timezone  8:00:00
13  week      28
14  isoweek   28
```

## 4. pick

### 4.1. UNIX

UNIX is a command that can be used to pick a date and time from a field.

11

```
to-integer <date>
to-date <epoch>

<date> : date!
<epoch> : UNIXinteger!
```

UNIX UTC UTC UNIX

```
d: 8-Jul-2017/17:49:27+08:00
to-integer d
== 1499507367

to-integer 8-Jul-2017/9:49:27
== 1499507367

to-date to-integer d
== 8-Jul-2017/9:49:27
```

UNIX2038

## 4.2. □□□□□□□□□□

11

```
to date! <spec>

<spec> : 0000000000000000
```

make 2.20 date!  
make

5. ☐ ☐

`00000000000000000000=, ==, <>, >, <, >=, <=, same? 000minmaxsort 0000000000`

```
3-Jul-2017/9:41:40+2:00 = 3-Jul-2017/5:41:40-2:00
== true

10/10/2017 < 1/1/2017
== false

max 10/10/2017 1/1/2017
== 10-Oct-2017

same? 1/1/1980 1-JAN-1980
== true

sort [1/1/2017 5/10/1999 3-Jul-2017/5:41:40-2:00 1/1/1950 1/1/1980/2:2:2]
== [1-Jan-1950 1-Jan-1980/2:02:02 5-Oct-1999 1-Jan-2017 3-Jul-2017/5:41:40-02:00]
```

□ □

- 時間差を計算する
- 時間差を計算する
- 時間差を計算する
- 2つの時間差を計算する
- 2つの時間差を計算する

11

```
20-Feb-1980 + 50
== 10-Apr-1980
```

$$20\text{-Feb-1980} + 3 \\ == 23\text{-Feb-1980}$$

20-Feb-1980 - 25  
== 26-Jan-1980

20-Feb-1980 + 100  
== 30-May-1980

28-Feb-1980 + 20:30:45  
 == 28-Feb-1980/20:30:45

```
28-Feb-1980/8:30:00 + 20:30:45
== 29-Feb-1980/5:00:45
```

```
d: 20-Feb-1980
d/day: d/day + 50
== 10-Apr-1980
```

```
d: 20-Feb-1980
d/month: d/month + 5
== 20-Jul-1980
```

```
d: 28-Feb-1980/8:30:00
d/hour: d/hour + 48
== 1-Mar-1980/8:30:00
```

```
08/07/2017/10:45:00 - 20-Feb-1980/05:30:00
== 13653
```

```
difference 08/07/2017/10:45:00 20-Feb-1980/05:30:0
327677:15:00
```

7.

**now** OS

- `/utc` UTC
- `/precise` Windows 60 1 Unix

□

```
now
== 8-Jul-2017/18:32:25+08:00
```

```
now/year
== 2017
```

```
now/hour
== 18
```

```
now/month
== 7
```

```
now/day
== 8
```

```
now/hour
== 18
```

```
now/zone
== 8:00:00
```

```
now/utc
== 8-Jul-2017/10:32:25
```

## 8. □□□□□□□□□□□□

### 8.1. Random

□□

```
random <date>
```

```
<date> : date!□
```

□□

□□□□□□□□□□□□□□□□□□□□□□time□timezone□□□□□□□□□□□□□□□□time□timezone□□□□□□□

□

```
random 09/07/2017
```

```
== 18-May-1972
```

```
random 09/07/2017
```

```
== 13-Aug-0981
```

```
random 09/07/2017/12:00:00+8
```

```
== 28-Feb-0341/17:57:12+04:00
```

```
random 09/07/2017/12:00:00+8
```

```
== 13-Dec-1062/5:09:12-00:30
```