

Valkyrie2889 Test Report

Test Summary

Test company: Xena Networks
 Customer: GSI TOS
 Test Date and Time: 2023-09-28, 22:20
 Test Duration: 12:05:16 (h:m:s)
 Generated By: Valkyrie2889 v1.40, running on 'Microsoft Windows 8.1 Enterprise Evaluation'
 Comments: Test with 1 WRS (nwt0297)
 - software: Valkyrie2889 v1.40
 - chassis: Xenabay (140.181.139.228)
 - configuration: https://github.com/GSI-CS-CO/network_testing
 - WRS: backplane v3.30, scb v3.4, fw v6.1, Creotech

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh Enabled
 - Throughput Enabled
 - Forwarding Enabled

 Rate Test: Part.Mesh, 1:N Enabled
 - Throughput Enabled
 - Forwarding Enabled

 Rate Test: Part.Mesh, N->N Enabled
 - Throughput Enabled
 - Forwarding Enabled

 Congestion Control: Enabled
 Forward Pressure: Enabled
 Maximum Forwarding Rate: Enabled
 Address Caching Capacity: Enabled
 Address Learning Rate: Enabled
 Errored Frames Filtering: Enabled
 Broadcast Forwarding: Enabled

Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518
 Rate Type: Fraction
 Fraction per Port: 100.00%
 Latency Measurement Mode: Last-To-Last
 Toggle Port Sync States: Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	xenatos	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Mesh
Direction: Bidirectional

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 0.50%

Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,269	815,215	422,923	215,516	173,074
Rx Rate (Percent)	7.31 %	7.64 %	7.78 %	7.68 %	7.66 %	7.63 %
Rx Rate (L1) (Bit/s)	1.32 G	1.37 G	1.4 G	1.38 G	1.38 G	1.37 G
Rx Rate (Fps)	1.96 M	1.16 M	634.2 K	324.96 K	165.17 K	131.98 K
Loss Rate (Percent)	26.86 %	23.62 %	22.2 %	23.16 %	23.36 %	23.74 %
Loss (Frames)	21,582,882	10,773,154	5,430,406	2,938,766	1,510,361	1,232,811
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,143,990	1,935,402	1,059,454	541,069	275,282	222,821
- Rx Rate (L1) (Bit/s)	70.43 M	76.38 M	77.98 M	76.76 M	76.64 M	77.24 M
- Rx Rate (Fps)	104,800	64,513	35,315	18,036	9,176	7,427
- Flood Count (Frames)	32	24	28	27	24	25
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,357,663	1,926,057	1,059,233	543,488	276,200	222,164
- Rx Rate (L1) (Bit/s)	75.21 M	76.02 M	77.96 M	77.1 M	76.89 M	77.02 M
- Rx Rate (Fps)	111,922	64,202	35,308	18,116	9,207	7,405

- Flood Count (Frames)	56	61	57	57	54	58
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	2,769,623	1,928,055	1,059,660	541,596	272,681	222,612
- Rx Rate (L1) (Bit/s)	62.04 M	76.09 M	77.99 M	76.83 M	75.91 M	77.17 M
- Rx Rate (Fps)	92,321	64,269	35,322	18,053	9,089	7,420
- Flood Count (Frames)	58	60	59	56	55	56
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,358,511	1,938,757	1,057,392	543,375	275,988	222,401
- Rx Rate (L1) (Bit/s)	75.23 M	76.52 M	77.82 M	77.09 M	76.84 M	77.1 M
- Rx Rate (Fps)	111,950	64,625	35,246	18,113	9,200	7,413
- Flood Count (Frames)	59	54	58	57	56	59
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,359,707	1,917,472	1,057,272	543,862	276,415	222,600
- Rx Rate (L1) (Bit/s)	75.26 M	75.68 M	77.82 M	77.16 M	76.95 M	77.17 M
- Rx Rate (Fps)	111,990	63,916	35,242	18,129	9,214	7,420
- Flood Count (Frames)	62	58	59	59	56	55
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,359,965	1,941,411	1,058,045	542,937	275,544	221,925
- Rx Rate (L1) (Bit/s)	75.26 M	76.62 M	77.87 M	77.02 M	76.71 M	76.93 M
- Rx Rate (Fps)	111,999	64,714	35,268	18,098	9,185	7,398
- Flood Count (Frames)	57	60	59	57	57	56
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,059,041	1,940,764	1,058,345	542,871	276,358	222,453
- Rx Rate (L1) (Bit/s)	68.52 M	76.6 M	77.89 M	77.02 M	76.94 M	77.12 M
- Rx Rate (Fps)	101,968	64,692	35,278	18,096	9,212	7,415
- Flood Count (Frames)	59	59	57	59	55	59
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,357,206	1,944,085	1,050,924	544,070	265,990	181,423
- Rx Rate (L1) (Bit/s)	75.2 M	76.73 M	77.35 M	77.19 M	74.05 M	62.89 M
- Rx Rate (Fps)	111,907	64,803	35,031	18,136	8,866	6,047
- Flood Count (Frames)	60	58	58	57	57	55
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,357,254	1,939,917	1,057,007	543,496	276,417	220,660
- Rx Rate (L1) (Bit/s)	75.2 M	76.56 M	77.8 M	77.1 M	76.95 M	76.5 M
- Rx Rate (Fps)	111,908	64,664	35,234	18,117	9,214	7,355
- Flood Count (Frames)	57	57	59	58	57	57
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	2,850,635	1,940,534	1,054,951	514,567	276,579	222,183
- Rx Rate (L1) (Bit/s)	63.85 M	76.59 M	77.64 M	73 M	77 M	77.02 M
- Rx Rate (Fps)	95,021	64,684	35,165	17,152	9,219	7,406
- Flood Count (Frames)	58	59	58	58	57	59
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,356,665	1,937,391	1,056,181	543,622	276,584	222,698
- Rx Rate (L1) (Bit/s)	75.19 M	76.46 M	77.73 M	77.12 M	77 M	77.2 M

- Rx Rate (Fps)	111,889	64,580	35,206	18,121	9,219	7,423
- Flood Count (Frames)	59	57	58	56	59	56
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,299,443	1,921,624	1,055,098	543,895	276,397	218,016
- Rx Rate (L1) (Bit/s)	73.91 M	75.84 M	77.66 M	77.16 M	76.95 M	75.58 M
- Rx Rate (Fps)	109,981	64,054	35,170	18,130	9,213	7,267
- Flood Count (Frames)	56	53	60	56	54	57
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,356,621	1,937,740	1,059,700	542,861	275,493	222,457
- Rx Rate (L1) (Bit/s)	75.19 M	76.48 M	77.99 M	77.01 M	76.7 M	77.12 M
- Rx Rate (Fps)	111,887	64,591	35,323	18,095	9,183	7,415
- Flood Count (Frames)	54	56	56	53	54	55
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,355,923	1,938,310	1,055,870	543,458	276,042	223,252
- Rx Rate (L1) (Bit/s)	75.17 M	76.5 M	77.71 M	77.1 M	76.85 M	77.39 M
- Rx Rate (Fps)	111,864	64,610	35,196	18,115	9,201	7,442
- Flood Count (Frames)	53	59	57	55	56	57
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,357,456	1,938,848	1,057,213	544,111	276,126	222,914
- Rx Rate (L1) (Bit/s)	75.21 M	76.52 M	77.81 M	77.19 M	76.87 M	77.28 M
- Rx Rate (Fps)	111,915	64,628	35,240	18,137	9,204	7,430
- Flood Count (Frames)	59	55	58	53	57	56
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,357,727	1,937,512	1,056,723	543,115	276,195	223,128
- Rx Rate (L1) (Bit/s)	75.21 M	76.47 M	77.77 M	77.05 M	76.89 M	77.35 M
- Rx Rate (Fps)	111,924	64,584	35,224	18,104	9,207	7,438
- Flood Count (Frames)	56	57	56	56	55	54
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,357,767	1,935,053	1,057,575	542,624	275,467	223,085
- Rx Rate (L1) (Bit/s)	75.21 M	76.37 M	77.84 M	76.98 M	76.69 M	77.34 M
- Rx Rate (Fps)	111,926	64,502	35,253	18,087	9,182	7,436
- Flood Count (Frames)	58	57	58	57	54	56
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,359,051	1,935,990	1,055,389	543,895	275,355	222,605
- Rx Rate (L1) (Bit/s)	75.24 M	76.41 M	77.68 M	77.16 M	76.66 M	77.17 M
- Rx Rate (Fps)	111,968	64,533	35,180	18,130	9,179	7,420
- Flood Count (Frames)	55	55	56	56	57	52


Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,288
Rx Rate (Percent)	7.55 %
Rx Rate (L1) (Bit/s)	1.36 G
Rx Rate (Fps)	110.42 K
Loss Rate (Percent)	24.52 %
Loss (Frames)	1,075,989

P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	175,591
- Rx Rate (L1) (Bit/s)	72.02 M
- Rx Rate (Fps)	5,853
- Flood Count (Frames)	23
P-0-0-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	183,944
- Rx Rate (L1) (Bit/s)	75.44 M
- Rx Rate (Fps)	6,131
- Flood Count (Frames)	56
P-0-0-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	183,224
- Rx Rate (L1) (Bit/s)	75.15 M
- Rx Rate (Fps)	6,107
- Flood Count (Frames)	56
P-0-0-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	182,735
- Rx Rate (L1) (Bit/s)	74.95 M
- Rx Rate (Fps)	6,091
- Flood Count (Frames)	56
P-0-0-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	182,026
- Rx Rate (L1) (Bit/s)	74.65 M
- Rx Rate (Fps)	6,068
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,807
- Rx Rate (L1) (Bit/s)	76.62 M
- Rx Rate (Fps)	6,227
- Flood Count (Frames)	57
P-0-2-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	182,630
- Rx Rate (L1) (Bit/s)	74.9 M
- Rx Rate (Fps)	6,088
- Flood Count (Frames)	60
P-0-2-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	182,449
- Rx Rate (L1) (Bit/s)	74.83 M
- Rx Rate (Fps)	6,082
- Flood Count (Frames)	58
P-0-2-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,885
- Rx Rate (L1) (Bit/s)	77.06 M
- Rx Rate (Fps)	6,263

- Flood Count (Frames)	55
P-0-2-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	182,924
- Rx Rate (L1) (Bit/s)	75.02 M
- Rx Rate (Fps)	6,097
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,510
- Rx Rate (L1) (Bit/s)	76.9 M
- Rx Rate (Fps)	6,250
- Flood Count (Frames)	57
P-0-2-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,036
- Rx Rate (L1) (Bit/s)	76.71 M
- Rx Rate (Fps)	6,235
- Flood Count (Frames)	58
P-0-4-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	185,307
- Rx Rate (L1) (Bit/s)	76 M
- Rx Rate (Fps)	6,177
- Flood Count (Frames)	58
P-0-4-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	181,816
- Rx Rate (L1) (Bit/s)	74.57 M
- Rx Rate (Fps)	6,061
- Flood Count (Frames)	57
P-0-4-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,247
- Rx Rate (L1) (Bit/s)	76.8 M
- Rx Rate (Fps)	6,242
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	184,333
- Rx Rate (L1) (Bit/s)	75.6 M
- Rx Rate (Fps)	6,144
- Flood Count (Frames)	56
P-0-4-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	182,591
- Rx Rate (L1) (Bit/s)	74.89 M
- Rx Rate (Fps)	6,086
- Flood Count (Frames)	53
P-0-4-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,608
- Rx Rate (L1) (Bit/s)	76.53 M

- Rx Rate (Fps)	6,220
- Flood Count (Frames)	56

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,269	815,215	422,923	215,516	173,074
Rx Rate (Percent)	7.52 %	7.73 %	7.88 %	7.97 %	8.13 %	7.8 %
Rx Rate (L1) (Bit/s)	1.35 G	1.39 G	1.42 G	1.43 G	1.46 G	1.4 G
Rx Rate (Fps)	2.01 M	1.18 M	642.35 K	336.91 K	175.18 K	135.04 K
Loss Rate (Percent)	24.78 %	22.7 %	21.21 %	20.34 %	18.72 %	21.98 %
Loss (Frames)	19,908,869	10,350,877	5,186,037	2,580,317	1,210,184	1,141,009
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,207,490	1,981,955	1,054,900	564,244	292,384	225,153
- Rx Rate (L1) (Bit/s)	71.85 M	78.22 M	77.64 M	80.05 M	81.4 M	78.05 M
- Rx Rate (Fps)	106,916	66,065	35,163	18,808	9,746	7,505
- Flood Count (Frames)	25	24	27	27	28	24
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,385,063	1,966,380	1,067,137	585,934	296,213	225,772
- Rx Rate (L1) (Bit/s)	75.83 M	77.61 M	78.54 M	83.12 M	82.47 M	78.27 M
- Rx Rate (Fps)	112,835	65,546	35,571	19,531	9,874	7,526
- Flood Count (Frames)	58	60	59	62	60	58
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,973	1,959,698	1,070,144	522,176	297,640	225,084
- Rx Rate (L1) (Bit/s)	76.07 M	77.34 M	78.76 M	74.08 M	82.86 M	78.03 M
- Rx Rate (Fps)	113,199	65,323	35,671	17,406	9,921	7,503
- Flood Count (Frames)	61	60	58	59	59	56
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,396,443	1,677,023	1,098,090	565,889	297,250	224,902
- Rx Rate (L1) (Bit/s)	76.08 M	66.19 M	80.82 M	80.28 M	82.75 M	77.97 M
- Rx Rate (Fps)	113,215	55,901	36,603	18,863	9,908	7,497
- Flood Count (Frames)	55	56	57	62	61	59
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,169	1,999,128	1,072,381	555,444	296,719	225,355
- Rx Rate (L1) (Bit/s)	76.05 M	78.9 M	78.93 M	78.8 M	82.61 M	78.12 M
- Rx Rate (Fps)	113,172	66,638	35,746	18,515	9,891	7,512
- Flood Count (Frames)	58	61	56	58	60	58
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,396,087	1,959,816	1,067,151	573,280	297,074	213,746
- Rx Rate (L1) (Bit/s)	76.07 M	77.35 M	78.54 M	81.33 M	82.71 M	74.1 M
- Rx Rate (Fps)	113,203	65,327	35,572	19,109	9,902	7,125
- Flood Count (Frames)	59	63	62	61	75	58
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,397,000	1,987,313	1,051,594	569,151	297,393	226,667
- Rx Rate (L1) (Bit/s)	76.09 M	78.43 M	77.4 M	80.74 M	82.79 M	78.58 M
- Rx Rate (Fps)	113,233	66,244	35,053	18,972	9,913	7,556
- Flood Count (Frames)	57	58	60	71	74	59
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,396,486	2,005,288	1,060,712	593,256	294,446	224,910
- Rx Rate (L1) (Bit/s)	76.08 M	79.14 M	78.07 M	84.16 M	81.97 M	77.97 M
- Rx Rate (Fps)	113,216	66,843	35,357	19,775	9,815	7,497
- Flood Count (Frames)	59	58	64	57	74	57
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,285	1,949,510	1,077,131	560,394	264,709	225,399
- Rx Rate (L1) (Bit/s)	76.05 M	76.94 M	79.28 M	79.5 M	73.69 M	78.14 M
- Rx Rate (Fps)	113,176	64,984	35,904	18,680	8,824	7,513
- Flood Count (Frames)	59	65	54	59	75	58
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,883	1,983,475	1,083,333	456,621	294,191	226,550
- Rx Rate (L1) (Bit/s)	76.07 M	78.28 M	79.73 M	64.78 M	81.9 M	78.54 M
- Rx Rate (Fps)	113,196	66,116	36,111	15,221	9,806	7,552
- Flood Count (Frames)	57	59	56	76	70	65
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,394,916	1,982,694	1,060,374	569,370	295,417	225,078
- Rx Rate (L1) (Bit/s)	76.05 M	78.25 M	78.04 M	80.77 M	82.24 M	78.03 M
- Rx Rate (Fps)	113,164	66,090	35,346	18,979	9,847	7,503
- Flood Count (Frames)	55	59	56	61	59	55
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456


- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	2,918,895	1,968,687	1,067,822	560,788	253,028	224,461
- Rx Rate (L1) (Bit/s)	65.38 M	77.7 M	78.59 M	79.56 M	70.44 M	77.81 M
- Rx Rate (Fps)	97,297	65,623	35,594	18,693	8,434	7,482
- Flood Count (Frames)	59	72	58	69	62	56
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,394,772	1,975,600	1,070,291	577,101	298,950	228,300
- Rx Rate (L1) (Bit/s)	76.04 M	77.97 M	78.77 M	81.87 M	83.23 M	79.14 M
- Rx Rate (Fps)	113,159	65,853	35,676	19,237	9,965	7,610
- Flood Count (Frames)	53	60	59	58	56	55
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,570	1,960,351	1,069,332	567,018	298,393	226,234
- Rx Rate (L1) (Bit/s)	76.06 M	77.37 M	78.7 M	80.44 M	83.07 M	78.43 M
- Rx Rate (Fps)	113,186	65,345	35,644	18,901	9,946	7,541
- Flood Count (Frames)	56	55	56	59	58	57
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,752	1,978,945	1,093,441	569,229	298,661	224,863
- Rx Rate (L1) (Bit/s)	76.06 M	78.1 M	80.48 M	80.75 M	83.15 M	77.95 M
- Rx Rate (Fps)	113,192	65,965	36,448	18,974	9,955	7,495
- Flood Count (Frames)	52	56	57	55	58	55
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,985	1,981,747	1,064,035	572,031	294,620	228,011
- Rx Rate (L1) (Bit/s)	76.07 M	78.21 M	78.31 M	81.15 M	82.02 M	79.04 M
- Rx Rate (Fps)	113,200	66,058	35,468	19,068	9,821	7,600
- Flood Count (Frames)	59	58	58	60	59	56
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,395,295	1,976,574	1,064,306	576,373	294,176	226,045
- Rx Rate (L1) (Bit/s)	76.05 M	78.01 M	78.33 M	81.77 M	81.9 M	78.36 M
- Rx Rate (Fps)	113,177	65,886	35,477	19,212	9,806	7,535
- Flood Count (Frames)	57	57	57	58	58	57
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,396,197	1,963,015	1,078,227	569,062	294,026	224,669
- Rx Rate (L1) (Bit/s)	76.07 M	77.47 M	79.36 M	80.73 M	81.86 M	77.89 M
- Rx Rate (Fps)	113,207	65,434	35,941	18,969	9,801	7,489
- Flood Count (Frames)	55	56	55	55	57	60

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,288
Rx Rate (Percent)	7.74 %
Rx Rate (L1) (Bit/s)	1.39 G
Rx Rate (Fps)	113.18 K
Loss Rate (Percent)	22.63 %
Loss (Frames)	993,193
P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	188,378
- Rx Rate (L1) (Bit/s)	77.26 M
- Rx Rate (Fps)	6,279
- Flood Count (Frames)	32
P-0-0-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,994
- Rx Rate (L1) (Bit/s)	77.51 M
- Rx Rate (Fps)	6,300
- Flood Count (Frames)	56
P-0-0-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,442
- Rx Rate (L1) (Bit/s)	77.29 M
- Rx Rate (Fps)	6,281
- Flood Count (Frames)	61
P-0-0-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	190,141
- Rx Rate (L1) (Bit/s)	77.98 M
- Rx Rate (Fps)	6,338
- Flood Count (Frames)	56
P-0-0-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,336
- Rx Rate (L1) (Bit/s)	77.24 M
- Rx Rate (Fps)	6,278
- Flood Count (Frames)	59
P-0-0-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,680
- Rx Rate (L1) (Bit/s)	77.38 M
- Rx Rate (Fps)	6,289
- Flood Count (Frames)	57
P-0-2-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	191,109
- Rx Rate (L1) (Bit/s)	78.38 M
- Rx Rate (Fps)	6,370
- Flood Count (Frames)	58
P-0-2-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	180,390
- Rx Rate (L1) (Bit/s)	73.98 M
- Rx Rate (Fps)	6,013
- Flood Count (Frames)	68
P-0-2-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	189,128
- Rx Rate (L1) (Bit/s)	77.57 M
- Rx Rate (Fps)	6,304
- Flood Count (Frames)	60
P-0-2-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8,127
- Rx (Frames)	187,272
- Rx Rate (L1) (Bit/s)	76.81 M
- Rx Rate (Fps)	6,242
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,324
- Rx Rate (L1) (Bit/s)	77.24 M
- Rx Rate (Fps)	6,277
- Flood Count (Frames)	56
P-0-2-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	189,401
- Rx Rate (L1) (Bit/s)	77.68 M
- Rx Rate (Fps)	6,313
- Flood Count (Frames)	56
P-0-4-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	190,677
- Rx Rate (L1) (Bit/s)	78.2 M
- Rx Rate (Fps)	6,356
- Flood Count (Frames)	57
P-0-4-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	190,345
- Rx Rate (L1) (Bit/s)	78.07 M
- Rx Rate (Fps)	6,345
- Flood Count (Frames)	57
P-0-4-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,670
- Rx Rate (L1) (Bit/s)	76.97 M
- Rx Rate (Fps)	6,256
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	189,954
- Rx Rate (L1) (Bit/s)	77.91 M
- Rx Rate (Fps)	6,332
- Flood Count (Frames)	59
P-0-4-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	189,856
- Rx Rate (L1) (Bit/s)	77.87 M
- Rx Rate (Fps)	6,329
- Flood Count (Frames)	56
P-0-4-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,362
- Rx Rate (L1) (Bit/s)	77.25 M
- Rx Rate (Fps)	6,279
- Flood Count (Frames)	57

Part.Mesh, N->N: Loss by Frame Size at 10.00% Rate



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,142	3,040,538	1,630,429	845,855	431,032	346,147
Rx Rate (Percent)	0.2 %	11.96 %	12.19 %	11.92 %	12.21 %	12.17 %
Rx Rate (L1) (Bit/s)	35.91 M	2.15 G	2.19 G	2.15 G	2.2 G	2.19 G
Rx Rate (Fps)	53.44 K	1.82 M	993.91 K	504.13 K	263.16 K	210.61 K
Loss Rate (Percent)	99 %	40.22 %	39.04 %	40.4 %	38.95 %	39.16 %
Loss (Frames)	159,111,157	36,689,896	19,095,493	10,251,885	5,036,165	4,066,043
P-0-0-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,363	3,054,277	1,663,100	833,726	440,434	349,779
- Rx Rate (L1) (Bit/s)	2.36 M	120.54 M	122.4 M	118.28 M	122.62 M	121.26 M
- Rx Rate (Fps)	3,512	101,809	55,437	27,791	14,681	11,659
- Flood Count (Frames)	25	24	24	22	24	29
P-0-0-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	7,670	3,054,090	1,660,062	844,539	439,970	352,937
- Rx Rate (L1) (Bit/s)	171.81 K	120.53 M	122.18 M	119.81 M	122.49 M	122.35 M
- Rx Rate (Fps)	256	101,803	55,335	28,151	14,666	11,765
- Flood Count (Frames)	61	56	53	53	59	58
P-0-0-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,380	3,030,868	1,656,018	783,582	440,304	343,519
- Rx Rate (L1) (Bit/s)	2.36 M	119.62 M	121.88 M	111.16 M	122.58 M	119.09 M
- Rx Rate (Fps)	3,513	101,029	55,201	26,119	14,677	11,451
- Flood Count (Frames)	58	57	55	52	56	58
P-0-0-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,388	2,940,765	1,655,235	847,275	440,873	352,789

- Rx Rate (L1) (Bit/s)	2.36 M	116.06 M	121.83 M	120.2 M	122.74 M	122.3 M
- Rx Rate (Fps)	3,513	98,026	55,175	28,243	14,696	11,760
- Flood Count (Frames)	58	58	59	54	56	54
P-0-0-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,991	3,054,771	1,654,839	847,895	439,724	351,911
- Rx Rate (L1) (Bit/s)	2.35 M	120.56 M	121.8 M	120.29 M	122.42 M	122 M
- Rx Rate (Fps)	3,500	101,826	55,161	28,263	14,657	11,730
- Flood Count (Frames)	58	57	58	57	57	57
P-0-0-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,924	2,891,462	1,655,129	847,689	440,402	351,100
- Rx Rate (L1) (Bit/s)	2.37 M	114.12 M	121.82 M	120.26 M	122.61 M	121.71 M
- Rx Rate (Fps)	3,531	96,382	55,171	28,256	14,680	11,703
- Flood Count (Frames)	58	57	56	58	57	54
P-0-2-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	7,398	3,052,371	1,655,202	848,226	411,176	350,363
- Rx Rate (L1) (Bit/s)	165.72 K	120.47 M	121.82 M	120.33 M	114.47 M	121.46 M
- Rx Rate (Fps)	247	101,746	55,173	28,274	13,706	11,679
- Flood Count (Frames)	58	55	61	59	54	57
P-0-2-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,503	2,934,228	1,583,421	831,174	440,613	349,543
- Rx Rate (L1) (Bit/s)	2.36 M	115.8 M	116.54 M	117.92 M	122.67 M	121.17 M
- Rx Rate (Fps)	3,517	97,808	52,781	27,706	14,687	11,651
- Flood Count (Frames)	60	55	58	54	57	59
P-0-2-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	106,042	3,050,488	1,609,313	847,626	439,428	351,738
- Rx Rate (L1) (Bit/s)	2.38 M	120.39 M	118.45 M	120.25 M	122.34 M	121.94 M
- Rx Rate (Fps)	3,535	101,683	53,644	28,254	14,648	11,725
- Flood Count (Frames)	58	58	56	58	59	56
P-0-2-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,765	3,051,598	1,661,296	847,023	439,795	352,076
- Rx Rate (L1) (Bit/s)	2.37 M	120.44 M	122.27 M	120.16 M	122.44 M	122.05 M
- Rx Rate (Fps)	3,526	101,720	55,377	28,234	14,660	11,736
- Flood Count (Frames)	59	57	62	57	57	56
P-0-2-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,584	3,050,337	1,660,924	824,035	440,269	351,801
- Rx Rate (L1) (Bit/s)	2.37 M	120.39 M	122.24 M	116.9 M	122.57 M	121.96 M
- Rx Rate (Fps)	3,519	101,678	55,364	27,468	14,676	11,727
- Flood Count (Frames)	61	58	57	58	58	59
P-0-2-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	7,098	3,052,070	1,658,224	834,145	440,032	352,358
- Rx Rate (L1) (Bit/s)	159 K	120.46 M	122.05 M	118.34 M	122.5 M	122.15 M
- Rx Rate (Fps)	237	101,736	55,274	27,805	14,668	11,745
- Flood Count (Frames)	58	55	56	55	55	56
P-0-4-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230


- Rx (Frames)	104,773	3,048,376	1,675,958	848,141	440,442	352,158
- Rx Rate (L1) (Bit/s)	2.35 M	120.31 M	123.35 M	120.32 M	122.62 M	122.08 M
- Rx Rate (Fps)	3,492	101,613	55,865	28,271	14,681	11,739
- Flood Count (Frames)	58	53	55	56	53	56
P-0-4-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,725	3,048,994	1,664,274	848,064	439,944	351,746
- Rx Rate (L1) (Bit/s)	2.35 M	120.33 M	122.49 M	120.31 M	122.48 M	121.94 M
- Rx Rate (Fps)	3,491	101,633	55,476	28,269	14,665	11,725
- Flood Count (Frames)	59	57	57	53	54	53
P-0-4-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,944	3,051,650	1,675,939	847,747	440,488	351,208
- Rx Rate (L1) (Bit/s)	2.37 M	120.44 M	123.35 M	120.27 M	122.63 M	121.75 M
- Rx Rate (Fps)	3,531	101,722	55,865	28,258	14,683	11,707
- Flood Count (Frames)	55	57	56	55	55	59
P-0-4-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,136	3,051,378	1,676,235	847,981	439,284	352,077
- Rx Rate (L1) (Bit/s)	2.36 M	120.43 M	123.37 M	120.3 M	122.3 M	122.05 M
- Rx Rate (Fps)	3,505	101,713	55,875	28,266	14,643	11,736
- Flood Count (Frames)	56	52	57	53	55	54
P-0-4-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,250	3,054,968	1,675,908	848,148	440,885	349,149
- Rx Rate (L1) (Bit/s)	2.36 M	120.57 M	123.35 M	120.32 M	122.74 M	121.04 M
- Rx Rate (Fps)	3,508	101,832	55,864	28,272	14,696	11,638
- Flood Count (Frames)	56	54	55	58	58	59
P-0-4-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,169	3,053,565	1,676,306	846,761	440,720	352,121
- Rx Rate (L1) (Bit/s)	2.36 M	120.51 M	123.38 M	120.13 M	122.7 M	122.07 M
- Rx Rate (Fps)	3,506	101,786	55,877	28,225	14,691	11,737
- Flood Count (Frames)	58	58	53	55	52	57

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,587
Rx Rate (Percent)	12.25 %
Rx Rate (L1) (Bit/s)	2.2 G
Rx Rate (Fps)	179.17 K
Loss Rate (Percent)	38.76 %
Loss (Frames)	3,402,608
P-0-0-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	299,235
- Rx Rate (L1) (Bit/s)	122.73 M
- Rx Rate (Fps)	9,975
- Flood Count (Frames)	27
P-0-0-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	299,917
- Rx Rate (L1) (Bit/s)	123.01 M

- Rx Rate (Fps)	9,997
- Flood Count (Frames)	59
P-0-0-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	301,755
- Rx Rate (L1) (Bit/s)	123.76 M
- Rx Rate (Fps)	10,059
- Flood Count (Frames)	57
P-0-0-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	300,712
- Rx Rate (L1) (Bit/s)	123.33 M
- Rx Rate (Fps)	10,024
- Flood Count (Frames)	55
P-0-0-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	284,310
- Rx Rate (L1) (Bit/s)	116.61 M
- Rx Rate (Fps)	9,477
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	300,587
- Rx Rate (L1) (Bit/s)	123.28 M
- Rx Rate (Fps)	10,020
- Flood Count (Frames)	59
P-0-2-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	300,160
- Rx Rate (L1) (Bit/s)	123.11 M
- Rx Rate (Fps)	10,005
- Flood Count (Frames)	59
P-0-2-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	296,119
- Rx Rate (L1) (Bit/s)	121.45 M
- Rx Rate (Fps)	9,871
- Flood Count (Frames)	58
P-0-2-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	300,527
- Rx Rate (L1) (Bit/s)	123.26 M
- Rx Rate (Fps)	10,018
- Flood Count (Frames)	59
P-0-2-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	295,321
- Rx Rate (L1) (Bit/s)	121.12 M
- Rx Rate (Fps)	9,844
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	294,146

- Rx Rate (L1) (Bit/s)	120.64 M
- Rx Rate (Fps)	9,805
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	301,044
- Rx Rate (L1) (Bit/s)	123.47 M
- Rx Rate (Fps)	10,035
- Flood Count (Frames)	59
P-0-4-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	302,503
- Rx Rate (L1) (Bit/s)	124.07 M
- Rx Rate (Fps)	10,083
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	300,970
- Rx Rate (L1) (Bit/s)	123.44 M
- Rx Rate (Fps)	10,032
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	299,695
- Rx Rate (L1) (Bit/s)	122.91 M
- Rx Rate (Fps)	9,990
- Flood Count (Frames)	55
P-0-4-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	296,961
- Rx Rate (L1) (Bit/s)	121.79 M
- Rx Rate (Fps)	9,899
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	300,921
- Rx Rate (L1) (Bit/s)	123.42 M
- Rx Rate (Fps)	10,031
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	300,119
- Rx Rate (L1) (Bit/s)	123.09 M
- Rx Rate (Fps)	10,004
- Flood Count (Frames)	55

Part.Mesh, N->N: Loss by Frame Size at 20.00% Rate



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,713	4,560,808	2,445,644	1,268,788	646,547	519,221
Rx Rate (Percent)	0.02 %	16.8 %	16.49 %	16.01 %	16.36 %	16.42 %
Rx Rate (L1) (Bit/s)	3.04 M	3.02 G	2.97 G	2.88 G	2.95 G	2.96 G
Rx Rate (Fps)	4.52 K	2.55 M	1.34 M	677.29 K	352.66 K	284.18 K
Loss Rate (Percent)	99.94 %	44 %	45.04 %	46.62 %	45.45 %	45.27 %
Loss (Frames)	240,935,871	60,206,956	33,047,253	17,744,952	8,816,480	7,051,305
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,845	4,259,764	2,194,426	1,136,937	569,730	458,260
- Rx Rate (L1) (Bit/s)	175.73 K	168.12 M	161.51 M	161.29 M	158.61 M	158.86 M
- Rx Rate (Fps)	262	141,992	73,148	37,898	18,991	15,275
- Flood Count (Frames)	26	25	29	24	26	23
P-0-0-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,955	4,254,409	2,248,770	1,139,085	591,974	477,493
- Rx Rate (L1) (Bit/s)	178.19 K	167.91 M	165.51 M	161.6 M	164.81 M	165.53 M
- Rx Rate (Fps)	265	141,814	74,959	37,970	19,732	15,916
- Flood Count (Frames)	61	57	58	54	59	57
P-0-0-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,132	4,259,831	2,248,620	1,048,531	592,765	478,691
- Rx Rate (L1) (Bit/s)	182.16 K	168.12 M	165.5 M	148.75 M	165.03 M	165.95 M
- Rx Rate (Fps)	271	141,994	74,954	34,951	19,759	15,956
- Flood Count (Frames)	61	55	56	53	54	54
P-0-0-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,162	4,147,526	2,187,140	1,100,225	592,955	428,373

- Rx Rate (L1) (Bit/s)	182.83 K	163.69 M	160.97 M	156.09 M	165.08 M	148.5 M
- Rx Rate (Fps)	272	138,251	72,905	36,674	19,765	14,279
- Flood Count (Frames)	61	57	55	56	58	57
P-0-0-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,179	4,259,667	2,083,881	1,139,008	593,747	477,339
- Rx Rate (L1) (Bit/s)	183.21 K	168.11 M	153.37 M	161.59 M	165.3 M	165.48 M
- Rx Rate (Fps)	273	141,989	69,463	37,967	19,792	15,911
- Flood Count (Frames)	59	58	54	55	56	56
P-0-0-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,220	4,263,270	2,256,720	1,139,456	569,264	476,891
- Rx Rate (L1) (Bit/s)	184.13 K	168.26 M	166.09 M	161.65 M	158.48 M	165.32 M
- Rx Rate (Fps)	274	142,109	75,224	37,982	18,975	15,896
- Flood Count (Frames)	59	56	58	55	55	57
P-0-2-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,257	4,271,186	2,258,719	1,138,853	591,278	477,599
- Rx Rate (L1) (Bit/s)	184.96 K	168.57 M	166.24 M	161.57 M	164.61 M	165.57 M
- Rx Rate (Fps)	275	142,373	75,291	37,962	19,709	15,920
- Flood Count (Frames)	59	56	56	59	54	57
P-0-2-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,204	4,215,890	2,258,832	1,136,383	592,123	470,972
- Rx Rate (L1) (Bit/s)	183.77 K	166.39 M	166.25 M	161.21 M	164.85 M	163.27 M
- Rx Rate (Fps)	273	140,530	75,294	37,879	19,737	15,699
- Flood Count (Frames)	59	58	56	55	54	56
P-0-2-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,109	4,270,064	2,264,073	1,134,858	560,917	478,571
- Rx Rate (L1) (Bit/s)	181.64 K	168.53 M	166.64 M	161 M	156.16 M	165.9 M
- Rx Rate (Fps)	270	142,335	75,469	37,829	18,697	15,952
- Flood Count (Frames)	60	60	56	54	55	57
P-0-2-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	4,707	4,272,088	2,260,577	1,133,101	592,670	478,343
- Rx Rate (L1) (Bit/s)	105.44 K	168.61 M	166.38 M	160.75 M	165 M	165.83 M
- Rx Rate (Fps)	157	142,403	75,353	37,770	19,756	15,945
- Flood Count (Frames)	56	59	55	57	54	58
P-0-2-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,987	4,271,647	2,241,020	1,133,116	591,854	477,617
- Rx Rate (L1) (Bit/s)	178.91 K	168.59 M	164.94 M	160.75 M	164.77 M	165.57 M
- Rx Rate (Fps)	266	142,388	74,701	37,771	19,728	15,921
- Flood Count (Frames)	61	58	53	54	54	55
P-0-2-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	4,528	4,137,848	2,254,460	1,132,062	590,491	477,491
- Rx Rate (L1) (Bit/s)	101.43 K	163.31 M	165.93 M	160.6 M	164.39 M	165.53 M
- Rx Rate (Fps)	151	137,928	75,149	37,735	19,683	15,916
- Flood Count (Frames)	58	56	57	55	57	55
P-0-4-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846


- Rx (Frames)	7,705	4,305,415	2,266,013	1,131,289	593,820	478,644
- Rx Rate (L1) (Bit/s)	172.59 K	169.92 M	166.78 M	160.49 M	165.32 M	165.93 M
- Rx Rate (Fps)	257	143,514	75,534	37,710	19,794	15,955
- Flood Count (Frames)	58	56	56	55	57	54
P-0-4-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,662	4,295,691	2,262,601	1,132,271	591,352	477,884
- Rx Rate (L1) (Bit/s)	171.63 K	169.54 M	166.53 M	160.63 M	164.63 M	165.67 M
- Rx Rate (Fps)	255	143,190	75,420	37,742	19,712	15,929
- Flood Count (Frames)	55	56	58	56	53	53
P-0-4-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,640	4,297,220	2,261,739	1,133,783	591,221	478,413
- Rx Rate (L1) (Bit/s)	171.14 K	169.6 M	166.46 M	160.85 M	164.6 M	165.85 M
- Rx Rate (Fps)	255	143,241	75,391	37,793	19,707	15,947
- Flood Count (Frames)	57	55	53	54	55	55
P-0-4-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,509	4,291,363	2,260,884	1,133,753	590,227	478,337
- Rx Rate (L1) (Bit/s)	168.2 K	169.37 M	166.4 M	160.84 M	164.32 M	165.82 M
- Rx Rate (Fps)	250	143,045	75,363	37,792	19,674	15,945
- Flood Count (Frames)	55	56	55	53	54	54
P-0-4-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,411	4,287,842	2,247,522	1,136,951	591,947	477,414
- Rx Rate (L1) (Bit/s)	166.01 K	169.23 M	165.42 M	161.3 M	164.8 M	165.5 M
- Rx Rate (Fps)	247	142,928	74,917	37,898	19,732	15,914
- Flood Count (Frames)	53	54	55	52	56	57
P-0-4-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,307	4,256,551	2,266,064	1,139,032	591,607	476,987
- Rx Rate (L1) (Bit/s)	163.68 K	167.99 M	166.78 M	161.59 M	164.7 M	165.36 M
- Rx Rate (Fps)	244	141,885	75,535	37,968	19,720	15,900
- Flood Count (Frames)	56	58	57	56	54	57

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,875
Rx Rate (Percent)	16.74 %
Rx Rate (L1) (Bit/s)	3.01 G
Rx Rate (Fps)	244.88 K
Loss Rate (Percent)	44.2 %
Loss (Frames)	5,819,884
P-0-0-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	404,766
- Rx Rate (L1) (Bit/s)	166.01 M
- Rx Rate (Fps)	13,492
- Flood Count (Frames)	24
P-0-0-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	401,791
- Rx Rate (L1) (Bit/s)	164.79 M

- Rx Rate (Fps)	13,393
- Flood Count (Frames)	57
P-0-0-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,283
- Rx Rate (L1) (Bit/s)	168.27 M
- Rx Rate (Fps)	13,676
- Flood Count (Frames)	55
P-0-0-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,053
- Rx Rate (L1) (Bit/s)	168.18 M
- Rx Rate (Fps)	13,668
- Flood Count (Frames)	57
P-0-0-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,695
- Rx Rate (L1) (Bit/s)	168.44 M
- Rx Rate (Fps)	13,690
- Flood Count (Frames)	57
P-0-0-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	408,856
- Rx Rate (L1) (Bit/s)	167.69 M
- Rx Rate (Fps)	13,629
- Flood Count (Frames)	53
P-0-2-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,853
- Rx Rate (L1) (Bit/s)	168.5 M
- Rx Rate (Fps)	13,695
- Flood Count (Frames)	57
P-0-2-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	407,844
- Rx Rate (L1) (Bit/s)	167.27 M
- Rx Rate (Fps)	13,595
- Flood Count (Frames)	57
P-0-2-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,768
- Rx Rate (L1) (Bit/s)	168.47 M
- Rx Rate (Fps)	13,692
- Flood Count (Frames)	58
P-0-2-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	407,319
- Rx Rate (L1) (Bit/s)	167.06 M
- Rx Rate (Fps)	13,577
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	396,179

- Rx Rate (L1) (Bit/s)	162.49 M
- Rx Rate (Fps)	13,206
- Flood Count (Frames)	55
P-0-2-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,242
- Rx Rate (L1) (Bit/s)	168.25 M
- Rx Rate (Fps)	13,675
- Flood Count (Frames)	59
P-0-4-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	408,738
- Rx Rate (L1) (Bit/s)	167.64 M
- Rx Rate (Fps)	13,625
- Flood Count (Frames)	59
P-0-4-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,137
- Rx Rate (L1) (Bit/s)	168.21 M
- Rx Rate (Fps)	13,671
- Flood Count (Frames)	54
P-0-4-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,509
- Rx Rate (L1) (Bit/s)	168.36 M
- Rx Rate (Fps)	13,684
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	410,269
- Rx Rate (L1) (Bit/s)	168.26 M
- Rx Rate (Fps)	13,676
- Flood Count (Frames)	53
P-0-4-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	408,243
- Rx Rate (L1) (Bit/s)	167.43 M
- Rx Rate (Fps)	13,608
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	408,833
- Rx Rate (L1) (Bit/s)	167.68 M
- Rx Rate (Fps)	13,628
- Flood Count (Frames)	55

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,284	6,081,077	3,260,869	1,691,721	862,063	692,305
Rx Rate (Percent)	0.01 %	0.03 %	20.75 %	20.32 %	20.93 %	20.83 %
Rx Rate (L1) (Bit/s)	2.29 M	5.84 M	3.73 G	3.66 G	3.77 G	3.75 G
Rx Rate (Fps)	3.41 K	4.93 K	1.69 M	859.59 K	451.08 K	360.52 K
Loss Rate (Percent)	99.97 %	99.92 %	48.14 %	49.19 %	47.67 %	47.93 %
Loss (Frames)	321,326,274	182,284,306	47,089,575	24,963,940	12,329,503	9,953,651
P-0-0-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,654	8,413	2,741,594	1,438,661	752,864	597,221
- Rx Rate (L1) (Bit/s)	126.65 K	332.03 K	201.78 M	204.1 M	209.6 M	207.04 M
- Rx Rate (Fps)	188	280	91,386	47,955	25,095	19,907
- Flood Count (Frames)	29	29	21	27	26	23
P-0-0-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,849	8,559	2,820,909	1,415,813	753,786	606,009
- Rx Rate (L1) (Bit/s)	131.02 K	337.8 K	207.62 M	200.86 M	209.85 M	210.08 M
- Rx Rate (Fps)	195	285	94,030	47,194	25,126	20,200
- Flood Count (Frames)	60	59	55	54	55	52
P-0-0-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,005	8,550	2,819,650	1,439,224	738,751	605,740
- Rx Rate (L1) (Bit/s)	134.51 K	337.44 K	207.53 M	204.18 M	205.67 M	209.99 M
- Rx Rate (Fps)	200	285	93,988	47,974	24,625	20,191
- Flood Count (Frames)	57	61	55	54	59	56
P-0-0-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,016	8,554	2,821,749	1,438,640	752,372	605,700

- Rx Rate (L1) (Bit/s)	134.76 K	337.6 K	207.68 M	204.1 M	209.46 M	209.98 M
- Rx Rate (Fps)	201	285	94,058	47,955	25,079	20,190
- Flood Count (Frames)	59	61	54	54	57	55
P-0-0-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,057	8,574	2,817,914	1,433,850	753,575	606,453
- Rx Rate (L1) (Bit/s)	135.68 K	338.39 K	207.4 M	203.42 M	209.8 M	210.24 M
- Rx Rate (Fps)	202	286	93,930	47,795	25,119	20,215
- Flood Count (Frames)	59	61	53	53	54	59
P-0-0-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,111	8,496	2,757,916	1,439,620	752,852	586,098
- Rx Rate (L1) (Bit/s)	136.89 K	335.31 K	202.98 M	204.23 M	209.59 M	203.18 M
- Rx Rate (Fps)	204	283	91,931	47,987	25,095	19,537
- Flood Count (Frames)	59	61	56	55	55	57
P-0-2-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,079	8,433	2,824,119	1,440,329	752,623	541,149
- Rx Rate (L1) (Bit/s)	136.17 K	332.82 K	207.86 M	204.33 M	209.53 M	187.6 M
- Rx Rate (Fps)	203	281	94,137	48,011	25,087	18,038
- Flood Count (Frames)	61	59	52	55	56	56
P-0-2-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	3,433	8,397	2,823,307	1,439,662	752,443	605,842
- Rx Rate (L1) (Bit/s)	76.9 K	331.4 K	207.8 M	204.24 M	209.48 M	210.03 M
- Rx Rate (Fps)	114	280	94,110	47,989	25,081	20,195
- Flood Count (Frames)	57	60	55	54	56	56
P-0-2-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,031	8,349	2,825,325	1,440,289	746,059	605,726
- Rx Rate (L1) (Bit/s)	135.09 K	329.51 K	207.94 M	204.33 M	207.7 M	209.99 M
- Rx Rate (Fps)	201	278	94,178	48,010	24,869	20,191
- Flood Count (Frames)	61	60	57	55	59	57
P-0-2-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,111	8,239	2,829,352	1,421,742	752,995	606,171
- Rx Rate (L1) (Bit/s)	136.89 K	325.17 K	208.24 M	201.7 M	209.63 M	210.14 M
- Rx Rate (Fps)	204	275	94,312	47,391	25,100	20,206
- Flood Count (Frames)	59	61	54	53	59	54
P-0-2-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,037	8,170	2,823,099	1,363,745	752,927	605,737
- Rx Rate (L1) (Bit/s)	135.23 K	322.44 K	207.78 M	193.47 M	209.61 M	209.99 M
- Rx Rate (Fps)	201	272	94,103	45,458	25,098	20,191
- Flood Count (Frames)	57	61	53	55	56	57
P-0-2-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,901	8,158	2,826,676	1,440,928	752,791	606,655
- Rx Rate (L1) (Bit/s)	132.18 K	321.97 K	208.04 M	204.42 M	209.58 M	210.31 M
- Rx Rate (Fps)	197	272	94,223	48,031	25,093	20,222
- Flood Count (Frames)	56	61	53	59	57	54
P-0-4-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461


- Rx (Frames)	5,807	8,034	2,841,427	1,440,191	753,619	606,157
- Rx Rate (L1) (Bit/s)	130.08 K	317.08 K	209.13 M	204.32 M	209.81 M	210.13 M
- Rx Rate (Fps)	194	268	94,714	48,006	25,121	20,205
- Flood Count (Frames)	61	57	52	55	54	53
P-0-4-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,665	7,956	2,837,578	1,439,466	753,375	607,057
- Rx Rate (L1) (Bit/s)	126.9 K	314 K	208.85 M	204.21 M	209.74 M	210.45 M
- Rx Rate (Fps)	189	265	94,586	47,982	25,113	20,235
- Flood Count (Frames)	59	55	55	57	54	54
P-0-4-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,565	7,914	2,824,788	1,438,921	752,591	606,101
- Rx Rate (L1) (Bit/s)	124.66 K	312.34 K	207.9 M	204.13 M	209.52 M	210.12 M
- Rx Rate (Fps)	186	264	94,160	47,964	25,086	20,203
- Flood Count (Frames)	56	59	58	53	54	54
P-0-4-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,428	7,804	2,835,112	1,438,747	752,781	605,949
- Rx Rate (L1) (Bit/s)	121.59 K	308 K	208.66 M	204.11 M	209.57 M	210.06 M
- Rx Rate (Fps)	181	260	94,504	47,958	25,093	20,198
- Flood Count (Frames)	58	60	54	54	52	54
P-0-4-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,314	7,737	2,832,852	1,439,059	753,989	606,181
- Rx Rate (L1) (Bit/s)	119.03 K	305.35 K	208.5 M	204.15 M	209.91 M	210.14 M
- Rx Rate (Fps)	177	258	94,428	47,969	25,133	20,206
- Flood Count (Frames)	55	61	53	52	54	53
P-0-4-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,183	7,661	2,833,116	1,438,803	752,000	605,541
- Rx Rate (L1) (Bit/s)	116.1 K	302.35 K	208.52 M	204.12 M	209.36 M	209.92 M
- Rx Rate (Fps)	173	255	94,437	47,960	25,067	20,185
- Flood Count (Frames)	58	59	55	55	55	59

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,174
Rx Rate (Percent)	20.6 %
Rx Rate (L1) (Bit/s)	3.71 G
Rx Rate (Fps)	301.38 K
Loss Rate (Percent)	48.5 %
Loss (Frames)	8,513,938
P-0-0-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,566
- Rx Rate (L1) (Bit/s)	206.53 M
- Rx Rate (Fps)	16,786
- Flood Count (Frames)	26
P-0-0-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	472,346
- Rx Rate (L1) (Bit/s)	193.72 M

- Rx Rate (Fps)	15,745
- Flood Count (Frames)	58
P-0-0-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,559
- Rx Rate (L1) (Bit/s)	206.53 M
- Rx Rate (Fps)	16,785
- Flood Count (Frames)	51
P-0-0-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,647
- Rx Rate (L1) (Bit/s)	206.97 M
- Rx Rate (Fps)	16,822
- Flood Count (Frames)	57
P-0-0-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,717
- Rx Rate (L1) (Bit/s)	206.59 M
- Rx Rate (Fps)	16,791
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,217
- Rx Rate (L1) (Bit/s)	206.39 M
- Rx Rate (Fps)	16,774
- Flood Count (Frames)	53
P-0-2-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,796
- Rx Rate (L1) (Bit/s)	206.62 M
- Rx Rate (Fps)	16,793
- Flood Count (Frames)	56
P-0-2-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,274
- Rx Rate (L1) (Bit/s)	206.82 M
- Rx Rate (Fps)	16,809
- Flood Count (Frames)	53
P-0-2-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,768
- Rx Rate (L1) (Bit/s)	207.02 M
- Rx Rate (Fps)	16,826
- Flood Count (Frames)	58
P-0-2-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,092
- Rx Rate (L1) (Bit/s)	206.74 M
- Rx Rate (Fps)	16,803
- Flood Count (Frames)	55
P-0-2-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,701

- Rx Rate (L1) (Bit/s)	206.58 M
- Rx Rate (Fps)	16,790
- Flood Count (Frames)	59
P-0-2-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,030
- Rx Rate (L1) (Bit/s)	206.72 M
- Rx Rate (Fps)	16,801
- Flood Count (Frames)	56
P-0-4-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,849
- Rx Rate (L1) (Bit/s)	206.65 M
- Rx Rate (Fps)	16,795
- Flood Count (Frames)	54
P-0-4-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,915
- Rx Rate (L1) (Bit/s)	207.08 M
- Rx Rate (Fps)	16,831
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,115
- Rx Rate (L1) (Bit/s)	206.75 M
- Rx Rate (Fps)	16,804
- Flood Count (Frames)	56
P-0-4-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,237
- Rx Rate (L1) (Bit/s)	206.8 M
- Rx Rate (Fps)	16,808
- Flood Count (Frames)	52
P-0-4-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	503,969
- Rx Rate (L1) (Bit/s)	206.69 M
- Rx Rate (Fps)	16,799
- Flood Count (Frames)	52
P-0-4-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	504,484
- Rx Rate (L1) (Bit/s)	206.91 M
- Rx Rate (Fps)	16,816
- Flood Count (Frames)	55

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,855	7,601,346	4,076,083	2,114,654	1,077,579	865,378
Rx Rate (Percent)	0.01 %	0.03 %	24.96 %	24.54 %	25.43 %	25.59 %
Rx Rate (L1) (Bit/s)	1.81 M	4.54 M	4.49 G	4.42 G	4.58 G	4.61 G
Rx Rate (Fps)	2.7 K	3.84 K	2.03 M	1.04 M	548.04 K	442.83 K
Loss Rate (Percent)	99.98 %	99.95 %	50.08 %	50.91 %	49.14 %	48.83 %
Loss (Frames)	401,704,700	227,925,322	61,244,949	32,300,211	15,886,309	12,676,412
P-0-0-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,167	6,567	3,400,085	1,734,542	912,949	739,386
- Rx Rate (L1) (Bit/s)	115.74 K	259.18 K	250.25 M	246.07 M	254.17 M	256.32 M
- Rx Rate (Fps)	172	219	113,336	57,818	30,432	24,646
- Flood Count (Frames)	27	26	26	24	21	29
P-0-0-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	2,516	6,690	3,261,693	1,734,921	907,423	740,154
- Rx Rate (L1) (Bit/s)	56.36 K	264.03 K	240.06 M	246.13 M	252.63 M	256.59 M
- Rx Rate (Fps)	84	223	108,723	57,831	30,247	24,672
- Flood Count (Frames)	60	62	55	55	53	54
P-0-0-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,475	6,811	3,398,144	1,692,182	913,621	736,873
- Rx Rate (L1) (Bit/s)	122.64 K	268.81 K	250.1 M	240.06 M	254.35 M	255.45 M
- Rx Rate (Fps)	183	227	113,271	56,406	30,454	24,562
- Flood Count (Frames)	60	62	54	54	53	54
P-0-0-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	2,526	6,788	3,396,273	1,734,817	911,091	739,959

- Rx Rate (L1) (Bit/s)	56.58 K	267.9 K	249.97 M	246.11 M	253.65 M	256.52 M
- Rx Rate (Fps)	84	226	113,209	57,827	30,370	24,665
- Flood Count (Frames)	60	62	55	54	54	52
P-0-0-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,772	6,796	3,396,495	1,734,332	915,021	740,262
- Rx Rate (L1) (Bit/s)	129.29 K	268.22 K	249.98 M	246.04 M	254.74 M	256.62 M
- Rx Rate (Fps)	192	227	113,217	57,811	30,501	24,675
- Flood Count (Frames)	60	61	54	59	56	56
P-0-0-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	2,523	6,782	3,395,473	1,735,185	915,813	739,156
- Rx Rate (L1) (Bit/s)	56.52 K	267.66 K	249.91 M	246.16 M	254.96 M	256.24 M
- Rx Rate (Fps)	84	226	113,182	57,840	30,527	24,639
- Flood Count (Frames)	58	61	52	54	59	56
P-0-2-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	2,525	6,821	3,396,274	1,705,471	913,339	716,361
- Rx Rate (L1) (Bit/s)	56.56 K	269.2 K	249.97 M	241.95 M	254.27 M	248.34 M
- Rx Rate (Fps)	84	227	113,209	56,849	30,445	23,879
- Flood Count (Frames)	60	61	56	55	56	57
P-0-2-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,759	6,793	3,337,964	1,734,418	916,372	731,173
- Rx Rate (L1) (Bit/s)	129 K	268.1 K	245.67 M	246.06 M	255.12 M	253.47 M
- Rx Rate (Fps)	192	226	111,265	57,814	30,546	24,372
- Flood Count (Frames)	59	63	57	55	56	56
P-0-2-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	2,533	6,697	3,399,172	1,725,164	913,061	739,981
- Rx Rate (L1) (Bit/s)	56.74 K	264.31 K	250.18 M	244.74 M	254.2 M	256.53 M
- Rx Rate (Fps)	84	223	113,306	57,505	30,435	24,666
- Flood Count (Frames)	59	61	55	53	56	55
P-0-2-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	2,537	4,502	3,399,807	1,731,962	916,407	740,269
- Rx Rate (L1) (Bit/s)	56.83 K	177.68 K	250.23 M	245.71 M	255.13 M	256.63 M
- Rx Rate (Fps)	85	150	113,327	57,732	30,547	24,676
- Flood Count (Frames)	57	60	54	58	52	59
P-0-2-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,783	6,527	3,400,055	1,734,634	915,970	739,931
- Rx Rate (L1) (Bit/s)	129.54 K	257.6 K	250.24 M	246.09 M	255.01 M	256.51 M
- Rx Rate (Fps)	193	218	113,335	57,821	30,532	24,664
- Flood Count (Frames)	58	61	54	54	54	57
P-0-2-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,789	6,415	3,400,656	1,734,446	905,597	740,155
- Rx Rate (L1) (Bit/s)	129.67 K	253.18 K	250.29 M	246.06 M	252.12 M	256.59 M
- Rx Rate (Fps)	193	214	113,355	57,815	30,187	24,672
- Flood Count (Frames)	58	61	55	54	55	54
P-0-4-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077


- Rx (Frames)	5,736	6,385	3,413,975	1,735,086	915,016	740,340
- Rx Rate (L1) (Bit/s)	128.49 K	251.99 K	251.27 M	246.15 M	254.74 M	256.65 M
- Rx Rate (Fps)	191	213	113,799	57,836	30,501	24,678
- Flood Count (Frames)	58	61	54	53	53	57
P-0-4-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,567	6,286	3,412,297	1,733,718	914,800	740,147
- Rx Rate (L1) (Bit/s)	124.7 K	248.09 K	251.15 M	245.96 M	254.68 M	256.58 M
- Rx Rate (Fps)	186	210	113,743	57,791	30,493	24,672
- Flood Count (Frames)	57	56	57	55	53	56
P-0-4-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,429	6,154	3,407,906	1,735,399	913,855	740,097
- Rx Rate (L1) (Bit/s)	121.61 K	242.88 K	250.82 M	246.2 M	254.42 M	256.57 M
- Rx Rate (Fps)	181	205	113,597	57,847	30,462	24,670
- Flood Count (Frames)	57	58	53	56	57	52
P-0-4-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,261	6,104	3,407,903	1,734,768	913,972	740,304
- Rx Rate (L1) (Bit/s)	117.85 K	240.9 K	250.82 M	246.11 M	254.45 M	256.64 M
- Rx Rate (Fps)	175	203	113,597	57,826	30,466	24,677
- Flood Count (Frames)	56	57	56	55	55	56
P-0-4-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,095	6,027	3,407,729	1,733,403	913,550	740,173
- Rx Rate (L1) (Bit/s)	114.13 K	237.87 K	250.81 M	245.91 M	254.33 M	256.59 M
- Rx Rate (Fps)	170	201	113,591	57,780	30,452	24,672
- Flood Count (Frames)	58	60	53	58	55	54
P-0-4-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	4,957	5,913	3,405,646	1,734,955	913,204	740,213
- Rx Rate (L1) (Bit/s)	111.04 K	233.37 K	250.66 M	246.13 M	254.24 M	256.61 M
- Rx Rate (Fps)	165	197	113,522	57,832	30,440	24,674
- Flood Count (Frames)	58	58	56	51	56	55

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,462
Rx Rate (Percent)	24.52 %
Rx Rate (L1) (Bit/s)	4.41 G
Rx Rate (Fps)	358.7 K
Loss Rate (Percent)	50.96 %
Loss (Frames)	11,182,925
P-0-0-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	596,568
- Rx Rate (L1) (Bit/s)	244.67 M
- Rx Rate (Fps)	19,886
- Flood Count (Frames)	25
P-0-0-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	597,765
- Rx Rate (L1) (Bit/s)	245.16 M

- Rx Rate (Fps)	19,926
- Flood Count (Frames)	60
P-0-0-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	598,053
- Rx Rate (L1) (Bit/s)	245.28 M
- Rx Rate (Fps)	19,935
- Flood Count (Frames)	58
P-0-0-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	598,388
- Rx Rate (L1) (Bit/s)	245.42 M
- Rx Rate (Fps)	19,946
- Flood Count (Frames)	54
P-0-0-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	598,774
- Rx Rate (L1) (Bit/s)	245.58 M
- Rx Rate (Fps)	19,959
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	599,333
- Rx Rate (L1) (Bit/s)	245.81 M
- Rx Rate (Fps)	19,978
- Flood Count (Frames)	54
P-0-2-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	599,841
- Rx Rate (L1) (Bit/s)	246.01 M
- Rx Rate (Fps)	19,995
- Flood Count (Frames)	56
P-0-2-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	600,524
- Rx Rate (L1) (Bit/s)	246.29 M
- Rx Rate (Fps)	20,017
- Flood Count (Frames)	56
P-0-2-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	599,376
- Rx Rate (L1) (Bit/s)	245.82 M
- Rx Rate (Fps)	19,979
- Flood Count (Frames)	54
P-0-2-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	598,721
- Rx Rate (L1) (Bit/s)	245.56 M
- Rx Rate (Fps)	19,957
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	600,120

- Rx Rate (L1) (Bit/s)	246.13 M
- Rx Rate (Fps)	20,004
- Flood Count (Frames)	55
P-0-2-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	583,541
- Rx Rate (L1) (Bit/s)	239.33 M
- Rx Rate (Fps)	19,451
- Flood Count (Frames)	59
P-0-4-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	599,361
- Rx Rate (L1) (Bit/s)	245.82 M
- Rx Rate (Fps)	19,979
- Flood Count (Frames)	55
P-0-4-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	599,396
- Rx Rate (L1) (Bit/s)	245.83 M
- Rx Rate (Fps)	19,980
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	596,215
- Rx Rate (L1) (Bit/s)	244.53 M
- Rx Rate (Fps)	19,874
- Flood Count (Frames)	53
P-0-4-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	598,330
- Rx Rate (L1) (Bit/s)	245.4 M
- Rx Rate (Fps)	19,944
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	598,119
- Rx Rate (L1) (Bit/s)	245.31 M
- Rx Rate (Fps)	19,937
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	598,522
- Rx Rate (L1) (Bit/s)	245.47 M
- Rx Rate (Fps)	19,951
- Flood Count (Frames)	53

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G
Tx Rate (Fps)	16,071,426	9,121,615	4,891,298	2,537,587	1,293,095	1,038,452
Rx Rate (Percent)	0.01 %	0.02 %	0.17 %	28.96 %	29.79 %	28.36 %
Rx Rate (L1) (Bit/s)	1.45 M	4.16 M	30.85 M	5.21 G	5.36 G	5.1 G
Rx Rate (Fps)	2.15 K	3.51 K	13.97 K	1.22 M	641.97 K	490.79 K
Loss Rate (Percent)	99.99 %	99.96 %	99.71 %	51.74 %	50.35 %	52.74 %
Loss (Frames)	482,078,254	273,543,061	146,319,787	39,389,099	19,533,727	16,429,863
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,751	6,042	8,197	2,042,283	1,058,845	824,111
- Rx Rate (L1) (Bit/s)	84.02 K	238.46 K	603.3 K	289.73 M	294.78 M	285.69 M
- Rx Rate (Fps)	125	201	273	68,076	35,295	27,470
- Flood Count (Frames)	24	28	34	22	27	23
P-0-0-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,885	6,152	24,993	2,041,970	1,071,702	825,031
- Rx Rate (L1) (Bit/s)	87.02 K	242.8 K	1.84 M	289.69 M	298.36 M	286.01 M
- Rx Rate (Fps)	130	205	833	68,066	35,723	27,501
- Flood Count (Frames)	61	60	60	54	60	52
P-0-0-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	2,178	4,443	25,151	2,041,911	1,071,948	821,799
- Rx Rate (L1) (Bit/s)	48.79 K	175.35 K	1.85 M	289.68 M	298.43 M	284.89 M
- Rx Rate (Fps)	73	148	838	68,064	35,732	27,393
- Flood Count (Frames)	59	61	61	54	56	52
P-0-0-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,152	6,358	24,968	2,041,224	1,053,508	813,955

- Rx Rate (L1) (Bit/s)	93 K	250.93 K	1.84 M	289.58 M	293.3 M	282.17 M
- Rx Rate (Fps)	138	212	832	68,041	35,117	27,132
- Flood Count (Frames)	61	58	62	55	55	52
P-0-0-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,198	6,345	24,924	2,041,970	1,069,497	826,089
- Rx Rate (L1) (Bit/s)	94.04 K	250.42 K	1.83 M	289.69 M	297.75 M	286.38 M
- Rx Rate (Fps)	140	212	831	68,066	35,650	27,536
- Flood Count (Frames)	61	59	61	56	57	55
P-0-0-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,181	6,303	24,827	2,041,658	1,071,774	826,046
- Rx Rate (L1) (Bit/s)	93.65 K	248.76 K	1.83 M	289.64 M	298.38 M	286.36 M
- Rx Rate (Fps)	139	210	828	68,055	35,726	27,535
- Flood Count (Frames)	61	59	64	57	57	53
P-0-2-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	2,249	6,347	24,889	2,040,048	1,071,622	825,486
- Rx Rate (L1) (Bit/s)	50.38 K	250.49 K	1.83 M	289.41 M	298.34 M	286.17 M
- Rx Rate (Fps)	75	212	830	68,002	35,721	27,516
- Flood Count (Frames)	59	59	64	55	55	53
P-0-2-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,255	4,448	24,961	2,040,237	1,071,625	791,521
- Rx Rate (L1) (Bit/s)	95.31 K	175.55 K	1.84 M	289.44 M	298.34 M	274.39 M
- Rx Rate (Fps)	142	148	832	68,008	35,721	26,384
- Flood Count (Frames)	59	60	61	52	53	53
P-0-2-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,252	6,357	24,872	2,039,988	1,071,554	760,089
- Rx Rate (L1) (Bit/s)	95.24 K	250.89 K	1.83 M	289.41 M	298.32 M	263.5 M
- Rx Rate (Fps)	142	212	829	68,000	35,718	25,336
- Flood Count (Frames)	59	59	63	52	54	52
P-0-2-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,165	6,287	24,705	2,041,247	1,071,745	813,772
- Rx Rate (L1) (Bit/s)	93.3 K	248.13 K	1.82 M	289.58 M	298.37 M	282.11 M
- Rx Rate (Fps)	139	210	824	68,042	35,725	27,126
- Flood Count (Frames)	61	61	63	53	59	56
P-0-2-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	2,255	6,215	24,591	2,040,575	1,071,430	824,738
- Rx Rate (L1) (Bit/s)	50.51 K	245.29 K	1.81 M	289.49 M	298.29 M	285.91 M
- Rx Rate (Fps)	75	207	820	68,019	35,714	27,491
- Flood Count (Frames)	61	59	61	54	54	55
P-0-2-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	2,249	6,026	16,088	2,040,789	1,071,908	824,589
- Rx Rate (L1) (Bit/s)	50.38 K	237.83 K	1.18 M	289.52 M	298.42 M	285.86 M
- Rx Rate (Fps)	75	201	536	68,026	35,730	27,486
- Flood Count (Frames)	58	62	62	57	56	53
P-0-4-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692


- Rx (Frames)	4,186	5,955	24,412	2,040,949	1,071,725	824,755
- Rx Rate (L1) (Bit/s)	93.77 K	235.02 K	1.8 M	289.54 M	298.37 M	285.92 M
- Rx Rate (Fps)	140	199	814	68,032	35,724	27,492
- Flood Count (Frames)	62	57	58	57	55	54
P-0-4-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,073	5,803	24,259	2,041,756	1,072,421	824,281
- Rx Rate (L1) (Bit/s)	91.24 K	229.03 K	1.79 M	289.66 M	298.56 M	285.75 M
- Rx Rate (Fps)	136	193	809	68,059	35,747	27,476
- Flood Count (Frames)	55	54	55	58	60	54
P-0-4-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,863	5,740	24,215	2,040,502	1,072,434	824,829
- Rx Rate (L1) (Bit/s)	86.53 K	226.54 K	1.78 M	289.48 M	298.57 M	285.94 M
- Rx Rate (Fps)	129	191	807	68,017	35,748	27,494
- Flood Count (Frames)	58	56	59	54	55	56
P-0-4-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,747	5,632	24,548	2,039,915	1,071,791	823,998
- Rx Rate (L1) (Bit/s)	83.93 K	222.28 K	1.81 M	289.4 M	298.39 M	285.65 M
- Rx Rate (Fps)	125	188	818	67,997	35,726	27,467
- Flood Count (Frames)	56	59	59	54	53	54
P-0-4-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,535	5,513	24,352	2,041,051	1,071,370	824,294
- Rx Rate (L1) (Bit/s)	79.18 K	217.58 K	1.79 M	289.56 M	298.27 M	285.76 M
- Rx Rate (Fps)	118	184	812	68,035	35,712	27,476
- Flood Count (Frames)	58	58	57	54	56	54
P-0-4-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,352	5,429	24,195	2,040,426	1,072,218	824,308
- Rx Rate (L1) (Bit/s)	75.08 K	214.26 K	1.78 M	289.47 M	298.51 M	285.76 M
- Rx Rate (Fps)	112	181	807	68,014	35,741	27,477
- Flood Count (Frames)	56	56	61	53	56	54

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10.8 G
Tx Rate (Fps)	877,761
Rx Rate (Percent)	29.03 %
Rx Rate (L1) (Bit/s)	5.22 G
Rx Rate (Fps)	424.64 K
Loss Rate (Percent)	51.62 %
Loss (Frames)	13,593,732
P-0-0-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,035
- Rx Rate (L1) (Bit/s)	291.21 M
- Rx Rate (Fps)	23,668
- Flood Count (Frames)	28
P-0-0-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	709,814
- Rx Rate (L1) (Bit/s)	291.12 M

- Rx Rate (Fps)	23,660
- Flood Count (Frames)	57
P-0-0-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	709,988
- Rx Rate (L1) (Bit/s)	291.19 M
- Rx Rate (Fps)	23,666
- Flood Count (Frames)	55
P-0-0-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	704,797
- Rx Rate (L1) (Bit/s)	289.06 M
- Rx Rate (Fps)	23,493
- Flood Count (Frames)	55
P-0-0-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	708,915
- Rx Rate (L1) (Bit/s)	290.75 M
- Rx Rate (Fps)	23,631
- Flood Count (Frames)	56
P-0-0-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	690,118
- Rx Rate (L1) (Bit/s)	283.04 M
- Rx Rate (Fps)	23,004
- Flood Count (Frames)	54
P-0-2-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,515
- Rx Rate (L1) (Bit/s)	291.41 M
- Rx Rate (Fps)	23,684
- Flood Count (Frames)	56
P-0-2-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	693,819
- Rx Rate (L1) (Bit/s)	284.56 M
- Rx Rate (Fps)	23,127
- Flood Count (Frames)	54
P-0-2-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	708,306
- Rx Rate (L1) (Bit/s)	290.5 M
- Rx Rate (Fps)	23,610
- Flood Count (Frames)	55
P-0-2-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,634
- Rx Rate (L1) (Bit/s)	291.45 M
- Rx Rate (Fps)	23,688
- Flood Count (Frames)	55
P-0-2-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,226

- Rx Rate (L1) (Bit/s)	291.29 M
- Rx Rate (Fps)	23,674
- Flood Count (Frames)	54
P-0-2-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,516
- Rx Rate (L1) (Bit/s)	291.41 M
- Rx Rate (Fps)	23,684
- Flood Count (Frames)	55
P-0-4-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	711,139
- Rx Rate (L1) (Bit/s)	291.66 M
- Rx Rate (Fps)	23,705
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,386
- Rx Rate (L1) (Bit/s)	291.35 M
- Rx Rate (Fps)	23,680
- Flood Count (Frames)	53
P-0-4-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	709,287
- Rx Rate (L1) (Bit/s)	290.9 M
- Rx Rate (Fps)	23,643
- Flood Count (Frames)	56
P-0-4-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,625
- Rx Rate (L1) (Bit/s)	291.45 M
- Rx Rate (Fps)	23,688
- Flood Count (Frames)	52
P-0-4-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	709,884
- Rx Rate (L1) (Bit/s)	291.15 M
- Rx Rate (Fps)	23,663
- Flood Count (Frames)	53
P-0-4-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	710,094
- Rx Rate (L1) (Bit/s)	291.23 M
- Rx Rate (Fps)	23,670
- Flood Count (Frames)	56

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G
Tx Rate (Fps)	18,749,997	10,641,884	5,706,512	2,960,519	1,508,611	1,211,536
Rx Rate (Percent)	0.01 %	0.02 %	0.06 %	33.26 %	32.52 %	32.97 %
Rx Rate (L1) (Bit/s)	1.29 M	3.22 M	10.25 M	5.99 G	5.85 G	5.93 G
Rx Rate (Fps)	1.92 K	2.72 K	4.64 K	1.41 M	700.78 K	570.67 K
Loss Rate (Percent)	99.99 %	99.97 %	99.92 %	52.49 %	53.55 %	52.9 %
Loss (Frames)	562,442,373	319,175,021	171,056,120	46,617,750	24,234,926	19,226,044
P-0-0-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,280	4,633	8,182	2,348,309	1,172,332	951,728
- Rx Rate (L1) (Bit/s)	73.47 K	182.85 K	602.2 K	333.15 M	326.38 M	329.93 M
- Rx Rate (Fps)	109	154	273	78,277	39,078	31,724
- Flood Count (Frames)	30	26	22	25	24	22
P-0-0-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,149	4,800	8,225	2,348,207	1,121,231	951,491
- Rx Rate (L1) (Bit/s)	48.14 K	189.44 K	605.36 K	333.13 M	312.15 M	329.85 M
- Rx Rate (Fps)	72	160	274	78,274	37,374	31,716
- Flood Count (Frames)	59	61	59	54	52	54
P-0-0-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,731	4,768	8,370	2,349,156	1,172,295	946,176
- Rx Rate (L1) (Bit/s)	83.57 K	188.18 K	616.03 K	333.27 M	326.37 M	328.01 M
- Rx Rate (Fps)	124	159	279	78,305	39,077	31,539
- Flood Count (Frames)	59	61	58	56	52	56
P-0-0-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,837	4,793	6,834	2,349,975	1,172,339	951,478

- Rx Rate (L1) (Bit/s)	85.95 K	189.16 K	502.98 K	333.38 M	326.38 M	329.85 M
- Rx Rate (Fps)	128	160	228	78,333	39,078	31,716
- Flood Count (Frames)	58	60	57	58	54	54
P-0-0-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,149	4,854	6,772	2,293,413	1,172,399	951,756
- Rx Rate (L1) (Bit/s)	48.14 K	191.57 K	498.42 K	325.36 M	326.4 M	329.94 M
- Rx Rate (Fps)	72	162	226	76,447	39,080	31,725
- Flood Count (Frames)	56	60	58	51	54	55
P-0-0-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,806	4,801	8,086	2,317,854	1,165,514	952,374
- Rx Rate (L1) (Bit/s)	85.25 K	189.48 K	595.13 K	328.83 M	324.48 M	330.16 M
- Rx Rate (Fps)	127	160	270	77,262	38,850	31,746
- Flood Count (Frames)	59	61	59	54	53	54
P-0-2-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,808	4,788	8,076	2,350,304	1,173,191	951,946
- Rx Rate (L1) (Bit/s)	85.3 K	188.97 K	594.39 K	333.43 M	326.62 M	330.01 M
- Rx Rate (Fps)	127	160	269	78,343	39,106	31,732
- Flood Count (Frames)	59	60	58	52	51	52
P-0-2-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,790	4,798	8,035	2,349,356	1,173,312	951,967
- Rx Rate (L1) (Bit/s)	84.9 K	189.36 K	591.38 K	333.3 M	326.65 M	330.02 M
- Rx Rate (Fps)	126	160	268	78,312	39,110	31,732
- Flood Count (Frames)	58	58	59	56	52	54
P-0-2-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,147	4,811	7,983	2,349,196	1,172,838	951,263
- Rx Rate (L1) (Bit/s)	48.09 K	189.87 K	587.55 K	333.27 M	326.52 M	329.77 M
- Rx Rate (Fps)	72	160	266	78,307	39,095	31,709
- Flood Count (Frames)	58	58	59	54	52	55
P-0-2-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,148	4,822	7,752	2,349,192	1,173,587	951,697
- Rx Rate (L1) (Bit/s)	48.12 K	190.31 K	570.55 K	333.27 M	326.73 M	329.92 M
- Rx Rate (Fps)	72	161	258	78,306	39,120	31,723
- Flood Count (Frames)	58	60	61	52	53	55
P-0-2-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,804	4,823	7,885	2,348,582	1,143,521	944,331
- Rx Rate (L1) (Bit/s)	85.21 K	190.35 K	580.34 K	333.19 M	318.36 M	327.37 M
- Rx Rate (Fps)	127	161	263	78,286	38,117	31,478
- Flood Count (Frames)	61	58	59	55	53	54
P-0-2-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,151	3,298	7,761	2,349,660	1,173,246	951,656
- Rx Rate (L1) (Bit/s)	48.18 K	130.16 K	571.21 K	333.34 M	326.63 M	329.91 M
- Rx Rate (Fps)	72	110	259	78,322	39,108	31,722
- Flood Count (Frames)	54	56	58	53	54	53
P-0-4-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308


- Rx (Frames)	3,832	4,553	7,772	2,350,668	1,172,885	952,723
- Rx Rate (L1) (Bit/s)	85.84 K	179.69 K	572.02 K	333.48 M	326.53 M	330.28 M
- Rx Rate (Fps)	128	152	259	78,356	39,096	31,757
- Flood Count (Frames)	56	58	56	55	52	53
P-0-4-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,793	4,452	7,725	2,349,326	1,173,351	951,843
- Rx Rate (L1) (Bit/s)	84.96 K	175.71 K	568.56 K	333.29 M	326.66 M	329.97 M
- Rx Rate (Fps)	126	148	258	78,311	39,112	31,728
- Flood Count (Frames)	58	57	55	53	55	53
P-0-4-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,600	4,315	7,446	2,348,934	1,173,029	952,315
- Rx Rate (L1) (Bit/s)	80.64 K	170.3 K	548.03 K	333.24 M	326.57 M	330.14 M
- Rx Rate (Fps)	120	144	248	78,298	39,101	31,744
- Flood Count (Frames)	58	56	58	53	52	55
P-0-4-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,380	4,202	7,546	2,347,936	1,173,645	951,927
- Rx Rate (L1) (Bit/s)	75.71 K	165.84 K	555.39 K	333.09 M	326.74 M	330 M
- Rx Rate (Fps)	113	140	252	78,265	39,122	31,731
- Flood Count (Frames)	55	55	58	54	56	55
P-0-4-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,161	4,077	7,340	2,348,428	1,172,823	951,940
- Rx Rate (L1) (Bit/s)	70.81 K	160.91 K	540.22 K	333.16 M	326.51 M	330.01 M
- Rx Rate (Fps)	105	136	245	78,281	39,094	31,731
- Flood Count (Frames)	59	57	58	53	52	54
P-0-4-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,971	3,923	7,462	2,349,336	1,171,854	951,413
- Rx Rate (L1) (Bit/s)	66.55 K	154.83 K	549.2 K	333.29 M	326.24 M	329.82 M
- Rx Rate (Fps)	99	131	249	78,311	39,062	31,714
- Flood Count (Frames)	56	58	56	54	55	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12.6 G
Tx Rate (Fps)	1,024,049
Rx Rate (Percent)	33.79 %
Rx Rate (L1) (Bit/s)	6.08 G
Rx Rate (Fps)	494.27 K
Loss Rate (Percent)	51.73 %
Loss (Frames)	15,893,343
P-0-0-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	823,282
- Rx Rate (L1) (Bit/s)	337.66 M
- Rx Rate (Fps)	27,443
- Flood Count (Frames)	24
P-0-0-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,687
- Rx Rate (L1) (Bit/s)	338.64 M

- Rx Rate (Fps)	27,523
- Flood Count (Frames)	54
P-0-0-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,908
- Rx Rate (L1) (Bit/s)	338.73 M
- Rx Rate (Fps)	27,530
- Flood Count (Frames)	54
P-0-0-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	823,455
- Rx Rate (L1) (Bit/s)	337.73 M
- Rx Rate (Fps)	27,449
- Flood Count (Frames)	50
P-0-0-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	808,109
- Rx Rate (L1) (Bit/s)	331.43 M
- Rx Rate (Fps)	26,937
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	823,811
- Rx Rate (L1) (Bit/s)	337.87 M
- Rx Rate (Fps)	27,460
- Flood Count (Frames)	54
P-0-2-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,607
- Rx Rate (L1) (Bit/s)	338.61 M
- Rx Rate (Fps)	27,520
- Flood Count (Frames)	58
P-0-2-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,375
- Rx Rate (L1) (Bit/s)	338.51 M
- Rx Rate (Fps)	27,513
- Flood Count (Frames)	56
P-0-2-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	824,564
- Rx Rate (L1) (Bit/s)	338.18 M
- Rx Rate (Fps)	27,485
- Flood Count (Frames)	57
P-0-2-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	824,587
- Rx Rate (L1) (Bit/s)	338.19 M
- Rx Rate (Fps)	27,486
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,022

- Rx Rate (L1) (Bit/s)	338.37 M
- Rx Rate (Fps)	27,501
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,635
- Rx Rate (L1) (Bit/s)	338.62 M
- Rx Rate (Fps)	27,521
- Flood Count (Frames)	58
P-0-4-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	824,277
- Rx Rate (L1) (Bit/s)	338.06 M
- Rx Rate (Fps)	27,476
- Flood Count (Frames)	52
P-0-4-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	823,276
- Rx Rate (L1) (Bit/s)	337.65 M
- Rx Rate (Fps)	27,443
- Flood Count (Frames)	53
P-0-4-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,455
- Rx Rate (L1) (Bit/s)	338.55 M
- Rx Rate (Fps)	27,515
- Flood Count (Frames)	56
P-0-4-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,662
- Rx Rate (L1) (Bit/s)	338.63 M
- Rx Rate (Fps)	27,522
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	823,710
- Rx Rate (L1) (Bit/s)	337.83 M
- Rx Rate (Fps)	27,457
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	824,717
- Rx Rate (L1) (Bit/s)	338.24 M
- Rx Rate (Fps)	27,491
- Flood Count (Frames)	55

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G
Tx Rate (Fps)	21,428,568	12,162,154	6,521,737	3,383,452	1,724,137	1,384,609
Rx Rate (Percent)	0.01 %	0.02 %	0.05 %	37.7 %	36.85 %	37.49 %
Rx Rate (L1) (Bit/s)	1.13 M	2.93 M	8.81 M	6.79 G	6.63 G	6.75 G
Rx Rate (Fps)	1.69 K	2.47 K	3.99 K	1.59 M	794.16 K	648.92 K
Loss Rate (Percent)	99.99 %	99.98 %	99.94 %	52.87 %	53.94 %	53.13 %
Loss (Frames)	642,806,461	364,790,394	195,532,433	53,668,695	27,899,302	22,070,701
P-0-0-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	2,620	4,028	6,905	2,664,808	1,326,134	1,079,402
- Rx Rate (L1) (Bit/s)	58.69 K	158.97 K	508.21 K	378.05 M	369.2 M	374.19 M
- Rx Rate (Fps)	87	134	230	88,827	44,204	35,980
- Flood Count (Frames)	26	25	27	31	21	23
P-0-0-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	1,525	2,931	7,138	2,663,593	1,306,601	1,084,172
- Rx Rate (L1) (Bit/s)	34.16 K	115.68 K	525.36 K	377.88 M	363.76 M	375.85 M
- Rx Rate (Fps)	51	98	238	88,786	43,553	36,139
- Flood Count (Frames)	58	56	59	54	53	54
P-0-0-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,088	4,351	5,805	2,655,359	1,326,171	1,083,619
- Rx Rate (L1) (Bit/s)	69.17 K	171.72 K	427.25 K	376.71 M	369.21 M	375.65 M
- Rx Rate (Fps)	103	145	194	88,512	44,206	36,121
- Flood Count (Frames)	59	57	57	56	55	57
P-0-0-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,194	4,388	5,806	2,662,956	1,325,950	1,077,885

- Rx Rate (L1) (Bit/s)	71.55 K	173.18 K	427.32 K	377.78 M	369.14 M	373.67 M
- Rx Rate (Fps)	106	146	194	88,765	44,198	35,930
- Flood Count (Frames)	57	61	60	53	54	54
P-0-0-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,186	4,401	7,146	2,661,903	1,326,603	1,082,857
- Rx Rate (L1) (Bit/s)	71.37 K	173.69 K	525.95 K	377.64 M	369.33 M	375.39 M
- Rx Rate (Fps)	106	147	238	88,730	44,220	36,095
- Flood Count (Frames)	61	59	59	55	54	58
P-0-0-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	1,525	4,369	7,188	2,662,704	1,316,102	1,083,726
- Rx Rate (L1) (Bit/s)	34.16 K	172.43 K	529.04 K	377.75 M	366.4 M	375.69 M
- Rx Rate (Fps)	51	146	240	88,757	43,870	36,124
- Flood Count (Frames)	57	59	60	57	54	58
P-0-2-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,221	4,381	7,012	2,621,374	1,325,818	1,084,595
- Rx Rate (L1) (Bit/s)	72.15 K	172.9 K	516.08 K	371.89 M	369.11 M	375.99 M
- Rx Rate (Fps)	107	146	234	87,379	44,194	36,153
- Flood Count (Frames)	56	61	59	54	53	54
P-0-2-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,233	4,422	6,950	2,662,013	1,326,625	1,083,651
- Rx Rate (L1) (Bit/s)	72.42 K	174.52 K	511.52 K	377.65 M	369.33 M	375.67 M
- Rx Rate (Fps)	108	147	232	88,734	44,221	36,122
- Flood Count (Frames)	61	58	59	56	54	57
P-0-2-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,251	4,381	6,962	2,613,591	1,326,005	1,083,993
- Rx Rate (L1) (Bit/s)	72.82 K	172.9 K	512.4 K	370.78 M	369.16 M	375.78 M
- Rx Rate (Fps)	108	146	232	87,120	44,200	36,133
- Flood Count (Frames)	59	59	61	55	54	54
P-0-2-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	1,526	4,384	6,786	2,661,571	1,326,359	1,053,909
- Rx Rate (L1) (Bit/s)	34.18 K	173.02 K	499.45 K	377.59 M	369.26 M	365.36 M
- Rx Rate (Fps)	51	146	226	88,719	44,212	35,130
- Flood Count (Frames)	58	58	59	57	54	54
P-0-2-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,234	4,376	6,689	2,659,756	1,309,814	1,083,755
- Rx Rate (L1) (Bit/s)	72.44 K	172.71 K	492.31 K	377.33 M	364.65 M	375.7 M
- Rx Rate (Fps)	108	146	223	88,659	43,660	36,125
- Flood Count (Frames)	59	59	59	56	56	54
P-0-2-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,234	4,400	6,730	2,662,497	1,326,924	1,083,880
- Rx Rate (L1) (Bit/s)	72.44 K	173.65 K	495.33 K	377.72 M	369.42 M	375.75 M
- Rx Rate (Fps)	108	147	224	88,750	44,231	36,129
- Flood Count (Frames)	59	57	57	55	55	53
P-0-4-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923


- Rx (Frames)	3,227	4,261	6,652	2,663,822	1,326,127	1,083,535
- Rx Rate (L1) (Bit/s)	72.28 K	168.17 K	489.59 K	377.91 M	369.19 M	375.63 M
- Rx Rate (Fps)	108	142	222	88,794	44,204	36,118
- Flood Count (Frames)	55	58	56	55	53	54
P-0-4-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,239	4,112	6,504	2,662,354	1,325,674	1,084,119
- Rx Rate (L1) (Bit/s)	72.55 K	162.29 K	478.69 K	377.7 M	369.07 M	375.83 M
- Rx Rate (Fps)	108	137	217	88,745	44,189	36,137
- Flood Count (Frames)	58	57	55	54	54	56
P-0-4-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,238	3,962	6,423	2,664,153	1,325,773	1,083,743
- Rx Rate (L1) (Bit/s)	72.53 K	156.37 K	472.73 K	377.95 M	369.1 M	375.7 M
- Rx Rate (Fps)	108	132	214	88,805	44,192	36,125
- Flood Count (Frames)	58	56	57	52	53	54
P-0-4-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	2,952	3,817	6,404	2,662,966	1,326,731	1,083,753
- Rx Rate (L1) (Bit/s)	66.12 K	150.64 K	471.33 K	377.79 M	369.36 M	375.7 M
- Rx Rate (Fps)	98	127	213	88,766	44,224	36,125
- Flood Count (Frames)	56	57	58	54	55	54
P-0-4-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	2,684	3,720	6,347	2,664,006	1,325,867	1,083,306
- Rx Rate (L1) (Bit/s)	60.12 K	146.82 K	467.14 K	377.93 M	369.12 M	375.55 M
- Rx Rate (Fps)	89	124	212	88,800	44,196	36,110
- Flood Count (Frames)	57	56	56	54	54	54
P-0-4-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	2,402	3,530	6,236	2,665,445	1,325,518	1,083,675
- Rx Rate (L1) (Bit/s)	53.8 K	139.32 K	458.97 K	378.14 M	369.02 M	375.67 M
- Rx Rate (Fps)	80	118	208	88,848	44,184	36,123
- Flood Count (Frames)	57	56	58	52	51	55

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14.4 G
Tx Rate (Fps)	1,170,348
Rx Rate (Percent)	37.54 %
Rx Rate (L1) (Bit/s)	6.76 G
Rx Rate (Fps)	549.15 K
Loss Rate (Percent)	53.08 %
Loss (Frames)	18,635,791
P-0-0-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	917,686
- Rx Rate (L1) (Bit/s)	376.37 M
- Rx Rate (Fps)	30,590
- Flood Count (Frames)	28
P-0-0-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	918,933
- Rx Rate (L1) (Bit/s)	376.89 M

- Rx Rate (Fps)	30,631
- Flood Count (Frames)	53
P-0-0-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	915,949
- Rx Rate (L1) (Bit/s)	375.66 M
- Rx Rate (Fps)	30,532
- Flood Count (Frames)	57
P-0-0-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	913,943
- Rx Rate (L1) (Bit/s)	374.84 M
- Rx Rate (Fps)	30,465
- Flood Count (Frames)	55
P-0-0-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	914,335
- Rx Rate (L1) (Bit/s)	375 M
- Rx Rate (Fps)	30,478
- Flood Count (Frames)	50
P-0-0-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	916,622
- Rx Rate (L1) (Bit/s)	375.94 M
- Rx Rate (Fps)	30,554
- Flood Count (Frames)	53
P-0-2-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	909,658
- Rx Rate (L1) (Bit/s)	373.08 M
- Rx Rate (Fps)	30,322
- Flood Count (Frames)	50
P-0-2-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	896,836
- Rx Rate (L1) (Bit/s)	367.82 M
- Rx Rate (Fps)	29,895
- Flood Count (Frames)	53
P-0-2-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	907,217
- Rx Rate (L1) (Bit/s)	372.08 M
- Rx Rate (Fps)	30,241
- Flood Count (Frames)	54
P-0-2-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	911,070
- Rx Rate (L1) (Bit/s)	373.66 M
- Rx Rate (Fps)	30,369
- Flood Count (Frames)	49
P-0-2-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	910,733

- Rx Rate (L1) (Bit/s)	373.52 M
- Rx Rate (Fps)	30,358
- Flood Count (Frames)	50
P-0-2-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	912,491
- Rx Rate (L1) (Bit/s)	374.24 M
- Rx Rate (Fps)	30,416
- Flood Count (Frames)	53
P-0-4-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	914,158
- Rx Rate (L1) (Bit/s)	374.93 M
- Rx Rate (Fps)	30,472
- Flood Count (Frames)	52
P-0-4-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	927,157
- Rx Rate (L1) (Bit/s)	380.26 M
- Rx Rate (Fps)	30,905
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	924,183
- Rx Rate (L1) (Bit/s)	379.04 M
- Rx Rate (Fps)	30,806
- Flood Count (Frames)	54
P-0-4-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	920,871
- Rx Rate (L1) (Bit/s)	377.68 M
- Rx Rate (Fps)	30,696
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	922,310
- Rx Rate (L1) (Bit/s)	378.27 M
- Rx Rate (Fps)	30,744
- Flood Count (Frames)	52
P-0-4-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	920,497
- Rx Rate (L1) (Bit/s)	377.53 M
- Rx Rate (Fps)	30,683
- Flood Count (Frames)	53

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G
Tx Rate (Fps)	24,107,139	13,682,423	7,336,952	3,806,385	1,939,652	1,557,683
Rx Rate (Percent)	0.01 %	0.01 %	0.04 %	15.69 %	9.21 %	11.8 %
Rx Rate (L1) (Bit/s)	973.82 K	2.1 M	6.35 M	2.82 G	1.66 G	2.12 G
Rx Rate (Fps)	1.45 K	1.77 K	2.88 K	663.7 K	198.39 K	204.27 K
Loss Rate (Percent)	99.99 %	99.99 %	99.96 %	82.56 %	89.77 %	86.89 %
Loss (Frames)	723,170,696	410,419,587	220,022,212	94,280,442	52,237,958	40,602,377
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,380	3,351	0	1,252,183	0	410,515
- Rx Rate (L1) (Bit/s)	53.31 K	132.25 K	0	177.64 M	0	142.31 M
- Rx Rate (Fps)	79	112	0	41,739	0	13,684
- Flood Count (Frames)	30	30	1	17	1	13
P-0-0-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,738	3,551	5,935	1,249,722	426,284	0
- Rx Rate (L1) (Bit/s)	61.33 K	140.15 K	436.82 K	177.29 M	118.68 M	0
- Rx Rate (Fps)	91	118	198	41,657	14,209	0
- Flood Count (Frames)	58	56	57	34	26	0
P-0-0-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,750	3,558	5,988	1,244,280	0	411,238
- Rx Rate (L1) (Bit/s)	61.6 K	140.42 K	440.72 K	176.52 M	0	142.56 M
- Rx Rate (Fps)	92	119	200	41,476	0	13,708
- Flood Count (Frames)	58	57	60	39	0	29
P-0-0-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,750	3,555	5,954	1,252,879	430,821	406,631

- Rx Rate (L1) (Bit/s)	61.6 K	140.3 K	438.21 K	177.74 M	119.94 M	140.97 M
- Rx Rate (Fps)	92	119	198	41,763	14,361	13,554
- Flood Count (Frames)	58	57	55	32	34	24
P-0-0-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,711	3,572	5,920	1,253,072	0	409,057
- Rx Rate (L1) (Bit/s)	60.73 K	140.97 K	435.71 K	177.77 M	0	141.81 M
- Rx Rate (Fps)	90	119	197	41,769	0	13,635
- Flood Count (Frames)	60	59	58	30	1	30
P-0-0-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,736	3,535	0	1,249,819	429,082	409,952
- Rx Rate (L1) (Bit/s)	61.29 K	139.51 K	0	177.31 M	119.46 M	142.12 M
- Rx Rate (Fps)	91	118	0	41,661	14,303	13,665
- Flood Count (Frames)	60	59	1	34	27	27
P-0-2-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,739	0	6,014	1,251,620	419,519	0
- Rx Rate (L1) (Bit/s)	61.35 K	0	442.63 K	177.56 M	116.79 M	0
- Rx Rate (Fps)	91	0	200	41,721	13,984	0
- Flood Count (Frames)	60	2	58	32	25	2
P-0-2-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	0	3,551	5,993	0	429,221	408,864
- Rx Rate (L1) (Bit/s)	0	140.15 K	441.08 K	0	119.5 M	141.74 M
- Rx Rate (Fps)	0	118	200	0	14,307	13,629
- Flood Count (Frames)	1	58	56	1	24	30
P-0-2-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,729	2,375	5,935	1,253,521	422,259	0
- Rx Rate (L1) (Bit/s)	61.13 K	93.73 K	436.82 K	177.83 M	117.56 M	0
- Rx Rate (Fps)	91	79	198	41,784	14,075	0
- Flood Count (Frames)	55	59	58	30	34	1
P-0-2-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,754	0	5,957	1,233,383	0	414,946
- Rx Rate (L1) (Bit/s)	61.69 K	0	438.44 K	174.98 M	0	143.85 M
- Rx Rate (Fps)	92	0	199	41,113	0	13,832
- Flood Count (Frames)	58	2	58	29	1	32
P-0-2-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,732	3,553	0	1,247,175	424,871	400,772
- Rx Rate (L1) (Bit/s)	61.2 K	140.23 K	0	176.93 M	118.28 M	138.93 M
- Rx Rate (Fps)	91	118	0	41,573	14,162	13,359
- Flood Count (Frames)	58	59	1	30	24	27
P-0-2-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	1,663	3,544	4,535	0	422,883	411,113
- Rx Rate (L1) (Bit/s)	37.25 K	139.87 K	333.78 K	0	117.73 M	142.52 M
- Rx Rate (Fps)	55	118	151	0	14,096	13,704
- Flood Count (Frames)	59	60	57	1	24	25
P-0-4-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538


- Rx (Frames)	2,720	3,564	5,947	1,242,400	422,564	404,366
- Rx Rate (L1) (Bit/s)	60.93 K	140.66 K	437.7 K	176.26 M	117.64 M	140.18 M
- Rx Rate (Fps)	91	119	198	41,413	14,085	13,479
- Flood Count (Frames)	57	57	58	30	29	27
P-0-4-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,760	3,396	5,861	1,234,467	422,687	408,704
- Rx Rate (L1) (Bit/s)	61.82 K	134.03 K	431.37 K	175.13 M	117.68 M	141.68 M
- Rx Rate (Fps)	92	113	195	41,149	14,090	13,623
- Flood Count (Frames)	57	55	58	36	27	35
P-0-4-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,739	3,259	5,664	1,235,872	424,556	406,881
- Rx Rate (L1) (Bit/s)	61.35 K	128.62 K	416.87 K	175.33 M	118.2 M	141.05 M
- Rx Rate (Fps)	91	109	189	41,196	14,152	13,563
- Flood Count (Frames)	59	57	58	28	32	29
P-0-4-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,456	3,055	5,587	1,230,947	423,400	408,454
- Rx Rate (L1) (Bit/s)	55.01 K	120.57 K	411.2 K	174.63 M	117.87 M	141.6 M
- Rx Rate (Fps)	82	102	186	41,032	14,113	13,615
- Flood Count (Frames)	57	58	58	38	23	23
P-0-4-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,184	2,924	5,584	1,237,735	425,637	409,934
- Rx Rate (L1) (Bit/s)	48.92 K	115.4 K	410.98 K	175.59 M	118.5 M	142.11 M
- Rx Rate (Fps)	73	97	186	41,258	14,188	13,664
- Flood Count (Frames)	55	55	58	31	27	29
P-0-4-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	1,933	2,754	5,468	1,242,033	427,830	406,680
- Rx Rate (L1) (Bit/s)	43.3 K	108.69 K	402.44 K	176.2 M	119.11 M	140.98 M
- Rx Rate (Fps)	64	92	182	41,401	14,261	13,556
- Flood Count (Frames)	57	58	61	26	25	26

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16.2 G
Tx Rate (Fps)	1,316,636
Rx Rate (Percent)	22.61 %
Rx Rate (L1) (Bit/s)	4.07 G
Rx Rate (Fps)	330.79 K
Loss Rate (Percent)	74.88 %
Loss (Frames)	29,575,323
P-0-0-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	592,161
- Rx Rate (L1) (Bit/s)	242.86 M
- Rx Rate (Fps)	19,739
- Flood Count (Frames)	19
P-0-0-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	577,807
- Rx Rate (L1) (Bit/s)	236.98 M

- Rx Rate (Fps)	19,260
- Flood Count (Frames)	37
P-0-0-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	579,097
- Rx Rate (L1) (Bit/s)	237.51 M
- Rx Rate (Fps)	19,303
- Flood Count (Frames)	37
P-0-0-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	582,630
- Rx Rate (L1) (Bit/s)	238.96 M
- Rx Rate (Fps)	19,421
- Flood Count (Frames)	37
P-0-0-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	595,955
- Rx Rate (L1) (Bit/s)	244.42 M
- Rx Rate (Fps)	19,865
- Flood Count (Frames)	37
P-0-2-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	585,708
- Rx Rate (L1) (Bit/s)	240.22 M
- Rx Rate (Fps)	19,524
- Flood Count (Frames)	35
P-0-2-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	579,812
- Rx Rate (L1) (Bit/s)	237.8 M
- Rx Rate (Fps)	19,327
- Flood Count (Frames)	37
P-0-2-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	589,647
- Rx Rate (L1) (Bit/s)	241.83 M
- Rx Rate (Fps)	19,655
- Flood Count (Frames)	36
P-0-2-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	579,918
- Rx Rate (L1) (Bit/s)	237.84 M
- Rx Rate (Fps)	19,331
- Flood Count (Frames)	33
P-0-2-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	584,131

- Rx Rate (L1) (Bit/s)	239.57 M
- Rx Rate (Fps)	19,471
- Flood Count (Frames)	39
P-0-2-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	580,956
- Rx Rate (L1) (Bit/s)	238.27 M
- Rx Rate (Fps)	19,365
- Flood Count (Frames)	48
P-0-4-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	583,983
- Rx Rate (L1) (Bit/s)	239.51 M
- Rx Rate (Fps)	19,466
- Flood Count (Frames)	44
P-0-4-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	580,007
- Rx Rate (L1) (Bit/s)	237.88 M
- Rx Rate (Fps)	19,334
- Flood Count (Frames)	40
P-0-4-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	583,627
- Rx Rate (L1) (Bit/s)	239.36 M
- Rx Rate (Fps)	19,454
- Flood Count (Frames)	38
P-0-4-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	580,309
- Rx Rate (L1) (Bit/s)	238 M
- Rx Rate (Fps)	19,344
- Flood Count (Frames)	40
P-0-4-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	586,238
- Rx Rate (L1) (Bit/s)	240.44 M
- Rx Rate (Fps)	19,541
- Flood Count (Frames)	40
P-0-4-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	581,783
- Rx Rate (L1) (Bit/s)	238.61 M
- Rx Rate (Fps)	19,393
- Flood Count (Frames)	35

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26,785,710	15,202,702	8,152,166	4,229,318	2,155,168	1,730,767
Rx Rate (Percent)	0 %	0.01 %	0.03 %	7.66 %	22.86 %	15.91 %
Rx Rate (L1) (Bit/s)	832 K	2.06 M	6.17 M	1.38 G	4.11 G	2.86 G
Rx Rate (Fps)	1.24 K	1.74 K	2.79 K	324.17 K	492.65 K	275.28 K
Loss Rate (Percent)	100 %	99.99 %	99.97 %	92.34 %	77.14 %	84.09 %
Loss (Frames)	803,534,157	456,028,957	244,481,211	117,154,437	49,875,503	43,664,592
P-0-0-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,180	0	5,543	756,085	879,246	0
- Rx Rate (L1) (Bit/s)	48.83 K	0	407.96 K	107.26 M	244.78 M	0
- Rx Rate (Fps)	73	0	185	25,203	29,308	0
- Flood Count (Frames)	28	1	31	10	18	1
P-0-0-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,434	3,270	5,800	754,954	873,477	522,442
- Rx Rate (L1) (Bit/s)	54.52 K	129.06 K	426.88 K	107.1 M	243.18 M	181.11 M
- Rx Rate (Fps)	81	109	193	25,165	29,116	17,415
- Flood Count (Frames)	59	59	58	28	31	34
P-0-0-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,484	3,456	5,555	754,463	868,053	509,791
- Rx Rate (L1) (Bit/s)	55.64 K	136.4 K	408.85 K	107.03 M	241.67 M	176.73 M
- Rx Rate (Fps)	83	115	185	25,149	28,935	16,993
- Flood Count (Frames)	61	59	56	23	34	27
P-0-0-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,512	3,422	5,706	753,172	874,633	520,476


- Rx Rate (L1) (Bit/s)	56.27 K	135.05 K	419.96 K	106.85 M	243.5 M	180.43 M
- Rx Rate (Fps)	84	114	190	25,106	29,154	17,349
- Flood Count (Frames)	61	63	60	30	36	38
P-0-0-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,457	3,424	5,758	755,959	880,363	511,544
- Rx Rate (L1) (Bit/s)	55.04 K	135.13 K	423.79 K	107.25 M	245.09 M	177.34 M
- Rx Rate (Fps)	82	114	192	25,199	29,345	17,051
- Flood Count (Frames)	61	59	58	30	38	26
P-0-0-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,467	3,427	5,573	0	870,460	518,586
- Rx Rate (L1) (Bit/s)	55.26 K	135.25 K	410.17 K	0	242.34 M	179.78 M
- Rx Rate (Fps)	82	114	186	0	29,015	17,286
- Flood Count (Frames)	59	61	76	1	34	34
P-0-2-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,467	3,385	0	0	879,971	519,177
- Rx Rate (L1) (Bit/s)	55.26 K	133.59 K	0	0	244.98 M	179.98 M
- Rx Rate (Fps)	82	113	0	0	29,332	17,306
- Flood Count (Frames)	59	77	1	0	32	39
P-0-2-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,482	0	5,718	0	871,266	0
- Rx Rate (L1) (Bit/s)	55.6 K	0	420.84 K	0	242.56 M	0
- Rx Rate (Fps)	83	0	191	0	29,042	0
- Flood Count (Frames)	79	0	59	1	38	0
P-0-2-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	3,491	5,566	0	884,933	522,061
- Rx Rate (L1) (Bit/s)	0	137.78 K	409.66 K	0	246.37 M	180.98 M
- Rx Rate (Fps)	0	116	186	0	29,498	17,402
- Flood Count (Frames)	1	61	60	1	35	33
P-0-2-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,437	3,460	0	0	0	509,817
- Rx Rate (L1) (Bit/s)	54.59 K	136.55 K	0	0	0	176.74 M
- Rx Rate (Fps)	81	115	0	0	0	16,994
- Flood Count (Frames)	59	76	1	1	1	32
P-0-2-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,447	3,431	5,748	752,575	883,136	519,975
- Rx Rate (L1) (Bit/s)	54.81 K	135.41 K	423.05 K	106.77 M	245.87 M	180.26 M
- Rx Rate (Fps)	82	114	192	25,086	29,438	17,333
- Flood Count (Frames)	58	59	79	28	42	27
P-0-2-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	3,438	0	741,935	850,970	508,219
- Rx Rate (L1) (Bit/s)	0	135.69 K	0	105.26 M	236.91 M	176.18 M
- Rx Rate (Fps)	0	115	0	24,731	28,366	16,941
- Flood Count (Frames)	1	59	1	29	34	33
P-0-4-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154

- Rx (Frames)	2,493	3,424	5,649	741,430	856,468	513,018
- Rx Rate (L1) (Bit/s)	55.84 K	135.13 K	415.77 K	105.18 M	238.44 M	177.85 M
- Rx Rate (Fps)	83	114	188	24,714	28,549	17,101
- Flood Count (Frames)	60	59	61	31	33	32
P-0-4-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,497	3,272	5,687	741,432	844,822	517,392
- Rx Rate (L1) (Bit/s)	55.93 K	129.13 K	418.56 K	105.18 M	235.2 M	179.36 M
- Rx Rate (Fps)	83	109	190	24,714	28,161	17,246
- Flood Count (Frames)	60	60	57	27	37	26
P-0-4-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,475	3,062	5,479	740,756	855,859	517,843
- Rx Rate (L1) (Bit/s)	55.44 K	120.85 K	403.25 K	105.09 M	238.27 M	179.52 M
- Rx Rate (Fps)	83	102	183	24,692	28,529	17,261
- Flood Count (Frames)	58	58	58	26	31	31
P-0-4-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,168	2,865	5,403	743,733	872,609	514,890
- Rx Rate (L1) (Bit/s)	48.56 K	113.07 K	397.66 K	105.51 M	242.93 M	178.5 M
- Rx Rate (Fps)	72	96	180	24,791	29,087	17,163
- Flood Count (Frames)	60	55	57	27	35	28
P-0-4-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	1,631	2,723	5,315	746,730	865,336	517,380
- Rx Rate (L1) (Bit/s)	36.53 K	107.47 K	391.18 K	105.94 M	240.91 M	179.36 M
- Rx Rate (Fps)	54	91	177	24,891	28,845	17,246
- Flood Count (Frames)	59	56	58	29	35	42
P-0-4-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	1,512	2,559	5,281	741,873	867,941	515,795
- Rx Rate (L1) (Bit/s)	33.87 K	101 K	388.68 K	105.25 M	241.63 M	178.81 M
- Rx Rate (Fps)	50	85	176	24,729	28,931	17,193
- Flood Count (Frames)	60	59	58	27	37	26

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1,462,935
Rx Rate (Percent)	6.24 %
Rx Rate (L1) (Bit/s)	1.12 G
Rx Rate (Fps)	91.32 K
Loss Rate (Percent)	93.76 %
Loss (Frames)	41,148,513
P-0-0-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	227,598
- Rx Rate (L1) (Bit/s)	93.35 M
- Rx Rate (Fps)	7,587
- Flood Count (Frames)	14
P-0-0-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	229,239
- Rx Rate (L1) (Bit/s)	94.02 M

- Rx Rate (Fps)	7,641
- Flood Count (Frames)	24
P-0-0-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	223,816
- Rx Rate (L1) (Bit/s)	91.79 M
- Rx Rate (Fps)	7,461
- Flood Count (Frames)	26
P-0-0-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	226,868
- Rx Rate (L1) (Bit/s)	93.05 M
- Rx Rate (Fps)	7,562
- Flood Count (Frames)	22
P-0-2-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	229,121

- Rx Rate (L1) (Bit/s)	93.97 M
- Rx Rate (Fps)	7,637
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	225,278
- Rx Rate (L1) (Bit/s)	92.39 M
- Rx Rate (Fps)	7,509
- Flood Count (Frames)	22
P-0-4-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	230,115
- Rx Rate (L1) (Bit/s)	94.38 M
- Rx Rate (Fps)	7,671
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	230,922
- Rx Rate (L1) (Bit/s)	94.71 M
- Rx Rate (Fps)	7,697
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	230,810
- Rx Rate (L1) (Bit/s)	94.66 M
- Rx Rate (Fps)	7,694
- Flood Count (Frames)	21
P-0-4-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	227,889
- Rx Rate (L1) (Bit/s)	93.46 M
- Rx Rate (Fps)	7,596
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	228,412
- Rx Rate (L1) (Bit/s)	93.68 M
- Rx Rate (Fps)	7,614
- Flood Count (Frames)	26
P-0-4-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	229,469
- Rx Rate (L1) (Bit/s)	94.11 M
- Rx Rate (Fps)	7,649
- Flood Count (Frames)	31



Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Blocks
Direction: Bidirectional

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,270	815,217	422,932	215,517	173,076
Rx Rate (Percent)	5.73 %	4.89 %	5.91 %	5.9 %	5.96 %	5.96 %
Rx Rate (L1) (Bit/s)	1.03 G	880.85 M	1.06 G	1.06 G	1.07 G	1.07 G
Rx Rate (Fps)	1.54 M	743.96 K	481.95 K	249.51 K	128.49 K	103.11 K
Loss Rate (Percent)	42.68 %	51.06 %	40.88 %	41 %	40.38 %	40.42 %
Loss (Frames)	34,294,495	23,289,383	9,998,124	5,202,540	2,610,958	2,098,919
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	42,656,481	20,601,535	13,402,230	6,948,507	3,580,436	2,877,709
- Rx Rate (L1) (Bit/s)	955.51 M	813.07 M	986.4 M	985.76 M	996.79 M	997.61 M
- Rx Rate (Fps)	1,421,883	686,718	446,741	231,617	119,348	95,924
- Flood Count (Frames)	22	15	14	21	25	22
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	221,621	101,370	64,478	30,952	13,492	12,613
- Rx Rate (L1) (Bit/s)	4.96 M	4 M	4.75 M	4.39 M	3.76 M	4.37 M
- Rx Rate (Fps)	7,387	3,379	2,149	1,032	450	420

- Flood Count (Frames)	62	59	57	55	55	55
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,748	102,962	63,739	32,922	16,314	12,818
- Rx Rate (L1) (Bit/s)	4.68 M	4.06 M	4.69 M	4.67 M	4.54 M	4.44 M
- Rx Rate (Fps)	6,958	3,432	2,125	1,097	544	427
- Flood Count (Frames)	80	56	56	57	59	58
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	209,795	100,122	63,474	30,872	15,945	12,672
- Rx Rate (L1) (Bit/s)	4.7 M	3.95 M	4.67 M	4.38 M	4.44 M	4.39 M
- Rx Rate (Fps)	6,993	3,337	2,116	1,029	532	422
- Flood Count (Frames)	74	56	54	56	55	57
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	142,094	102,034	63,114	30,835	16,790	12,684
- Rx Rate (L1) (Bit/s)	3.18 M	4.03 M	4.65 M	4.37 M	4.67 M	4.4 M
- Rx Rate (Fps)	4,736	3,401	2,104	1,028	560	423
- Flood Count (Frames)	56	57	58	54	58	56
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	202,010	101,508	63,402	33,045	15,904	12,802
- Rx Rate (L1) (Bit/s)	4.53 M	4.01 M	4.67 M	4.69 M	4.43 M	4.44 M
- Rx Rate (Fps)	6,734	3,384	2,113	1,102	530	427
- Flood Count (Frames)	77	55	58	56	55	58
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	169,681	100,843	63,829	26,807	16,744	12,217
- Rx Rate (L1) (Bit/s)	3.8 M	3.98 M	4.7 M	3.8 M	4.66 M	4.24 M
- Rx Rate (Fps)	5,656	3,361	2,128	894	558	407
- Flood Count (Frames)	44	55	58	56	55	57
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	190,502	100,806	56,111	31,010	16,513	12,725
- Rx Rate (L1) (Bit/s)	4.27 M	3.98 M	4.13 M	4.4 M	4.6 M	4.41 M
- Rx Rate (Fps)	6,350	3,360	1,870	1,034	550	424
- Flood Count (Frames)	59	60	57	56	58	59
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	207,399	101,958	61,787	33,185	16,611	12,849
- Rx Rate (L1) (Bit/s)	4.65 M	4.02 M	4.55 M	4.71 M	4.62 M	4.45 M
- Rx Rate (Fps)	6,913	3,399	2,060	1,106	554	428
- Flood Count (Frames)	84	56	57	56	57	57
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	189,948	100,599	53,252	29,051	16,232	12,738
- Rx Rate (L1) (Bit/s)	4.25 M	3.97 M	3.92 M	4.12 M	4.52 M	4.42 M
- Rx Rate (Fps)	6,332	3,353	1,775	968	541	425
- Flood Count (Frames)	44	59	56	58	56	56
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,263	100,094	63,913	32,307	15,324	12,773
- Rx Rate (L1) (Bit/s)	4.67 M	3.95 M	4.7 M	4.58 M	4.27 M	4.43 M

- Rx Rate (Fps)	6,942	3,336	2,130	1,077	511	426
- Flood Count (Frames)	57	59	57	58	55	57
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	207,688	101,111	62,183	32,032	15,967	12,224
- Rx Rate (L1) (Bit/s)	4.65 M	3.99 M	4.58 M	4.54 M	4.45 M	4.24 M
- Rx Rate (Fps)	6,923	3,370	2,073	1,068	532	407
- Flood Count (Frames)	57	54	59	58	55	56
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	206,784	100,719	61,423	33,151	16,521	12,850
- Rx Rate (L1) (Bit/s)	4.63 M	3.98 M	4.52 M	4.7 M	4.6 M	4.45 M
- Rx Rate (Fps)	6,893	3,357	2,047	1,105	551	428
- Flood Count (Frames)	60	56	56	59	53	52
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	207,234	101,402	63,471	32,073	15,931	12,675
- Rx Rate (L1) (Bit/s)	4.64 M	4 M	4.67 M	4.55 M	4.44 M	4.39 M
- Rx Rate (Fps)	6,908	3,380	2,116	1,069	531	423
- Flood Count (Frames)	59	55	53	55	54	55
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	206,076	99,824	62,966	33,004	16,513	12,796
- Rx Rate (L1) (Bit/s)	4.62 M	3.94 M	4.63 M	4.68 M	4.6 M	4.44 M
- Rx Rate (Fps)	6,869	3,327	2,099	1,100	550	427
- Flood Count (Frames)	57	58	55	54	56	58
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	209,272	101,866	62,048	30,793	16,377	12,856
- Rx Rate (L1) (Bit/s)	4.69 M	4.02 M	4.57 M	4.37 M	4.56 M	4.46 M
- Rx Rate (Fps)	6,976	3,396	2,068	1,026	546	429
- Flood Count (Frames)	57	53	52	56	56	55
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	210,276	100,149	61,906	32,273	16,413	12,748
- Rx Rate (L1) (Bit/s)	4.71 M	3.95 M	4.56 M	4.58 M	4.57 M	4.42 M
- Rx Rate (Fps)	7,009	3,338	2,064	1,076	547	425
- Flood Count (Frames)	55	56	56	55	54	57
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,763	99,808	65,056	32,591	16,523	12,625
- Rx Rate (L1) (Bit/s)	4.68 M	3.94 M	4.79 M	4.62 M	4.6 M	4.38 M
- Rx Rate (Fps)	6,959	3,327	2,169	1,086	551	421
- Flood Count (Frames)	56	56	55	56	56	56


Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,294
Rx Rate (Percent)	5.79 %
Rx Rate (L1) (Bit/s)	1.04 G
Rx Rate (Fps)	84.75 K
Loss Rate (Percent)	42.07 %
Loss (Frames)	1,846,377

P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	2,428,044
- Rx Rate (L1) (Bit/s)	995.82 M
- Rx Rate (Fps)	80,935
- Flood Count (Frames)	18
P-0-0-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,732
- Rx Rate (L1) (Bit/s)	2.76 M
- Rx Rate (Fps)	224
- Flood Count (Frames)	37
P-0-0-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,651
- Rx Rate (L1) (Bit/s)	2.73 M
- Rx Rate (Fps)	222
- Flood Count (Frames)	31
P-0-0-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,792
- Rx Rate (L1) (Bit/s)	2.79 M
- Rx Rate (Fps)	226
- Flood Count (Frames)	42
P-0-0-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,618
- Rx Rate (L1) (Bit/s)	2.71 M
- Rx Rate (Fps)	221
- Flood Count (Frames)	36
P-0-0-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,319
- Rx Rate (L1) (Bit/s)	2.59 M
- Rx Rate (Fps)	211
- Flood Count (Frames)	27
P-0-2-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,804
- Rx Rate (L1) (Bit/s)	2.79 M
- Rx Rate (Fps)	227
- Flood Count (Frames)	38
P-0-2-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,784
- Rx Rate (L1) (Bit/s)	2.78 M
- Rx Rate (Fps)	226
- Flood Count (Frames)	40
P-0-2-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,794
- Rx Rate (L1) (Bit/s)	2.79 M
- Rx Rate (Fps)	226

- Flood Count (Frames)	35
P-0-2-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,830
- Rx Rate (L1) (Bit/s)	2.8 M
- Rx Rate (Fps)	228
- Flood Count (Frames)	33
P-0-2-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,662
- Rx Rate (L1) (Bit/s)	2.73 M
- Rx Rate (Fps)	222
- Flood Count (Frames)	29
P-0-2-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,772
- Rx Rate (L1) (Bit/s)	2.78 M
- Rx Rate (Fps)	226
- Flood Count (Frames)	37
P-0-4-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,778
- Rx Rate (L1) (Bit/s)	2.78 M
- Rx Rate (Fps)	226
- Flood Count (Frames)	36
P-0-4-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,694
- Rx Rate (L1) (Bit/s)	2.75 M
- Rx Rate (Fps)	223
- Flood Count (Frames)	39
P-0-4-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,805
- Rx Rate (L1) (Bit/s)	2.79 M
- Rx Rate (Fps)	227
- Flood Count (Frames)	34
P-0-4-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,777
- Rx Rate (L1) (Bit/s)	2.78 M
- Rx Rate (Fps)	226
- Flood Count (Frames)	32
P-0-4-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,795
- Rx Rate (L1) (Bit/s)	2.79 M
- Rx Rate (Fps)	227
- Flood Count (Frames)	41
P-0-4-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	6,777
- Rx Rate (L1) (Bit/s)	2.78 M

- Rx Rate (Fps)	226
- Flood Count (Frames)	37

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,270	815,217	422,932	215,517	173,076
Rx Rate (Percent)	5.74 %	5.82 %	5.54 %	6.02 %	5.96 %	5.89 %
Rx Rate (L1) (Bit/s)	1.03 G	1.05 G	997.05 M	1.08 G	1.07 G	1.06 G
Rx Rate (Fps)	1.54 M	884.85 K	451.56 K	254.42 K	128.43 K	101.9 K
Loss Rate (Percent)	42.57 %	41.8 %	44.61 %	39.84 %	40.41 %	41.12 %
Loss (Frames)	34,210,396	19,062,447	10,909,566	5,055,377	2,612,510	2,135,260
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	42,651,544	24,566,513	12,539,556	7,000,845	3,579,739	2,833,754
- Rx Rate (L1) (Bit/s)	955.39 M	969.56 M	922.91 M	993.19 M	996.6 M	982.37 M
- Rx Rate (Fps)	1,421,718	818,884	417,985	233,362	119,325	94,458
- Flood Count (Frames)	25	20	19	31	18	22
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	174,169	116,402	60,116	37,219	16,258	10,753
- Rx Rate (L1) (Bit/s)	3.9 M	4.59 M	4.42 M	5.28 M	4.53 M	3.73 M
- Rx Rate (Fps)	5,806	3,880	2,004	1,241	542	358
- Flood Count (Frames)	56	59	68	79	56	55
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	216,880	116,414	58,495	37,116	16,271	13,260
- Rx Rate (L1) (Bit/s)	4.86 M	4.59 M	4.31 M	5.27 M	4.53 M	4.6 M
- Rx Rate (Fps)	7,229	3,880	1,950	1,237	542	442
- Flood Count (Frames)	58	58	62	57	60	71
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	215,287	112,334	60,657	37,150	15,573	13,299
- Rx Rate (L1) (Bit/s)	4.82 M	4.43 M	4.46 M	5.27 M	4.34 M	4.61 M
- Rx Rate (Fps)	7,176	3,744	2,022	1,238	519	443
- Flood Count (Frames)	60	66	55	72	66	57
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	215,448	116,438	61,230	36,680	15,392	13,228
- Rx Rate (L1) (Bit/s)	4.83 M	4.6 M	4.51 M	5.2 M	4.29 M	4.59 M
- Rx Rate (Fps)	7,182	3,881	2,041	1,223	513	441
- Flood Count (Frames)	59	56	58	76	56	64
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	213,373	115,888	61,752	37,279	16,091	13,302
- Rx Rate (L1) (Bit/s)	4.78 M	4.57 M	4.54 M	5.29 M	4.48 M	4.61 M
- Rx Rate (Fps)	7,112	3,863	2,058	1,243	536	443
- Flood Count (Frames)	58	62	61	57	58	54
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	192,289	116,580	59,437	37,214	16,758	13,320
- Rx Rate (L1) (Bit/s)	4.31 M	4.6 M	4.37 M	5.28 M	4.67 M	4.62 M
- Rx Rate (Fps)	6,410	3,886	1,981	1,240	559	444
- Flood Count (Frames)	55	56	68	57	67	59
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	213,476	116,382	50,213	37,349	16,158	13,100
- Rx Rate (L1) (Bit/s)	4.78 M	4.59 M	3.7 M	5.3 M	4.5 M	4.54 M
- Rx Rate (Fps)	7,116	3,879	1,674	1,245	539	437
- Flood Count (Frames)	55	55	57	59	60	60
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	164,569	116,146	59,929	34,609	14,528	13,389
- Rx Rate (L1) (Bit/s)	3.69 M	4.58 M	4.41 M	4.91 M	4.04 M	4.64 M
- Rx Rate (Fps)	5,486	3,872	1,998	1,154	484	446
- Flood Count (Frames)	56	56	58	57	59	66
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	195,358	117,503	59,689	37,711	15,226	13,297
- Rx Rate (L1) (Bit/s)	4.38 M	4.64 M	4.39 M	5.35 M	4.24 M	4.61 M
- Rx Rate (Fps)	6,512	3,917	1,990	1,257	508	443
- Flood Count (Frames)	57	67	57	57	60	58
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	215,863	114,376	59,715	37,127	14,832	13,369
- Rx Rate (L1) (Bit/s)	4.84 M	4.51 M	4.4 M	5.27 M	4.13 M	4.63 M
- Rx Rate (Fps)	7,195	3,813	1,991	1,238	494	446
- Flood Count (Frames)	58	57	57	59	65	58
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461


- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	190,035	118,641	59,491	37,398	16,651	13,079
- Rx Rate (L1) (Bit/s)	4.26 M	4.68 M	4.38 M	5.31 M	4.64 M	4.53 M
- Rx Rate (Fps)	6,335	3,955	1,983	1,247	555	436
- Flood Count (Frames)	57	56	57	59	56	57
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	215,023	117,405	58,717	37,288	16,697	13,313
- Rx Rate (L1) (Bit/s)	4.82 M	4.63 M	4.32 M	5.29 M	4.65 M	4.62 M
- Rx Rate (Fps)	7,167	3,914	1,957	1,243	557	444
- Flood Count (Frames)	54	54	54	56	52	53
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	213,753	117,748	59,361	37,779	16,598	13,147
- Rx Rate (L1) (Bit/s)	4.79 M	4.65 M	4.37 M	5.36 M	4.62 M	4.56 M
- Rx Rate (Fps)	7,125	3,925	1,979	1,259	553	438
- Flood Count (Frames)	54	60	53	57	57	55
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	214,465	117,244	59,090	37,924	16,484	13,330
- Rx Rate (L1) (Bit/s)	4.8 M	4.63 M	4.35 M	5.38 M	4.59 M	4.62 M
- Rx Rate (Fps)	7,149	3,908	1,970	1,264	549	444
- Flood Count (Frames)	54	53	54	60	55	55
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	216,172	115,830	59,808	37,427	16,842	13,381
- Rx Rate (L1) (Bit/s)	4.84 M	4.57 M	4.4 M	5.31 M	4.69 M	4.64 M
- Rx Rate (Fps)	7,206	3,861	1,994	1,248	561	446
- Flood Count (Frames)	55	57	53	58	53	58
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	215,470	116,096	60,380	37,266	16,641	13,297
- Rx Rate (L1) (Bit/s)	4.83 M	4.58 M	4.44 M	5.29 M	4.63 M	4.61 M
- Rx Rate (Fps)	7,182	3,870	2,013	1,242	555	443
- Flood Count (Frames)	54	55	56	54	56	58
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	213,560	117,706	59,304	37,192	16,259	13,415
- Rx Rate (L1) (Bit/s)	4.78 M	4.65 M	4.36 M	5.28 M	4.53 M	4.65 M
- Rx Rate (Fps)	7,119	3,924	1,977	1,240	542	447
- Flood Count (Frames)	58	57	55	58	53	58

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,294
Rx Rate (Percent)	5.73 %
Rx Rate (L1) (Bit/s)	1.03 G
Rx Rate (Fps)	83.87 K
Loss Rate (Percent)	42.67 %
Loss (Frames)	1,872,637
P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	2,363,909
- Rx Rate (L1) (Bit/s)	969.52 M
- Rx Rate (Fps)	78,797
- Flood Count (Frames)	17
P-0-0-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,971
- Rx Rate (L1) (Bit/s)	3.68 M
- Rx Rate (Fps)	299
- Flood Count (Frames)	52
P-0-0-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,914
- Rx Rate (L1) (Bit/s)	3.66 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	40
P-0-0-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,940
- Rx Rate (L1) (Bit/s)	3.67 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	45
P-0-0-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,941
- Rx Rate (L1) (Bit/s)	3.67 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,001
- Rx Rate (L1) (Bit/s)	3.69 M
- Rx Rate (Fps)	300
- Flood Count (Frames)	53
P-0-2-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,048
- Rx Rate (L1) (Bit/s)	3.71 M
- Rx Rate (Fps)	302
- Flood Count (Frames)	37
P-0-2-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,759
- Rx Rate (L1) (Bit/s)	3.59 M
- Rx Rate (Fps)	292
- Flood Count (Frames)	37
P-0-2-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,921
- Rx Rate (L1) (Bit/s)	3.66 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	45
P-0-2-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8,127
- Rx (Frames)	8,971
- Rx Rate (L1) (Bit/s)	3.68 M
- Rx Rate (Fps)	299
- Flood Count (Frames)	42
P-0-2-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,017
- Rx Rate (L1) (Bit/s)	3.7 M
- Rx Rate (Fps)	301
- Flood Count (Frames)	38
P-0-2-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,012
- Rx Rate (L1) (Bit/s)	3.7 M
- Rx Rate (Fps)	300
- Flood Count (Frames)	34
P-0-4-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,974
- Rx Rate (L1) (Bit/s)	3.68 M
- Rx Rate (Fps)	299
- Flood Count (Frames)	41
P-0-4-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,917
- Rx Rate (L1) (Bit/s)	3.66 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	39
P-0-4-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,889
- Rx Rate (L1) (Bit/s)	3.65 M
- Rx Rate (Fps)	296
- Flood Count (Frames)	41
P-0-4-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,977
- Rx Rate (L1) (Bit/s)	3.68 M
- Rx Rate (Fps)	299
- Flood Count (Frames)	41
P-0-4-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,988
- Rx Rate (L1) (Bit/s)	3.69 M
- Rx Rate (Fps)	300
- Flood Count (Frames)	44
P-0-4-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,019
- Rx Rate (L1) (Bit/s)	3.7 M
- Rx Rate (Fps)	301
- Flood Count (Frames)	41

Part.Mesh, N->N: Loss by Frame Size at 10.00% Rate



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,143	3,040,540	1,630,434	845,864	431,034	346,153
Rx Rate (Percent)	0.01 %	6.09 %	5.17 %	5.24 %	6.22 %	5.97 %
Rx Rate (L1) (Bit/s)	1.29 M	1.1 G	931.39 M	942.9 M	1.12 G	1.07 G
Rx Rate (Fps)	1.92 K	925.19 K	421.83 K	221.55 K	134.06 K	103.26 K
Loss Rate (Percent)	99.96 %	69.57 %	74.13 %	73.81 %	68.9 %	70.17 %
Loss (Frames)	160,656,709	63,460,361	36,258,232	18,729,511	8,909,098	7,286,885
P-0-0-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	57,566	24,700,858	11,140,914	5,839,189	3,581,753	2,749,534
- Rx Rate (L1) (Bit/s)	1.29 M	974.86 M	819.97 M	828.39 M	997.16 M	953.17 M
- Rx Rate (Fps)	1,919	823,362	371,364	194,640	119,392	91,651
- Flood Count (Frames)	25	13	17	11	13	15
P-0-0-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	181,114	88,202	46,702	25,575	20,555
- Rx Rate (L1) (Bit/s)	0	7.15 M	6.49 M	6.63 M	7.12 M	7.13 M
- Rx Rate (Fps)	0	6,037	2,940	1,557	853	685
- Flood Count (Frames)	58	59	56	56	57	56
P-0-0-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	181,808	88,920	47,032	26,210	20,754
- Rx Rate (L1) (Bit/s)	0	7.18 M	6.54 M	6.67 M	7.3 M	7.19 M
- Rx Rate (Fps)	0	6,060	2,964	1,568	874	692
- Flood Count (Frames)	58	55	54	52	57	55
P-0-0-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	182,267	88,851	48,228	24,997	20,774

- Rx Rate (L1) (Bit/s)	0	7.19 M	6.54 M	6.84 M	6.96 M	7.2 M
- Rx Rate (Fps)	0	6,076	2,962	1,608	833	692
- Flood Count (Frames)	58	57	57	54	56	55
P-0-0-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	180,584	89,927	46,691	26,458	20,763
- Rx Rate (L1) (Bit/s)	0	7.13 M	6.62 M	6.62 M	7.37 M	7.2 M
- Rx Rate (Fps)	0	6,019	2,998	1,556	882	692
- Flood Count (Frames)	60	57	54	56	56	53
P-0-0-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	175,255	88,682	48,234	26,425	20,537
- Rx Rate (L1) (Bit/s)	0	6.92 M	6.53 M	6.84 M	7.36 M	7.12 M
- Rx Rate (Fps)	0	5,842	2,956	1,608	881	685
- Flood Count (Frames)	58	55	58	57	53	54
P-0-2-0						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	158,756	88,013	47,531	26,667	20,767
- Rx Rate (L1) (Bit/s)	0	6.27 M	6.48 M	6.74 M	7.42 M	7.2 M
- Rx Rate (Fps)	0	5,292	2,934	1,584	889	692
- Flood Count (Frames)	58	53	53	57	54	52
P-0-2-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	182,799	89,287	48,678	25,514	20,572
- Rx Rate (L1) (Bit/s)	0	7.21 M	6.57 M	6.91 M	7.1 M	7.13 M
- Rx Rate (Fps)	0	6,093	2,976	1,623	850	686
- Flood Count (Frames)	55	55	56	56	54	55
P-0-2-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	180,669	89,053	48,343	26,425	18,129
- Rx Rate (L1) (Bit/s)	0	7.13 M	6.55 M	6.86 M	7.36 M	6.28 M
- Rx Rate (Fps)	0	6,022	2,968	1,611	881	604
- Flood Count (Frames)	56	57	57	57	58	56
P-0-2-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	180,749	87,881	46,112	26,596	20,622
- Rx Rate (L1) (Bit/s)	0	7.13 M	6.47 M	6.54 M	7.4 M	7.15 M
- Rx Rate (Fps)	0	6,025	2,929	1,537	887	687
- Flood Count (Frames)	59	54	53	60	56	59
P-0-2-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	181,403	89,839	47,489	21,546	20,668
- Rx Rate (L1) (Bit/s)	0	7.16 M	6.61 M	6.74 M	6 M	7.16 M
- Rx Rate (Fps)	0	6,047	2,995	1,583	718	689
- Flood Count (Frames)	61	58	53	55	56	57
P-0-2-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	1	180,990	88,967	48,572	24,839	20,328
- Rx Rate (L1) (Bit/s)	22.4	7.14 M	6.55 M	6.89 M	6.92 M	7.05 M
- Rx Rate (Fps)	0	6,033	2,966	1,619	828	678
- Flood Count (Frames)	58	54	59	56	55	55
P-0-4-0						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231


- Rx (Frames)	0	181,236	88,239	48,095	26,457	20,522
- Rx Rate (L1) (Bit/s)	0	7.15 M	6.49 M	6.82 M	7.37 M	7.11 M
- Rx Rate (Fps)	0	6,041	2,941	1,603	882	684
- Flood Count (Frames)	54	55	54	54	55	54
P-0-4-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	181,822	90,504	46,270	26,745	20,792
- Rx Rate (L1) (Bit/s)	0	7.18 M	6.66 M	6.56 M	7.45 M	7.21 M
- Rx Rate (Fps)	0	6,061	3,017	1,542	892	693
- Flood Count (Frames)	55	52	55	55	56	54
P-0-4-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	180,996	89,690	48,138	26,383	20,492
- Rx Rate (L1) (Bit/s)	0	7.14 M	6.6 M	6.83 M	7.35 M	7.1 M
- Rx Rate (Fps)	0	6,033	2,990	1,605	879	683
- Flood Count (Frames)	55	53	53	54	55	53
P-0-4-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	182,253	87,813	46,291	26,825	20,546
- Rx Rate (L1) (Bit/s)	0	7.19 M	6.46 M	6.57 M	7.47 M	7.12 M
- Rx Rate (Fps)	0	6,075	2,927	1,543	894	685
- Flood Count (Frames)	60	55	51	52	55	56
P-0-4-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	180,871	90,108	48,456	25,844	20,660
- Rx Rate (L1) (Bit/s)	0	7.14 M	6.63 M	6.87 M	7.19 M	7.16 M
- Rx Rate (Fps)	0	6,029	3,004	1,615	861	689
- Flood Count (Frames)	56	54	56	54	54	52
P-0-4-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	1	181,412	89,907	46,355	26,659	20,703
- Rx Rate (L1) (Bit/s)	22.4	7.16 M	6.62 M	6.58 M	7.42 M	7.18 M
- Rx Rate (Fps)	0	6,047	2,997	1,545	889	690
- Flood Count (Frames)	57	55	53	53	53	52

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,588
Rx Rate (Percent)	5.64 %
Rx Rate (L1) (Bit/s)	1.01 G
Rx Rate (Fps)	82.48 K
Loss Rate (Percent)	71.81 %
Loss (Frames)	6,303,293
P-0-0-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	2,332,290
- Rx Rate (L1) (Bit/s)	956.55 M
- Rx Rate (Fps)	77,743
- Flood Count (Frames)	11
P-0-0-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,470
- Rx Rate (L1) (Bit/s)	3.47 M

- Rx Rate (Fps)	282
- Flood Count (Frames)	28
P-0-0-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,457
- Rx Rate (L1) (Bit/s)	3.47 M
- Rx Rate (Fps)	282
- Flood Count (Frames)	30
P-0-0-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,416
- Rx Rate (L1) (Bit/s)	3.45 M
- Rx Rate (Fps)	281
- Flood Count (Frames)	25
P-0-0-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,392
- Rx Rate (L1) (Bit/s)	3.44 M
- Rx Rate (Fps)	280
- Flood Count (Frames)	29
P-0-0-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,446
- Rx Rate (L1) (Bit/s)	3.46 M
- Rx Rate (Fps)	282
- Flood Count (Frames)	29
P-0-2-0	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,424
- Rx Rate (L1) (Bit/s)	3.45 M
- Rx Rate (Fps)	281
- Flood Count (Frames)	28
P-0-2-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	7,523
- Rx Rate (L1) (Bit/s)	3.09 M
- Rx Rate (Fps)	251
- Flood Count (Frames)	27
P-0-2-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,447
- Rx Rate (L1) (Bit/s)	3.46 M
- Rx Rate (Fps)	282
- Flood Count (Frames)	27
P-0-2-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,425
- Rx Rate (L1) (Bit/s)	3.46 M
- Rx Rate (Fps)	281
- Flood Count (Frames)	33
P-0-2-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	7,367

- Rx Rate (L1) (Bit/s)	3.02 M
- Rx Rate (Fps)	246
- Flood Count (Frames)	25
P-0-2-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,485
- Rx Rate (L1) (Bit/s)	3.48 M
- Rx Rate (Fps)	283
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,528
- Rx Rate (L1) (Bit/s)	3.5 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	29
P-0-4-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,491
- Rx Rate (L1) (Bit/s)	3.48 M
- Rx Rate (Fps)	283
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,585
- Rx Rate (L1) (Bit/s)	3.52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	31
P-0-4-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,523
- Rx Rate (L1) (Bit/s)	3.5 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	30
P-0-4-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,555
- Rx Rate (L1) (Bit/s)	3.51 M
- Rx Rate (Fps)	285
- Flood Count (Frames)	26
P-0-4-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,510
- Rx Rate (L1) (Bit/s)	3.49 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	26

Part.Mesh, N->N: Loss by Frame Size at 20.00% Rate



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,714	4,560,810	2,445,651	1,268,796	646,551	519,230
Rx Rate (Percent)	0 %	6.32 %	6.44 %	6.46 %	6.49 %	6.47 %
Rx Rate (L1) (Bit/s)	868.72 K	1.14 G	1.16 G	1.16 G	1.17 G	1.17 G
Rx Rate (Fps)	1.29 K	960.29 K	525.29 K	273.38 K	139.94 K	112.03 K
Loss Rate (Percent)	99.98 %	78.94 %	78.52 %	78.45 %	78.36 %	78.42 %
Loss (Frames)	241,032,642	108,015,528	57,610,853	29,862,484	15,198,454	12,215,866
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	38,781	24,707,674	13,414,647	7,004,962	3,583,026	2,879,863
- Rx Rate (L1) (Bit/s)	868.69 K	975.13 M	987.32 M	993.77 M	997.51 M	998.35 M
- Rx Rate (Fps)	1,293	823,589	447,155	233,499	119,434	95,995
- Flood Count (Frames)	27	13	10	10	11	17
P-0-0-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	243,309	137,305	71,360	36,658	28,511
- Rx Rate (L1) (Bit/s)	0	9.6 M	10.11 M	10.12 M	10.21 M	9.88 M
- Rx Rate (Fps)	0	8,110	4,577	2,379	1,222	950
- Flood Count (Frames)	58	50	53	57	54	54
P-0-0-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	242,692	139,534	65,940	34,207	28,448
- Rx Rate (L1) (Bit/s)	0	9.58 M	10.27 M	9.35 M	9.52 M	9.86 M
- Rx Rate (Fps)	0	8,090	4,651	2,198	1,140	948
- Flood Count (Frames)	56	43	57	56	59	56
P-0-0-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	242,128	138,684	72,248	36,455	28,406

- Rx Rate (L1) (Bit/s)	0	9.56 M	10.21 M	10.25 M	10.15 M	9.85 M
- Rx Rate (Fps)	0	8,071	4,623	2,408	1,215	947
- Flood Count (Frames)	58	55	54	58	56	58
P-0-0-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	241,201	139,420	71,888	36,492	28,709
- Rx Rate (L1) (Bit/s)	0	9.52 M	10.26 M	10.2 M	10.16 M	9.95 M
- Rx Rate (Fps)	0	8,040	4,647	2,396	1,216	957
- Flood Count (Frames)	60	48	54	56	54	52
P-0-0-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	240,645	139,728	71,473	36,101	26,371
- Rx Rate (L1) (Bit/s)	0	9.5 M	10.28 M	10.14 M	10.05 M	9.14 M
- Rx Rate (Fps)	0	8,022	4,658	2,382	1,203	879
- Flood Count (Frames)	58	54	56	56	58	56
P-0-2-0						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	238,847	137,531	72,895	36,288	28,428
- Rx Rate (L1) (Bit/s)	0	9.43 M	10.12 M	10.34 M	10.1 M	9.86 M
- Rx Rate (Fps)	0	7,962	4,584	2,430	1,210	948
- Flood Count (Frames)	58	49	56	56	56	60
P-0-2-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	239,712	138,522	70,381	35,822	28,261
- Rx Rate (L1) (Bit/s)	0	9.46 M	10.2 M	9.98 M	9.97 M	9.8 M
- Rx Rate (Fps)	0	7,990	4,617	2,346	1,194	942
- Flood Count (Frames)	59	46	56	56	59	58
P-0-2-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	231,952	137,697	57,794	36,660	28,576
- Rx Rate (L1) (Bit/s)	0	9.15 M	10.13 M	8.2 M	10.21 M	9.91 M
- Rx Rate (Fps)	0	7,732	4,590	1,926	1,222	953
- Flood Count (Frames)	60	53	56	58	58	56
P-0-2-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	239,225	132,968	71,304	35,985	27,643
- Rx Rate (L1) (Bit/s)	0	9.44 M	9.79 M	10.12 M	10.02 M	9.58 M
- Rx Rate (Fps)	0	7,974	4,432	2,377	1,200	921
- Flood Count (Frames)	59	44	54	57	58	56
P-0-2-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	242,862	138,346	72,587	36,052	28,399
- Rx Rate (L1) (Bit/s)	0	9.58 M	10.18 M	10.3 M	10.04 M	9.84 M
- Rx Rate (Fps)	0	8,095	4,612	2,420	1,202	947
- Flood Count (Frames)	58	40	58	59	56	52
P-0-2-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	242,286	137,401	67,936	36,419	28,534
- Rx Rate (L1) (Bit/s)	0	9.56 M	10.11 M	9.64 M	10.14 M	9.89 M
- Rx Rate (Fps)	0	8,076	4,580	2,265	1,214	951
- Flood Count (Frames)	59	48	59	55	56	57
P-0-4-0						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846


- Rx (Frames)	0	244,161	138,081	72,040	36,363	28,575
- Rx Rate (L1) (Bit/s)	0	9.64 M	10.16 M	10.22 M	10.12 M	9.91 M
- Rx Rate (Fps)	0	8,139	4,603	2,401	1,212	953
- Flood Count (Frames)	60	49	55	54	54	53
P-0-4-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	242,778	137,653	72,071	35,852	28,565
- Rx Rate (L1) (Bit/s)	0	9.58 M	10.13 M	10.22 M	9.98 M	9.9 M
- Rx Rate (Fps)	0	8,093	4,588	2,402	1,195	952
- Flood Count (Frames)	54	48	56	55	57	53
P-0-4-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	241,713	137,795	71,476	36,155	28,312
- Rx Rate (L1) (Bit/s)	0	9.54 M	10.14 M	10.14 M	10.07 M	9.81 M
- Rx Rate (Fps)	0	8,057	4,593	2,383	1,205	944
- Flood Count (Frames)	56	49	53	56	56	54
P-0-4-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	242,278	137,709	71,870	36,685	28,419
- Rx Rate (L1) (Bit/s)	0	9.56 M	10.14 M	10.2 M	10.21 M	9.85 M
- Rx Rate (Fps)	0	8,076	4,590	2,396	1,223	947
- Flood Count (Frames)	57	51	53	50	52	56
P-0-4-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	0	242,695	137,655	72,106	36,264	28,338
- Rx Rate (L1) (Bit/s)	0	9.58 M	10.13 M	10.23 M	10.1 M	9.82 M
- Rx Rate (Fps)	0	8,090	4,589	2,404	1,209	945
- Flood Count (Frames)	53	38	53	53	53	58
P-0-4-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1	242,627	138,006	71,069	36,603	28,672
- Rx Rate (L1) (Bit/s)	22.4	9.58 M	10.16 M	10.08 M	10.19 M	9.94 M
- Rx Rate (Fps)	0	8,088	4,600	2,369	1,220	956
- Flood Count (Frames)	56	45	53	51	52	52

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,881
Rx Rate (Percent)	5.74 %
Rx Rate (L1) (Bit/s)	1.03 G
Rx Rate (Fps)	84.01 K
Loss Rate (Percent)	80.86 %
Loss (Frames)	10,646,049
P-0-0-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	2,386,860
- Rx Rate (L1) (Bit/s)	978.93 M
- Rx Rate (Fps)	79,562
- Flood Count (Frames)	11
P-0-0-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,914
- Rx Rate (L1) (Bit/s)	3.25 M

- Rx Rate (Fps)	264
- Flood Count (Frames)	23
P-0-0-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,211
- Rx Rate (L1) (Bit/s)	2.96 M
- Rx Rate (Fps)	240
- Flood Count (Frames)	27
P-0-0-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,976
- Rx Rate (L1) (Bit/s)	3.27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	27
P-0-0-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,896
- Rx Rate (L1) (Bit/s)	3.24 M
- Rx Rate (Fps)	263
- Flood Count (Frames)	27
P-0-0-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,941
- Rx Rate (L1) (Bit/s)	3.26 M
- Rx Rate (Fps)	265
- Flood Count (Frames)	29
P-0-2-0	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,977
- Rx Rate (L1) (Bit/s)	3.27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	24
P-0-2-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,983
- Rx Rate (L1) (Bit/s)	3.27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	26
P-0-2-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,956
- Rx Rate (L1) (Bit/s)	3.26 M
- Rx Rate (Fps)	265
- Flood Count (Frames)	21
P-0-2-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,868
- Rx Rate (L1) (Bit/s)	3.23 M
- Rx Rate (Fps)	262
- Flood Count (Frames)	20
P-0-2-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,878

- Rx Rate (L1) (Bit/s)	3.23 M
- Rx Rate (Fps)	263
- Flood Count (Frames)	22
P-0-2-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,126
- Rx Rate (L1) (Bit/s)	2.92 M
- Rx Rate (Fps)	238
- Flood Count (Frames)	29
P-0-4-0	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,971
- Rx Rate (L1) (Bit/s)	3.27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	28
P-0-4-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,977
- Rx Rate (L1) (Bit/s)	3.27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	32
P-0-4-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,979
- Rx Rate (L1) (Bit/s)	3.27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	21
P-0-4-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,866
- Rx Rate (L1) (Bit/s)	3.23 M
- Rx Rate (Fps)	262
- Flood Count (Frames)	26
P-0-4-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,998
- Rx Rate (L1) (Bit/s)	3.28 M
- Rx Rate (Fps)	267
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,006
- Rx Rate (L1) (Bit/s)	3.28 M
- Rx Rate (Fps)	267
- Flood Count (Frames)	33

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,285	6,081,081	3,260,869	1,691,728	862,068	692,307
Rx Rate (Percent)	0.01 %	0.01 %	6.48 %	6.67 %	6.72 %	6.76 %
Rx Rate (L1) (Bit/s)	1.66 M	1.22 M	1.17 G	1.2 G	1.21 G	1.22 G
Rx Rate (Fps)	2.47 K	1.03 K	527.9 K	282.24 K	144.87 K	116.94 K
Loss Rate (Percent)	99.98 %	99.98 %	83.81 %	83.32 %	83.19 %	83.11 %
Loss (Frames)	321,354,592	182,401,584	81,989,184	42,284,662	21,515,816	17,261,065
P-0-0-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	63,305	30,838	13,415,396	7,007,036	3,582,496	2,879,842
- Rx Rate (L1) (Bit/s)	1.42 M	1.22 M	987.37 M	994.06 M	997.37 M	998.35 M
- Rx Rate (Fps)	2,110	1,028	447,180	233,568	119,417	95,995
- Flood Count (Frames)	25	27	12	13	8	12
P-0-0-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	781	0	142,802	86,147	45,064	36,902
- Rx Rate (L1) (Bit/s)	17.49 K	0	10.51 M	12.22 M	12.55 M	12.79 M
- Rx Rate (Fps)	26	0	4,760	2,872	1,502	1,230
- Flood Count (Frames)	59	57	45	54	55	54
P-0-0-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	710	0	144,869	85,865	43,628	37,057
- Rx Rate (L1) (Bit/s)	15.9 K	0	10.66 M	12.18 M	12.15 M	12.85 M
- Rx Rate (Fps)	24	0	4,829	2,862	1,454	1,235
- Flood Count (Frames)	59	59	45	56	52	55
P-0-0-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	145,029	86,234	44,546	37,110

- Rx Rate (L1) (Bit/s)	0	0	10.67 M	12.23 M	12.4 M	12.86 M
- Rx Rate (Fps)	0	0	4,834	2,874	1,485	1,237
- Flood Count (Frames)	58	58	50	58	52	55
P-0-0-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	766	0	141,600	86,256	44,919	37,135
- Rx Rate (L1) (Bit/s)	17.16 K	0	10.42 M	12.24 M	12.51 M	12.87 M
- Rx Rate (Fps)	26	0	4,720	2,875	1,497	1,238
- Flood Count (Frames)	56	56	48	54	54	57
P-0-0-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	736	0	139,920	85,540	45,122	37,106
- Rx Rate (L1) (Bit/s)	16.49 K	0	10.3 M	12.14 M	12.56 M	12.86 M
- Rx Rate (Fps)	25	0	4,664	2,851	1,504	1,237
- Flood Count (Frames)	63	59	51	55	54	53
P-0-2-0						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	731	0	143,664	85,975	44,915	36,946
- Rx Rate (L1) (Bit/s)	16.37 K	0	10.57 M	12.2 M	12.5 M	12.81 M
- Rx Rate (Fps)	24	0	4,789	2,866	1,497	1,232
- Flood Count (Frames)	57	58	51	54	56	56
P-0-2-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	130,455	86,291	45,161	36,353
- Rx Rate (L1) (Bit/s)	0	0	9.6 M	12.24 M	12.57 M	12.6 M
- Rx Rate (Fps)	0	0	4,349	2,876	1,505	1,212
- Flood Count (Frames)	58	59	42	53	58	53
P-0-2-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	709	0	143,497	85,917	45,351	36,456
- Rx Rate (L1) (Bit/s)	15.88 K	0	10.56 M	12.19 M	12.63 M	12.64 M
- Rx Rate (Fps)	24	0	4,783	2,864	1,512	1,215
- Flood Count (Frames)	59	60	48	56	57	53
P-0-2-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	696	0	142,729	85,773	45,525	36,999
- Rx Rate (L1) (Bit/s)	15.59 K	0	10.5 M	12.17 M	12.67 M	12.83 M
- Rx Rate (Fps)	23	0	4,758	2,859	1,518	1,233
- Flood Count (Frames)	59	56	49	56	57	57
P-0-2-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	681	0	143,641	84,111	45,214	37,295
- Rx Rate (L1) (Bit/s)	15.25 K	0	10.57 M	11.93 M	12.59 M	12.93 M
- Rx Rate (Fps)	23	0	4,788	2,804	1,507	1,243
- Flood Count (Frames)	61	59	50	56	54	58
P-0-2-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	706	0	140,441	85,836	43,996	36,105
- Rx Rate (L1) (Bit/s)	15.81 K	0	10.34 M	12.18 M	12.25 M	12.52 M
- Rx Rate (Fps)	24	0	4,681	2,861	1,467	1,204
- Flood Count (Frames)	59	58	55	52	55	53
P-0-4-0						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462


- Rx (Frames)	685	0	143,506	85,660	44,799	37,145
- Rx Rate (L1) (Bit/s)	15.34 K	0	10.56 M	12.15 M	12.47 M	12.88 M
- Rx Rate (Fps)	23	0	4,784	2,855	1,493	1,238
- Flood Count (Frames)	58	54	56	55	54	56
P-0-4-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	699	0	143,139	86,113	44,920	36,947
- Rx Rate (L1) (Bit/s)	15.66 K	0	10.54 M	12.22 M	12.51 M	12.81 M
- Rx Rate (Fps)	23	0	4,771	2,870	1,497	1,232
- Flood Count (Frames)	58	58	50	52	55	55
P-0-4-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	680	0	144,640	86,216	45,235	37,241
- Rx Rate (L1) (Bit/s)	15.23 K	0	10.65 M	12.23 M	12.59 M	12.91 M
- Rx Rate (Fps)	23	0	4,821	2,874	1,508	1,241
- Flood Count (Frames)	58	57	43	55	54	54
P-0-4-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	704	0	144,904	86,066	45,273	37,100
- Rx Rate (L1) (Bit/s)	15.77 K	0	10.66 M	12.21 M	12.6 M	12.86 M
- Rx Rate (Fps)	23	0	4,830	2,869	1,509	1,237
- Flood Count (Frames)	58	56	48	58	55	53
P-0-4-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	682	0	144,007	86,234	44,938	37,331
- Rx Rate (L1) (Bit/s)	15.28 K	0	10.6 M	12.23 M	12.51 M	12.94 M
- Rx Rate (Fps)	23	0	4,800	2,874	1,498	1,244
- Flood Count (Frames)	57	55	47	52	53	56
P-0-4-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	691	1	142,652	85,919	45,131	37,088
- Rx Rate (L1) (Bit/s)	15.48 K	39.47	10.5 M	12.19 M	12.56 M	12.86 M
- Rx Rate (Fps)	23	0	4,755	2,864	1,504	1,236
- Flood Count (Frames)	57	55	51	53	54	52

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,175
Rx Rate (Percent)	5.9 %
Rx Rate (L1) (Bit/s)	1.06 G
Rx Rate (Fps)	86.27 K
Loss Rate (Percent)	85.26 %
Loss (Frames)	14,967,076
P-0-0-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	2,410,236
- Rx Rate (L1) (Bit/s)	988.52 M
- Rx Rate (Fps)	80,341
- Flood Count (Frames)	9
P-0-0-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,593
- Rx Rate (L1) (Bit/s)	4.34 M

- Rx Rate (Fps)	353
- Flood Count (Frames)	30
P-0-0-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,632
- Rx Rate (L1) (Bit/s)	4.36 M
- Rx Rate (Fps)	354
- Flood Count (Frames)	25
P-0-0-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,845
- Rx Rate (L1) (Bit/s)	4.45 M
- Rx Rate (Fps)	362
- Flood Count (Frames)	24
P-0-0-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	9,109
- Rx Rate (L1) (Bit/s)	3.74 M
- Rx Rate (Fps)	304
- Flood Count (Frames)	21
P-0-0-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,684
- Rx Rate (L1) (Bit/s)	4.38 M
- Rx Rate (Fps)	356
- Flood Count (Frames)	25
P-0-2-0	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	9,506
- Rx Rate (L1) (Bit/s)	3.9 M
- Rx Rate (Fps)	317
- Flood Count (Frames)	21
P-0-2-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,695
- Rx Rate (L1) (Bit/s)	4.39 M
- Rx Rate (Fps)	357
- Flood Count (Frames)	26
P-0-2-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,669
- Rx Rate (L1) (Bit/s)	4.38 M
- Rx Rate (Fps)	356
- Flood Count (Frames)	25
P-0-2-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,623
- Rx Rate (L1) (Bit/s)	4.36 M
- Rx Rate (Fps)	354
- Flood Count (Frames)	29
P-0-2-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,740

- Rx Rate (L1) (Bit/s)	4.4 M
- Rx Rate (Fps)	358
- Flood Count (Frames)	29
P-0-2-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	9,870
- Rx Rate (L1) (Bit/s)	4.05 M
- Rx Rate (Fps)	329
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,699
- Rx Rate (L1) (Bit/s)	4.39 M
- Rx Rate (Fps)	357
- Flood Count (Frames)	31
P-0-4-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,655
- Rx Rate (L1) (Bit/s)	4.37 M
- Rx Rate (Fps)	355
- Flood Count (Frames)	21
P-0-4-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,735
- Rx Rate (L1) (Bit/s)	4.4 M
- Rx Rate (Fps)	358
- Flood Count (Frames)	21
P-0-4-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,637
- Rx Rate (L1) (Bit/s)	4.36 M
- Rx Rate (Fps)	355
- Flood Count (Frames)	23
P-0-4-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,572
- Rx Rate (L1) (Bit/s)	4.34 M
- Rx Rate (Fps)	352
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,678
- Rx Rate (L1) (Bit/s)	4.38 M
- Rx Rate (Fps)	356
- Flood Count (Frames)	22

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,857	7,601,351	4,076,087	2,114,661	1,077,586	865,384
Rx Rate (Percent)	0 %	0.01 %	6.18 %	6.73 %	6.76 %	6.85 %
Rx Rate (L1) (Bit/s)	449.34 K	2.2 M	1.11 G	1.21 G	1.22 G	1.23 G
Rx Rate (Fps)	668.67	1.86 K	503.58 K	284.54 K	145.73 K	118.55 K
Loss Rate (Percent)	100 %	99.98 %	87.65 %	86.54 %	86.48 %	86.3 %
Loss (Frames)	401,765,641	227,984,651	107,175,346	54,903,707	27,955,672	22,405,104
P-0-0-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	20,059	49,320	12,687,419	7,006,716	3,584,033	2,845,192
- Rx Rate (L1) (Bit/s)	449.32 K	1.95 M	933.79 M	994.02 M	997.79 M	986.33 M
- Rx Rate (Fps)	669	1,644	422,914	233,557	119,468	94,840
- Flood Count (Frames)	30	33	12	15	12	11
P-0-0-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	416	142,799	89,120	46,690	42,111
- Rx Rate (L1) (Bit/s)	0	16.42 K	10.51 M	12.64 M	13 M	14.6 M
- Rx Rate (Fps)	0	14	4,760	2,971	1,556	1,404
- Flood Count (Frames)	55	61	46	47	49	51
P-0-0-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	439	139,163	89,834	46,481	42,152
- Rx Rate (L1) (Bit/s)	0	17.33 K	10.24 M	12.74 M	12.94 M	14.61 M
- Rx Rate (Fps)	0	15	4,639	2,994	1,549	1,405
- Flood Count (Frames)	57	59	42	39	50	54
P-0-0-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	428	143,068	89,738	46,819	42,277

- Rx Rate (L1) (Bit/s)	0	16.89 K	10.53 M	12.73 M	13.03 M	14.66 M
- Rx Rate (Fps)	0	14	4,769	2,991	1,561	1,409
- Flood Count (Frames)	60	61	44	47	47	56
P-0-0-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	384	137,662	89,772	46,441	42,145
- Rx Rate (L1) (Bit/s)	0	15.16 K	10.13 M	12.74 M	12.93 M	14.61 M
- Rx Rate (Fps)	0	13	4,589	2,992	1,548	1,405
- Flood Count (Frames)	59	59	46	43	53	57
P-0-0-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	374	143,746	87,620	46,245	42,137
- Rx Rate (L1) (Bit/s)	0	14.76 K	10.58 M	12.43 M	12.87 M	14.61 M
- Rx Rate (Fps)	0	12	4,792	2,921	1,542	1,405
- Flood Count (Frames)	57	59	39	50	48	53
P-0-2-0						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	361	139,814	90,178	46,006	42,173
- Rx Rate (L1) (Bit/s)	0	14.25 K	10.29 M	12.79 M	12.81 M	14.62 M
- Rx Rate (Fps)	0	12	4,660	3,006	1,534	1,406
- Flood Count (Frames)	57	59	37	48	44	54
P-0-2-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	371	143,586	90,179	46,249	42,300
- Rx Rate (L1) (Bit/s)	0	14.64 K	10.57 M	12.79 M	12.88 M	14.66 M
- Rx Rate (Fps)	0	12	4,786	3,006	1,542	1,410
- Flood Count (Frames)	59	61	33	39	51	50
P-0-2-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	364	144,153	90,385	45,997	42,290
- Rx Rate (L1) (Bit/s)	0	14.37 K	10.61 M	12.82 M	12.81 M	14.66 M
- Rx Rate (Fps)	0	12	4,805	3,013	1,533	1,410
- Flood Count (Frames)	58	60	44	51	50	52
P-0-2-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	368	144,070	90,462	46,270	36,658
- Rx Rate (L1) (Bit/s)	0	14.52 K	10.6 M	12.83 M	12.88 M	12.71 M
- Rx Rate (Fps)	0	12	4,802	3,015	1,542	1,222
- Flood Count (Frames)	56	59	52	40	45	5
P-0-2-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	406	143,959	88,539	46,604	41,982
- Rx Rate (L1) (Bit/s)	0	16.02 K	10.6 M	12.56 M	12.97 M	14.55 M
- Rx Rate (Fps)	0	14	4,799	2,951	1,553	1,399
- Flood Count (Frames)	56	61	44	41	49	53
P-0-2-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	398	141,377	90,077	45,038	42,084
- Rx Rate (L1) (Bit/s)	0	15.71 K	10.41 M	12.78 M	12.54 M	14.59 M
- Rx Rate (Fps)	0	13	4,713	3,003	1,501	1,403
- Flood Count (Frames)	58	59	43	42	43	54
P-0-4-0						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077


- Rx (Frames)	0	406	143,350	90,035	46,203	42,213
- Rx Rate (L1) (Bit/s)	0	16.02 K	10.55 M	12.77 M	12.86 M	14.63 M
- Rx Rate (Fps)	0	14	4,778	3,001	1,540	1,407
- Flood Count (Frames)	56	59	35	36	47	54
P-0-4-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	388	143,473	90,936	46,812	42,173
- Rx Rate (L1) (Bit/s)	0	15.31 K	10.56 M	12.9 M	13.03 M	14.62 M
- Rx Rate (Fps)	0	13	4,782	3,031	1,560	1,406
- Flood Count (Frames)	53	57	43	46	50	52
P-0-4-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	373	142,938	90,234	46,365	41,922
- Rx Rate (L1) (Bit/s)	0	14.72 K	10.52 M	12.8 M	12.91 M	14.53 M
- Rx Rate (Fps)	0	12	4,765	3,008	1,546	1,397
- Flood Count (Frames)	53	58	36	48	43	48
P-0-4-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	355	141,671	90,624	46,484	42,172
- Rx Rate (L1) (Bit/s)	0	14.01 K	10.43 M	12.86 M	12.94 M	14.62 M
- Rx Rate (Fps)	0	12	4,722	3,021	1,549	1,406
- Flood Count (Frames)	57	58	41	45	48	51
P-0-4-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	353	142,282	91,031	46,454	42,098
- Rx Rate (L1) (Bit/s)	0	13.93 K	10.47 M	12.91 M	12.93 M	14.59 M
- Rx Rate (Fps)	0	12	4,743	3,034	1,548	1,403
- Flood Count (Frames)	59	58	36	42	50	49
P-0-4-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	1	361	142,722	90,648	46,711	42,333
- Rx Rate (L1) (Bit/s)	22.4	14.25 K	10.5 M	12.86 M	13 M	14.68 M
- Rx Rate (Fps)	0	12	4,757	3,022	1,557	1,411
- Flood Count (Frames)	55	59	43	46	50	53

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,469
Rx Rate (Percent)	5.43 %
Rx Rate (L1) (Bit/s)	976.85 M
Rx Rate (Fps)	79.39 K
Loss Rate (Percent)	89.15 %
Loss (Frames)	19,562,265
P-0-0-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	2,191,514
- Rx Rate (L1) (Bit/s)	898.81 M
- Rx Rate (Fps)	73,050
- Flood Count (Frames)	11
P-0-0-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,025
- Rx Rate (L1) (Bit/s)	4.52 M

- Rx Rate (Fps)	368
- Flood Count (Frames)	22
P-0-0-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,198
- Rx Rate (L1) (Bit/s)	4.59 M
- Rx Rate (Fps)	373
- Flood Count (Frames)	30
P-0-0-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,084
- Rx Rate (L1) (Bit/s)	4.55 M
- Rx Rate (Fps)	369
- Flood Count (Frames)	21
P-0-0-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,240
- Rx Rate (L1) (Bit/s)	4.61 M
- Rx Rate (Fps)	375
- Flood Count (Frames)	21
P-0-0-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,191
- Rx Rate (L1) (Bit/s)	4.59 M
- Rx Rate (Fps)	373
- Flood Count (Frames)	21
P-0-2-0	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,230
- Rx Rate (L1) (Bit/s)	4.61 M
- Rx Rate (Fps)	374
- Flood Count (Frames)	26
P-0-2-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,189
- Rx Rate (L1) (Bit/s)	4.59 M
- Rx Rate (Fps)	373
- Flood Count (Frames)	28
P-0-2-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,233
- Rx Rate (L1) (Bit/s)	4.61 M
- Rx Rate (Fps)	374
- Flood Count (Frames)	24
P-0-2-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,205
- Rx Rate (L1) (Bit/s)	4.6 M
- Rx Rate (Fps)	374
- Flood Count (Frames)	28
P-0-2-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,218

- Rx Rate (L1) (Bit/s)	4.6 M
- Rx Rate (Fps)	374
- Flood Count (Frames)	27
P-0-2-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,215
- Rx Rate (L1) (Bit/s)	4.6 M
- Rx Rate (Fps)	374
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,166
- Rx Rate (L1) (Bit/s)	4.58 M
- Rx Rate (Fps)	372
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,273
- Rx Rate (L1) (Bit/s)	4.62 M
- Rx Rate (Fps)	376
- Flood Count (Frames)	24
P-0-4-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,194
- Rx Rate (L1) (Bit/s)	4.59 M
- Rx Rate (Fps)	373
- Flood Count (Frames)	22
P-0-4-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,139
- Rx Rate (L1) (Bit/s)	4.57 M
- Rx Rate (Fps)	371
- Flood Count (Frames)	23
P-0-4-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,192
- Rx Rate (L1) (Bit/s)	4.59 M
- Rx Rate (Fps)	373
- Flood Count (Frames)	20
P-0-4-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,288
- Rx Rate (L1) (Bit/s)	4.63 M
- Rx Rate (Fps)	376
- Flood Count (Frames)	22

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G
Tx Rate (Fps)	16,071,428	9,121,621	4,891,303	2,537,593	1,293,103	1,038,461
Rx Rate (Percent)	0.01 %	0.01 %	1.66 %	6.84 %	6.88 %	6.93 %
Rx Rate (L1) (Bit/s)	902.5 K	2.25 M	299.37 M	1.23 G	1.24 G	1.25 G
Rx Rate (Fps)	1.34 K	1.9 K	135.58 K	289.23 K	148.3 K	119.92 K
Loss Rate (Percent)	99.99 %	99.98 %	97.23 %	88.6 %	88.53 %	88.45 %
Loss (Frames)	482,102,558	273,591,710	142,671,571	67,450,822	34,344,153	27,556,090
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	32,764	49,777	3,831,415	7,007,052	3,583,955	2,880,431
- Rx Rate (L1) (Bit/s)	733.91 K	1.96 M	281.99 M	994.07 M	997.77 M	998.55 M
- Rx Rate (Fps)	1,092	1,659	127,714	233,568	119,465	96,014
- Flood Count (Frames)	30	21	30	7	9	7
P-0-0-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	590	603	14,174	98,732	51,069	42,181
- Rx Rate (L1) (Bit/s)	13.22 K	23.8 K	1.04 M	14.01 M	14.22 M	14.62 M
- Rx Rate (Fps)	20	20	472	3,291	1,702	1,406
- Flood Count (Frames)	57	58	54	40	45	41
P-0-0-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	581	0	14,386	97,675	50,695	42,278
- Rx Rate (L1) (Bit/s)	13.01 K	0	1.06 M	13.86 M	14.11 M	14.66 M
- Rx Rate (Fps)	19	0	480	3,256	1,690	1,409
- Flood Count (Frames)	62	56	55	43	43	47
P-0-0-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	551	630	14,503	97,835	50,995	42,202

- Rx Rate (L1) (Bit/s)	12.34 K	24.86 K	1.07 M	13.88 M	14.2 M	14.63 M
- Rx Rate (Fps)	18	21	483	3,261	1,700	1,407
- Flood Count (Frames)	59	58	54	41	44	40
P-0-0-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	491	655	14,332	98,079	51,091	42,251
- Rx Rate (L1) (Bit/s)	11 K	25.85 K	1.05 M	13.91 M	14.22 M	14.65 M
- Rx Rate (Fps)	16	22	478	3,269	1,703	1,408
- Flood Count (Frames)	59	58	53	37	44	39
P-0-0-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	483	0	15,714	98,487	49,250	42,411
- Rx Rate (L1) (Bit/s)	10.82 K	0	1.16 M	13.97 M	13.71 M	14.7 M
- Rx Rate (Fps)	16	0	524	3,283	1,642	1,414
- Flood Count (Frames)	60	58	58	31	46	43
P-0-2-0						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	474	0	15,612	98,262	50,849	42,181
- Rx Rate (L1) (Bit/s)	10.62 K	0	1.15 M	13.94 M	14.16 M	14.62 M
- Rx Rate (Fps)	16	0	520	3,275	1,695	1,406
- Flood Count (Frames)	61	56	53	37	40	45
P-0-2-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	456	14,350	98,441	50,913	41,049
- Rx Rate (L1) (Bit/s)	0	18 K	1.06 M	13.97 M	14.17 M	14.23 M
- Rx Rate (Fps)	0	15	478	3,281	1,697	1,368
- Flood Count (Frames)	58	56	56	37	45	35
P-0-2-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	498	480	15,319	98,584	50,800	42,400
- Rx Rate (L1) (Bit/s)	11.16 K	18.94 K	1.13 M	13.99 M	14.14 M	14.7 M
- Rx Rate (Fps)	17	16	511	3,286	1,693	1,413
- Flood Count (Frames)	59	58	54	37	44	37
P-0-2-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	462	14,711	97,664	50,979	42,132
- Rx Rate (L1) (Bit/s)	0	18.23 K	1.08 M	13.86 M	14.19 M	14.61 M
- Rx Rate (Fps)	0	15	490	3,255	1,699	1,404
- Flood Count (Frames)	61	60	54	37	46	38
P-0-2-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	489	454	14,573	98,263	50,906	41,645
- Rx Rate (L1) (Bit/s)	10.95 K	17.92 K	1.07 M	13.94 M	14.17 M	14.44 M
- Rx Rate (Fps)	16	15	486	3,275	1,697	1,388
- Flood Count (Frames)	59	60	55	33	40	41
P-0-2-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	495	444	0	98,705	50,555	42,359
- Rx Rate (L1) (Bit/s)	11.09 K	17.52 K	0	14 M	14.07 M	14.68 M
- Rx Rate (Fps)	17	15	0	3,290	1,685	1,412
- Flood Count (Frames)	61	58	53	41	46	54
P-0-4-0						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692


- Rx (Frames)	472	442	15,023	97,860	51,269	42,359
- Rx Rate (L1) (Bit/s)	10.57 K	17.44 K	1.11 M	13.88 M	14.27 M	14.68 M
- Rx Rate (Fps)	16	15	501	3,262	1,709	1,412
- Flood Count (Frames)	57	56	53	42	44	45
P-0-4-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	467	576	14,154	98,128	51,148	42,487
- Rx Rate (L1) (Bit/s)	10.46 K	22.73 K	1.04 M	13.92 M	14.24 M	14.73 M
- Rx Rate (Fps)	16	19	472	3,271	1,705	1,416
- Flood Count (Frames)	57	58	57	37	38	40
P-0-4-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	488	560	14,591	98,636	50,854	42,364
- Rx Rate (L1) (Bit/s)	10.93 K	22.1 K	1.07 M	13.99 M	14.16 M	14.69 M
- Rx Rate (Fps)	16	19	486	3,288	1,695	1,412
- Flood Count (Frames)	55	55	55	29	45	43
P-0-4-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	484	474	14,653	98,656	51,121	42,298
- Rx Rate (L1) (Bit/s)	10.84 K	18.71 K	1.08 M	14 M	14.23 M	14.66 M
- Rx Rate (Fps)	16	16	488	3,289	1,704	1,410
- Flood Count (Frames)	57	56	54	37	42	43
P-0-4-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	478	446	14,872	97,654	51,431	42,391
- Rx Rate (L1) (Bit/s)	10.71 K	17.6 K	1.09 M	13.85 M	14.32 M	14.7 M
- Rx Rate (Fps)	16	15	496	3,255	1,714	1,413
- Flood Count (Frames)	59	56	57	38	44	40
P-0-4-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	485	457	15,151	98,267	51,049	42,317
- Rx Rate (L1) (Bit/s)	10.86 K	18.04 K	1.12 M	13.94 M	14.21 M	14.67 M
- Rx Rate (Fps)	16	15	505	3,276	1,702	1,411
- Flood Count (Frames)	56	56	55	44	42	41

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10.8 G
Tx Rate (Fps)	877,763
Rx Rate (Percent)	5.85 %
Rx Rate (L1) (Bit/s)	1.05 G
Rx Rate (Fps)	85.55 K
Loss Rate (Percent)	90.25 %
Loss (Frames)	23,766,404
P-0-0-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	2,347,964
- Rx Rate (L1) (Bit/s)	962.98 M
- Rx Rate (Fps)	78,265
- Flood Count (Frames)	9
P-0-0-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,770
- Rx Rate (L1) (Bit/s)	5.24 M

- Rx Rate (Fps)	426
- Flood Count (Frames)	28
P-0-0-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,852
- Rx Rate (L1) (Bit/s)	5.27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	19
P-0-0-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,715
- Rx Rate (L1) (Bit/s)	5.21 M
- Rx Rate (Fps)	424
- Flood Count (Frames)	19
P-0-0-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,888
- Rx Rate (L1) (Bit/s)	5.29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	26
P-0-0-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,847
- Rx Rate (L1) (Bit/s)	5.27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	27
P-0-2-0	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,896
- Rx Rate (L1) (Bit/s)	5.29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	24
P-0-2-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,871
- Rx Rate (L1) (Bit/s)	5.28 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	25
P-0-2-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,979
- Rx Rate (L1) (Bit/s)	5.32 M
- Rx Rate (Fps)	433
- Flood Count (Frames)	21
P-0-2-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,944
- Rx Rate (L1) (Bit/s)	5.31 M
- Rx Rate (Fps)	431
- Flood Count (Frames)	24
P-0-2-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,869

- Rx Rate (L1) (Bit/s)	5.28 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	23
P-0-2-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,674
- Rx Rate (L1) (Bit/s)	5.2 M
- Rx Rate (Fps)	422
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,876
- Rx Rate (L1) (Bit/s)	5.28 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	22
P-0-4-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,861
- Rx Rate (L1) (Bit/s)	5.27 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,911
- Rx Rate (L1) (Bit/s)	5.3 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	24
P-0-4-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,903
- Rx Rate (L1) (Bit/s)	5.29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	26
P-0-4-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,871
- Rx Rate (L1) (Bit/s)	5.28 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	21
P-0-4-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	12,786
- Rx Rate (L1) (Bit/s)	5.24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	25

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G
Tx Rate (Fps)	18,750,000	10,641,891	5,706,521	2,960,526	1,508,620	1,211,538
Rx Rate (Percent)	0.01 %	0.01 %	0.02 %	7.11 %	7.2 %	7.05 %
Rx Rate (L1) (Bit/s)	922.92 K	2.03 M	3.17 M	1.28 G	1.3 G	1.27 G
Rx Rate (Fps)	1.37 K	1.71 K	1.44 K	300.75 K	155.16 K	122.07 K
Loss Rate (Percent)	99.99 %	99.98 %	99.97 %	89.84 %	89.71 %	89.92 %
Loss (Frames)	562,458,793	319,205,298	171,152,528	79,793,140	40,603,742	32,684,150
P-0-0-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	33,982	42,819	39,084	7,007,536	3,583,628	2,880,344
- Rx Rate (L1) (Bit/s)	761.2 K	1.69 M	2.88 M	994.14 M	997.68 M	998.52 M
- Rx Rate (Fps)	1,133	1,427	1,303	233,585	119,454	96,011
- Flood Count (Frames)	33	29	32	9	8	12
P-0-0-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	762	0	307	117,008	62,915	45,919
- Rx Rate (L1) (Bit/s)	17.07 K	0	22.6 K	16.6 M	17.52 M	15.92 M
- Rx Rate (Fps)	25	0	10	3,900	2,097	1,531
- Flood Count (Frames)	57	60	58	44	38	41
P-0-0-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	749	786	316	116,459	62,768	45,785
- Rx Rate (L1) (Bit/s)	16.78 K	31.02 K	23.26 K	16.52 M	17.47 M	15.87 M
- Rx Rate (Fps)	25	26	11	3,882	2,092	1,526
- Flood Count (Frames)	59	61	59	36	46	44
P-0-0-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	0	0	245	118,664	63,055	45,928

- Rx Rate (L1) (Bit/s)	0	0	18.03 K	16.83 M	17.55 M	15.92 M
- Rx Rate (Fps)	0	0	8	3,955	2,102	1,531
- Flood Count (Frames)	55	60	58	39	41	37
P-0-0-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	590	660	223	119,128	63,062	45,834
- Rx Rate (L1) (Bit/s)	13.22 K	26.05 K	16.41 K	16.9 M	17.56 M	15.89 M
- Rx Rate (Fps)	20	22	7	3,971	2,102	1,528
- Flood Count (Frames)	57	61	59	35	38	44
P-0-0-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	566	676	0	119,688	62,849	45,898
- Rx Rate (L1) (Bit/s)	12.68 K	26.68 K	0	16.98 M	17.5 M	15.91 M
- Rx Rate (Fps)	19	23	0	3,990	2,095	1,530
- Flood Count (Frames)	57	59	59	40	41	36
P-0-2-0						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	0	685	265	119,557	62,676	45,329
- Rx Rate (L1) (Bit/s)	0	27.03 K	19.5 K	16.96 M	17.45 M	15.71 M
- Rx Rate (Fps)	0	23	9	3,985	2,089	1,511
- Flood Count (Frames)	60	63	59	50	35	38
P-0-2-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	549	0	232	119,281	62,952	46,098
- Rx Rate (L1) (Bit/s)	12.3 K	0	17.08 K	16.92 M	17.53 M	15.98 M
- Rx Rate (Fps)	18	0	8	3,976	2,098	1,537
- Flood Count (Frames)	58	59	57	37	41	36
P-0-2-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	0	615	229	119,035	63,215	45,974
- Rx Rate (L1) (Bit/s)	0	24.27 K	16.85 K	16.89 M	17.6 M	15.94 M
- Rx Rate (Fps)	0	21	8	3,968	2,107	1,532
- Flood Count (Frames)	57	59	59	36	34	41
P-0-2-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	0	0	268	119,045	63,326	45,980
- Rx Rate (L1) (Bit/s)	0	0	19.72 K	16.89 M	17.63 M	15.94 M
- Rx Rate (Fps)	0	0	9	3,968	2,111	1,533
- Flood Count (Frames)	60	57	58	34	37	44
P-0-2-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	0	670	210	119,128	63,197	46,098
- Rx Rate (L1) (Bit/s)	0	26.44 K	15.46 K	16.9 M	17.59 M	15.98 M
- Rx Rate (Fps)	0	22	7	3,971	2,107	1,537
- Flood Count (Frames)	56	54	59	34	43	46
P-0-2-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	544	637	259	119,385	62,754	45,918
- Rx Rate (L1) (Bit/s)	12.19 K	25.14 K	19.06 K	16.94 M	17.47 M	15.92 M
- Rx Rate (Fps)	18	21	9	3,980	2,092	1,531
- Flood Count (Frames)	57	59	56	40	42	45
P-0-4-0						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308


- Rx (Frames)	583	653	246	119,593	63,059	46,249
- Rx Rate (L1) (Bit/s)	13.06 K	25.77 K	18.11 K	16.97 M	17.56 M	16.03 M
- Rx Rate (Fps)	19	22	8	3,986	2,102	1,542
- Flood Count (Frames)	57	59	58	33	43	38
P-0-4-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	582	608	240	118,314	63,077	46,294
- Rx Rate (L1) (Bit/s)	13.04 K	24 K	17.66 K	16.78 M	17.56 M	16.05 M
- Rx Rate (Fps)	19	20	8	3,944	2,103	1,543
- Flood Count (Frames)	55	57	56	37	38	40
P-0-4-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	562	677	255	116,744	62,854	45,847
- Rx Rate (L1) (Bit/s)	12.59 K	26.72 K	18.77 K	16.56 M	17.5 M	15.89 M
- Rx Rate (Fps)	19	23	9	3,891	2,095	1,528
- Flood Count (Frames)	56	56	56	38	46	35
P-0-4-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	585	641	222	117,888	63,613	46,009
- Rx Rate (L1) (Bit/s)	13.1 K	25.3 K	16.34 K	16.72 M	17.71 M	15.95 M
- Rx Rate (Fps)	20	21	7	3,930	2,120	1,534
- Flood Count (Frames)	57	56	55	36	42	38
P-0-4-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	568	672	276	118,088	62,678	46,102
- Rx Rate (L1) (Bit/s)	12.72 K	26.52 K	20.31 K	16.75 M	17.45 M	15.98 M
- Rx Rate (Fps)	19	22	9	3,936	2,089	1,537
- Flood Count (Frames)	58	57	57	38	37	39
P-0-4-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	580	639	222	118,088	63,170	46,380
- Rx Rate (L1) (Bit/s)	12.99 K	25.22 K	16.34 K	16.75 M	17.59 M	16.08 M
- Rx Rate (Fps)	19	21	7	3,936	2,106	1,546
- Flood Count (Frames)	58	55	55	41	39	38

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12.6 G
Tx Rate (Fps)	1,024,057
Rx Rate (Percent)	5.93 %
Rx Rate (L1) (Bit/s)	1.07 G
Rx Rate (Fps)	86.73 K
Loss Rate (Percent)	91.53 %
Loss (Frames)	28,119,795
P-0-0-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	2,384,393
- Rx Rate (L1) (Bit/s)	977.92 M
- Rx Rate (Fps)	79,480
- Flood Count (Frames)	10
P-0-0-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,958
- Rx Rate (L1) (Bit/s)	5.31 M

- Rx Rate (Fps)	432
- Flood Count (Frames)	25
P-0-0-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,935
- Rx Rate (L1) (Bit/s)	5.31 M
- Rx Rate (Fps)	431
- Flood Count (Frames)	20
P-0-0-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,773
- Rx Rate (L1) (Bit/s)	5.24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	28
P-0-0-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,785
- Rx Rate (L1) (Bit/s)	5.24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	22
P-0-0-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,833
- Rx Rate (L1) (Bit/s)	5.26 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	25
P-0-2-0	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	11,139
- Rx Rate (L1) (Bit/s)	4.57 M
- Rx Rate (Fps)	371
- Flood Count (Frames)	20
P-0-2-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,999
- Rx Rate (L1) (Bit/s)	5.33 M
- Rx Rate (Fps)	433
- Flood Count (Frames)	25
P-0-2-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,813
- Rx Rate (L1) (Bit/s)	5.26 M
- Rx Rate (Fps)	427
- Flood Count (Frames)	21
P-0-2-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,906
- Rx Rate (L1) (Bit/s)	5.29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	25
P-0-2-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,875

- Rx Rate (L1) (Bit/s)	5.28 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,707
- Rx Rate (L1) (Bit/s)	5.21 M
- Rx Rate (Fps)	424
- Flood Count (Frames)	22
P-0-4-0	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,935
- Rx Rate (L1) (Bit/s)	5.31 M
- Rx Rate (Fps)	431
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,848
- Rx Rate (L1) (Bit/s)	5.27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	23
P-0-4-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,904
- Rx Rate (L1) (Bit/s)	5.29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	24
P-0-4-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,016
- Rx Rate (L1) (Bit/s)	5.34 M
- Rx Rate (Fps)	434
- Flood Count (Frames)	21
P-0-4-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,991
- Rx Rate (L1) (Bit/s)	5.33 M
- Rx Rate (Fps)	433
- Flood Count (Frames)	21
P-0-4-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,098
- Rx Rate (L1) (Bit/s)	5.37 M
- Rx Rate (Fps)	437
- Flood Count (Frames)	24

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G
Tx Rate (Fps)	21,428,571	12,162,162	6,521,739	3,383,458	1,724,138	1,384,615
Rx Rate (Percent)	0 %	0.01 %	0.02 %	6.73 %	7.05 %	7.14 %
Rx Rate (L1) (Bit/s)	897.48 K	1.8 M	2.87 M	1.21 G	1.27 G	1.28 G
Rx Rate (Fps)	1.34 K	1.52 K	1.3 K	284.69 K	151.92 K	123.51 K
Loss Rate (Percent)	99.99 %	99.99 %	99.98 %	91.59 %	91.19 %	91.08 %
Loss (Frames)	642,817,059	364,819,241	195,613,136	92,962,956	47,166,540	37,833,249
P-0-0-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	30,239	38,685	34,184	7,007,923	3,584,077	2,880,324
- Rx Rate (L1) (Bit/s)	677.35 K	1.53 M	2.52 M	994.19 M	997.81 M	998.51 M
- Rx Rate (Fps)	1,008	1,290	1,139	233,597	119,469	96,011
- Flood Count (Frames)	34	29	30	7	7	11
P-0-0-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	836	641	0	89,522	56,803	48,328
- Rx Rate (L1) (Bit/s)	18.73 K	25.3 K	0	12.7 M	15.81 M	16.75 M
- Rx Rate (Fps)	28	21	0	2,984	1,893	1,611
- Flood Count (Frames)	61	59	60	33	40	37
P-0-0-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	769	569	401	90,099	57,182	46,731
- Rx Rate (L1) (Bit/s)	17.23 K	22.46 K	29.51 K	12.78 M	15.92 M	16.2 M
- Rx Rate (Fps)	26	19	13	3,003	1,906	1,558
- Flood Count (Frames)	59	57	61	33	34	34
P-0-0-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	540	375	90,641	57,236	48,568

- Rx Rate (L1) (Bit/s)	0	21.31 K	27.6 K	12.86 M	15.93 M	16.84 M
- Rx Rate (Fps)	0	18	13	3,021	1,908	1,619
- Flood Count (Frames)	57	59	61	39	42	39
P-0-0-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	653	541	298	90,061	57,197	48,547
- Rx Rate (L1) (Bit/s)	14.63 K	21.35 K	21.93 K	12.78 M	15.92 M	16.83 M
- Rx Rate (Fps)	22	18	10	3,002	1,907	1,618
- Flood Count (Frames)	59	57	59	38	38	34
P-0-0-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	627	512	0	90,443	57,280	48,841
- Rx Rate (L1) (Bit/s)	14.04 K	20.21 K	0	12.83 M	15.95 M	16.93 M
- Rx Rate (Fps)	21	17	0	3,015	1,909	1,628
- Flood Count (Frames)	61	59	60	41	33	36
P-0-2-0						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	627	0	333	90,857	57,203	48,534
- Rx Rate (L1) (Bit/s)	14.04 K	0	24.51 K	12.89 M	15.93 M	16.83 M
- Rx Rate (Fps)	21	0	11	3,029	1,907	1,618
- Flood Count (Frames)	61	59	61	40	34	45
P-0-2-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	641	0	315	90,576	57,316	48,799
- Rx Rate (L1) (Bit/s)	14.36 K	0	23.18 K	12.85 M	15.96 M	16.92 M
- Rx Rate (Fps)	21	0	11	3,019	1,911	1,627
- Flood Count (Frames)	61	57	59	49	33	40
P-0-2-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	629	0	321	90,305	57,128	48,352
- Rx Rate (L1) (Bit/s)	14.09 K	0	23.63 K	12.81 M	15.9 M	16.76 M
- Rx Rate (Fps)	21	0	11	3,010	1,904	1,612
- Flood Count (Frames)	59	60	59	35	38	36
P-0-2-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	646	537	310	89,667	57,377	48,619
- Rx Rate (L1) (Bit/s)	14.47 K	21.19 K	22.82 K	12.72 M	15.97 M	16.85 M
- Rx Rate (Fps)	22	18	10	2,989	1,913	1,621
- Flood Count (Frames)	59	59	58	33	38	44
P-0-2-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	624	533	334	90,193	57,296	48,551
- Rx Rate (L1) (Bit/s)	13.98 K	21.04 K	24.58 K	12.8 M	15.95 M	16.83 M
- Rx Rate (Fps)	21	18	11	3,006	1,910	1,618
- Flood Count (Frames)	59	56	57	38	35	38
P-0-2-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	305	90,492	57,027	48,797
- Rx Rate (L1) (Bit/s)	0	0	22.45 K	12.84 M	15.88 M	16.92 M
- Rx Rate (Fps)	0	0	10	3,016	1,901	1,627
- Flood Count (Frames)	60	56	61	38	37	34
P-0-4-0						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923


- Rx (Frames)	642	515	310	91,490	58,026	48,729
- Rx Rate (L1) (Bit/s)	14.38 K	20.33 K	22.82 K	12.98 M	16.15 M	16.89 M
- Rx Rate (Fps)	21	17	10	3,050	1,934	1,624
- Flood Count (Frames)	58	57	58	33	42	37
P-0-4-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	610	516	306	89,694	57,915	48,869
- Rx Rate (L1) (Bit/s)	13.66 K	20.36 K	22.52 K	12.72 M	16.12 M	16.94 M
- Rx Rate (Fps)	20	17	10	2,990	1,931	1,629
- Flood Count (Frames)	56	57	58	36	32	36
P-0-4-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	633	515	320	89,671	57,257	48,729
- Rx Rate (L1) (Bit/s)	14.18 K	20.33 K	23.55 K	12.72 M	15.94 M	16.89 M
- Rx Rate (Fps)	21	17	11	2,989	1,909	1,624
- Flood Count (Frames)	56	56	58	42	35	40
P-0-4-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	625	474	302	89,847	57,067	48,691
- Rx Rate (L1) (Bit/s)	14 K	18.71 K	22.23 K	12.75 M	15.89 M	16.88 M
- Rx Rate (Fps)	21	16	10	2,995	1,902	1,623
- Flood Count (Frames)	57	54	57	39	39	39
P-0-4-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	641	516	301	89,800	57,302	48,586
- Rx Rate (L1) (Bit/s)	14.36 K	20.36 K	22.15 K	12.74 M	15.95 M	16.84 M
- Rx Rate (Fps)	21	17	10	2,993	1,910	1,620
- Flood Count (Frames)	57	57	58	39	32	32
P-0-4-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	624	511	316	89,499	56,903	48,602
- Rx Rate (L1) (Bit/s)	13.98 K	20.17 K	23.26 K	12.7 M	15.84 M	16.85 M
- Rx Rate (Fps)	21	17	11	2,983	1,897	1,620
- Flood Count (Frames)	57	56	55	37	34	33

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14.4 G
Tx Rate (Fps)	1,170,351
Rx Rate (Percent)	6.12 %
Rx Rate (L1) (Bit/s)	1.1 G
Rx Rate (Fps)	89.55 K
Loss Rate (Percent)	92.35 %
Loss (Frames)	32,423,995
P-0-0-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	2,425,672
- Rx Rate (L1) (Bit/s)	994.85 M
- Rx Rate (Fps)	80,856
- Flood Count (Frames)	9
P-0-0-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	14,727
- Rx Rate (L1) (Bit/s)	6.04 M

- Rx Rate (Fps)	491
- Flood Count (Frames)	24
P-0-0-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	14,816
- Rx Rate (L1) (Bit/s)	6.08 M
- Rx Rate (Fps)	494
- Flood Count (Frames)	22
P-0-0-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,374
- Rx Rate (L1) (Bit/s)	6.31 M
- Rx Rate (Fps)	512
- Flood Count (Frames)	24
P-0-0-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,540
- Rx Rate (L1) (Bit/s)	6.37 M
- Rx Rate (Fps)	518
- Flood Count (Frames)	24
P-0-0-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,362
- Rx Rate (L1) (Bit/s)	6.3 M
- Rx Rate (Fps)	512
- Flood Count (Frames)	21
P-0-2-0	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,073
- Rx Rate (L1) (Bit/s)	6.18 M
- Rx Rate (Fps)	502
- Flood Count (Frames)	20
P-0-2-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,301
- Rx Rate (L1) (Bit/s)	6.28 M
- Rx Rate (Fps)	510
- Flood Count (Frames)	24
P-0-2-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,486
- Rx Rate (L1) (Bit/s)	6.35 M
- Rx Rate (Fps)	516
- Flood Count (Frames)	24
P-0-2-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,374
- Rx Rate (L1) (Bit/s)	6.31 M
- Rx Rate (Fps)	512
- Flood Count (Frames)	20
P-0-2-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,241

- Rx Rate (L1) (Bit/s)	6.25 M
- Rx Rate (Fps)	508
- Flood Count (Frames)	22
P-0-2-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,539
- Rx Rate (L1) (Bit/s)	6.37 M
- Rx Rate (Fps)	518
- Flood Count (Frames)	26
P-0-4-0	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,466
- Rx Rate (L1) (Bit/s)	6.34 M
- Rx Rate (Fps)	516
- Flood Count (Frames)	23
P-0-4-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,594
- Rx Rate (L1) (Bit/s)	6.4 M
- Rx Rate (Fps)	520
- Flood Count (Frames)	22
P-0-4-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,626
- Rx Rate (L1) (Bit/s)	6.41 M
- Rx Rate (Fps)	521
- Flood Count (Frames)	23
P-0-4-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,425
- Rx Rate (L1) (Bit/s)	6.33 M
- Rx Rate (Fps)	514
- Flood Count (Frames)	23
P-0-4-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,447
- Rx Rate (L1) (Bit/s)	6.34 M
- Rx Rate (Fps)	515
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,467
- Rx Rate (L1) (Bit/s)	6.34 M
- Rx Rate (Fps)	516
- Flood Count (Frames)	22

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G
Tx Rate (Fps)	24,107,142	13,682,432	7,336,956	3,806,390	1,939,655	1,557,691
Rx Rate (Percent)	0 %	0.01 %	0.01 %	6.61 %	6.85 %	6.83 %
Rx Rate (L1) (Bit/s)	0	1.35 M	1.12 M	1.19 G	1.23 G	1.23 G
Rx Rate (Fps)	0	1.14 K	505.57	279.71 K	147.65 K	118.21 K
Loss Rate (Percent)	100 %	99.99 %	99.99 %	92.65 %	92.39 %	92.41 %
Loss (Frames)	723,214,272	410,438,724	220,093,506	105,800,445	53,760,085	43,184,474
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	0	27,338	15,166	7,008,160	3,584,395	2,880,397
- Rx Rate (L1) (Bit/s)	0	1.08 M	1.12 M	994.22 M	997.9 M	998.54 M
- Rx Rate (Fps)	0	911	506	233,605	119,480	96,013
- Flood Count (Frames)	1	31	31	11	8	11
P-0-0-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	503	0	87,142	52,462	51,576
- Rx Rate (L1) (Bit/s)	0	19.85 K	0	12.36 M	14.61 M	17.88 M
- Rx Rate (Fps)	0	17	0	2,905	1,749	1,719
- Flood Count (Frames)	59	60	59	37	30	46
P-0-0-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	431	0	0	52,914	52,090
- Rx Rate (L1) (Bit/s)	0	17.01 K	0	0	14.73 M	18.06 M
- Rx Rate (Fps)	0	14	0	0	1,764	1,736
- Flood Count (Frames)	59	59	61	2	31	44
P-0-0-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	420	0	84,918	0	52,040

- Rx Rate (L1) (Bit/s)	0	16.58 K	0	12.05 M	0	18.04 M
- Rx Rate (Fps)	0	14	0	2,831	0	1,735
- Flood Count (Frames)	59	61	2	39	1	43
P-0-0-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	392	0	95,627	52,020	0
- Rx Rate (L1) (Bit/s)	0	15.47 K	0	13.57 M	14.48 M	0
- Rx Rate (Fps)	0	13	0	3,188	1,734	0
- Flood Count (Frames)	1	59	59	29	34	1
P-0-0-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	399	0	82,672	55,428	0
- Rx Rate (L1) (Bit/s)	0	15.75 K	0	11.73 M	15.43 M	0
- Rx Rate (Fps)	0	13	0	2,756	1,848	0
- Flood Count (Frames)	59	62	60	33	36	1
P-0-2-0						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	396	0	82,975	50,486	51,571
- Rx Rate (L1) (Bit/s)	0	15.63 K	0	11.77 M	14.06 M	17.88 M
- Rx Rate (Fps)	0	13	0	2,766	1,683	1,719
- Flood Count (Frames)	1	61	59	31	37	47
P-0-2-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	408	0	91,455	53,636	0
- Rx Rate (L1) (Bit/s)	0	16.1 K	0	12.97 M	14.93 M	0
- Rx Rate (Fps)	0	14	0	3,049	1,788	0
- Flood Count (Frames)	61	59	56	34	29	1
P-0-2-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	406	0	84,176	53,493	49,583
- Rx Rate (L1) (Bit/s)	0	16.02 K	0	11.94 M	14.89 M	17.19 M
- Rx Rate (Fps)	0	14	0	2,806	1,783	1,653
- Flood Count (Frames)	61	58	58	30	38	38
P-0-2-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	406	0	85,053	50,719	0
- Rx Rate (L1) (Bit/s)	0	16.02 K	0	12.07 M	14.12 M	0
- Rx Rate (Fps)	0	14	0	2,835	1,691	0
- Flood Count (Frames)	61	61	57	34	35	0
P-0-2-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	409	0	88,832	53,337	48,958
- Rx Rate (L1) (Bit/s)	0	16.14 K	0	12.6 M	14.85 M	16.97 M
- Rx Rate (Fps)	0	14	0	2,961	1,778	1,632
- Flood Count (Frames)	59	59	58	33	31	47
P-0-2-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	351	0	84,614	53,957	50,779
- Rx Rate (L1) (Bit/s)	0	13.85 K	0	12 M	15.02 M	17.6 M
- Rx Rate (Fps)	0	12	0	2,820	1,799	1,693
- Flood Count (Frames)	59	61	57	34	35	36
P-0-4-0						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538


- Rx (Frames)	0	402	0	85,143	51,050	50,149
- Rx Rate (L1) (Bit/s)	0	15.87 K	0	12.08 M	14.21 M	17.38 M
- Rx Rate (Fps)	0	13	0	2,838	1,702	1,672
- Flood Count (Frames)	57	56	56	31	41	43
P-0-4-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	405	0	87,787	53,440	51,325
- Rx Rate (L1) (Bit/s)	0	15.98 K	0	12.45 M	14.88 M	17.79 M
- Rx Rate (Fps)	0	14	0	2,926	1,781	1,711
- Flood Count (Frames)	56	59	58	33	35	46
P-0-4-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	392	0	84,681	53,242	51,493
- Rx Rate (L1) (Bit/s)	0	15.47 K	0	12.01 M	14.82 M	17.85 M
- Rx Rate (Fps)	0	13	0	2,823	1,775	1,716
- Flood Count (Frames)	55	53	55	32	37	39
P-0-4-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	399	0	86,199	52,237	51,812
- Rx Rate (L1) (Bit/s)	0	15.75 K	0	12.23 M	14.54 M	17.96 M
- Rx Rate (Fps)	0	13	0	2,873	1,741	1,727
- Flood Count (Frames)	60	55	55	34	41	39
P-0-4-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	378	0	86,753	53,598	51,816
- Rx Rate (L1) (Bit/s)	0	14.92 K	0	12.31 M	14.92 M	17.96 M
- Rx Rate (Fps)	0	13	0	2,892	1,787	1,727
- Flood Count (Frames)	55	58	56	32	41	45
P-0-4-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	397	1	85,071	53,141	52,676
- Rx Rate (L1) (Bit/s)	0	15.67 K	73.6	12.07 M	14.79 M	18.26 M
- Rx Rate (Fps)	0	13	0	2,836	1,771	1,756
- Flood Count (Frames)	56	57	56	37	34	42

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16.2 G
Tx Rate (Fps)	1,316,644
Rx Rate (Percent)	6.1 %
Rx Rate (L1) (Bit/s)	1.1 G
Rx Rate (Fps)	89.28 K
Loss Rate (Percent)	93.22 %
Loss (Frames)	36,820,954
P-0-0-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,425,276
- Rx Rate (L1) (Bit/s)	994.69 M
- Rx Rate (Fps)	80,843
- Flood Count (Frames)	12
P-0-0-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,855
- Rx Rate (L1) (Bit/s)	6.91 M

- Rx Rate (Fps)	562
- Flood Count (Frames)	21
P-0-0-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,941
- Rx Rate (L1) (Bit/s)	6.95 M
- Rx Rate (Fps)	565
- Flood Count (Frames)	23
P-0-0-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,859
- Rx Rate (L1) (Bit/s)	6.91 M
- Rx Rate (Fps)	562
- Flood Count (Frames)	25
P-0-0-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,696
- Rx Rate (L1) (Bit/s)	6.85 M
- Rx Rate (Fps)	557
- Flood Count (Frames)	22
P-0-2-0	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,944
- Rx Rate (L1) (Bit/s)	6.95 M
- Rx Rate (Fps)	565
- Flood Count (Frames)	23
P-0-2-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,850
- Rx Rate (L1) (Bit/s)	6.91 M
- Rx Rate (Fps)	562
- Flood Count (Frames)	26
P-0-2-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,781
- Rx Rate (L1) (Bit/s)	6.88 M
- Rx Rate (Fps)	559
- Flood Count (Frames)	25
P-0-2-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,957

- Rx Rate (L1) (Bit/s)	6.95 M
- Rx Rate (Fps)	565
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,709
- Rx Rate (L1) (Bit/s)	6.85 M
- Rx Rate (Fps)	557
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,840
- Rx Rate (L1) (Bit/s)	6.91 M
- Rx Rate (Fps)	561
- Flood Count (Frames)	23
P-0-4-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,981
- Rx Rate (L1) (Bit/s)	6.96 M
- Rx Rate (Fps)	566
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	17,033
- Rx Rate (L1) (Bit/s)	6.99 M
- Rx Rate (Fps)	568
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,802
- Rx Rate (L1) (Bit/s)	6.89 M
- Rx Rate (Fps)	560
- Flood Count (Frames)	22
P-0-4-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,864
- Rx Rate (L1) (Bit/s)	6.92 M
- Rx Rate (Fps)	562
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,988
- Rx Rate (L1) (Bit/s)	6.97 M
- Rx Rate (Fps)	566
- Flood Count (Frames)	19

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
Rx Rate (Percent)	0 %	0.01 %	0 %	6.85 %	6.79 %	6.8 %
Rx Rate (L1) (Bit/s)	688.53 K	1.36 M	0	1.23 G	1.22 G	1.22 G
Rx Rate (Fps)	1.02 K	1.15 K	0	289.5 K	146.42 K	117.68 K
Loss Rate (Percent)	100 %	99.99 %	100 %	93.15 %	93.21 %	93.2 %
Loss (Frames)	803,540,681	456,046,508	244,565,196	118,194,560	60,262,651	48,392,517
P-0-0-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	22,139	25,597	0	7,008,459	3,584,383	2,877,761
- Rx Rate (L1) (Bit/s)	495.91 K	1.01 M	0	994.27 M	997.89 M	997.62 M
- Rx Rate (Fps)	738	853	0	233,615	119,479	95,925
- Flood Count (Frames)	42	23	1	12	8	8
P-0-0-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	876	0	0	120,527	58,441	0
- Rx Rate (L1) (Bit/s)	19.62 K	0	0	17.1 M	16.27 M	0
- Rx Rate (Fps)	29	0	0	4,018	1,948	0
- Flood Count (Frames)	57	2	1	33	37	1
P-0-0-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	744	681	0	119,439	0	46,451
- Rx Rate (L1) (Bit/s)	16.67 K	26.88 K	0	16.94 M	0	16.1 M
- Rx Rate (Fps)	25	23	0	3,981	0	1,548
- Flood Count (Frames)	56	61	59	39	1	38
P-0-0-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	696	0	0	58,785	46,668


- Rx Rate (L1) (Bit/s)	0	27.47 K	0	0	16.37 M	16.18 M
- Rx Rate (Fps)	0	23	0	0	1,960	1,556
- Flood Count (Frames)	1	57	1	1	43	37
P-0-0-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	658	591	0	120,144	0	0
- Rx Rate (L1) (Bit/s)	14.74 K	23.32 K	0	17.04 M	0	0
- Rx Rate (Fps)	22	20	0	4,005	0	0
- Flood Count (Frames)	79	59	1	36	1	1
P-0-0-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	617	0	120,027	56,943	0
- Rx Rate (L1) (Bit/s)	0	24.35 K	0	17.03 M	15.85 M	0
- Rx Rate (Fps)	0	21	0	4,001	1,898	0
- Flood Count (Frames)	58	56	59	34	41	1
P-0-2-0						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	638	0	0	0	60,518	46,933
- Rx Rate (L1) (Bit/s)	14.29 K	0	0	0	16.85 M	16.27 M
- Rx Rate (Fps)	21	0	0	0	2,017	1,564
- Flood Count (Frames)	75	2	58	1	37	42
P-0-2-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	648	563	0	122,710	55,043	46,811
- Rx Rate (L1) (Bit/s)	14.52 K	22.22 K	0	17.41 M	15.32 M	16.23 M
- Rx Rate (Fps)	22	19	0	4,090	1,835	1,560
- Flood Count (Frames)	58	58	61	32	37	41
P-0-2-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	609	596	0	118,822	0	47,272
- Rx Rate (L1) (Bit/s)	13.64 K	23.52 K	0	16.86 M	0	16.39 M
- Rx Rate (Fps)	20	20	0	3,961	0	1,576
- Flood Count (Frames)	57	57	58	41	1	32
P-0-2-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	593	0	118,309	54,779	46,725
- Rx Rate (L1) (Bit/s)	0	23.4 K	0	16.78 M	15.25 M	16.2 M
- Rx Rate (Fps)	0	20	0	3,944	1,826	1,558
- Flood Count (Frames)	1	57	59	32	38	44
P-0-2-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	622	585	0	0	61,957	47,055
- Rx Rate (L1) (Bit/s)	13.93 K	23.09 K	0	0	17.25 M	16.31 M
- Rx Rate (Fps)	21	20	0	0	2,065	1,569
- Flood Count (Frames)	56	58	61	1	44	41
P-0-2-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	582	0	118,532	53,887	45,896
- Rx Rate (L1) (Bit/s)	0	22.97 K	0	16.82 M	15 M	15.91 M
- Rx Rate (Fps)	0	19	0	3,951	1,796	1,530
- Flood Count (Frames)	58	56	61	32	37	44
P-0-4-0						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154

- Rx (Frames)	625	577	0	121,495	61,642	46,651
- Rx Rate (L1) (Bit/s)	14 K	22.77 K	0	17.24 M	17.16 M	16.17 M
- Rx Rate (Fps)	21	19	0	4,050	2,055	1,555
- Flood Count (Frames)	57	56	54	30	36	37
P-0-4-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	632	556	0	115,597	53,772	46,282
- Rx Rate (L1) (Bit/s)	14.16 K	21.94 K	0	16.4 M	14.97 M	16.04 M
- Rx Rate (Fps)	21	19	0	3,853	1,792	1,543
- Flood Count (Frames)	56	53	58	33	35	33
P-0-4-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	644	593	0	125,216	61,202	46,723
- Rx Rate (L1) (Bit/s)	14.43 K	23.4 K	0	17.76 M	17.04 M	16.2 M
- Rx Rate (Fps)	21	20	0	4,174	2,040	1,557
- Flood Count (Frames)	55	59	59	33	40	35
P-0-4-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	642	585	0	115,767	54,382	46,243
- Rx Rate (L1) (Bit/s)	14.38 K	23.09 K	0	16.42 M	15.14 M	16.03 M
- Rx Rate (Fps)	21	20	0	3,859	1,813	1,541
- Flood Count (Frames)	59	56	58	38	32	41
P-0-4-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	630	576	0	121,040	60,114	46,765
- Rx Rate (L1) (Bit/s)	14.11 K	22.73 K	0	17.17 M	16.74 M	16.21 M
- Rx Rate (Fps)	21	19	0	4,035	2,004	1,559
- Flood Count (Frames)	59	55	57	32	29	42
P-0-4-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	631	570	0	119,043	56,666	46,313
- Rx Rate (L1) (Bit/s)	14.13 K	22.5 K	0	16.89 M	15.78 M	16.06 M
- Rx Rate (Fps)	21	19	0	3,968	1,889	1,544
- Flood Count (Frames)	54	55	60	32	36	38

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1,462,938
Rx Rate (Percent)	0 %
Rx Rate (L1) (Bit/s)	0
Rx Rate (Fps)	0
Loss Rate (Percent)	100 %
Loss (Frames)	43,888,152
P-0-0-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-0-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	24
P-0-0-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	24
P-0-0-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	25
P-0-0-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	20
P-0-0-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	24
P-0-2-0	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	21
P-0-2-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	19
P-0-2-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0

- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	22
P-0-2-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	22
P-0-4-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	23
P-0-4-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	18
P-0-4-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	20
P-0-4-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	18
P-0-4-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	19



Rate Test: Part.Mesh, N->N Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Blocks
Direction: East-to-West

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	East
P-0-0-4	East
P-0-0-5	East
P-0-2-0	East
P-0-2-1	East
P-0-2-2	East
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899.99 M	899.99 M	899.99 M
Tx Rate (Fps)	1,339,284	760,134	407,608	211,464	107,757	86,538
Rx Rate (Percent)	9.59 %	9.91 %	9.47 %	9.88 %	9.76 %	9.66 %
Rx Rate (L1) (Bit/s)	863.46 M	891.73 M	852.45 M	888.83 M	878.7 M	869.04 M
Rx Rate (Fps)	1.28 M	753.15 K	386.07 K	208.84 K	105.21 K	83.56 K
Loss Rate (Percent)	4.06 %	0.92 %	5.28 %	1.24 %	2.36 %	3.44 %
Loss (Frames)	1,631,145	209,555	646,039	78,684	76,446	89,283
P-0-0-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,415,446	2,533,779	1,288,160	696,137	354,152	278,650
- Rx Rate (L1) (Bit/s)	98.91 M	100 M	94.81 M	98.76 M	98.6 M	96.6 M
- Rx Rate (Fps)	147,182	84,459	42,939	23,205	11,805	9,288
- Flood Count (Frames)	60	59	56	59	56	59
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,244,137	2,533,779	1,288,161	696,137	327,812	277,625
- Rx Rate (L1) (Bit/s)	95.07 M	100 M	94.81 M	98.76 M	91.26 M	96.24 M

- Rx Rate (Fps)	141,471	84,459	42,939	23,205	10,927	9,254
- Flood Count (Frames)	60	57	56	61	58	61
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,395,102	2,324,224	1,276,910	696,137	349,388	278,652
- Rx Rate (L1) (Bit/s)	76.05 M	91.73 M	93.98 M	98.76 M	97.27 M	96.6 M
- Rx Rate (Fps)	113,170	77,474	42,564	23,205	11,646	9,288
- Flood Count (Frames)	59	58	56	59	56	59
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,415,447	2,533,779	1,288,162	696,137	354,152	278,652
- Rx Rate (L1) (Bit/s)	98.91 M	100 M	94.81 M	98.76 M	98.6 M	96.6 M
- Rx Rate (Fps)	147,182	84,459	42,939	23,205	11,805	9,288
- Flood Count (Frames)	61	55	53	58	58	57
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,415,447	2,533,779	1,288,162	696,137	354,152	278,653
- Rx Rate (L1) (Bit/s)	98.91 M	100 M	94.81 M	98.76 M	98.6 M	96.6 M
- Rx Rate (Fps)	147,182	84,459	42,939	23,205	11,805	9,288
- Flood Count (Frames)	59	57	57	58	56	56
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,415,447	2,533,779	1,288,162	696,137	354,152	278,654
- Rx Rate (L1) (Bit/s)	98.91 M	100 M	94.81 M	98.76 M	98.6 M	96.6 M
- Rx Rate (Fps)	147,182	84,459	42,939	23,205	11,805	9,288
- Flood Count (Frames)	58	55	55	56	56	55
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,415,447	2,533,779	1,288,162	696,138	354,152	278,654
- Rx Rate (L1) (Bit/s)	98.91 M	100 M	94.81 M	98.76 M	98.6 M	96.6 M
- Rx Rate (Fps)	147,182	84,459	42,939	23,205	11,805	9,288
- Flood Count (Frames)	55	57	54	55	55	58
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,415,447	2,533,779	1,288,164	696,138	354,152	278,654
- Rx Rate (L1) (Bit/s)	98.91 M	100 M	94.81 M	98.76 M	98.6 M	96.6 M
- Rx Rate (Fps)	147,182	84,459	42,939	23,205	11,805	9,288
- Flood Count (Frames)	57	55	54	57	53	56
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,415,446	2,533,779	1,288,164	696,138	354,152	278,654
- Rx Rate (L1) (Bit/s)	98.91 M	100 M	94.81 M	98.76 M	98.6 M	96.6 M
- Rx Rate (Fps)	147,182	84,459	42,939	23,205	11,805	9,288
- Flood Count (Frames)	58	58	58	54	56	56


Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899.98 M
Tx Rate (Fps)	73,146
Rx Rate (Percent)	9.89 %
Rx Rate (L1) (Bit/s)	889.97 M
Rx Rate (Fps)	72.33 K
Loss Rate (Percent)	1.11 %
Loss (Frames)	24,409

P-0-0-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0

- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	238,831
- Rx Rate (L1) (Bit/s)	97.95 M
- Rx Rate (Fps)	7,961
- Flood Count (Frames)	59
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,390
- Rx Rate (L1) (Bit/s)	99 M
- Rx Rate (Fps)	8,046
- Flood Count (Frames)	57
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,391
- Rx Rate (L1) (Bit/s)	99 M
- Rx Rate (Fps)	8,046
- Flood Count (Frames)	61
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,391
- Rx Rate (L1) (Bit/s)	99 M
- Rx Rate (Fps)	8,046
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,391
- Rx Rate (L1) (Bit/s)	99 M
- Rx Rate (Fps)	8,046
- Flood Count (Frames)	56
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,392
- Rx Rate (L1) (Bit/s)	99 M
- Rx Rate (Fps)	8,046
- Flood Count (Frames)	60
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,392
- Rx Rate (L1) (Bit/s)	99 M
- Rx Rate (Fps)	8,046
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,392
- Rx Rate (L1) (Bit/s)	99 M
- Rx Rate (Fps)	8,046
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	241,392
- Rx Rate (L1) (Bit/s)	99 M

- Rx Rate (Fps)	8,046
- Flood Count (Frames)	57

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899.99 M	899.99 M	899.99 M
Tx Rate (Fps)	1,339,284	760,134	407,608	211,464	107,757	86,538
Rx Rate (Percent)	9.68 %	9.95 %	9.99 %	10 %	9.98 %	9.56 %
Rx Rate (L1) (Bit/s)	871.17 M	895.45 M	899.41 M	899.86 M	898.58 M	860.06 M
Rx Rate (Fps)	1.3 M	756.29 K	407.34 K	211.43 K	107.59 K	82.7 K
Loss Rate (Percent)	3.2 %	0.51 %	0.07 %	0.01 %	0.16 %	4.44 %
Loss (Frames)	1,287,004	115,367	7,987	934	5,042	115,193
P-0-0-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,280	2,520,960	1,357,806	704,776	358,629	275,458
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	95.49 M
- Rx Rate (Fps)	144,043	84,032	45,260	23,493	11,954	9,182
- Flood Count (Frames)	60	59	59	62	58	58
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,280	2,520,960	1,357,806	704,776	358,629	267,887
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	92.87 M
- Rx Rate (Fps)	144,043	84,032	45,260	23,493	11,954	8,930
- Flood Count (Frames)	61	59	61	61	58	59
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0


- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,280	2,520,960	1,357,806	704,776	358,630	268,665
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	93.14 M
- Rx Rate (Fps)	144,043	84,032	45,260	23,493	11,954	8,956
- Flood Count (Frames)	62	59	62	61	58	59
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,282	2,520,960	1,357,806	704,776	358,630	278,154
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	96.43 M
- Rx Rate (Fps)	144,043	84,032	45,260	23,493	11,954	9,272
- Flood Count (Frames)	55	58	57	59	54	58
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,274	2,520,960	1,357,807	704,776	358,630	278,154
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	96.43 M
- Rx Rate (Fps)	144,042	84,032	45,260	23,493	11,954	9,272
- Flood Count (Frames)	58	56	58	58	54	55
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,282	2,520,961	1,357,807	704,776	358,630	278,154
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	96.43 M
- Rx Rate (Fps)	144,043	84,032	45,260	23,493	11,954	9,272
- Flood Count (Frames)	55	55	58	60	53	56
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,282	2,520,961	1,357,807	704,776	358,630	278,154
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	96.43 M
- Rx Rate (Fps)	144,043	84,032	45,260	23,493	11,954	9,272
- Flood Count (Frames)	59	56	55	57	56	55
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,282	2,520,961	1,357,807	704,777	358,630	278,156
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	96.43 M
- Rx Rate (Fps)	144,043	84,032	45,260	23,493	11,954	9,272
- Flood Count (Frames)	56	59	56	59	53	56
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,321,265	2,520,961	1,357,807	704,777	358,630	278,156
- Rx Rate (L1) (Bit/s)	96.8 M	99.49 M	99.93 M	99.98 M	99.84 M	96.43 M
- Rx Rate (Fps)	144,042	84,032	45,260	23,493	11,954	9,272
- Flood Count (Frames)	53	57	59	58	55	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899.98 M
Tx Rate (Fps)	73,146
Rx Rate (Percent)	9.75 %
Rx Rate (L1) (Bit/s)	877.7 M
Rx Rate (Fps)	71.33 K
Loss Rate (Percent)	2.48 %
Loss (Frames)	54,338
P-0-0-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	235,420
- Rx Rate (L1) (Bit/s)	96.55 M
- Rx Rate (Fps)	7,847
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	223,310
- Rx Rate (L1) (Bit/s)	91.59 M
- Rx Rate (Fps)	7,444
- Flood Count (Frames)	57
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	240,185
- Rx Rate (L1) (Bit/s)	98.51 M
- Rx Rate (Fps)	8,006
- Flood Count (Frames)	60
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	240,185
- Rx Rate (L1) (Bit/s)	98.51 M
- Rx Rate (Fps)	8,006
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	240,186
- Rx Rate (L1) (Bit/s)	98.51 M
- Rx Rate (Fps)	8,006
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	240,186
- Rx Rate (L1) (Bit/s)	98.51 M
- Rx Rate (Fps)	8,006
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	240,187
- Rx Rate (L1) (Bit/s)	98.51 M
- Rx Rate (Fps)	8,006
- Flood Count (Frames)	56
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	240,187
- Rx Rate (L1) (Bit/s)	98.51 M
- Rx Rate (Fps)	8,006
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	240,187
- Rx Rate (L1) (Bit/s)	98.51 M
- Rx Rate (Fps)	8,006
- Flood Count (Frames)	56

Part.Mesh, N->N: Loss by Frame Size at 10.00% Rate



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,570	1,520,270	815,216	422,931	215,517	173,075
Rx Rate (Percent)	10.54 %	10.83 %	10.92 %	10.95 %	11.07 %	11.08 %
Rx Rate (L1) (Bit/s)	948.35 M	974.32 M	982.82 M	985.77 M	995.85 M	997.13 M
Rx Rate (Fps)	1.41 M	822.91 K	445.12 K	231.62 K	119.23 K	95.88 K
Loss Rate (Percent)	47.31 %	45.87 %	45.4 %	45.23 %	44.67 %	44.6 %
Loss (Frames)	38,020,212	20,920,835	11,102,956	5,739,354	2,888,457	2,315,925
P-0-0-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,412,808	2,725,067	1,441,746	774,519	397,569	318,481
- Rx Rate (L1) (Bit/s)	98.85 M	107.55 M	106.11 M	109.88 M	110.68 M	110.41 M
- Rx Rate (Fps)	147,094	90,836	48,058	25,817	13,252	10,616
- Flood Count (Frames)	33	35	42	31	34	41
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,752,028	2,735,109	1,482,712	757,907	397,488	319,225
- Rx Rate (L1) (Bit/s)	106.45 M	107.95 M	109.13 M	107.52 M	110.66 M	110.66 M
- Rx Rate (Fps)	158,401	91,170	49,424	25,264	13,250	10,641
- Flood Count (Frames)	41	34	38	29	33	38
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,735,010	2,744,475	1,487,014	773,490	397,441	319,278
- Rx Rate (L1) (Bit/s)	106.06 M	108.32 M	109.44 M	109.73 M	110.65 M	110.68 M
- Rx Rate (Fps)	157,834	91,483	49,567	25,783	13,248	10,643
- Flood Count (Frames)	38	35	38	34	36	39
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	4,737,803	2,753,590	1,491,202	772,951	397,188	320,079
- Rx Rate (L1) (Bit/s)	106.13 M	108.68 M	109.75 M	109.66 M	110.58 M	110.96 M
- Rx Rate (Fps)	157,927	91,786	49,707	25,765	13,240	10,669
- Flood Count (Frames)	38	41	38	29	28	37
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,727,049	2,743,719	1,492,017	772,164	397,043	319,544
- Rx Rate (L1) (Bit/s)	105.89 M	108.29 M	109.81 M	109.54 M	110.54 M	110.78 M
- Rx Rate (Fps)	157,568	91,457	49,734	25,739	13,235	10,651
- Flood Count (Frames)	39	33	40	36	35	43
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,748,941	2,744,478	1,488,899	774,227	397,660	320,252
- Rx Rate (L1) (Bit/s)	106.38 M	108.32 M	109.58 M	109.84 M	110.71 M	111.02 M
- Rx Rate (Fps)	158,298	91,483	49,630	25,808	13,255	10,675
- Flood Count (Frames)	37	26	36	35	33	35
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,743,791	2,748,838	1,488,990	774,403	397,336	319,841
- Rx Rate (L1) (Bit/s)	106.26 M	108.49 M	109.59 M	109.86 M	110.62 M	110.88 M
- Rx Rate (Fps)	158,126	91,628	49,633	25,813	13,245	10,661
- Flood Count (Frames)	41	35	35	33	28	39
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,745,355	2,748,951	1,490,793	774,829	397,635	319,639
- Rx Rate (L1) (Bit/s)	106.3 M	108.49 M	109.72 M	109.92 M	110.7 M	110.81 M
- Rx Rate (Fps)	158,179	91,632	49,693	25,828	13,255	10,655
- Flood Count (Frames)	30	29	34	29	32	37
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,734,106	2,743,041	1,490,163	774,077	397,684	319,998
- Rx Rate (L1) (Bit/s)	106.04 M	108.26 M	109.68 M	109.82 M	110.72 M	110.93 M
- Rx Rate (Fps)	157,804	91,435	49,672	25,803	13,256	10,667
- Flood Count (Frames)	33	27	37	34	35	36

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,291
Rx Rate (Percent)	10.73 %
Rx Rate (L1) (Bit/s)	966.04 M
Rx Rate (Fps)	78.51 K
Loss Rate (Percent)	46.33 %
Loss (Frames)	2,033,309
P-0-0-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	192,740
- Rx Rate (L1) (Bit/s)	79.05 M
- Rx Rate (Fps)	6,425
- Flood Count (Frames)	39
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,105

- Rx Rate (L1) (Bit/s)	110.78 M
- Rx Rate (Fps)	9,004
- Flood Count (Frames)	36
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,050
- Rx Rate (L1) (Bit/s)	110.76 M
- Rx Rate (Fps)	9,002
- Flood Count (Frames)	36
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,318
- Rx Rate (L1) (Bit/s)	110.87 M
- Rx Rate (Fps)	9,011
- Flood Count (Frames)	36
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,459
- Rx Rate (L1) (Bit/s)	110.92 M
- Rx Rate (Fps)	9,015
- Flood Count (Frames)	33
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,373
- Rx Rate (L1) (Bit/s)	110.89 M
- Rx Rate (Fps)	9,012
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,506
- Rx Rate (L1) (Bit/s)	110.94 M
- Rx Rate (Fps)	9,017
- Flood Count (Frames)	36
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,348
- Rx Rate (L1) (Bit/s)	110.88 M
- Rx Rate (Fps)	9,012
- Flood Count (Frames)	27
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,534
- Rx Rate (L1) (Bit/s)	110.96 M
- Rx Rate (Fps)	9,018
- Flood Count (Frames)	27

Part.Mesh, N->N: Loss by Frame Size at 20.00% Rate



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G
Tx Rate (Fps)	4,017,857	2,280,404	1,222,825	634,397	323,274	259,613
Rx Rate (Percent)	10.45 %	10.83 %	10.92 %	11.02 %	11.08 %	10.97 %
Rx Rate (L1) (Bit/s)	940.6 M	974.79 M	982.9 M	992 M	997.19 M	986.97 M
Rx Rate (Fps)	1.4 M	823.3 K	445.15 K	233.08 K	119.4 K	94.9 K
Loss Rate (Percent)	65.16 %	63.9 %	63.6 %	63.26 %	63.07 %	63.45 %
Loss (Frames)	78,544,529	43,713,108	23,330,134	12,039,422	6,116,352	4,941,356
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,718,732	2,739,967	1,489,695	771,356	398,475	319,277
- Rx Rate (L1) (Bit/s)	105.7 M	108.14 M	109.64 M	109.43 M	110.94 M	110.68 M
- Rx Rate (Fps)	157,291	91,332	49,657	25,712	13,283	10,643
- Flood Count (Frames)	35	33	25	32	32	32
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,750,607	2,740,858	1,486,926	775,974	398,395	318,634
- Rx Rate (L1) (Bit/s)	106.41 M	108.17 M	109.44 M	110.08 M	110.91 M	110.46 M
- Rx Rate (Fps)	158,354	91,362	49,564	25,866	13,280	10,621
- Flood Count (Frames)	27	32	27	36	32	32
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,085,892	2,733,120	1,440,473	775,666	398,619	287,953
- Rx Rate (L1) (Bit/s)	91.52 M	107.87 M	106.02 M	110.04 M	110.98 M	99.82 M
- Rx Rate (Fps)	136,196	91,104	48,016	25,856	13,287	9,598
- Flood Count (Frames)	32	26	35	28	30	29
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	4,760,603	2,748,128	1,489,613	779,200	397,274	319,836
- Rx Rate (L1) (Bit/s)	106.64 M	108.46 M	109.64 M	110.54 M	110.6 M	110.88 M
- Rx Rate (Fps)	158,687	91,604	49,654	25,973	13,242	10,661
- Flood Count (Frames)	27	30	28	22	31	29
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,735,031	2,745,251	1,487,702	777,834	395,591	320,026
- Rx Rate (L1) (Bit/s)	106.06 M	108.35 M	109.49 M	110.35 M	110.13 M	110.94 M
- Rx Rate (Fps)	157,834	91,508	49,590	25,928	13,186	10,668
- Flood Count (Frames)	32	32	27	24	35	36
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,726,622	2,755,302	1,484,724	778,520	398,974	320,539
- Rx Rate (L1) (Bit/s)	105.88 M	108.74 M	109.28 M	110.45 M	111.07 M	111.12 M
- Rx Rate (Fps)	157,554	91,843	49,491	25,951	13,299	10,685
- Flood Count (Frames)	31	27	26	31	26	25
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,745,558	2,748,876	1,488,801	778,541	398,832	320,667
- Rx Rate (L1) (Bit/s)	106.3 M	108.49 M	109.58 M	110.45 M	111.03 M	111.16 M
- Rx Rate (Fps)	158,185	91,629	49,627	25,951	13,294	10,689
- Flood Count (Frames)	22	29	29	29	33	30
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,741,412	2,742,769	1,493,547	778,040	397,469	320,656
- Rx Rate (L1) (Bit/s)	106.21 M	108.25 M	109.93 M	110.38 M	110.66 M	111.16 M
- Rx Rate (Fps)	158,047	91,426	49,785	25,935	13,249	10,689
- Flood Count (Frames)	26	30	29	32	31	29
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,726,709	2,744,735	1,493,123	777,369	398,230	319,449
- Rx Rate (L1) (Bit/s)	105.88 M	108.33 M	109.89 M	110.28 M	110.87 M	110.74 M
- Rx Rate (Fps)	157,557	91,491	49,771	25,912	13,274	10,648
- Flood Count (Frames)	25	28	28	30	29	30

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2.7 G
Tx Rate (Fps)	219,440
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	998 M
Rx Rate (Fps)	81.11 K
Loss Rate (Percent)	63.04 %
Loss (Frames)	4,149,845
P-0-0-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,877
- Rx Rate (L1) (Bit/s)	111.1 M
- Rx Rate (Fps)	9,029
- Flood Count (Frames)	29
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,478

- Rx Rate (L1) (Bit/s)	110.93 M
- Rx Rate (Fps)	9,016
- Flood Count (Frames)	31
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,910
- Rx Rate (L1) (Bit/s)	110.29 M
- Rx Rate (Fps)	8,964
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,767
- Rx Rate (L1) (Bit/s)	111.05 M
- Rx Rate (Fps)	9,026
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,827
- Rx Rate (L1) (Bit/s)	111.08 M
- Rx Rate (Fps)	9,028
- Flood Count (Frames)	32
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,261
- Rx Rate (L1) (Bit/s)	110.84 M
- Rx Rate (Fps)	9,009
- Flood Count (Frames)	29
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,427
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,415
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,387
- Rx Rate (L1) (Bit/s)	110.89 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	28

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,140	3,040,540	1,630,433	845,864	431,033	346,154
Rx Rate (Percent)	0.02 %	10.83 %	10.94 %	10.97 %	10.87 %	11.01 %
Rx Rate (L1) (Bit/s)	1.39 M	974.62 M	984.51 M	987.16 M	978.62 M	990.67 M
Rx Rate (Fps)	2.07 K	823.16 K	445.88 K	231.94 K	117.17 K	95.26 K
Loss Rate (Percent)	99.96 %	72.93 %	72.65 %	72.58 %	72.82 %	72.48 %
Loss (Frames)	160,652,236	66,521,540	35,536,520	18,417,588	9,415,855	7,526,896
P-0-0-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,837	2,743,122	1,478,907	777,420	332,930	299,509
- Rx Rate (L1) (Bit/s)	153.15 K	108.26 M	108.85 M	110.29 M	92.69 M	103.83 M
- Rx Rate (Fps)	228	91,437	49,297	25,914	11,098	9,984
- Flood Count (Frames)	61	23	26	28	36	30
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,867	2,733,614	1,478,676	777,503	397,498	319,306
- Rx Rate (L1) (Bit/s)	153.82 K	107.89 M	108.83 M	110.3 M	110.66 M	110.69 M
- Rx Rate (Fps)	229	91,120	49,289	25,917	13,250	10,644
- Flood Count (Frames)	61	28	27	25	26	26
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,887	2,746,629	1,455,749	736,555	397,899	318,846
- Rx Rate (L1) (Bit/s)	154.27 K	108.4 M	107.14 M	104.49 M	110.78 M	110.53 M
- Rx Rate (Fps)	230	91,554	48,525	24,552	13,263	10,628
- Flood Count (Frames)	61	25	26	29	30	27
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	6,903	2,744,665	1,494,766	777,378	396,924	319,378
- Rx Rate (L1) (Bit/s)	154.63 K	108.32 M	110.01 M	110.28 M	110.5 M	110.72 M
- Rx Rate (Fps)	230	91,489	49,826	25,913	13,231	10,646
- Flood Count (Frames)	60	23	26	24	29	26
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,890	2,757,430	1,496,718	776,872	397,501	319,788
- Rx Rate (L1) (Bit/s)	154.34 K	108.83 M	110.16 M	110.21 M	110.66 M	110.86 M
- Rx Rate (Fps)	230	91,914	49,891	25,896	13,250	10,660
- Flood Count (Frames)	55	26	25	25	20	27
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,942	2,752,686	1,498,115	778,048	397,044	319,487
- Rx Rate (L1) (Bit/s)	155.5 K	108.64 M	110.26 M	110.38 M	110.54 M	110.76 M
- Rx Rate (Fps)	231	91,756	49,937	25,935	13,235	10,650
- Flood Count (Frames)	57	24	27	29	29	29
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,987	2,744,428	1,493,749	778,611	398,005	320,160
- Rx Rate (L1) (Bit/s)	156.51 K	108.31 M	109.94 M	110.46 M	110.8 M	110.99 M
- Rx Rate (Fps)	233	91,481	49,792	25,954	13,267	10,672
- Flood Count (Frames)	55	27	26	24	21	23
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,813	2,737,962	1,492,024	778,318	398,681	319,930
- Rx Rate (L1) (Bit/s)	152.61 K	108.06 M	109.81 M	110.42 M	110.99 M	110.91 M
- Rx Rate (Fps)	227	91,265	49,734	25,944	13,289	10,664
- Flood Count (Frames)	55	28	27	23	25	27
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,844	2,734,130	1,487,760	777,630	398,665	321,305
- Rx Rate (L1) (Bit/s)	153.31 K	107.91 M	109.5 M	110.32 M	110.99 M	111.39 M
- Rx Rate (Fps)	228	91,138	49,592	25,921	13,289	10,710
- Flood Count (Frames)	55	23	22	21	26	31

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,586
Rx Rate (Percent)	10.89 %
Rx Rate (L1) (Bit/s)	979.98 M
Rx Rate (Fps)	79.65 K
Loss Rate (Percent)	72.78 %
Loss (Frames)	6,388,158
P-0-0-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,328
- Rx Rate (L1) (Bit/s)	110.46 M
- Rx Rate (Fps)	8,978
- Flood Count (Frames)	27
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,910

- Rx Rate (L1) (Bit/s)	100.04 M
- Rx Rate (Fps)	8,130
- Flood Count (Frames)	26
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	252,149
- Rx Rate (L1) (Bit/s)	103.41 M
- Rx Rate (Fps)	8,405
- Flood Count (Frames)	33
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,362
- Rx Rate (L1) (Bit/s)	110.88 M
- Rx Rate (Fps)	9,012
- Flood Count (Frames)	23
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,186
- Rx Rate (L1) (Bit/s)	111.22 M
- Rx Rate (Fps)	9,040
- Flood Count (Frames)	32
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,483
- Rx Rate (L1) (Bit/s)	110.52 M
- Rx Rate (Fps)	8,983
- Flood Count (Frames)	25
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,903
- Rx Rate (L1) (Bit/s)	111.11 M
- Rx Rate (Fps)	9,030
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,662
- Rx Rate (L1) (Bit/s)	111.42 M
- Rx Rate (Fps)	9,055
- Flood Count (Frames)	26
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,424
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	30

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G
Tx Rate (Fps)	6,696,427	3,800,674	2,038,041	1,057,331	538,793	432,691
Rx Rate (Percent)	0.01 %	10.83 %	10.97 %	10.95 %	11.06 %	11.08 %
Rx Rate (L1) (Bit/s)	1.18 M	974.48 M	986.93 M	985.34 M	995.37 M	997.2 M
Rx Rate (Fps)	1.75 K	823.04 K	446.98 K	231.52 K	119.18 K	95.88 K
Loss Rate (Percent)	99.97 %	78.34 %	78.07 %	78.1 %	77.88 %	77.84 %
Loss (Frames)	200,840,263	89,329,110	47,731,862	24,774,363	12,588,485	10,104,195
P-0-0-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,813	2,736,584	1,484,528	778,002	397,706	318,225
- Rx Rate (L1) (Bit/s)	63.01 K	108 M	109.26 M	110.37 M	110.72 M	110.32 M
- Rx Rate (Fps)	94	91,219	49,484	25,933	13,257	10,608
- Flood Count (Frames)	57	24	24	23	23	26
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,291	2,747,103	1,489,395	778,618	397,681	316,936
- Rx Rate (L1) (Bit/s)	140.92 K	108.42 M	109.62 M	110.46 M	110.71 M	109.87 M
- Rx Rate (Fps)	210	91,570	49,647	25,954	13,256	10,565
- Flood Count (Frames)	61	25	27	20	27	28
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,271	2,743,156	1,489,700	721,325	391,137	319,082
- Rx Rate (L1) (Bit/s)	140.47 K	108.26 M	109.64 M	102.33 M	108.89 M	110.62 M
- Rx Rate (Fps)	209	91,439	49,657	24,044	13,038	10,636
- Flood Count (Frames)	61	30	30	24	20	26
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	6,262	2,750,976	1,498,719	778,667	398,545	320,419
- Rx Rate (L1) (Bit/s)	140.27 K	108.57 M	110.31 M	110.47 M	110.95 M	111.08 M
- Rx Rate (Fps)	209	91,699	49,957	25,956	13,285	10,681
- Flood Count (Frames)	57	23	23	23	24	23
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,155	2,740,567	1,496,494	778,707	397,964	320,349
- Rx Rate (L1) (Bit/s)	137.87 K	108.16 M	110.14 M	110.47 M	110.79 M	111.05 M
- Rx Rate (Fps)	205	91,352	49,883	25,957	13,265	10,678
- Flood Count (Frames)	57	21	23	25	25	22
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,182	2,749,988	1,487,056	778,339	397,858	320,014
- Rx Rate (L1) (Bit/s)	138.48 K	108.53 M	109.45 M	110.42 M	110.76 M	110.94 M
- Rx Rate (Fps)	206	91,666	49,569	25,945	13,262	10,667
- Flood Count (Frames)	55	25	22	21	27	27
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,209	2,743,063	1,487,588	777,550	397,880	320,339
- Rx Rate (L1) (Bit/s)	139.08 K	108.26 M	109.49 M	110.31 M	110.77 M	111.05 M
- Rx Rate (Fps)	207	91,435	49,586	25,918	13,263	10,678
- Flood Count (Frames)	59	26	24	29	23	29
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,069	2,738,962	1,484,556	776,774	398,279	320,623
- Rx Rate (L1) (Bit/s)	135.95 K	108.1 M	109.26 M	110.2 M	110.88 M	111.15 M
- Rx Rate (Fps)	202	91,299	49,485	25,892	13,276	10,687
- Flood Count (Frames)	59	27	24	26	26	29
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,283	2,740,708	1,491,332	777,579	398,258	320,554
- Rx Rate (L1) (Bit/s)	140.74 K	108.17 M	109.76 M	110.31 M	110.88 M	111.13 M
- Rx Rate (Fps)	209	91,357	49,711	25,919	13,275	10,685
- Flood Count (Frames)	55	23	17	26	30	27

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4.5 G
Tx Rate (Fps)	365,734
Rx Rate (Percent)	11.05 %
Rx Rate (L1) (Bit/s)	994.78 M
Rx Rate (Fps)	80.85 K
Loss Rate (Percent)	77.89 %
Loss (Frames)	8,546,504
P-0-0-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	262,195
- Rx Rate (L1) (Bit/s)	107.53 M
- Rx Rate (Fps)	8,740
- Flood Count (Frames)	24
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	263,911

- Rx Rate (L1) (Bit/s)	108.24 M
- Rx Rate (Fps)	8,797
- Flood Count (Frames)	29
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	275,339
- Rx Rate (L1) (Bit/s)	112.93 M
- Rx Rate (Fps)	9,178
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,869
- Rx Rate (L1) (Bit/s)	111.09 M
- Rx Rate (Fps)	9,029
- Flood Count (Frames)	26
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	265,734
- Rx Rate (L1) (Bit/s)	108.99 M
- Rx Rate (Fps)	8,858
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	275,158
- Rx Rate (L1) (Bit/s)	112.85 M
- Rx Rate (Fps)	9,172
- Flood Count (Frames)	28
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,694
- Rx Rate (L1) (Bit/s)	111.02 M
- Rx Rate (Fps)	9,023
- Flood Count (Frames)	23
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	265,345
- Rx Rate (L1) (Bit/s)	108.83 M
- Rx Rate (Fps)	8,845
- Flood Count (Frames)	27
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	276,268
- Rx Rate (L1) (Bit/s)	113.31 M
- Rx Rate (Fps)	9,209
- Flood Count (Frames)	23

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,713	4,560,810	2,445,652	1,268,795	646,550	519,229
Rx Rate (Percent)	0.01 %	10.83 %	10.73 %	11.04 %	11.07 %	10.9 %
Rx Rate (L1) (Bit/s)	1.11 M	974.33 M	965.81 M	993.43 M	995.88 M	980.68 M
Rx Rate (Fps)	1.64 K	822.91 K	437.41 K	233.42 K	119.24 K	94.3 K
Loss Rate (Percent)	99.98 %	81.96 %	82.11 %	81.6 %	81.56 %	81.84 %
Loss (Frames)	241,022,051	112,136,911	60,247,165	31,061,308	15,819,345	12,747,975
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,531	2,743,840	1,489,436	777,351	397,750	319,389
- Rx Rate (L1) (Bit/s)	56.69 K	108.29 M	109.62 M	110.28 M	110.73 M	110.72 M
- Rx Rate (Fps)	84	91,461	49,648	25,912	13,258	10,646
- Flood Count (Frames)	57	22	25	28	21	27
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,802	2,729,868	1,489,767	779,436	392,194	268,908
- Rx Rate (L1) (Bit/s)	129.96 K	107.74 M	109.65 M	110.58 M	109.19 M	93.22 M
- Rx Rate (Fps)	193	90,996	49,659	25,981	13,073	8,964
- Flood Count (Frames)	57	24	23	26	22	19
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,876	2,731,465	1,209,072	785,679	397,753	318,947
- Rx Rate (L1) (Bit/s)	131.62 K	107.8 M	88.99 M	111.46 M	110.73 M	110.57 M
- Rx Rate (Fps)	196	91,049	40,302	26,189	13,258	10,632
- Flood Count (Frames)	59	19	22	21	21	32
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	5,859	2,736,887	1,492,157	780,737	397,916	320,831
- Rx Rate (L1) (Bit/s)	131.24 K	108.02 M	109.82 M	110.76 M	110.78 M	111.22 M
- Rx Rate (Fps)	195	91,230	49,739	26,025	13,264	10,694
- Flood Count (Frames)	58	27	27	29	26	24
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,809	2,745,816	1,489,945	779,890	397,661	319,876
- Rx Rate (L1) (Bit/s)	130.12 K	108.37 M	109.66 M	110.64 M	110.71 M	110.89 M
- Rx Rate (Fps)	194	91,527	49,665	25,996	13,255	10,663
- Flood Count (Frames)	56	24	26	23	26	22
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,878	2,748,193	1,485,879	777,769	398,224	320,481
- Rx Rate (L1) (Bit/s)	131.67 K	108.46 M	109.36 M	110.34 M	110.87 M	111.1 M
- Rx Rate (Fps)	196	91,606	49,529	25,926	13,274	10,683
- Flood Count (Frames)	56	21	21	22	21	27
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,835	2,752,081	1,487,235	775,423	399,058	320,853
- Rx Rate (L1) (Bit/s)	130.7 K	108.62 M	109.46 M	110.01 M	111.1 M	111.23 M
- Rx Rate (Fps)	195	91,736	49,575	25,847	13,302	10,695
- Flood Count (Frames)	57	28	24	22	23	24
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,889	2,750,750	1,489,289	774,023	398,498	319,291
- Rx Rate (L1) (Bit/s)	131.91 K	108.56 M	109.61 M	109.81 M	110.94 M	110.69 M
- Rx Rate (Fps)	196	91,692	49,643	25,801	13,283	10,643
- Flood Count (Frames)	55	18	27	21	23	24
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,860	2,748,498	1,489,612	772,228	398,104	320,316
- Rx Rate (L1) (Bit/s)	131.26 K	108.47 M	109.64 M	109.55 M	110.83 M	111.04 M
- Rx Rate (Fps)	195	91,617	49,654	25,741	13,270	10,677
- Flood Count (Frames)	55	27	20	21	25	26

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,880
Rx Rate (Percent)	11.06 %
Rx Rate (L1) (Bit/s)	995.52 M
Rx Rate (Fps)	80.91 K
Loss Rate (Percent)	81.56 %
Loss (Frames)	10,739,079
P-0-0-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,973
- Rx Rate (L1) (Bit/s)	111.55 M
- Rx Rate (Fps)	9,066
- Flood Count (Frames)	27
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,455

- Rx Rate (L1) (Bit/s)	110.92 M
- Rx Rate (Fps)	9,015
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	263,376
- Rx Rate (L1) (Bit/s)	108.02 M
- Rx Rate (Fps)	8,779
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,673
- Rx Rate (L1) (Bit/s)	110.19 M
- Rx Rate (Fps)	8,956
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,971
- Rx Rate (L1) (Bit/s)	110.72 M
- Rx Rate (Fps)	8,999
- Flood Count (Frames)	24
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,308
- Rx Rate (L1) (Bit/s)	110.45 M
- Rx Rate (Fps)	8,977
- Flood Count (Frames)	25
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,705
- Rx Rate (L1) (Bit/s)	110.62 M
- Rx Rate (Fps)	8,990
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,442
- Rx Rate (L1) (Bit/s)	111.33 M
- Rx Rate (Fps)	9,048
- Flood Count (Frames)	21
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	272,406
- Rx Rate (L1) (Bit/s)	111.72 M
- Rx Rate (Fps)	9,080
- Flood Count (Frames)	21

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G
Tx Rate (Fps)	9,374,999	5,320,944	2,853,260	1,480,262	754,310	605,767
Rx Rate (Percent)	0.01 %	0.88 %	10.96 %	10.7 %	10.31 %	10.96 %
Rx Rate (L1) (Bit/s)	942.35 K	79.6 M	986.42 M	962.89 M	928.22 M	986.37 M
Rx Rate (Fps)	1.4 K	67.23 K	446.75 K	226.24 K	111.14 K	94.84 K
Loss Rate (Percent)	99.99 %	98.74 %	84.34 %	84.72 %	85.27 %	84.34 %
Loss (Frames)	281,207,913	157,611,425	72,195,367	37,620,585	19,295,162	15,327,692
P-0-0-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,632	192,485	1,487,405	777,046	151,791	285,330
- Rx Rate (L1) (Bit/s)	103.76 K	7.6 M	109.47 M	110.24 M	42.26 M	98.91 M
- Rx Rate (Fps)	154	6,416	49,580	25,902	5,060	9,511
- Flood Count (Frames)	59	57	26	23	3	31
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,675	225,559	1,487,482	565,201	398,958	318,085
- Rx Rate (L1) (Bit/s)	104.72 K	8.9 M	109.48 M	80.18 M	111.07 M	110.27 M
- Rx Rate (Fps)	156	7,519	49,583	18,840	13,299	10,603
- Flood Count (Frames)	59	58	22	21	19	26
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,723	230,125	1,489,623	779,207	398,685	318,975
- Rx Rate (L1) (Bit/s)	105.8 K	9.08 M	109.64 M	110.54 M	110.99 M	110.58 M
- Rx Rate (Fps)	157	7,671	49,654	25,974	13,290	10,633
- Flood Count (Frames)	59	56	25	25	22	26
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	4,721	231,783	1,490,485	777,163	397,363	320,338
- Rx Rate (L1) (Bit/s)	105.75 K	9.15 M	109.7 M	110.25 M	110.63 M	111.05 M
- Rx Rate (Fps)	157	7,726	49,683	25,905	13,245	10,678
- Flood Count (Frames)	57	57	26	22	24	24
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,691	233,158	1,488,154	776,742	397,641	319,885
- Rx Rate (L1) (Bit/s)	105.08 K	9.2 M	109.53 M	110.19 M	110.7 M	110.89 M
- Rx Rate (Fps)	156	7,772	49,605	25,891	13,255	10,663
- Flood Count (Frames)	56	57	27	25	22	24
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,624	228,061	1,491,676	779,373	396,857	320,548
- Rx Rate (L1) (Bit/s)	103.58 K	9 M	109.79 M	110.57 M	110.48 M	111.12 M
- Rx Rate (Fps)	154	7,602	49,723	25,979	13,229	10,685
- Flood Count (Frames)	58	57	24	20	22	25
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,646	229,160	1,489,261	780,334	397,291	320,683
- Rx Rate (L1) (Bit/s)	104.07 K	9.04 M	109.61 M	110.7 M	110.61 M	111.17 M
- Rx Rate (Fps)	155	7,639	49,642	26,011	13,243	10,689
- Flood Count (Frames)	57	55	24	21	20	19
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,692	222,625	1,492,261	777,076	397,329	321,700
- Rx Rate (L1) (Bit/s)	105.1 K	8.79 M	109.83 M	110.24 M	110.62 M	111.52 M
- Rx Rate (Fps)	156	7,421	49,742	25,903	13,244	10,723
- Flood Count (Frames)	55	58	21	21	19	22
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,665	223,939	1,486,089	775,118	398,217	319,762
- Rx Rate (L1) (Bit/s)	104.5 K	8.84 M	109.38 M	109.96 M	110.86 M	110.85 M
- Rx Rate (Fps)	156	7,465	49,536	25,837	13,274	10,659
- Flood Count (Frames)	60	56	24	19	18	21

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	6.3 G
Tx Rate (Fps)	512,028
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	998.27 M
Rx Rate (Fps)	81.13 K
Loss Rate (Percent)	84.15 %
Loss (Frames)	12,926,827
P-0-0-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,184
- Rx Rate (L1) (Bit/s)	110.81 M
- Rx Rate (Fps)	9,006
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,287

- Rx Rate (L1) (Bit/s)	110.85 M
- Rx Rate (Fps)	9,010
- Flood Count (Frames)	22
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,169
- Rx Rate (L1) (Bit/s)	110.81 M
- Rx Rate (Fps)	9,006
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,348
- Rx Rate (L1) (Bit/s)	110.88 M
- Rx Rate (Fps)	9,012
- Flood Count (Frames)	23
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,755
- Rx Rate (L1) (Bit/s)	111.05 M
- Rx Rate (Fps)	9,025
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,397
- Rx Rate (L1) (Bit/s)	110.9 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,983
- Rx Rate (L1) (Bit/s)	111.14 M
- Rx Rate (Fps)	9,033
- Flood Count (Frames)	22
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,565
- Rx Rate (L1) (Bit/s)	110.97 M
- Rx Rate (Fps)	9,019
- Flood Count (Frames)	18
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,325
- Rx Rate (L1) (Bit/s)	110.87 M
- Rx Rate (Fps)	9,011
- Flood Count (Frames)	26

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,283	6,081,080	3,260,868	1,691,728	862,067	692,307
Rx Rate (Percent)	0.01 %	0.02 %	10.96 %	11.02 %	11.08 %	11.09 %
Rx Rate (L1) (Bit/s)	705.31 K	1.42 M	986.47 M	992.07 M	997.04 M	997.91 M
Rx Rate (Fps)	1.05 K	1.2 K	446.77 K	233.1 K	119.38 K	95.95 K
Loss Rate (Percent)	99.99 %	99.98 %	86.3 %	86.22 %	86.15 %	86.14 %
Loss (Frames)	321,397,006	182,396,544	84,422,875	43,758,877	22,280,682	17,890,633
P-0-0-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,993	3,995	1,486,271	766,743	399,322	318,997
- Rx Rate (L1) (Bit/s)	89.44 K	157.67 K	109.39 M	108.78 M	111.17 M	110.59 M
- Rx Rate (Fps)	133	133	49,542	25,558	13,311	10,633
- Flood Count (Frames)	58	58	23	22	21	29
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1,755	3,987	1,488,948	778,073	398,420	319,634
- Rx Rate (L1) (Bit/s)	39.31 K	157.35 K	109.59 M	110.38 M	110.92 M	110.81 M
- Rx Rate (Fps)	59	133	49,632	25,936	13,281	10,654
- Flood Count (Frames)	58	59	29	26	20	21
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1,768	3,972	1,493,377	778,959	398,036	319,457
- Rx Rate (L1) (Bit/s)	39.6 K	156.76 K	109.91 M	110.51 M	110.81 M	110.75 M
- Rx Rate (Fps)	59	132	49,779	25,965	13,268	10,649
- Flood Count (Frames)	61	59	25	23	22	24
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	3,974	4,011	1,492,122	778,464	396,877	320,430
- Rx Rate (L1) (Bit/s)	89.02 K	158.3 K	109.82 M	110.44 M	110.49 M	111.08 M
- Rx Rate (Fps)	132	134	49,737	25,949	13,229	10,681
- Flood Count (Frames)	55	56	21	24	23	23
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,030	4,041	1,488,544	778,237	397,358	319,683
- Rx Rate (L1) (Bit/s)	90.27 K	159.48 K	109.56 M	110.41 M	110.62 M	110.82 M
- Rx Rate (Fps)	134	135	49,618	25,941	13,245	10,656
- Flood Count (Frames)	55	61	22	23	21	23
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,951	4,029	1,488,776	780,735	397,635	319,991
- Rx Rate (L1) (Bit/s)	88.5 K	159.01 K	109.57 M	110.76 M	110.7 M	110.93 M
- Rx Rate (Fps)	132	134	49,626	26,025	13,255	10,666
- Flood Count (Frames)	57	58	23	22	20	22
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,991	3,980	1,491,734	778,637	397,507	319,986
- Rx Rate (L1) (Bit/s)	89.4 K	157.08 K	109.79 M	110.46 M	110.67 M	110.93 M
- Rx Rate (Fps)	133	133	49,724	25,955	13,250	10,666
- Flood Count (Frames)	56	58	22	19	23	20
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,996	3,906	1,488,562	777,117	397,948	320,546
- Rx Rate (L1) (Bit/s)	89.51 K	154.16 K	109.56 M	110.25 M	110.79 M	111.12 M
- Rx Rate (Fps)	133	130	49,619	25,904	13,265	10,685
- Flood Count (Frames)	57	60	25	23	20	25
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,029	3,947	1,484,840	776,004	398,219	319,853
- Rx Rate (L1) (Bit/s)	90.25 K	155.77 K	109.28 M	110.09 M	110.86 M	110.88 M
- Rx Rate (Fps)	134	132	49,495	25,867	13,274	10,662
- Flood Count (Frames)	55	55	23	23	19	21

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,174
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	998.3 M
Rx Rate (Fps)	81.14 K
Loss Rate (Percent)	86.13 %
Loss (Frames)	15,121,120
P-0-0-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,262
- Rx Rate (L1) (Bit/s)	110.43 M
- Rx Rate (Fps)	8,975
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,615

- Rx Rate (L1) (Bit/s)	110.58 M
- Rx Rate (Fps)	8,987
- Flood Count (Frames)	26
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,842
- Rx Rate (L1) (Bit/s)	110.26 M
- Rx Rate (Fps)	8,961
- Flood Count (Frames)	22
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,503
- Rx Rate (L1) (Bit/s)	111.35 M
- Rx Rate (Fps)	9,050
- Flood Count (Frames)	22
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,253
- Rx Rate (L1) (Bit/s)	110.84 M
- Rx Rate (Fps)	9,008
- Flood Count (Frames)	21
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,986
- Rx Rate (L1) (Bit/s)	111.14 M
- Rx Rate (Fps)	9,033
- Flood Count (Frames)	24
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,842
- Rx Rate (L1) (Bit/s)	111.08 M
- Rx Rate (Fps)	9,028
- Flood Count (Frames)	22
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,191
- Rx Rate (L1) (Bit/s)	111.22 M
- Rx Rate (Fps)	9,040
- Flood Count (Frames)	22
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,597
- Rx Rate (L1) (Bit/s)	111.39 M
- Rx Rate (Fps)	9,053
- Flood Count (Frames)	21

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G
Tx Rate (Fps)	12,053,570	6,841,214	3,668,477	1,903,195	969,827	778,845
Rx Rate (Percent)	0.01 %	0.02 %	10.97 %	11 %	11.08 %	11.05 %
Rx Rate (L1) (Bit/s)	627.27 K	1.65 M	987.12 M	989.87 M	996.93 M	994.31 M
Rx Rate (Fps)	933.43	1.39 K	447.06 K	232.58 K	119.36 K	95.61 K
Loss Rate (Percent)	99.99 %	99.98 %	87.81 %	87.78 %	87.69 %	87.72 %
Loss (Frames)	361,579,082	205,194,626	96,642,361	50,118,397	25,513,875	20,497,135
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,036	4,927	1,485,669	777,408	398,265	319,436
- Rx Rate (L1) (Bit/s)	68.01 K	194.45 K	109.35 M	110.29 M	110.88 M	110.74 M
- Rx Rate (Fps)	101	164	49,522	25,914	13,276	10,648
- Flood Count (Frames)	59	59	23	26	22	23
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,304	2,446	1,494,427	751,326	397,741	308,168
- Rx Rate (L1) (Bit/s)	74.01 K	96.54 K	109.99 M	106.59 M	110.73 M	106.83 M
- Rx Rate (Fps)	110	82	49,814	25,044	13,258	10,272
- Flood Count (Frames)	59	56	25	26	28	21
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,822	4,982	1,487,103	775,494	397,506	317,995
- Rx Rate (L1) (Bit/s)	63.21 K	196.62 K	109.45 M	110.02 M	110.67 M	110.24 M
- Rx Rate (Fps)	94	166	49,570	25,850	13,250	10,600
- Flood Count (Frames)	61	59	23	29	20	25
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	3,109	4,850	1,494,134	776,697	397,217	320,838
- Rx Rate (L1) (Bit/s)	69.64 K	191.41 K	109.97 M	110.19 M	110.59 M	111.22 M
- Rx Rate (Fps)	104	162	49,804	25,890	13,241	10,695
- Flood Count (Frames)	57	55	25	22	20	23
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,310	5,005	1,487,482	775,765	397,302	320,411
- Rx Rate (L1) (Bit/s)	74.14 K	197.53 K	109.48 M	110.06 M	110.61 M	111.08 M
- Rx Rate (Fps)	110	167	49,583	25,859	13,243	10,680
- Flood Count (Frames)	58	54	21	26	22	21
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,013	4,848	1,491,988	777,185	397,679	320,348
- Rx Rate (L1) (Bit/s)	67.49 K	191.33 K	109.81 M	110.26 M	110.71 M	111.05 M
- Rx Rate (Fps)	100	162	49,733	25,906	13,256	10,678
- Flood Count (Frames)	55	59	24	25	22	24
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,103	4,892	1,491,670	779,311	398,131	320,708
- Rx Rate (L1) (Bit/s)	69.51 K	193.07 K	109.79 M	110.56 M	110.84 M	111.18 M
- Rx Rate (Fps)	103	163	49,722	25,977	13,271	10,690
- Flood Count (Frames)	55	55	24	23	22	22
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,004	4,983	1,487,580	781,987	398,860	319,997
- Rx Rate (L1) (Bit/s)	67.29 K	196.66 K	109.49 M	110.94 M	111.04 M	110.93 M
- Rx Rate (Fps)	100	166	49,586	26,066	13,295	10,667
- Flood Count (Frames)	58	58	22	19	24	23
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,302	4,864	1,491,881	782,277	398,219	320,305
- Rx Rate (L1) (Bit/s)	73.96 K	191.97 K	109.8 M	110.98 M	110.86 M	111.04 M
- Rx Rate (Fps)	110	162	49,729	26,076	13,274	10,677
- Flood Count (Frames)	58	56	20	26	24	20

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	8.1 G
Tx Rate (Fps)	658,322
Rx Rate (Percent)	11.07 %
Rx Rate (L1) (Bit/s)	996.11 M
Rx Rate (Fps)	80.96 K
Loss Rate (Percent)	87.7 %
Loss (Frames)	17,320,917
P-0-0-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	264,918
- Rx Rate (L1) (Bit/s)	108.65 M
- Rx Rate (Fps)	8,831
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,525

- Rx Rate (L1) (Bit/s)	110.95 M
- Rx Rate (Fps)	9,018
- Flood Count (Frames)	20
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,747
- Rx Rate (L1) (Bit/s)	110.22 M
- Rx Rate (Fps)	8,958
- Flood Count (Frames)	22
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,055
- Rx Rate (L1) (Bit/s)	111.17 M
- Rx Rate (Fps)	9,035
- Flood Count (Frames)	19
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,859
- Rx Rate (L1) (Bit/s)	111.09 M
- Rx Rate (Fps)	9,029
- Flood Count (Frames)	23
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,728
- Rx Rate (L1) (Bit/s)	111.03 M
- Rx Rate (Fps)	9,024
- Flood Count (Frames)	19
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,411
- Rx Rate (L1) (Bit/s)	110.9 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	23
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,777
- Rx Rate (L1) (Bit/s)	111.05 M
- Rx Rate (Fps)	9,026
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,726
- Rx Rate (L1) (Bit/s)	111.03 M
- Rx Rate (Fps)	9,024
- Flood Count (Frames)	21

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,856	7,601,351	4,076,085	2,114,662	1,077,586	865,382
Rx Rate (Percent)	0.01 %	0.02 %	10.86 %	11.04 %	11.08 %	11.09 %
Rx Rate (L1) (Bit/s)	680.18 K	1.76 M	977.61 M	993.35 M	997.12 M	997.95 M
Rx Rate (Fps)	1.01 K	1.49 K	442.76 K	233.4 K	119.39 K	95.96 K
Loss Rate (Percent)	99.99 %	99.98 %	89.14 %	88.96 %	88.92 %	88.91 %
Loss (Frames)	401,755,312	227,995,846	108,999,735	56,437,817	28,745,993	23,082,782
P-0-0-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0


- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,641	4,991	1,366,373	775,349	397,757	318,828
- Rx Rate (L1) (Bit/s)	81.56 K	196.98 K	100.57 M	110 M	110.74 M	110.53 M
- Rx Rate (Fps)	121	166	45,546	25,845	13,259	10,628
- Flood Count (Frames)	59	59	19	24	26	20
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,589	4,937	1,487,583	778,661	397,850	320,324
- Rx Rate (L1) (Bit/s)	80.39 K	194.85 K	109.49 M	110.47 M	110.76 M	111.05 M
- Rx Rate (Fps)	120	165	49,586	25,955	13,262	10,677
- Flood Count (Frames)	56	59	23	26	25	24
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1,503	4,949	1,486,571	778,449	397,812	318,362
- Rx Rate (L1) (Bit/s)	33.67 K	195.32 K	109.41 M	110.44 M	110.75 M	110.37 M
- Rx Rate (Fps)	50	165	49,552	25,948	13,260	10,612
- Flood Count (Frames)	55	59	25	19	25	20
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	3,609	4,889	1,495,128	779,948	397,884	320,489
- Rx Rate (L1) (Bit/s)	80.84 K	192.95 K	110.04 M	110.65 M	110.77 M	111.1 M
- Rx Rate (Fps)	120	163	49,838	25,998	13,263	10,683
- Flood Count (Frames)	56	57	21	22	25	17
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,628	5,026	1,497,089	776,060	397,920	319,437
- Rx Rate (L1) (Bit/s)	81.27 K	198.36 K	110.19 M	110.1 M	110.78 M	110.74 M
- Rx Rate (Fps)	121	168	49,903	25,869	13,264	10,648
- Flood Count (Frames)	53	58	19	24	26	28
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,575	4,918	1,490,177	777,570	398,248	320,676
- Rx Rate (L1) (Bit/s)	80.08 K	194.1 K	109.68 M	110.31 M	110.87 M	111.17 M
- Rx Rate (Fps)	119	164	49,673	25,919	13,275	10,689
- Flood Count (Frames)	58	60	22	20	24	22
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,630	5,088	1,485,265	780,027	398,250	320,141
- Rx Rate (L1) (Bit/s)	81.31 K	200.81 K	109.32 M	110.66 M	110.87 M	110.98 M
- Rx Rate (Fps)	121	170	49,509	26,001	13,275	10,671
- Flood Count (Frames)	55	58	21	25	23	24
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,597	4,917	1,484,126	778,951	398,301	320,519
- Rx Rate (L1) (Bit/s)	80.57 K	194.06 K	109.23 M	110.51 M	110.89 M	111.11 M
- Rx Rate (Fps)	120	164	49,471	25,965	13,277	10,684
- Flood Count (Frames)	53	57	22	17	25	21
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,593	4,954	1,490,494	777,016	397,571	319,914
- Rx Rate (L1) (Bit/s)	80.48 K	195.52 K	109.7 M	110.23 M	110.68 M	110.9 M
- Rx Rate (Fps)	120	165	49,683	25,901	13,252	10,664
- Flood Count (Frames)	58	60	24	25	21	20

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,468
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	998.33 M
Rx Rate (Fps)	81.14 K
Loss Rate (Percent)	88.91 %
Loss (Frames)	19,509,876
P-0-0-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,261
- Rx Rate (L1) (Bit/s)	110.84 M
- Rx Rate (Fps)	9,009
- Flood Count (Frames)	26
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,656

- Rx Rate (L1) (Bit/s)	110.59 M
- Rx Rate (Fps)	8,989
- Flood Count (Frames)	26
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,567
- Rx Rate (L1) (Bit/s)	110.56 M
- Rx Rate (Fps)	8,986
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,442
- Rx Rate (L1) (Bit/s)	110.92 M
- Rx Rate (Fps)	9,015
- Flood Count (Frames)	27
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,626
- Rx Rate (L1) (Bit/s)	110.99 M
- Rx Rate (Fps)	9,021
- Flood Count (Frames)	29
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,959
- Rx Rate (L1) (Bit/s)	111.13 M
- Rx Rate (Fps)	9,032
- Flood Count (Frames)	22
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,242
- Rx Rate (L1) (Bit/s)	111.25 M
- Rx Rate (Fps)	9,041
- Flood Count (Frames)	28
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,603
- Rx Rate (L1) (Bit/s)	110.98 M
- Rx Rate (Fps)	9,020
- Flood Count (Frames)	22
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,802
- Rx Rate (L1) (Bit/s)	111.06 M
- Rx Rate (Fps)	9,027
- Flood Count (Frames)	27



Congestion Control Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89,285,716	50,675,676	27,173,914	14,097,746	7,183,909	5,769,232
Uncongested Port: (P-0-4-4)						
- Tx (Frames)	22,321,429	12,668,919	6,793,479	3,524,437	1,795,977	1,442,308
- Rx (Frames)	22,321,429	12,668,919	6,793,479	3,524,437	1,795,977	1,442,308
- Loss (Frames)	0	0	0	0	0	0
- Loss (Percent)	0.00	0.00	0.00	0.00	0.00	0.00
Congested Port: (P-0-4-5)						
- Tx (Frames)	66,964,287	38,006,757	20,380,435	10,573,309	5,387,932	4,326,924
- Rx (Frames)	42,621,962	24,672,422	13,393,623	6,996,703	3,578,494	2,875,984
- Loss (Frames)	24,342,325	13,334,335	6,986,812	3,576,606	1,809,438	1,450,940
- Loss (Percent)	36.35	35.08	34.28	33.83	33.58	33.53

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4,876,464
Uncongested Port: (P-0-4-4)	
- Tx (Frames)	1,219,116
- Rx (Frames)	1,219,116
- Loss (Frames)	0
- Loss (Percent)	0.00
Congested Port: (P-0-4-5)	
- Tx (Frames)	3,657,348
- Rx (Frames)	2,432,090
- Loss (Frames)	1,225,258
- Loss (Percent)	33.50

Forward Pressure Results

Test Setup

Duration: 30 seconds
Iteration: 1
InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	45,180,722	25,510,204	13,636,363	7,062,146	3,594,301	2,886,662
Tx Rate (Fps)	1,506,024	850,340	454,545	235,405	119,810	96,222
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	101.205	100.680	100.364	100.188	100.065	100.071
Rx (Frames)	42,613,645	24,671,077	13,392,898	6,996,319	3,577,209	2,875,650
Rx Rate (Fps)	1,420,452	822,367	446,428	233,208	119,275	95,859
Rx Max. Util. (Percent)	95.454	97.368	98.571	99.253	99.618	99.693
Loss (Frames)	2,567,077	839,127	243,465	65,827	17,092	11,012
Loss (Percent)	5.68	3.29	1.79	0.93	0.48	0.38

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	2,439,817
Tx Rate (Fps)	81,327
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	100.065
Rx (Frames)	2,431,962
Rx Rate (Fps)	81,063
Rx Max. Util. (Percent)	99.740
Loss (Frames)	7,855
Loss (Percent)	0.32

Maximum Forwarding Rate Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	40,178,571	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
Tx Rate (L1) (Bit/s)	900 M	1000 M	1000 M	1000 M	1000 M	1000 M
Tx Rate (Fps)	1,339,286	844,595	452,899	234,962	119,732	96,154
Rx (Frames)	40,178,571	24,671,141	13,392,930	6,996,335	3,578,307	2,875,831
Rx Rate (L1) (Bit/s)	900 M	973.69 M	985.72 M	992.55 M	996.2 M	996.95 M
Rx Rate (Fps)	1,339,286	822,371	446,431	233,211	119,277	95,861

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	2,438,231
Tx Rate (L1) (Bit/s)	1000 M
Tx Rate (Fps)	81,274
Rx (Frames)	2,431,968
Rx Rate (L1) (Bit/s)	997.43 M
Rx Rate (Fps)	81,066

Address Caching Capacity Results

Test Setup

Iteration: 1
Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC

Address Initial Count: 100
Address Maximum Count: 4,096
Address Minimum Count: 100
Address Resolution: 100

Learning Rate: 1,000 Fps
Toggle Port Sync State: Yes
Sync. State Off Duration: 1 seconds
Delay After Sync On: 0 seconds
Switch Test Ports: No
DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Duration (Seconds)	2	2	2	2	2	2
Address Count	100	100	100	100	100	100
TestPort Tx (Frames)	100	100	100	100	100	100
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	100	100	100	100	100	100
MonPort Rx (Frames)	100	100	100	100	100	100

Frame Size	1518
Result State	FAIL
Iter. #	1
Duration (Seconds)	2
Address Count	100
TestPort Tx (Frames)	100
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	100
MonPort Rx (Frames)	100

Note: One or more of the tests did not pass the test criteria!

Address Learning Rate Results

Test Setup

Iteration: 1
 Test Port Address Mode: Use Port Native MAC
 Learn Port DMAC Mode: Use Test Port MAC
 Learn Port Base Address: 02:F4:BC
 Only Use Max. Capacity: No
 Set End = Max. Capacity: Yes

 Base Learning Rate: 1,000 Fps
 Initial Rate: 10.00%
 Maximum Rate: 100.00%
 Minimum Rate : 10.00%
 Resolution: 10.00%

 Toggle Port Sync State: Yes
 Sync. State Off Duration: 1 seconds
 Delay After Sync On: 0 seconds
 Switch Test Ports: No
 DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port


Test Results

Results for 13,107 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	133	133	133	133	133	133
Address Count	13,107	13,107	13,107	13,107	13,107	13,107
TestPort Tx (Frames)	13,107	13,107	13,107	13,107	13,107	13,107
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	13,107	13,107	13,107	13,107	13,107	13,107
MonPort Rx (Frames)	11,079	12,065	12,065	12,065	12,065	12,065

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	133
Address Count	13,107
TestPort Tx (Frames)	13,107
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	13,107
MonPort Rx (Frames)	12,065

Note: One or more of the tests did not pass the test criteria!




Results for 26,214 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	264	264	264	264	264	264
Address Count	26,214	26,214	26,214	26,214	26,214	26,214
TestPort Tx (Frames)	26,214	26,214	26,214	26,214	26,214	26,214
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	26,214	26,214	26,214	26,214	26,214	26,214
MonPort Rx (Frames)	24,186	25,172	25,172	25,172	25,172	25,172

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	264
Address Count	26,214
TestPort Tx (Frames)	26,214
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	26,214
MonPort Rx (Frames)	25,172

Note: One or more of the tests did not pass the test criteria!




Results for 39,321 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	395	395	395	395	395	395
Address Count	39,321	39,321	39,321	39,321	39,321	39,321
TestPort Tx (Frames)	39,321	39,321	39,321	39,321	39,321	39,321
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	39,321	39,321	39,321	39,321	39,321	39,321
MonPort Rx (Frames)	38,316	38,316	38,316	38,316	38,316	38,316

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	395
Address Count	39,321
TestPort Tx (Frames)	39,321
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	39,321
MonPort Rx (Frames)	38,316

Note: One or more of the tests did not pass the test criteria!




Results for 52,428 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	526	526	526	526	526	526
Address Count	52,428	52,428	52,428	52,428	52,428	52,428
TestPort Tx (Frames)	52,428	52,428	52,428	52,428	52,428	52,428
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	52,428	52,428	52,428	52,428	52,428	52,428
MonPort Rx (Frames)	51,423	51,423	51,423	51,423	51,423	51,423

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	526
Address Count	52,428
TestPort Tx (Frames)	52,428
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	52,428
MonPort Rx (Frames)	51,423

Note: One or more of the tests did not pass the test criteria!




Results for 65,535 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	657	657	657	657	657	657
Address Count	65,535	65,535	65,535	65,535	65,535	65,535
TestPort Tx (Frames)	65,535	65,535	65,535	65,535	65,535	65,535
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	65,535	65,535	65,535	65,535	65,535	65,535
MonPort Rx (Frames)	64,530	64,530	64,530	64,530	64,530	64,530

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	657
Address Count	65,535
TestPort Tx (Frames)	65,535
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	65,535
MonPort Rx (Frames)	64,530

Note: One or more of the tests did not pass the test criteria!



Errored Frames Filtering Results

Test Setup

Duration: 30 seconds
Iteration: 1

Oversize Test Enabled: Yes
Max. Valid Frame Size: 1518 bytes
Min. Valid Frame Size: 64 bytes
Oversize Frame Span: 1 bytes
Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Tx Rate (Percent)	10 %	20 %	30 %	40 %	50 %	60 %
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (L1) (Bit/s)	100 M	200 M	300 M	399.96 M	500 M	600 M
Tx (Frames)	1,741,375	3,482,752	5,224,128	6,965,405	8,706,880	10,448,257
Rx (Frames)	1,740,759	3,473,161	5,149,915	6,687,841	8,271,620	9,662,206
Tx Valid (Frames)	154,130	308,261	462,392	616,522	770,653	924,784
Rx Valid (Frames)	154,130	308,261	462,392	616,522	770,653	924,784
Tx Oversize (Frames)	81,221	162,443	243,664	324,787	406,107	487,329
Rx Oversize (Frames)	81,221	162,443	243,664	324,787	406,107	487,329
Tx Undersize (Frames)	1,506,024	3,012,048	4,518,072	6,024,096	7,530,120	9,036,144
Rx Undersize (Frames)	1,505,408	3,002,457	4,443,859	5,746,532	7,094,860	8,250,093
Tx FCS Error (Frames)	58	58	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0	0	0

Tx Rate (Percent)	70 %	80 %	90 %	100 %
Result State	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1
Tx Rate (L1) (Bit/s)	700 M	800 M	900 M	1000 M
Tx (Frames)	12,189,633	13,931,009	15,672,386	17,413,762
Rx (Frames)	10,971,008	12,462,718	13,866,486	13,700,968
Tx Valid (Frames)	1,078,914	1,233,045	1,387,176	1,541,307
Rx Valid (Frames)	1,078,914	1,233,045	1,387,176	1,478,406
Tx Oversize (Frames)	568,551	649,772	730,994	812,215
Rx Oversize (Frames)	568,551	649,772	730,994	812,215
Tx Undersize (Frames)	10,542,168	12,048,192	13,554,216	15,060,240
Rx Undersize (Frames)	9,323,543	10,579,901	11,748,316	11,590,040
Tx FCS Error (Frames)	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0

Note: One or more of the tests did not pass the test criteria!

Broadcast Forwarding Results

Test Setup

Duration: 30 seconds
Iteration: 1
Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	66.294 %	77.852 %	83.125 %	91.563 %	94.375 %	94.375 %
Tx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
Tx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
Tx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-1						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.130	3.329	2.907	3.413	3.013	2.929
- Min Latency (micsec)	2.262	2.727	2.719	2.727	2.767	2.727
- Max Latency (micsec)	7.121	7.514	5.077	8.067	5.365	5.277
- Avg Jitter (micsec)	0.003	0.002	0.009	0.002	0.004	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.645	2.357	2.188	2.333	2.477	2.453
P-0-0-2						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	2.539	2.884	2.933	3.542	3.011	2.937
- Min Latency (micsec)	2.286	2.727	2.719	2.727	2.743	2.727
- Max Latency (micsec)	7.458	7.009	5.630	8.597	5.221	5.061
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.645	2.212	2.309	2.140	2.309	2.140
P-0-0-3						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	2.663	2.916	2.961	3.726	3.029	2.936

- Min Latency (micsec)	2.286	2.703	2.695	2.727	2.767	2.727
- Max Latency (micsec)	7.747	6.937	5.245	8.597	5.317	5.277
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.525	2.237	2.405	2.068	2.237	2.285
P-0-0-4						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.219	3.066	2.968	5.458	3.038	2.967
- Min Latency (micsec)	2.262	2.727	2.743	2.751	2.767	2.751
- Max Latency (micsec)	7.674	7.827	6.544	13.311	5.365	5.181
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.718	2.140	2.309	2.164	2.212	2.261
P-0-0-5						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.037	3.351	2.979	33.454	3.023	2.974
- Min Latency (micsec)	2.262	2.751	2.743	2.968	2.767	2.751
- Max Latency (micsec)	6.857	7.586	5.846	59.182	5.341	5.373
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.742	2.116	2.405	2.116	2.405	2.477
P-0-2-0						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	2.488	3.657	2.039	27.602	2.074	2.027
- Min Latency (micsec)	1.316	1.781	1.773	2.046	1.821	1.781
- Max Latency (micsec)	7.690	8.156	5.237	58.862	4.563	4.355
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.621	2.140	2.212	2.140	2.501	2.261
P-0-2-1						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	2.827	3.545	2.041	25.484	2.083	2.026
- Min Latency (micsec)	1.340	1.781	1.773	2.046	1.821	1.781
- Max Latency (micsec)	6.849	9.887	4.443	50.780	4.443	4.355
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.549	2.140	2.333	2.116	2.309	2.477
P-0-2-2						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.107	3.854	2.061	37.328	2.098	2.022
- Min Latency (micsec)	1.364	1.781	1.773	2.046	1.821	1.781
- Max Latency (micsec)	7.354	8.661	4.660	72.549	4.419	4.475
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.670	2.140	2.309	2.140	2.405	2.429
P-0-2-3						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.142	5.415	2.063	43.240	2.091	1.995
- Min Latency (micsec)	1.292	1.781	1.773	1.974	1.821	1.781
- Max Latency (micsec)	7.811	11.667	4.876	90.493	4.443	4.355
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.006
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.525	2.116	2.405	2.164	2.405	2.285
P-0-2-4						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.620	5.015	2.087	50.472	2.106	1.999
- Min Latency (micsec)	1.316	1.781	1.773	2.166	1.845	1.781

- Max Latency (micsec)	7.931	10.296	4.467	110.314	4.587	4.259
- Avg Jitter (micsec)	0.011	0.002	0.010	0.002	0.004	0.006
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.429	2.116	2.525	2.188	2.333	2.285
P-0-2-5						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.695	5.752	2.087	57.257	2.102	2.005
- Min Latency (micsec)	1.316	1.781	1.773	1.781	1.821	1.805
- Max Latency (micsec)	8.845	11.499	4.708	107.523	4.539	4.211
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.718	2.116	2.309	2.140	2.309	2.309
P-0-4-0						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	4.360	3.876	2.088	44.139	2.126	2.017
- Min Latency (micsec)	1.364	1.805	1.797	1.805	1.845	1.805
- Max Latency (micsec)	11.299	8.901	4.323	108.943	4.443	4.283
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.006
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.237	2.140	2.309	2.164	2.285	2.357
P-0-4-1						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.408	4.258	2.076	45.398	2.124	2.006
- Min Latency (micsec)	1.316	1.781	1.773	1.781	1.845	1.781
- Max Latency (micsec)	9.110	10.272	4.371	110.290	4.563	4.451
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.429	2.044	2.333	2.116	2.405	2.549
P-0-4-2						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.946	4.503	2.102	68.750	2.136	2.019
- Min Latency (micsec)	1.340	1.805	1.797	1.805	1.845	1.805
- Max Latency (micsec)	9.230	10.753	4.443	163.858	4.587	4.523
- Avg Jitter (micsec)	0.011	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.309	2.116	2.212	2.140	2.309	2.573
P-0-4-3						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	4.527	4.724	2.097	76.954	2.134	2.033
- Min Latency (micsec)	1.340	1.829	1.821	1.829	1.869	1.829
- Max Latency (micsec)	10.024	12.076	4.780	179.060	4.612	4.307
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.003	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.621	2.020	2.381	2.164	2.285	2.261
P-0-4-4						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.718	4.856	2.085	89.122	2.129	2.010
- Min Latency (micsec)	1.340	1.805	1.797	1.925	1.869	1.805
- Max Latency (micsec)	9.086	10.753	4.419	216.344	4.443	4.427
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.003	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.453	2.140	2.309	2.140	2.309	2.477
P-0-4-5						
- Rx (Frames)	29,591,301	19,725,902	11,294,157	6,454,123	3,389,906	2,721,748
- Rx Rate (L1) (Bit/s)	662.85 M	778.52 M	831.25 M	915.62 M	943.75 M	943.54 M
- Rx Rate (Fps)	986,377	657,530	376,472	215,137	112,997	90,725
- Avg Latency (micsec)	3.796	6.419	2.099	93.637	2.166	2.044
- Min Latency (micsec)	1.412	1.853	1.845	2.070	1.893	1.853
- Max Latency (micsec)	8.340	10.994	4.443	198.280	4.756	4.403

- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.003	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.333	2.140	2.116	2.164	2.381	2.453

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94.375 %
Tx (Frames)	2,301,080
Tx Rate (L1) (Bit/s)	943.75 M
Tx Rate (Fps)	76,703
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.923
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.237
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.381
P-0-0-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.933
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.333
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.477
P-0-0-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.927
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.213
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.381
P-0-0-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.967
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.189
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.164
P-0-0-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.970
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.045
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.140
P-0-2-0	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.020
- Min Latency (micsec)	1.789
- Max Latency (micsec)	4.387

- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.357
P-0-2-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.019
- Min Latency (micsec)	1.789
- Max Latency (micsec)	4.219
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.212
P-0-2-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.032
- Min Latency (micsec)	1.789
- Max Latency (micsec)	4.122
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188
P-0-2-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.026
- Min Latency (micsec)	1.789
- Max Latency (micsec)	4.363
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.285
P-0-2-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.038
- Min Latency (micsec)	1.813
- Max Latency (micsec)	4.291
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188
P-0-2-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.031
- Min Latency (micsec)	1.813
- Max Latency (micsec)	4.387
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.501
P-0-4-0	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.031
- Min Latency (micsec)	1.813
- Max Latency (micsec)	4.387
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.285
P-0-4-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.013
- Min Latency (micsec)	1.789
- Max Latency (micsec)	4.267
- Avg Jitter (micsec)	0.003

- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.357
P-0-4-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.014
- Min Latency (micsec)	1.813
- Max Latency (micsec)	4.363
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.212
P-0-4-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.011
- Min Latency (micsec)	1.837
- Max Latency (micsec)	4.267
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.333
P-0-4-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	1.991
- Min Latency (micsec)	1.813
- Max Latency (micsec)	4.291
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.164
P-0-4-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.035
- Min Latency (micsec)	1.861
- Max Latency (micsec)	4.315
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188

