Xena2889 Test Report

Test Summary

Test company:	Teledyne LeCroy
Customer:	Xena Networks
Test Date and Time:	2024-10-03, 05:57
Test Duration:	18:20:19 (h:m:s)
Generated By:	Xena2889 v1.46, running on 'Microsoft Windows 10 Enterprise LTSC 2021'
Comments:	Components: - host: aconbg027 (Windows 10 Enterprise LTSC) - chassis: XenaBay (140.181.139.228) - configuration: github.com/GSI-CS-CO/network_testing/wr_RFC_2889/xena_cfg/RFC_2889_1_switch_Xena.x2889 DUT: - WRS: scb v3.4, Creotech - name: nwt0297 - fw: v7.0 - dot-config: default

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh	Enabled
- Throughput	Enabled
- Forwarding	Enabled
Rate Test: Part.Mesh, 1:N	Enabled
- Throughput	Enabled
- Forwarding	Enabled
Rate Test: Part.Mesh, N->N	Enabled
- Throughput	Enabled
- Forwarding	Enabled
Congestion Control:	Enabled
Forward Pressure:	Enabled
Maximum Forwarding Rate:	Enabled
Address Caching Capacity:	Enabled
Address Learning Rate:	Enabled
Errored Frames Filtering:	Enabled
Broadcast Forwarding:	Enabled

Test Options

Packet Sizes Used:	64,128,256,512,1024,1280,1518
Rate Type:	Fraction
Fraction per Port:	100,00%
Latency Measurement Mode:	Last-To-Last
Toggle Port Sync States:	Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	xenatos	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration: 30 seconds
Iteration: 1

Topology: Mesh
Direction: Bidirectional

Throughput Options

Initial Rate: 1,00%
Maximum Rate: 100,00%
Minimum Rate: 0,01%
Resolution: 0,01%

Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	PASS	PASS	PASS	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	0,018 %	0,258 %	0,505 %	0,018 %	0,018 %	0,018 %
Tx Rate (L1) (Bit/s)	3,19 M	46,34 M	90,9 M	3,17 M	3,15 M	3,18 M
Tx Rate (Fps)	4.743	39.137	41.167	745	377	306
Rx Rate (Percent)	0,02 %	0,26 %	0,51 %	0,02 %	0,02 %	0,02 %
Rx Rate (L1) (Bit/s)	3,18 M	46,34 M	90,9 M	3,17 M	3,11 M	3,15 M
Rx Rate (Fps)	4,73 K	39,14 K	41,17 K	744,6	372,07	302,8
Loss Rate (Percent)	0,34 %	0 %	0 %	0 %	1,41 %	1,05 %
Loss (Frames)	490	0	0	0	160	96
P-0-0-0						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.891	65.229	68.612	1.241	578	507
- Rx Rate (L1) (Bit/s)	176,76 K	2,57 M	5,05 M	176,06 K	160,92 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	19	17
- Flood Count (Frames)	27	35	29	29	28	32
P-0-0-1						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.734	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	173,24 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	258	2.174	2.287	41	21	17

- Flood Count (Frames)	59	61	59	59	61	59
P-0-0-2						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	625	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	174 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	64	59	59	60	61	61
P-0-0-3						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	625	508
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	174 K	176,11 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	61	61	59	62	59	57
P-0-0-4						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	606	488
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	168,71 K	169,17 K
- Rx Rate (Fps)	263	2.174	2.287	41	20	16
- Flood Count (Frames)	59	63	61	61	59	60
P-0-0-5						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	61	59	61	59	60	58
P-0-2-0						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	59	59	60	59	62	56
P-0-2-1						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.824	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	175,26 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	261	2.174	2.287	41	21	17
- Flood Count (Frames)	61	61	59	61	61	57
P-0-2-2						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	61	61	60	57	60	59
P-0-2-3						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	616	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	171,49 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	61	59	59	58	59	57
P-0-2-4						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K

- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	62	58	59	61	61	58
P-0-2-5						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	483
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	167,44 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	16
- Flood Count (Frames)	62	57	58	61	61	58
P-0-4-0						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	64	58	56	58	59	58
P-0-4-1						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	57	57	55	58	58	59
P-0-4-2						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	59	58	55	57	57	59
P-0-4-3						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	59	56	53	59	55	59
P-0-4-4						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.890	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,74 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	58	61	56	58	57	57
P-0-4-5						
- Tx (Frames)	7.905	65.229	68.612	1.241	629	510
- Tx Rate (L1) (Bit/s)	177,07 K	2,57 M	5,05 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	264	2.174	2.287	41	21	17
- Rx (Frames)	7.891	65.229	68.612	1.241	624	507
- Rx Rate (L1) (Bit/s)	176,76 K	2,57 M	5,05 M	176,06 K	173,72 K	175,76 K
- Rx Rate (Fps)	263	2.174	2.287	41	21	17
- Flood Count (Frames)	59	61	58	59	61	56

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	0,134 %
Tx Rate (L1) (Bit/s)	23,97 M
Tx Rate (Fps)	1.948
Rx Rate (Percent)	0,13 %
Rx Rate (L1) (Bit/s)	23,97 M
Rx Rate (Fps)	1,95 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	25
P-0-0-1	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	61
P-0-0-2	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	61
P-0-0-3	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	62
P-0-0-4	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	61
P-0-0-5	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	60
P-0-2-0	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	57
P-0-2-1	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	59
P-0-2-2	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108

- Flood Count (Frames)	58
P-0-2-3	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	59
P-0-2-4	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	59
P-0-2-5	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	61
P-0-4-0	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	61
P-0-4-1	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	59
P-0-4-2	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M
- Rx Rate (Fps)	108
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	3.247
- Tx Rate (L1) (Bit/s)	1,33 M
- Tx Rate (Fps)	108
- Rx (Frames)	3.247
- Rx Rate (L1) (Bit/s)	1,33 M

- Rx Rate (Fps)	108
- Flood Count (Frames)	57

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10,00% Rate

Frame Size	**64**	**128**	**256**	**512**	**1024**	**1280**
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.269	815.215	422.923	215.516	173.074
Rx Rate (Percent)	7,47 %	7,73 %	7,88 %	8,04 %	7,77 %	7,86 %
Rx Rate (L1) (Bit/s)	1,35 G	1,39 G	1,42 G	1,45 G	1,4 G	1,41 G
Rx Rate (Fps)	2 M	1,18 M	642,22 K	340,12 K	167,35 K	136,02 K
Loss Rate (Percent)	25,27 %	22,65 %	21,22 %	19,58 %	22,35 %	21,41 %
Loss (Frames)	20.305.189	10.331.508	5.189.701	2.484.095	1.444.867	1.111.517
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.289.599	1.958.467	1.070.999	576.938	280.816	227.918
- Rx Rate (L1) (Bit/s)	73,69 M	77,29 M	78,83 M	81,85 M	78,18 M	79,01 M
- Rx Rate (Fps)	109.653	65.282	35.700	19.231	9.361	7.597
- Flood Count (Frames)	26	25	30	23	30	32
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.391.139	1.980.436	1.092.401	574.796	280.768	211.898
- Rx Rate (L1) (Bit/s)	75,96 M	78,16 M	80,4 M	81,54 M	78,17 M	73,46 M
- Rx Rate (Fps)	113.038	66.015	36.413	19.160	9.359	7.063
- Flood Count (Frames)	58	58	59	62	58	64
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.391.779	1.959.988	1.074.192	570.490	264.832	227.996
- Rx Rate (L1) (Bit/s)	75,98 M	77,35 M	79,06 M	80,93 M	73,73 M	79,04 M
- Rx Rate (Fps)	113.059	65.333	35.806	19.016	8.828	7.600
- Flood Count (Frames)	60	59	57	58	59	73
P-0-0-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.390.871	1.964.454	1.060.606	557.834	279.564	226.916
- Rx Rate (L1) (Bit/s)	75,96 M	77,53 M	78,06 M	79,14 M	77,83 M	78,66 M
- Rx Rate (Fps)	113.029	65.482	35.354	18.594	9.319	7.564
- Flood Count (Frames)	56	63	72	61	58	57
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.392.664	1.978.638	1.042.944	565.119	279.344	226.077
- Rx Rate (L1) (Bit/s)	76 M	78,09 M	76,76 M	80,17 M	77,77 M	78,37 M
- Rx Rate (Fps)	113.089	65.955	34.765	18.837	9.311	7.536
- Flood Count (Frames)	59	58	57	72	60	61
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.378.769	1.940.515	1.057.139	577.024	279.864	225.398
- Rx Rate (L1) (Bit/s)	75,68 M	76,59 M	77,81 M	81,86 M	77,91 M	78,14 M
- Rx Rate (Fps)	112.626	64.684	35.238	19.234	9.329	7.513
- Flood Count (Frames)	57	62	67	58	56	62
P-0-2-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.391.187	1.898.165	1.076.394	596.312	280.509	228.511
- Rx Rate (L1) (Bit/s)	75,96 M	74,91 M	79,22 M	84,6 M	78,09 M	79,22 M
- Rx Rate (Fps)	113.040	63.272	35.880	19.877	9.350	7.617
- Flood Count (Frames)	58	55	59	60	59	59
P-0-2-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.393.692	1.957.668	1.070.469	569.373	274.113	228.302
- Rx Rate (L1) (Bit/s)	76,02 M	77,26 M	78,79 M	80,78 M	76,31 M	79,14 M
- Rx Rate (Fps)	113.123	65.256	35.682	18.979	9.137	7.610
- Flood Count (Frames)	59	61	60	59	59	56
P-0-2-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.095.059	1.961.428	1.058.378	558.505	279.961	229.072
- Rx Rate (L1) (Bit/s)	69,33 M	77,41 M	77,9 M	79,23 M	77,94 M	79,41 M
- Rx Rate (Fps)	103.169	65.381	35.279	18.617	9.332	7.636
- Flood Count (Frames)	61	58	59	59	62	63
P-0-2-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.393.356	1.968.701	1.082.455	501.484	279.645	228.762
- Rx Rate (L1) (Bit/s)	76,01 M	77,7 M	79,67 M	71,14 M	77,85 M	79,3 M
- Rx Rate (Fps)	113.112	65.623	36.082	16.716	9.322	7.625
- Flood Count (Frames)	59	57	57	56	61	57
P-0-2-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.210.437	1.971.472	1.073.201	567.384	280.268	228.098
- Rx Rate (L1) (Bit/s)	71,91 M	77,81 M	78,99 M	80,49 M	78,03 M	79,07 M
- Rx Rate (Fps)	107.015	65.716	35.773	18.913	9.342	7.603
- Flood Count (Frames)	57	61	61	76	58	57
P-0-2-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456

- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	2.983.175	1.973.336	1.072.663	582.158	279.932	227.896
- Rx Rate (L1) (Bit/s)	66,82 M	77,88 M	78,95 M	82,59 M	77,93 M	79 M
- Rx Rate (Fps)	99.439	65.778	35.755	19.405	9.331	7.597
- Flood Count (Frames)	56	60	58	57	60	60
P-0-4-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.390.265	1.969.554	1.074.686	565.272	280.209	226.234
- Rx Rate (L1) (Bit/s)	75,94 M	77,73 M	79,1 M	80,19 M	78,01 M	78,43 M
- Rx Rate (Fps)	113.009	65.652	35.823	18.842	9.340	7.541
- Flood Count (Frames)	57	54	61	59	56	59
P-0-4-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.391.727	1.955.331	1.062.224	579.827	279.631	229.521
- Rx Rate (L1) (Bit/s)	75,97 M	77,17 M	78,18 M	82,26 M	77,85 M	79,57 M
- Rx Rate (Fps)	113.058	65.178	35.407	19.328	9.321	7.651
- Flood Count (Frames)	60	55	56	60	56	56
P-0-4-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.391.254	1.962.371	1.071.782	560.770	280.208	228.144
- Rx Rate (L1) (Bit/s)	75,96 M	77,45 M	78,88 M	79,55 M	78,01 M	79,09 M
- Rx Rate (Fps)	113.042	65.412	35.726	18.692	9.340	7.605
- Flood Count (Frames)	58	58	58	61	58	58
P-0-4-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.392.503	1.957.675	1.071.864	565.861	279.957	227.769
- Rx Rate (L1) (Bit/s)	75,99 M	77,26 M	78,89 M	80,28 M	77,94 M	78,96 M
- Rx Rate (Fps)	113.083	65.256	35.729	18.862	9.332	7.592
- Flood Count (Frames)	60	56	57	58	55	53
P-0-4-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.393.056	1.959.881	1.069.766	564.185	280.281	226.188
- Rx Rate (L1) (Bit/s)	76 M	77,35 M	78,73 M	80,04 M	78,03 M	78,41 M
- Rx Rate (Fps)	113.102	65.329	35.659	18.806	9.343	7.540
- Flood Count (Frames)	61	57	59	57	55	53
P-0-4-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	3.391.409	1.958.488	1.084.574	570.251	280.705	225.991
- Rx Rate (L1) (Bit/s)	75,97 M	77,29 M	79,82 M	80,9 M	78,15 M	78,34 M
- Rx Rate (Fps)	113.047	65.283	36.152	19.008	9.357	7.533
- Flood Count (Frames)	63	58	58	61	56	58

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.288
Rx Rate (Percent)	7,55 %
Rx Rate (L1) (Bit/s)	1,36 G
Rx Rate (Fps)	110,52 K
Loss Rate (Percent)	24,45 %
Loss (Frames)	1.073.071
P-0-0-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127

- Rx (Frames)	174.746
- Rx Rate (L1) (Bit/s)	71,67 M
- Rx Rate (Fps)	5.825
- Flood Count (Frames)	25
P-0-0-1	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	184.867
- Rx Rate (L1) (Bit/s)	75,82 M
- Rx Rate (Fps)	6.162
- Flood Count (Frames)	58
P-0-0-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	184.300
- Rx Rate (L1) (Bit/s)	75,59 M
- Rx Rate (Fps)	6.143
- Flood Count (Frames)	57
P-0-0-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	183.010
- Rx Rate (L1) (Bit/s)	75,06 M
- Rx Rate (Fps)	6.100
- Flood Count (Frames)	56
P-0-0-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	186.425
- Rx Rate (L1) (Bit/s)	76,46 M
- Rx Rate (Fps)	6.214
- Flood Count (Frames)	53
P-0-0-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	180.485
- Rx Rate (L1) (Bit/s)	74,02 M
- Rx Rate (Fps)	6.016
- Flood Count (Frames)	56
P-0-2-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	187.873
- Rx Rate (L1) (Bit/s)	77,05 M
- Rx Rate (Fps)	6.262
- Flood Count (Frames)	56
P-0-2-1	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	185.858
- Rx Rate (L1) (Bit/s)	76,23 M
- Rx Rate (Fps)	6.195
- Flood Count (Frames)	56
P-0-2-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	185.180
- Rx Rate (L1) (Bit/s)	75,95 M
- Rx Rate (Fps)	6.173
- Flood Count (Frames)	56
P-0-2-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8.127
- Rx (Frames)	185.184
- Rx Rate (L1) (Bit/s)	75,95 M
- Rx Rate (Fps)	6.173
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	186.986
- Rx Rate (L1) (Bit/s)	76,69 M
- Rx Rate (Fps)	6.233
- Flood Count (Frames)	57
P-0-2-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	182.606
- Rx Rate (L1) (Bit/s)	74,89 M
- Rx Rate (Fps)	6.087
- Flood Count (Frames)	58
P-0-4-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	182.320
- Rx Rate (L1) (Bit/s)	74,78 M
- Rx Rate (Fps)	6.077
- Flood Count (Frames)	58
P-0-4-1	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	187.572
- Rx Rate (L1) (Bit/s)	76,93 M
- Rx Rate (Fps)	6.252
- Flood Count (Frames)	61
P-0-4-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	185.226
- Rx Rate (L1) (Bit/s)	75,97 M
- Rx Rate (Fps)	6.174
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	186.971
- Rx Rate (L1) (Bit/s)	76,68 M
- Rx Rate (Fps)	6.232
- Flood Count (Frames)	59
P-0-4-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	183.326
- Rx Rate (L1) (Bit/s)	75,19 M
- Rx Rate (Fps)	6.111
- Flood Count (Frames)	57
P-0-4-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	182.646
- Rx Rate (L1) (Bit/s)	74,91 M
- Rx Rate (Fps)	6.088
- Flood Count (Frames)	58



Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.142	3.040.538	1.630.429	845.855	431.032	346.147
Rx Rate (Percent)	0,03 %	12,26 %	12,07 %	12,26 %	12,05 %	12,25 %
Rx Rate (L1) (Bit/s)	4,55 M	2,21 G	2,17 G	2,21 G	2,17 G	2,21 G
Rx Rate (Fps)	6,78 K	1,86 M	983,83 K	518,38 K	259,75 K	212,05 K
Loss Rate (Percent)	99,87 %	38,71 %	39,66 %	38,72 %	39,74 %	38,74 %
Loss (Frames)	160.510.988	35.306.406	19.398.094	9.824.271	5.138.513	4.022.997
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.599	3.107.399	1.656.214	865.609	436.460	353.461
- Rx Rate (L1) (Bit/s)	259,82 K	122,64 M	121,9 M	122,8 M	121,51 M	122,53 M
- Rx Rate (Fps)	387	103.580	55.207	28.854	14.549	11.782
- Flood Count (Frames)	28	21	26	22	22	23
P-0-0-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.688	3.117.631	1.582.580	865.807	436.585	352.962
- Rx Rate (L1) (Bit/s)	261,81 K	123,04 M	116,48 M	122,83 M	121,55 M	122,36 M
- Rx Rate (Fps)	390	103.921	52.753	28.860	14.553	11.765
- Flood Count (Frames)	60	56	57	59	52	57
P-0-0-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.726	3.111.924	1.641.265	864.754	436.563	353.798
- Rx Rate (L1) (Bit/s)	262,66 K	122,82 M	120,8 M	122,68 M	121,54 M	122,65 M
- Rx Rate (Fps)	391	103.731	54.709	28.825	14.552	11.793
- Flood Count (Frames)	62	55	55	62	57	56
P-0-0-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	7.737	3.107.027	1.637.363	831.303	428.392	353.553

- Rx Rate (L1) (Bit/s)	173,31 K	122,62 M	120,51 M	117,93 M	119,26 M	122,57 M
- Rx Rate (Fps)	258	103.568	54.579	27.710	14.280	11.785
- Flood Count (Frames)	59	60	54	58	55	62
P-0-0-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.764	3.101.137	1.640.387	866.641	409.561	353.822
- Rx Rate (L1) (Bit/s)	263,51 K	122,39 M	120,73 M	122,95 M	114,02 M	122,66 M
- Rx Rate (Fps)	392	103.371	54.680	28.888	13.652	11.794
- Flood Count (Frames)	61	57	56	61	56	54
P-0-0-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.773	3.104.833	1.640.063	867.956	435.624	353.589
- Rx Rate (L1) (Bit/s)	263,72 K	122,54 M	120,71 M	123,13 M	121,28 M	122,58 M
- Rx Rate (Fps)	392	103.494	54.669	28.932	14.521	11.786
- Flood Count (Frames)	59	60	57	60	59	58
P-0-2-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.787	3.098.403	1.640.030	868.352	436.262	353.694
- Rx Rate (L1) (Bit/s)	264,03 K	122,28 M	120,71 M	123,19 M	121,46 M	122,61 M
- Rx Rate (Fps)	393	103.280	54.668	28.945	14.542	11.790
- Flood Count (Frames)	62	58	58	59	55	60
P-0-2-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.732	3.093.523	1.592.511	865.572	436.394	353.374
- Rx Rate (L1) (Bit/s)	262,8 K	122,09 M	117,21 M	122,8 M	121,49 M	122,5 M
- Rx Rate (Fps)	391	103.117	53.084	28.852	14.546	11.779
- Flood Count (Frames)	61	55	56	59	56	59
P-0-2-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.624	3.122.525	1.640.966	866.747	436.624	353.518
- Rx Rate (L1) (Bit/s)	260,38 K	123,24 M	120,78 M	122,96 M	121,56 M	122,55 M
- Rx Rate (Fps)	387	104.084	54.699	28.892	14.554	11.784
- Flood Count (Frames)	59	56	60	61	55	59
P-0-2-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.594	3.108.640	1.642.560	856.847	435.199	353.577
- Rx Rate (L1) (Bit/s)	259,71 K	122,69 M	120,89 M	121,56 M	121,16 M	122,57 M
- Rx Rate (Fps)	386	103.621	54.752	28.562	14.507	11.786
- Flood Count (Frames)	59	53	59	60	57	58
P-0-2-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.566	2.976.447	1.643.119	866.912	435.915	353.474
- Rx Rate (L1) (Bit/s)	259,08 K	117,47 M	120,93 M	122,99 M	121,36 M	122,54 M
- Rx Rate (Fps)	386	99.215	54.771	28.897	14.531	11.782
- Flood Count (Frames)	59	58	59	59	56	58
P-0-2-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.411	3.109.639	1.642.860	863.651	412.322	353.906
- Rx Rate (L1) (Bit/s)	255,61 K	122,73 M	120,91 M	122,52 M	114,79 M	122,69 M
- Rx Rate (Fps)	380	103.655	54.762	28.788	13.744	11.797
- Flood Count (Frames)	61	54	58	61	57	57
P-0-4-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230

- Rx (Frames)	11.406	3.113.102	1.641.488	865.922	436.606	353.438
- Rx Rate (L1) (Bit/s)	255,49 K	122,86 M	120,81 M	122,85 M	121,55 M	122,53 M
- Rx Rate (Fps)	380	103.770	54.716	28.864	14.554	11.781
- Flood Count (Frames)	58	56	55	54	57	57
P-0-4-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.310	3.127.842	1.652.965	870.369	437.432	353.619
- Rx Rate (L1) (Bit/s)	253,34 K	123,45 M	121,66 M	123,48 M	121,78 M	122,59 M
- Rx Rate (Fps)	377	104.261	55.099	29.012	14.581	11.787
- Flood Count (Frames)	57	57	55	52	55	56
P-0-4-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.229	3.127.335	1.657.765	869.009	435.832	352.847
- Rx Rate (L1) (Bit/s)	251,53 K	123,43 M	122,01 M	123,28 M	121,34 M	122,32 M
- Rx Rate (Fps)	374	104.245	55.259	28.967	14.528	11.762
- Flood Count (Frames)	58	59	54	55	53	54
P-0-4-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.163	3.126.348	1.655.649	863.100	436.041	353.158
- Rx Rate (L1) (Bit/s)	250,05 K	123,39 M	121,86 M	122,45 M	121,39 M	122,43 M
- Rx Rate (Fps)	372	104.212	55.188	28.770	14.535	11.772
- Flood Count (Frames)	55	59	56	56	56	54
P-0-4-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.132	3.129.279	1.654.821	867.010	434.605	352.538
- Rx Rate (L1) (Bit/s)	249,36 K	123,5 M	121,79 M	123 M	120,99 M	122,21 M
- Rx Rate (Fps)	371	104.309	55.161	28.900	14.487	11.751
- Flood Count (Frames)	61	56	54	57	53	56
P-0-4-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	11.031	3.126.712	1.652.176	865.830	436.018	353.091
- Rx Rate (L1) (Bit/s)	247,09 K	123,4 M	121,6 M	122,83 M	121,39 M	122,4 M
- Rx Rate (Fps)	368	104.224	55.073	28.861	14.534	11.770
- Flood Count (Frames)	58	57	55	56	54	55

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.587
Rx Rate (Percent)	11,96 %
Rx Rate (L1) (Bit/s)	2,15 G
Rx Rate (Fps)	175,02 K
Loss Rate (Percent)	40,18 %
Loss (Frames)	3.526.874
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	295.507
- Rx Rate (L1) (Bit/s)	121,2 M
- Rx Rate (Fps)	9.850
- Flood Count (Frames)	27
P-0-0-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	292.746
- Rx Rate (L1) (Bit/s)	120,06 M

- Rx Rate (Fps)	9.758
- Flood Count (Frames)	56
P-0-0-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	294.970
- Rx Rate (L1) (Bit/s)	120,98 M
- Rx Rate (Fps)	9.832
- Flood Count (Frames)	58
P-0-0-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	295.054
- Rx Rate (L1) (Bit/s)	121,01 M
- Rx Rate (Fps)	9.835
- Flood Count (Frames)	56
P-0-0-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	291.802
- Rx Rate (L1) (Bit/s)	119,68 M
- Rx Rate (Fps)	9.727
- Flood Count (Frames)	57
P-0-0-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	268.352
- Rx Rate (L1) (Bit/s)	110,06 M
- Rx Rate (Fps)	8.945
- Flood Count (Frames)	55
P-0-2-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	281.844
- Rx Rate (L1) (Bit/s)	115,59 M
- Rx Rate (Fps)	9.395
- Flood Count (Frames)	53
P-0-2-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	296.422
- Rx Rate (L1) (Bit/s)	121,57 M
- Rx Rate (Fps)	9.881
- Flood Count (Frames)	56
P-0-2-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	296.907
- Rx Rate (L1) (Bit/s)	121,77 M
- Rx Rate (Fps)	9.897
- Flood Count (Frames)	55
P-0-2-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	294.008
- Rx Rate (L1) (Bit/s)	120,58 M
- Rx Rate (Fps)	9.800
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	290.997

- Rx Rate (L1) (Bit/s)	119,35 M
- Rx Rate (Fps)	9.700
- Flood Count (Frames)	59
P-0-2-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	283.202
- Rx Rate (L1) (Bit/s)	116,15 M
- Rx Rate (Fps)	9.440
- Flood Count (Frames)	53
P-0-4-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	296.553
- Rx Rate (L1) (Bit/s)	121,63 M
- Rx Rate (Fps)	9.885
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	296.443
- Rx Rate (L1) (Bit/s)	121,58 M
- Rx Rate (Fps)	9.881
- Flood Count (Frames)	56
P-0-4-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	288.106
- Rx Rate (L1) (Bit/s)	118,16 M
- Rx Rate (Fps)	9.604
- Flood Count (Frames)	56
P-0-4-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	295.820
- Rx Rate (L1) (Bit/s)	121,33 M
- Rx Rate (Fps)	9.861
- Flood Count (Frames)	58
P-0-4-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	296.277
- Rx Rate (L1) (Bit/s)	121,51 M
- Rx Rate (Fps)	9.876
- Flood Count (Frames)	56
P-0-4-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	295.726
- Rx Rate (L1) (Bit/s)	121,29 M
- Rx Rate (Fps)	9.858
- Flood Count (Frames)	56



Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.713	4.560.808	2.445.644	1.268.788	646.547	519.221
Rx Rate (Percent)	0,02 %	16,21 %	16,4 %	16,53 %	16,2 %	16,44 %
Rx Rate (L1) (Bit/s)	3,13 M	2,92 G	2,95 G	2,98 G	2,92 G	2,96 G
Rx Rate (Fps)	4,65 K	2,46 M	1,34 M	699,23 K	349,1 K	284,61 K
Loss Rate (Percent)	99,94 %	45,95 %	45,33 %	44,89 %	46,01 %	45,19 %
Loss (Frames)	240.931.777	62.874.893	33.259.975	17.086.761	8.923.383	7.038.387
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.503	4.100.729	2.252.261	1.169.542	584.409	468.925
- Rx Rate (L1) (Bit/s)	190,47 K	161,84 M	165,77 M	165,92 M	162,7 M	162,56 M
- Rx Rate (Fps)	283	136.691	75.075	38.985	19.480	15.631
- Flood Count (Frames)	31	25	25	26	27	26
P-0-0-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.631	4.103.375	2.249.053	1.169.165	584.016	476.215
- Rx Rate (L1) (Bit/s)	193,33 K	161,95 M	165,53 M	165,87 M	162,59 M	165,09 M
- Rx Rate (Fps)	288	136.779	74.968	38.972	19.467	15.874
- Flood Count (Frames)	60	58	57	56	58	60
P-0-0-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	5.052	4.093.566	2.186.616	1.132.556	585.301	464.891
- Rx Rate (L1) (Bit/s)	113,16 K	161,56 M	160,93 M	160,67 M	162,95 M	161,16 M
- Rx Rate (Fps)	168	136.452	72.887	37.752	19.510	15.496
- Flood Count (Frames)	60	56	59	57	54	60
P-0-0-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.828	4.088.915	2.089.236	1.157.803	577.259	476.101

- Rx Rate (L1) (Bit/s)	197,75 K	161,38 M	153,77 M	164,25 M	160,71 M	165,05 M
- Rx Rate (Fps)	294	136.297	69.641	38.593	19.242	15.870
- Flood Count (Frames)	61	58	57	56	53	58
P-0-0-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.940	4.087.643	2.246.935	1.158.126	585.388	475.428
- Rx Rate (L1) (Bit/s)	200,26 K	161,33 M	165,37 M	164,3 M	162,97 M	164,82 M
- Rx Rate (Fps)	298	136.255	74.898	38.604	19.513	15.848
- Flood Count (Frames)	63	56	58	55	56	58
P-0-0-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.980	4.091.849	2.248.159	1.169.461	584.317	477.166
- Rx Rate (L1) (Bit/s)	201,15 K	161,49 M	165,46 M	165,91 M	162,67 M	165,42 M
- Rx Rate (Fps)	299	136.395	74.939	38.982	19.477	15.906
- Flood Count (Frames)	61	56	57	55	56	54
P-0-2-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	5.057	4.097.222	2.242.481	1.168.943	585.878	477.184
- Rx Rate (L1) (Bit/s)	113,28 K	161,7 M	165,05 M	165,83 M	163,11 M	165,42 M
- Rx Rate (Fps)	169	136.574	74.749	38.965	19.529	15.906
- Flood Count (Frames)	60	50	54	56	53	54
P-0-2-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.931	4.104.773	2.243.593	1.168.060	585.911	476.718
- Rx Rate (L1) (Bit/s)	200,05 K	162 M	165,13 M	165,71 M	163,12 M	165,26 M
- Rx Rate (Fps)	298	136.826	74.786	38.935	19.530	15.891
- Flood Count (Frames)	59	57	59	60	55	59
P-0-2-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.835	4.111.083	2.156.583	1.168.414	586.169	476.944
- Rx Rate (L1) (Bit/s)	197,9 K	162,25 M	158,72 M	165,76 M	163,19 M	165,34 M
- Rx Rate (Fps)	295	137.036	71.886	38.947	19.539	15.898
- Flood Count (Frames)	61	57	55	56	54	57
P-0-2-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	4.874	4.111.267	2.237.971	1.168.784	569.587	477.150
- Rx Rate (L1) (Bit/s)	109,18 K	162,26 M	164,71 M	165,81 M	158,57 M	165,41 M
- Rx Rate (Fps)	162	137.042	74.599	38.959	18.986	15.905
- Flood Count (Frames)	58	52	55	55	57	57
P-0-2-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.699	4.110.160	2.237.928	1.169.120	549.315	461.367
- Rx Rate (L1) (Bit/s)	194,86 K	162,21 M	164,71 M	165,86 M	152,93 M	159,94 M
- Rx Rate (Fps)	290	137.005	74.598	38.971	18.311	15.379
- Flood Count (Frames)	59	56	58	55	53	57
P-0-2-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	4.687	4.106.989	2.242.598	1.168.525	586.467	472.425
- Rx Rate (L1) (Bit/s)	104,99 K	162,09 M	165,06 M	165,77 M	163,27 M	163,77 M
- Rx Rate (Fps)	156	136.900	74.753	38.951	19.549	15.748
- Flood Count (Frames)	61	56	56	54	56	57
P-0-4-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846

- Rx (Frames)	8.525	4.103.112	2.239.875	1.167.424	585.405	477.618
- Rx Rate (L1) (Bit/s)	190,96 K	161,94 M	164,85 M	165,62 M	162,98 M	165,57 M
- Rx Rate (Fps)	284	136.770	74.663	38.914	19.514	15.921
- Flood Count (Frames)	60	56	58	56	59	57
P-0-4-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.447	4.126.689	2.244.386	1.167.205	585.384	477.139
- Rx Rate (L1) (Bit/s)	189,21 K	162,87 M	165,19 M	165,59 M	162,97 M	165,41 M
- Rx Rate (Fps)	282	137.556	74.813	38.907	19.513	15.905
- Flood Count (Frames)	56	55	53	56	54	56
P-0-4-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.301	4.129.438	2.247.698	1.168.530	585.174	476.605
- Rx Rate (L1) (Bit/s)	185,94 K	162,98 M	165,43 M	165,78 M	162,91 M	165,22 M
- Rx Rate (Fps)	277	137.648	74.923	38.951	19.506	15.887
- Flood Count (Frames)	57	55	56	55	58	55
P-0-4-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.186	4.131.378	2.245.978	1.167.685	584.502	476.087
- Rx Rate (L1) (Bit/s)	183,37 K	163,05 M	165,3 M	165,66 M	162,73 M	165,04 M
- Rx Rate (Fps)	273	137.713	74.866	38.923	19.483	15.870
- Flood Count (Frames)	56	55	58	56	52	55
P-0-4-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.135	4.127.736	2.247.726	1.168.423	584.428	475.099
- Rx Rate (L1) (Bit/s)	182,22 K	162,91 M	165,43 M	165,76 M	162,7 M	164,7 M
- Rx Rate (Fps)	271	137.591	74.924	38.947	19.481	15.837
- Flood Count (Frames)	58	58	54	57	56	54
P-0-4-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	8.002	4.123.411	2.250.262	1.169.119	584.129	475.175
- Rx Rate (L1) (Bit/s)	179,24 K	162,74 M	165,62 M	165,86 M	162,62 M	164,73 M
- Rx Rate (Fps)	267	137.447	75.009	38.971	19.471	15.839
- Flood Count (Frames)	58	55	59	57	55	55

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.875
Rx Rate (Percent)	16,67 %
Rx Rate (L1) (Bit/s)	3 G
Rx Rate (Fps)	243,83 K
Loss Rate (Percent)	44,44 %
Loss (Frames)	5.851.291
P-0-0-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	408.463
- Rx Rate (L1) (Bit/s)	167,52 M
- Rx Rate (Fps)	13.615
- Flood Count (Frames)	25
P-0-0-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	405.655
- Rx Rate (L1) (Bit/s)	166,37 M

- Rx Rate (Fps)	13.522
- Flood Count (Frames)	58
P-0-0-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	407.473
- Rx Rate (L1) (Bit/s)	167,12 M
- Rx Rate (Fps)	13.582
- Flood Count (Frames)	57
P-0-0-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	408.196
- Rx Rate (L1) (Bit/s)	167,41 M
- Rx Rate (Fps)	13.607
- Flood Count (Frames)	56
P-0-0-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	405.880
- Rx Rate (L1) (Bit/s)	166,46 M
- Rx Rate (Fps)	13.529
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	404.552
- Rx Rate (L1) (Bit/s)	165,92 M
- Rx Rate (Fps)	13.485
- Flood Count (Frames)	56
P-0-2-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	407.408
- Rx Rate (L1) (Bit/s)	167,09 M
- Rx Rate (Fps)	13.580
- Flood Count (Frames)	54
P-0-2-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	405.304
- Rx Rate (L1) (Bit/s)	166,23 M
- Rx Rate (Fps)	13.510
- Flood Count (Frames)	57
P-0-2-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	401.891
- Rx Rate (L1) (Bit/s)	164,83 M
- Rx Rate (Fps)	13.396
- Flood Count (Frames)	57
P-0-2-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	407.627
- Rx Rate (L1) (Bit/s)	167,18 M
- Rx Rate (Fps)	13.588
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	407.847

- Rx Rate (L1) (Bit/s)	167,27 M
- Rx Rate (Fps)	13.595
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	407.189
- Rx Rate (L1) (Bit/s)	167 M
- Rx Rate (Fps)	13.573
- Flood Count (Frames)	55
P-0-4-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	403.765
- Rx Rate (L1) (Bit/s)	165,6 M
- Rx Rate (Fps)	13.459
- Flood Count (Frames)	57
P-0-4-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	408.202
- Rx Rate (L1) (Bit/s)	167,42 M
- Rx Rate (Fps)	13.607
- Flood Count (Frames)	54
P-0-4-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	405.810
- Rx Rate (L1) (Bit/s)	166,44 M
- Rx Rate (Fps)	13.527
- Flood Count (Frames)	56
P-0-4-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	404.196
- Rx Rate (L1) (Bit/s)	165,77 M
- Rx Rate (Fps)	13.473
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	407.784
- Rx Rate (L1) (Bit/s)	167,25 M
- Rx Rate (Fps)	13.593
- Flood Count (Frames)	53
P-0-4-5	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	407.729
- Rx Rate (L1) (Bit/s)	167,22 M
- Rx Rate (Fps)	13.591
- Flood Count (Frames)	59



Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.284	6.081.077	3.260.869	1.691.721	862.063	692.305
Rx Rate (Percent)	0,01 %	0,03 %	20,51 %	21,14 %	21,08 %	21,06 %
Rx Rate (L1) (Bit/s)	2,34 M	6,04 M	3,69 G	3,81 G	3,79 G	3,79 G
Rx Rate (Fps)	3,48 K	5,1 K	1,67 M	894,26 K	454,21 K	364,58 K
Loss Rate (Percent)	99,97 %	99,92 %	48,73 %	47,14 %	47,31 %	47,34 %
Loss (Frames)	321.324.059	182.279.311	47.669.556	23.923.749	12.235.566	9.831.809
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	3.546	9.265	2.792.434	1.498.183	757.382	607.971
- Rx Rate (L1) (Bit/s)	79,43 K	365,66 K	205,52 M	212,54 M	210,86 M	210,76 M
- Rx Rate (Fps)	118	309	93.081	49.939	25.246	20.266
- Flood Count (Frames)	31	28	22	26	21	20
P-0-0-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.543	9.421	2.748.761	1.499.076	757.010	607.809
- Rx Rate (L1) (Bit/s)	146,56 K	371,82 K	202,31 M	212,67 M	210,75 M	210,71 M
- Rx Rate (Fps)	218	314	91.625	49.969	25.234	20.260
- Flood Count (Frames)	63	60	56	58	57	57
P-0-0-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.729	9.566	2.780.653	1.499.770	756.713	607.616
- Rx Rate (L1) (Bit/s)	150,73 K	377,54 K	204,66 M	212,77 M	210,67 M	210,64 M
- Rx Rate (Fps)	224	319	92.688	49.992	25.224	20.254
- Flood Count (Frames)	61	59	54	55	56	58
P-0-0-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.897	9.559	2.791.339	1.495.501	755.280	607.709

- Rx Rate (L1) (Bit/s)	154,49 K	377,26 K	205,44 M	212,16 M	210,27 M	210,67 M
- Rx Rate (Fps)	230	319	93.045	49.850	25.176	20.257
- Flood Count (Frames)	61	58	54	57	55	57
P-0-0-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	3.545	9.507	2.777.800	1.495.026	757.457	607.850
- Rx Rate (L1) (Bit/s)	79,41 K	375,21 K	204,45 M	212,09 M	210,88 M	210,72 M
- Rx Rate (Fps)	118	317	92.593	49.834	25.249	20.262
- Flood Count (Frames)	60	57	59	59	56	57
P-0-0-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.992	9.467	2.788.271	1.497.014	757.915	607.503
- Rx Rate (L1) (Bit/s)	156,62 K	373,63 K	205,22 M	212,38 M	211 M	210,6 M
- Rx Rate (Fps)	233	316	92.942	49.900	25.264	20.250
- Flood Count (Frames)	61	59	54	59	58	58
P-0-2-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	3.544	6.482	2.785.719	1.494.844	757.863	607.707
- Rx Rate (L1) (Bit/s)	79,39 K	255,82 K	205,03 M	212,07 M	210,99 M	210,67 M
- Rx Rate (Fps)	118	216	92.857	49.828	25.262	20.257
- Flood Count (Frames)	60	58	52	56	57	55
P-0-2-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	3.544	6.403	2.766.016	1.492.800	757.682	607.512
- Rx Rate (L1) (Bit/s)	79,39 K	252,71 K	203,58 M	211,78 M	210,94 M	210,6 M
- Rx Rate (Fps)	118	213	92.201	49.760	25.256	20.250
- Flood Count (Frames)	62	58	55	56	55	58
P-0-2-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.021	6.325	2.794.891	1.495.060	757.042	607.395
- Rx Rate (L1) (Bit/s)	157,27 K	249,63 K	205,7 M	212,1 M	210,76 M	210,56 M
- Rx Rate (Fps)	234	211	93.163	49.835	25.235	20.247
- Flood Count (Frames)	56	58	53	55	59	55
P-0-2-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.017	6.257	2.788.610	1.493.576	757.005	605.144
- Rx Rate (L1) (Bit/s)	157,18 K	246,94 K	205,24 M	211,89 M	210,75 M	209,78 M
- Rx Rate (Fps)	234	209	92.954	49.786	25.234	20.171
- Flood Count (Frames)	62	57	53	57	58	57
P-0-2-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	3.545	9.054	2.795.014	1.414.271	757.593	607.201
- Rx Rate (L1) (Bit/s)	79,41 K	357,33 K	205,71 M	200,64 M	210,91 M	210,5 M
- Rx Rate (Fps)	118	302	93.167	47.142	25.253	20.240
- Flood Count (Frames)	56	59	53	58	56	57
P-0-2-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.882	9.034	2.723.215	1.491.112	755.483	607.556
- Rx Rate (L1) (Bit/s)	154,16 K	356,54 K	200,43 M	211,54 M	210,33 M	210,62 M
- Rx Rate (Fps)	229	301	90.774	49.704	25.183	20.252
- Flood Count (Frames)	61	59	55	55	55	56
P-0-4-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461

- Rx (Frames)	6.798	8.940	2.806.756	1.488.944	757.754	608.045
- Rx Rate (L1) (Bit/s)	152,28 K	352,83 K	206,58 M	211,23 M	210,96 M	210,79 M
- Rx Rate (Fps)	227	298	93.559	49.631	25.258	20.268
- Flood Count (Frames)	59	59	53	54	58	59
P-0-4-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.650	8.882	2.790.505	1.492.037	755.990	608.035
- Rx Rate (L1) (Bit/s)	148,96 K	350,54 K	205,38 M	211,67 M	210,47 M	210,79 M
- Rx Rate (Fps)	222	296	93.017	49.735	25.200	20.268
- Flood Count (Frames)	59	58	51	54	57	55
P-0-4-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.508	8.830	2.805.942	1.495.394	756.979	608.230
- Rx Rate (L1) (Bit/s)	145,78 K	348,49 K	206,52 M	212,15 M	210,74 M	210,85 M
- Rx Rate (Fps)	217	294	93.531	49.846	25.233	20.274
- Flood Count (Frames)	61	59	54	54	54	55
P-0-4-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.360	8.720	2.808.660	1.494.376	757.138	608.019
- Rx Rate (L1) (Bit/s)	142,46 K	344,15 K	206,72 M	212 M	210,79 M	210,78 M
- Rx Rate (Fps)	212	291	93.622	49.813	25.238	20.267
- Flood Count (Frames)	61	62	52	54	57	57
P-0-4-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.225	8.649	2.803.666	1.494.821	756.638	608.234
- Rx Rate (L1) (Bit/s)	139,44 K	341,35 K	206,35 M	212,07 M	210,65 M	210,85 M
- Rx Rate (Fps)	208	288	93.456	49.827	25.221	20.274
- Flood Count (Frames)	59	59	54	55	56	56
P-0-4-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.115	8.632	2.808.250	1.496.076	757.406	607.793
- Rx Rate (L1) (Bit/s)	136,98 K	340,68 K	206,69 M	212,24 M	210,86 M	210,7 M
- Rx Rate (Fps)	204	288	93.608	49.869	25.247	20.260
- Flood Count (Frames)	60	59	56	56	56	57

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.174
Rx Rate (Percent)	20,88 %
Rx Rate (L1) (Bit/s)	3,76 G
Rx Rate (Fps)	305,52 K
Loss Rate (Percent)	47,79 %
Loss (Frames)	8.389.703
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	508.708
- Rx Rate (L1) (Bit/s)	208,64 M
- Rx Rate (Fps)	16.957
- Flood Count (Frames)	22
P-0-0-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	508.298
- Rx Rate (L1) (Bit/s)	208,47 M

- Rx Rate (Fps)	16.943
- Flood Count (Frames)	54
P-0-0-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	508.139
- Rx Rate (L1) (Bit/s)	208,4 M
- Rx Rate (Fps)	16.938
- Flood Count (Frames)	54
P-0-0-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.495
- Rx Rate (L1) (Bit/s)	208,96 M
- Rx Rate (Fps)	16.983
- Flood Count (Frames)	58
P-0-0-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	508.403
- Rx Rate (L1) (Bit/s)	208,51 M
- Rx Rate (Fps)	16.947
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.795
- Rx Rate (L1) (Bit/s)	209,08 M
- Rx Rate (Fps)	16.993
- Flood Count (Frames)	57
P-0-2-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	508.230
- Rx Rate (L1) (Bit/s)	208,44 M
- Rx Rate (Fps)	16.941
- Flood Count (Frames)	54
P-0-2-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.788
- Rx Rate (L1) (Bit/s)	209,08 M
- Rx Rate (Fps)	16.993
- Flood Count (Frames)	54
P-0-2-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	508.995
- Rx Rate (L1) (Bit/s)	208,76 M
- Rx Rate (Fps)	16.967
- Flood Count (Frames)	57
P-0-2-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.689
- Rx Rate (L1) (Bit/s)	209,04 M
- Rx Rate (Fps)	16.990
- Flood Count (Frames)	59
P-0-2-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.724

- Rx Rate (L1) (Bit/s)	209,05 M
- Rx Rate (Fps)	16.991
- Flood Count (Frames)	52
P-0-2-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	508.980
- Rx Rate (L1) (Bit/s)	208,75 M
- Rx Rate (Fps)	16.966
- Flood Count (Frames)	55
P-0-4-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.852
- Rx Rate (L1) (Bit/s)	209,11 M
- Rx Rate (Fps)	16.995
- Flood Count (Frames)	55
P-0-4-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.512
- Rx Rate (L1) (Bit/s)	208,97 M
- Rx Rate (Fps)	16.984
- Flood Count (Frames)	56
P-0-4-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.489
- Rx Rate (L1) (Bit/s)	208,96 M
- Rx Rate (Fps)	16.983
- Flood Count (Frames)	54
P-0-4-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.661
- Rx Rate (L1) (Bit/s)	209,03 M
- Rx Rate (Fps)	16.989
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.184
- Rx Rate (L1) (Bit/s)	208,83 M
- Rx Rate (Fps)	16.973
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	509.575
- Rx Rate (L1) (Bit/s)	208,99 M
- Rx Rate (Fps)	16.986
- Flood Count (Frames)	58



Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.855	7.601.346	4.076.083	2.114.654	1.077.579	865.378
Rx Rate (Percent)	0,01 %	0,03 %	25,08 %	24,92 %	24,71 %	25,19 %
Rx Rate (L1) (Bit/s)	1,84 M	4,73 M	4,51 G	4,49 G	4,45 G	4,53 G
Rx Rate (Fps)	2,74 K	4 K	2,04 M	1,05 M	532,6 K	435,96 K
Loss Rate (Percent)	99,98 %	99,95 %	49,84 %	50,16 %	50,57 %	49,62 %
Loss (Frames)	401.703.311	227.920.492	60.950.812	31.823.875	16.349.308	12.882.398
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	4.392	6.811	3.418.006	1.762.246	887.723	727.647
- Rx Rate (L1) (Bit/s)	98,38 K	268,81 K	251,57 M	250 M	247,14 M	252,25 M
- Rx Rate (Fps)	146	227	113.934	58.742	29.591	24.255
- Flood Count (Frames)	27	28	26	27	25	23
P-0-0-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	2.826	6.992	3.421.318	1.761.420	887.875	727.515
- Rx Rate (L1) (Bit/s)	63,3 K	275,95 K	251,81 M	249,89 M	247,18 M	252,21 M
- Rx Rate (Fps)	94	233	114.044	58.714	29.596	24.251
- Flood Count (Frames)	58	61	55	55	52	54
P-0-0-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	4.755	7.053	3.424.223	1.761.811	888.061	727.228
- Rx Rate (L1) (Bit/s)	106,51 K	278,36 K	252,02 M	249,94 M	247,24 M	252,11 M
- Rx Rate (Fps)	159	235	114.141	58.727	29.602	24.241
- Flood Count (Frames)	58	61	53	53	54	56
P-0-0-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	2.845	7.061	3.424.622	1.761.021	887.817	727.790

- Rx Rate (L1) (Bit/s)	63,73 K	278,67 K	252,05 M	249,83 M	247,17 M	252,3 M
- Rx Rate (Fps)	95	235	114.154	58.701	29.594	24.260
- Flood Count (Frames)	58	59	58	57	53	54
P-0-0-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.022	4.847	3.323.522	1.761.797	887.422	727.732
- Rx Rate (L1) (Bit/s)	112,49 K	191,29 K	244,61 M	249,94 M	247,06 M	252,28 M
- Rx Rate (Fps)	167	162	110.784	58.727	29.581	24.258
- Flood Count (Frames)	61	58	53	54	58	55
P-0-0-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.050	7.070	3.406.499	1.718.383	883.164	713.875
- Rx Rate (L1) (Bit/s)	113,12 K	279,03 K	250,72 M	243,78 M	245,87 M	247,48 M
- Rx Rate (Fps)	168	236	113.550	57.279	29.439	23.796
- Flood Count (Frames)	61	61	53	55	54	56
P-0-2-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.005	7.062	3.412.677	1.760.712	887.877	728.331
- Rx Rate (L1) (Bit/s)	112,11 K	278,71 K	251,17 M	249,79 M	247,18 M	252,49 M
- Rx Rate (Fps)	167	235	113.756	58.690	29.596	24.278
- Flood Count (Frames)	60	61	55	55	55	56
P-0-2-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.084	7.034	3.425.323	1.760.812	888.301	727.801
- Rx Rate (L1) (Bit/s)	113,88 K	277,61 K	252,1 M	249,8 M	247,3 M	252,3 M
- Rx Rate (Fps)	169	234	114.177	58.694	29.610	24.260
- Flood Count (Frames)	59	62	59	57	55	53
P-0-2-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.065	6.976	3.413.911	1.761.947	887.950	727.807
- Rx Rate (L1) (Bit/s)	113,46 K	275,32 K	251,26 M	249,96 M	247,21 M	252,31 M
- Rx Rate (Fps)	169	233	113.797	58.732	29.598	24.260
- Flood Count (Frames)	57	59	57	57	54	58
P-0-2-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.036	6.922	3.388.726	1.707.448	887.938	727.562
- Rx Rate (L1) (Bit/s)	112,81 K	273,19 K	249,41 M	242,23 M	247,2 M	252,22 M
- Rx Rate (Fps)	168	231	112.958	56.915	29.598	24.252
- Flood Count (Frames)	58	60	57	57	56	60
P-0-2-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.065	6.829	3.424.564	1.761.433	888.249	727.124
- Rx Rate (L1) (Bit/s)	113,46 K	269,52 K	252,05 M	249,89 M	247,29 M	252,07 M
- Rx Rate (Fps)	169	228	114.152	58.714	29.608	24.237
- Flood Count (Frames)	59	59	54	58	54	54
P-0-2-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.008	6.676	3.316.534	1.761.685	887.827	727.216
- Rx Rate (L1) (Bit/s)	112,18 K	263,48 K	244,1 M	249,92 M	247,17 M	252,1 M
- Rx Rate (Fps)	167	223	110.551	58.723	29.594	24.241
- Flood Count (Frames)	57	61	55	58	55	52
P-0-4-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077

- Rx (Frames)	4.931	6.710	3.422.596	1.761.924	888.431	726.575
- Rx Rate (L1) (Bit/s)	110,45 K	264,82 K	251,9 M	249,96 M	247,34 M	251,88 M
- Rx Rate (Fps)	164	224	114.087	58.731	29.614	24.219
- Flood Count (Frames)	60	58	55	58	56	57
P-0-4-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	4.745	6.542	3.420.985	1.763.517	888.176	726.873
- Rx Rate (L1) (Bit/s)	106,29 K	258,19 K	251,78 M	250,18 M	247,27 M	251,98 M
- Rx Rate (Fps)	158	218	114.033	58.784	29.606	24.229
- Flood Count (Frames)	56	56	55	55	56	55
P-0-4-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	4.613	6.465	3.417.724	1.762.513	887.982	727.000
- Rx Rate (L1) (Bit/s)	103,33 K	255,15 K	251,54 M	250,04 M	247,21 M	252,03 M
- Rx Rate (Fps)	154	216	113.924	58.750	29.599	24.233
- Flood Count (Frames)	55	60	56	59	52	54
P-0-4-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	4.482	6.352	3.418.731	1.761.646	888.042	726.740
- Rx Rate (L1) (Bit/s)	100,4 K	250,69 K	251,62 M	249,92 M	247,23 M	251,94 M
- Rx Rate (Fps)	149	212	113.958	58.722	29.601	24.225
- Flood Count (Frames)	57	59	56	55	53	52
P-0-4-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	4.285	6.270	3.423.552	1.763.088	887.464	727.440
- Rx Rate (L1) (Bit/s)	95,98 K	247,46 K	251,97 M	250,12 M	247,07 M	252,18 M
- Rx Rate (Fps)	143	209	114.118	58.770	29.582	24.248
- Flood Count (Frames)	55	57	55	55	54	55
P-0-4-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	4.130	6.216	3.428.171	1.762.336	887.763	726.692
- Rx Rate (L1) (Bit/s)	92,51 K	245,32 K	252,31 M	250,02 M	247,15 M	251,92 M
- Rx Rate (Fps)	138	207	114.272	58.745	29.592	24.223
- Flood Count (Frames)	56	58	56	57	54	55

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.462
Rx Rate (Percent)	24,91 %
Rx Rate (L1) (Bit/s)	4,48 G
Rx Rate (Fps)	364,4 K
Loss Rate (Percent)	50,18 %
Loss (Frames)	11.011.769
P-0-0-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	606.542
- Rx Rate (L1) (Bit/s)	248,76 M
- Rx Rate (Fps)	20.218
- Flood Count (Frames)	21
P-0-0-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.243
- Rx Rate (L1) (Bit/s)	249,05 M

- Rx Rate (Fps)	20.241
- Flood Count (Frames)	58
P-0-0-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.836
- Rx Rate (L1) (Bit/s)	249,29 M
- Rx Rate (Fps)	20.261
- Flood Count (Frames)	57
P-0-0-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.392
- Rx Rate (L1) (Bit/s)	249,11 M
- Rx Rate (Fps)	20.246
- Flood Count (Frames)	54
P-0-0-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	604.981
- Rx Rate (L1) (Bit/s)	248,12 M
- Rx Rate (Fps)	20.166
- Flood Count (Frames)	54
P-0-0-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.790
- Rx Rate (L1) (Bit/s)	249,27 M
- Rx Rate (Fps)	20.260
- Flood Count (Frames)	57
P-0-2-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.298
- Rx Rate (L1) (Bit/s)	249,07 M
- Rx Rate (Fps)	20.243
- Flood Count (Frames)	57
P-0-2-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.807
- Rx Rate (L1) (Bit/s)	249,28 M
- Rx Rate (Fps)	20.260
- Flood Count (Frames)	54
P-0-2-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.509
- Rx Rate (L1) (Bit/s)	249,16 M
- Rx Rate (Fps)	20.250
- Flood Count (Frames)	53
P-0-2-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	606.251
- Rx Rate (L1) (Bit/s)	248,64 M
- Rx Rate (Fps)	20.208
- Flood Count (Frames)	54
P-0-2-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	608.454

- Rx Rate (L1) (Bit/s)	249,55 M
- Rx Rate (Fps)	20.282
- Flood Count (Frames)	56
P-0-2-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	609.627
- Rx Rate (L1) (Bit/s)	250,03 M
- Rx Rate (Fps)	20.321
- Flood Count (Frames)	54
P-0-4-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	608.859
- Rx Rate (L1) (Bit/s)	249,71 M
- Rx Rate (Fps)	20.295
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.599
- Rx Rate (L1) (Bit/s)	249,2 M
- Rx Rate (Fps)	20.253
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	606.854
- Rx Rate (L1) (Bit/s)	248,89 M
- Rx Rate (Fps)	20.228
- Flood Count (Frames)	55
P-0-4-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	607.077
- Rx Rate (L1) (Bit/s)	248,98 M
- Rx Rate (Fps)	20.236
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	606.337
- Rx Rate (L1) (Bit/s)	248,68 M
- Rx Rate (Fps)	20.211
- Flood Count (Frames)	54
P-0-4-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	606.647
- Rx Rate (L1) (Bit/s)	248,81 M
- Rx Rate (Fps)	20.222
- Flood Count (Frames)	53



Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G
Tx Rate (Fps)	16.071.426	9.121.615	4.891.298	2.537.587	1.293.095	1.038.452
Rx Rate (Percent)	0,01 %	0,02 %	0,16 %	28,55 %	29,65 %	30,19 %
Rx Rate (L1) (Bit/s)	1,48 M	4 M	28,87 M	5,14 G	5,34 G	5,43 G
Rx Rate (Fps)	2,2 K	3,38 K	13,08 K	1,21 M	638,94 K	522,52 K
Loss Rate (Percent)	99,99 %	99,96 %	99,73 %	52,41 %	50,59 %	49,68 %
Loss (Frames)	482.076.729	273.547.093	146.346.654	39.897.829	19.624.500	15.477.842
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	2.261	5.698	10.339	2.017.506	1.069.713	872.937
- Rx Rate (L1) (Bit/s)	50,65 K	224,88 K	760,95 K	286,22 M	297,81 M	302,62 M
- Rx Rate (Fps)	75	190	345	67.250	35.657	29.098
- Flood Count (Frames)	31	27	31	23	23	24
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.622	5.846	23.860	2.017.342	1.069.657	872.772
- Rx Rate (L1) (Bit/s)	81,13 K	230,72 K	1,76 M	286,19 M	297,79 M	302,56 M
- Rx Rate (Fps)	121	195	795	67.245	35.655	29.092
- Flood Count (Frames)	61	60	59	56	56	56
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.848	5.953	24.006	2.017.767	1.069.790	872.682
- Rx Rate (L1) (Bit/s)	86,2 K	234,95 K	1,77 M	286,25 M	297,83 M	302,53 M
- Rx Rate (Fps)	128	198	800	67.259	35.660	29.089
- Flood Count (Frames)	59	62	64	54	54	58
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.051	5.931	23.819	2.016.702	1.070.708	838.033

- Rx Rate (L1) (Bit/s)	90,74 K	234,08 K	1,75 M	286,1 M	298,09 M	290,52 M
- Rx Rate (Fps)	135	198	794	67.223	35.690	27.934
- Flood Count (Frames)	59	59	61	56	59	58
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.032	5.989	23.480	2.017.903	1.070.633	872.732
- Rx Rate (L1) (Bit/s)	90,32 K	236,37 K	1,73 M	286,27 M	298,06 M	302,55 M
- Rx Rate (Fps)	134	200	783	67.263	35.688	29.091
- Flood Count (Frames)	59	64	59	55	56	56
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.065	5.162	7.998	2.017.480	1.069.815	872.687
- Rx Rate (L1) (Bit/s)	91,06 K	203,73 K	588,65 K	286,21 M	297,84 M	302,53 M
- Rx Rate (Fps)	136	172	267	67.249	35.661	29.090
- Flood Count (Frames)	59	62	61	55	59	55
P-0-2-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.060	5.907	23.831	2.016.350	1.070.401	872.488
- Rx Rate (L1) (Bit/s)	90,94 K	233,13 K	1,75 M	286,05 M	298 M	302,46 M
- Rx Rate (Fps)	135	197	794	67.212	35.680	29.083
- Flood Count (Frames)	59	59	59	56	54	58
P-0-2-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	2.309	5.971	23.617	1.942.186	1.056.831	872.837
- Rx Rate (L1) (Bit/s)	51,72 K	235,66 K	1,74 M	275,53 M	294,22 M	302,58 M
- Rx Rate (Fps)	77	199	787	64.740	35.228	29.095
- Flood Count (Frames)	62	61	60	59	57	56
P-0-2-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.078	5.933	23.514	2.016.850	1.070.317	872.416
- Rx Rate (L1) (Bit/s)	91,35 K	234,16 K	1,73 M	286,12 M	297,98 M	302,44 M
- Rx Rate (Fps)	136	198	784	67.228	35.677	29.081
- Flood Count (Frames)	59	59	61	56	54	56
P-0-2-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.037	5.886	23.236	2.015.834	997.031	872.749
- Rx Rate (L1) (Bit/s)	90,43 K	232,3 K	1,71 M	285,98 M	277,57 M	302,55 M
- Rx Rate (Fps)	135	196	775	67.194	33.234	29.092
- Flood Count (Frames)	59	61	64	52	56	58
P-0-2-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.978	5.776	23.407	2.015.421	1.060.334	872.738
- Rx Rate (L1) (Bit/s)	89,11 K	227,96 K	1,72 M	285,92 M	295,2 M	302,55 M
- Rx Rate (Fps)	133	193	780	67.181	35.344	29.091
- Flood Count (Frames)	59	59	58	55	53	56
P-0-2-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.008	5.618	23.435	2.015.335	1.070.690	872.533
- Rx Rate (L1) (Bit/s)	89,78 K	221,72 K	1,72 M	285,91 M	298,08 M	302,48 M
- Rx Rate (Fps)	134	187	781	67.178	35.690	29.084
- Flood Count (Frames)	59	61	61	54	56	58
P-0-4-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692

- Rx (Frames)	3.968	5.504	23.268	2.017.495	1.070.081	872.898
- Rx Rate (L1) (Bit/s)	88,88 K	217,22 K	1,71 M	286,22 M	297,91 M	302,6 M
- Rx Rate (Fps)	132	183	776	67.250	35.669	29.097
- Flood Count (Frames)	58	59	59	54	56	57
P-0-4-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.879	5.445	23.083	2.016.551	1.070.634	873.049
- Rx Rate (L1) (Bit/s)	86,89 K	214,9 K	1,7 M	286,08 M	298,06 M	302,66 M
- Rx Rate (Fps)	129	182	769	67.218	35.688	29.102
- Flood Count (Frames)	59	59	58	54	54	52
P-0-4-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.731	5.349	22.917	2.017.191	1.070.467	873.056
- Rx Rate (L1) (Bit/s)	83,57 K	211,11 K	1,69 M	286,17 M	298,02 M	302,66 M
- Rx Rate (Fps)	124	178	764	67.240	35.682	29.102
- Flood Count (Frames)	56	59	59	53	57	53
P-0-4-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.587	5.253	22.994	2.016.079	1.070.702	872.908
- Rx Rate (L1) (Bit/s)	80,35 K	207,32 K	1,69 M	286,01 M	298,08 M	302,61 M
- Rx Rate (Fps)	120	175	766	67.203	35.690	29.097
- Flood Count (Frames)	58	58	58	54	56	55
P-0-4-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.393	5.160	22.679	2.017.946	1.070.338	873.027
- Rx Rate (L1) (Bit/s)	76 K	203,65 K	1,67 M	286,28 M	297,98 M	302,65 M
- Rx Rate (Fps)	113	172	756	67.265	35.678	29.101
- Flood Count (Frames)	59	57	60	56	57	56
P-0-4-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	3.144	4.982	22.797	2.017.831	1.070.202	873.170
- Rx Rate (L1) (Bit/s)	70,43 K	196,62 K	1,68 M	286,26 M	297,94 M	302,7 M
- Rx Rate (Fps)	105	166	760	67.261	35.673	29.106
- Flood Count (Frames)	58	57	61	57	55	56

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10,8 G
Tx Rate (Fps)	877.761
Rx Rate (Percent)	29,82 %
Rx Rate (L1) (Bit/s)	5,37 G
Rx Rate (Fps)	436,21 K
Loss Rate (Percent)	50,3 %
Loss (Frames)	13.246.428
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	727.915
- Rx Rate (L1) (Bit/s)	298,54 M
- Rx Rate (Fps)	24.264
- Flood Count (Frames)	25
P-0-0-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	729.439
- Rx Rate (L1) (Bit/s)	299,17 M

- Rx Rate (Fps)	24.315
- Flood Count (Frames)	55
P-0-0-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	728.762
- Rx Rate (L1) (Bit/s)	298,89 M
- Rx Rate (Fps)	24.292
- Flood Count (Frames)	54
P-0-0-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	726.932
- Rx Rate (L1) (Bit/s)	298,14 M
- Rx Rate (Fps)	24.231
- Flood Count (Frames)	55
P-0-0-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	727.109
- Rx Rate (L1) (Bit/s)	298,21 M
- Rx Rate (Fps)	24.237
- Flood Count (Frames)	54
P-0-0-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	709.475
- Rx Rate (L1) (Bit/s)	290,98 M
- Rx Rate (Fps)	23.649
- Flood Count (Frames)	56
P-0-2-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	727.683
- Rx Rate (L1) (Bit/s)	298,45 M
- Rx Rate (Fps)	24.256
- Flood Count (Frames)	55
P-0-2-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	724.458
- Rx Rate (L1) (Bit/s)	297,12 M
- Rx Rate (Fps)	24.149
- Flood Count (Frames)	57
P-0-2-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	727.750
- Rx Rate (L1) (Bit/s)	298,47 M
- Rx Rate (Fps)	24.258
- Flood Count (Frames)	56
P-0-2-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	727.030
- Rx Rate (L1) (Bit/s)	298,18 M
- Rx Rate (Fps)	24.234
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	728.959

- Rx Rate (L1) (Bit/s)	298,97 M
- Rx Rate (Fps)	24.299
- Flood Count (Frames)	56
P-0-2-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	728.791
- Rx Rate (L1) (Bit/s)	298,9 M
- Rx Rate (Fps)	24.293
- Flood Count (Frames)	57
P-0-4-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	728.605
- Rx Rate (L1) (Bit/s)	298,83 M
- Rx Rate (Fps)	24.287
- Flood Count (Frames)	54
P-0-4-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	727.981
- Rx Rate (L1) (Bit/s)	298,57 M
- Rx Rate (Fps)	24.266
- Flood Count (Frames)	53
P-0-4-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	729.053
- Rx Rate (L1) (Bit/s)	299,01 M
- Rx Rate (Fps)	24.302
- Flood Count (Frames)	56
P-0-4-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	729.139
- Rx Rate (L1) (Bit/s)	299,04 M
- Rx Rate (Fps)	24.305
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	728.520
- Rx Rate (L1) (Bit/s)	298,79 M
- Rx Rate (Fps)	24.284
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	728.801
- Rx Rate (L1) (Bit/s)	298,91 M
- Rx Rate (Fps)	24.293
- Flood Count (Frames)	54



Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G
Tx Rate (Fps)	18.749.997	10.641.884	5.706.512	2.960.519	1.508.611	1.211.536
Rx Rate (Percent)	0,01 %	0,02 %	0,06 %	33,83 %	33,46 %	34,06 %
Rx Rate (L1) (Bit/s)	1,36 M	3,4 M	11,18 M	6,09 G	6,02 G	6,13 G
Rx Rate (Fps)	2,02 K	2,87 K	5,06 K	1,43 M	721,04 K	589,55 K
Loss Rate (Percent)	99,99 %	99,97 %	99,91 %	51,66 %	52,21 %	51,34 %
Loss (Frames)	562.439.271	319.170.361	171.043.491	45.886.005	23.627.158	18.659.654
P-0-0-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.230	4.826	8.758	2.390.247	1.194.778	986.462
- Rx Rate (L1) (Bit/s)	72,35 K	190,47 K	644,59 K	339,1 M	332,63 M	341,97 M
- Rx Rate (Fps)	108	161	292	79.675	39.826	32.882
- Flood Count (Frames)	28	30	23	26	24	28
P-0-0-1						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.600	4.998	8.812	2.390.649	1.201.844	987.043
- Rx Rate (L1) (Bit/s)	80,64 K	197,25 K	648,56 K	339,15 M	334,59 M	342,17 M
- Rx Rate (Fps)	120	167	294	79.688	40.061	32.901
- Flood Count (Frames)	59	59	60	56	58	57
P-0-0-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.707	5.092	8.928	2.390.623	1.203.024	973.633
- Rx Rate (L1) (Bit/s)	83,04 K	200,96 K	657,1 K	339,15 M	334,92 M	337,53 M
- Rx Rate (Fps)	124	170	298	79.687	40.101	32.454
- Flood Count (Frames)	58	61	60	57	54	56
P-0-0-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.730	5.096	9.091	2.390.230	1.201.884	986.419

- Rx Rate (L1) (Bit/s)	83,55 K	201,12 K	669,1 K	339,09 M	334,6 M	341,96 M
- Rx Rate (Fps)	124	170	303	79.674	40.063	32.881
- Flood Count (Frames)	59	58	60	55	57	55
P-0-0-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.733	5.085	8.858	2.385.926	1.202.949	973.883
- Rx Rate (L1) (Bit/s)	83,62 K	200,69 K	651,95 K	338,48 M	334,9 M	337,61 M
- Rx Rate (Fps)	124	170	295	79.531	40.098	32.463
- Flood Count (Frames)	61	61	58	53	53	58
P-0-0-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.721	5.102	8.846	2.392.005	1.202.705	953.790
- Rx Rate (L1) (Bit/s)	83,35 K	201,36 K	651,07 K	339,35 M	334,83 M	330,65 M
- Rx Rate (Fps)	124	170	295	79.734	40.090	31.793
- Flood Count (Frames)	63	59	60	56	56	57
P-0-2-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.695	5.057	8.600	2.391.990	1.202.085	986.368
- Rx Rate (L1) (Bit/s)	82,77 K	199,58 K	632,96 K	339,34 M	334,66 M	341,94 M
- Rx Rate (Fps)	123	169	287	79.733	40.070	32.879
- Flood Count (Frames)	61	62	60	56	54	54
P-0-2-1						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.689	5.061	8.687	2.315.216	1.202.955	986.426
- Rx Rate (L1) (Bit/s)	82,63 K	199,74 K	639,36 K	328,45 M	334,9 M	341,96 M
- Rx Rate (Fps)	123	169	290	77.174	40.099	32.881
- Flood Count (Frames)	59	59	60	55	59	55
P-0-2-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.653	5.111	8.642	2.391.735	1.201.886	970.760
- Rx Rate (L1) (Bit/s)	81,83 K	201,71 K	636,05 K	339,31 M	334,61 M	336,53 M
- Rx Rate (Fps)	122	170	288	79.725	40.063	32.359
- Flood Count (Frames)	59	61	60	57	53	57
P-0-2-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.672	3.533	6.909	2.369.850	1.201.485	987.042
- Rx Rate (L1) (Bit/s)	82,25 K	139,44 K	508,5 K	336,2 M	334,49 M	342,17 M
- Rx Rate (Fps)	122	118	230	78.995	40.050	32.901
- Flood Count (Frames)	56	61	61	57	56	58
P-0-2-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	2.217	5.111	8.509	2.391.931	1.202.039	986.365
- Rx Rate (L1) (Bit/s)	49,66 K	201,71 K	626,26 K	339,34 M	334,65 M	341,94 M
- Rx Rate (Fps)	74	170	284	79.731	40.068	32.879
- Flood Count (Frames)	57	61	60	58	54	55
P-0-2-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	2.218	4.982	8.231	2.389.240	1.201.799	986.195
- Rx Rate (L1) (Bit/s)	49,68 K	196,62 K	605,8 K	338,95 M	334,58 M	341,88 M
- Rx Rate (Fps)	74	166	274	79.641	40.060	32.873
- Flood Count (Frames)	59	59	64	57	54	57
P-0-4-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308

- Rx (Frames)	3.644	4.804	8.251	2.391.213	1.202.059	986.670
- Rx Rate (L1) (Bit/s)	81,63 K	189,6 K	607,27 K	339,23 M	334,65 M	342,05 M
- Rx Rate (Fps)	121	160	275	79.707	40.069	32.889
- Flood Count (Frames)	59	60	57	54	54	58
P-0-4-1						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.649	4.746	8.282	2.390.843	1.201.642	986.918
- Rx Rate (L1) (Bit/s)	81,74 K	187,31 K	609,56 K	339,18 M	334,54 M	342,13 M
- Rx Rate (Fps)	122	158	276	79.695	40.055	32.897
- Flood Count (Frames)	55	61	59	55	55	58
P-0-4-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.463	4.573	8.297	2.389.981	1.202.094	987.715
- Rx Rate (L1) (Bit/s)	77,57 K	180,48 K	610,66 K	339,06 M	334,66 M	342,41 M
- Rx Rate (Fps)	115	152	277	79.666	40.070	32.924
- Flood Count (Frames)	55	59	57	54	55	53
P-0-4-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.230	4.469	8.185	2.389.451	1.201.894	987.598
- Rx Rate (L1) (Bit/s)	72,35 K	176,38 K	602,42 K	338,98 M	334,61 M	342,37 M
- Rx Rate (Fps)	108	149	273	79.648	40.063	32.920
- Flood Count (Frames)	58	58	61	54	53	57
P-0-4-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.019	4.297	8.056	2.389.777	1.201.851	986.787
- Rx Rate (L1) (Bit/s)	67,63 K	169,59 K	592,92 K	339,03 M	334,6 M	342,09 M
- Rx Rate (Fps)	101	143	269	79.659	40.062	32.893
- Flood Count (Frames)	56	61	58	54	54	56
P-0-4-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	2.769	4.228	7.939	2.388.670	1.202.187	986.340
- Rx Rate (L1) (Bit/s)	62,03 K	166,87 K	584,31 K	338,87 M	334,69 M	341,93 M
- Rx Rate (Fps)	92	141	265	79.622	40.073	32.878
- Flood Count (Frames)	57	58	58	54	54	53

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12,6 G
Tx Rate (Fps)	1.024.049
Rx Rate (Percent)	33,62 %
Rx Rate (L1) (Bit/s)	6,05 G
Rx Rate (Fps)	491,85 K
Loss Rate (Percent)	51,97 %
Loss (Frames)	15.965.942
P-0-0-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	808.274
- Rx Rate (L1) (Bit/s)	331,5 M
- Rx Rate (Fps)	26.942
- Flood Count (Frames)	24
P-0-0-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	819.253
- Rx Rate (L1) (Bit/s)	336 M

- Rx Rate (Fps)	27.308
- Flood Count (Frames)	55
P-0-0-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	821.296
- Rx Rate (L1) (Bit/s)	336,84 M
- Rx Rate (Fps)	27.377
- Flood Count (Frames)	55
P-0-0-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	820.773
- Rx Rate (L1) (Bit/s)	336,63 M
- Rx Rate (Fps)	27.359
- Flood Count (Frames)	54
P-0-0-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	820.563
- Rx Rate (L1) (Bit/s)	336,54 M
- Rx Rate (Fps)	27.352
- Flood Count (Frames)	60
P-0-0-5	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	812.844
- Rx Rate (L1) (Bit/s)	333,37 M
- Rx Rate (Fps)	27.095
- Flood Count (Frames)	55
P-0-2-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	822.244
- Rx Rate (L1) (Bit/s)	337,23 M
- Rx Rate (Fps)	27.408
- Flood Count (Frames)	56
P-0-2-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	820.296
- Rx Rate (L1) (Bit/s)	336,43 M
- Rx Rate (Fps)	27.343
- Flood Count (Frames)	55
P-0-2-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	818.556
- Rx Rate (L1) (Bit/s)	335,72 M
- Rx Rate (Fps)	27.285
- Flood Count (Frames)	54
P-0-2-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	819.918
- Rx Rate (L1) (Bit/s)	336,28 M
- Rx Rate (Fps)	27.331
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	822.105

- Rx Rate (L1) (Bit/s)	337,17 M
- Rx Rate (Fps)	27.404
- Flood Count (Frames)	53
P-0-2-5	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	822.500
- Rx Rate (L1) (Bit/s)	337,33 M
- Rx Rate (Fps)	27.417
- Flood Count (Frames)	53
P-0-4-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	819.454
- Rx Rate (L1) (Bit/s)	336,09 M
- Rx Rate (Fps)	27.315
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	822.526
- Rx Rate (L1) (Bit/s)	337,35 M
- Rx Rate (Fps)	27.418
- Flood Count (Frames)	53
P-0-4-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	823.019
- Rx Rate (L1) (Bit/s)	337,55 M
- Rx Rate (Fps)	27.434
- Flood Count (Frames)	54
P-0-4-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	821.448
- Rx Rate (L1) (Bit/s)	336,9 M
- Rx Rate (Fps)	27.382
- Flood Count (Frames)	54
P-0-4-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	821.644
- Rx Rate (L1) (Bit/s)	336,98 M
- Rx Rate (Fps)	27.388
- Flood Count (Frames)	56
P-0-4-5	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	818.827
- Rx Rate (L1) (Bit/s)	335,83 M
- Rx Rate (Fps)	27.294
- Flood Count (Frames)	51



Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G
Tx Rate (Fps)	21.428.568	12.162.154	6.521.737	3.383.452	1.724.137	1.384.609
Rx Rate (Percent)	0,01 %	0,02 %	0,05 %	37,29 %	38,84 %	37,65 %
Rx Rate (L1) (Bit/s)	1,31 M	2,82 M	9,13 M	6,71 G	6,99 G	6,78 G
Rx Rate (Fps)	1,94 K	2,38 K	4,13 K	1,58 M	837,17 K	651,59 K
Loss Rate (Percent)	99,99 %	99,98 %	99,94 %	53,39 %	51,44 %	52,94 %
Loss (Frames)	642.798.773	364.793.231	195.528.072	54.191.445	26.608.869	21.990.711
P-0-0-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	2.599	3.022	7.157	2.636.844	1.392.635	1.079.309
- Rx Rate (L1) (Bit/s)	58,22 K	119,27 K	526,76 K	374,08 M	387,71 M	374,16 M
- Rx Rate (Fps)	87	101	239	87.895	46.421	35.977
- Flood Count (Frames)	25	30	31	25	22	28
P-0-0-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.415	4.061	7.221	2.637.054	1.392.723	1.087.289
- Rx Rate (L1) (Bit/s)	76,5 K	160,27 K	531,47 K	374,11 M	387,73 M	376,93 M
- Rx Rate (Fps)	114	135	241	87.902	46.424	36.243
- Flood Count (Frames)	61	61	59	54	55	54
P-0-0-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.518	4.170	7.366	2.635.277	1.397.987	1.087.031
- Rx Rate (L1) (Bit/s)	78,8 K	164,58 K	542,14 K	373,86 M	389,2 M	376,84 M
- Rx Rate (Fps)	117	139	246	87.843	46.600	36.234
- Flood Count (Frames)	61	60	61	57	55	56
P-0-0-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.484	4.218	7.261	2.633.819	1.395.444	1.087.517

- Rx Rate (L1) (Bit/s)	78,04 K	166,47 K	534,41 K	373,65 M	388,49 M	377,01 M
- Rx Rate (Fps)	116	141	242	87.794	46.515	36.251
- Flood Count (Frames)	59	61	63	59	57	54
P-0-0-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.496	4.193	7.324	2.634.617	1.397.151	1.085.781
- Rx Rate (L1) (Bit/s)	78,31 K	165,48 K	539,05 K	373,76 M	388,97 M	376,4 M
- Rx Rate (Fps)	117	140	244	87.821	46.572	36.193
- Flood Count (Frames)	60	59	61	56	56	58
P-0-0-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	1.518	4.231	7.251	2.553.802	1.389.564	1.085.946
- Rx Rate (L1) (Bit/s)	34 K	166,98 K	533,67 K	362,3 M	386,85 M	376,46 M
- Rx Rate (Fps)	51	141	242	85.127	46.319	36.198
- Flood Count (Frames)	58	59	61	59	55	56
P-0-2-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.461	4.189	5.925	2.634.738	1.398.077	1.087.688
- Rx Rate (L1) (Bit/s)	77,53 K	165,33 K	436,08 K	373,78 M	389,22 M	377,07 M
- Rx Rate (Fps)	115	140	198	87.825	46.603	36.256
- Flood Count (Frames)	62	59	61	56	56	56
P-0-2-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.507	4.204	7.083	2.635.778	1.397.552	1.086.957
- Rx Rate (L1) (Bit/s)	78,56 K	165,92 K	521,31 K	373,93 M	389,08 M	376,81 M
- Rx Rate (Fps)	117	140	236	87.859	46.585	36.232
- Flood Count (Frames)	59	59	64	56	56	52
P-0-2-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.484	4.192	7.154	2.634.107	1.397.659	1.086.822
- Rx Rate (L1) (Bit/s)	78,04 K	165,44 K	526,53 K	373,69 M	389,11 M	376,76 M
- Rx Rate (Fps)	116	140	238	87.804	46.589	36.227
- Flood Count (Frames)	60	59	61	54	56	54
P-0-2-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.494	4.233	7.047	2.635.300	1.398.114	1.075.481
- Rx Rate (L1) (Bit/s)	78,27 K	167,06 K	518,66 K	373,86 M	389,23 M	372,83 M
- Rx Rate (Fps)	116	141	235	87.843	46.604	35.849
- Flood Count (Frames)	61	57	59	54	56	56
P-0-2-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.512	4.215	6.867	2.581.125	1.376.324	1.087.503
- Rx Rate (L1) (Bit/s)	78,67 K	166,35 K	505,41 K	366,18 M	383,17 M	377 M
- Rx Rate (Fps)	117	141	229	86.038	45.877	36.250
- Flood Count (Frames)	59	59	61	54	56	55
P-0-2-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.460	4.235	6.814	2.635.410	1.397.174	1.086.713
- Rx Rate (L1) (Bit/s)	77,5 K	167,14 K	501,51 K	373,88 M	388,97 M	376,73 M
- Rx Rate (Fps)	115	141	227	87.847	46.572	36.224
- Flood Count (Frames)	60	61	61	53	55	56
P-0-4-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923

- Rx (Frames)	3.464	4.034	6.836	2.636.566	1.397.571	1.087.400
- Rx Rate (L1) (Bit/s)	77,59 K	159,21 K	503,13 K	374,04 M	389,08 M	376,97 M
- Rx Rate (Fps)	115	134	228	87.886	46.586	36.247
- Flood Count (Frames)	57	56	57	58	56	55
P-0-4-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.480	3.919	6.741	2.636.633	1.396.988	1.087.313
- Rx Rate (L1) (Bit/s)	77,95 K	154,67 K	496,14 K	374,05 M	388,92 M	376,94 M
- Rx Rate (Fps)	116	131	225	87.888	46.566	36.244
- Flood Count (Frames)	57	55	58	54	53	57
P-0-4-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.477	3.797	6.604	2.637.198	1.397.483	1.087.599
- Rx Rate (L1) (Bit/s)	77,88 K	149,85 K	486,05 K	374,13 M	389,06 M	377,03 M
- Rx Rate (Fps)	116	127	220	87.907	46.583	36.253
- Flood Count (Frames)	57	58	60	55	54	56
P-0-4-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.207	3.635	6.466	2.638.493	1.397.411	1.087.363
- Rx Rate (L1) (Bit/s)	71,84 K	143,46 K	475,9 K	374,31 M	389,04 M	376,95 M
- Rx Rate (Fps)	107	121	216	87.950	46.580	36.245
- Flood Count (Frames)	57	55	60	54	57	57
P-0-4-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	2.988	3.484	6.469	2.637.687	1.397.896	1.086.585
- Rx Rate (L1) (Bit/s)	66,93 K	137,5 K	476,12 K	374,2 M	389,17 M	376,68 M
- Rx Rate (Fps)	100	116	216	87.923	46.597	36.220
- Flood Count (Frames)	58	58	55	57	55	56
P-0-4-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	2.703	3.345	6.458	2.637.673	1.397.476	1.087.268
- Rx Rate (L1) (Bit/s)	60,55 K	132,02 K	475,31 K	374,2 M	389,06 M	376,92 M
- Rx Rate (Fps)	90	112	215	87.922	46.583	36.242
- Flood Count (Frames)	56	59	57	54	54	56

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14,4 G
Tx Rate (Fps)	1.170.348
Rx Rate (Percent)	35,56 %
Rx Rate (L1) (Bit/s)	6,4 G
Rx Rate (Fps)	520,16 K
Loss Rate (Percent)	55,56 %
Loss (Frames)	19.505.705
P-0-0-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	862.321
- Rx Rate (L1) (Bit/s)	353,67 M
- Rx Rate (Fps)	28.744
- Flood Count (Frames)	22
P-0-0-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	862.758
- Rx Rate (L1) (Bit/s)	353,85 M

- Rx Rate (Fps)	28.759
- Flood Count (Frames)	56
P-0-0-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	858.731
- Rx Rate (L1) (Bit/s)	352,19 M
- Rx Rate (Fps)	28.624
- Flood Count (Frames)	49
P-0-0-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	854.970
- Rx Rate (L1) (Bit/s)	350,65 M
- Rx Rate (Fps)	28.499
- Flood Count (Frames)	48
P-0-0-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	852.553
- Rx Rate (L1) (Bit/s)	349,66 M
- Rx Rate (Fps)	28.418
- Flood Count (Frames)	53
P-0-0-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	870.858
- Rx Rate (L1) (Bit/s)	357,17 M
- Rx Rate (Fps)	29.029
- Flood Count (Frames)	51
P-0-2-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	867.118
- Rx Rate (L1) (Bit/s)	355,63 M
- Rx Rate (Fps)	28.904
- Flood Count (Frames)	51
P-0-2-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	867.999
- Rx Rate (L1) (Bit/s)	356 M
- Rx Rate (Fps)	28.933
- Flood Count (Frames)	45
P-0-2-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	875.419
- Rx Rate (L1) (Bit/s)	359,04 M
- Rx Rate (Fps)	29.181
- Flood Count (Frames)	54
P-0-2-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	870.426
- Rx Rate (L1) (Bit/s)	356,99 M
- Rx Rate (Fps)	29.014
- Flood Count (Frames)	54
P-0-2-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	878.680

- Rx Rate (L1) (Bit/s)	360,38 M
- Rx Rate (Fps)	29.289
- Flood Count (Frames)	51
P-0-2-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	873.866
- Rx Rate (L1) (Bit/s)	358,4 M
- Rx Rate (Fps)	29.129
- Flood Count (Frames)	52
P-0-4-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	867.224
- Rx Rate (L1) (Bit/s)	355,68 M
- Rx Rate (Fps)	28.907
- Flood Count (Frames)	51
P-0-4-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	866.182
- Rx Rate (L1) (Bit/s)	355,25 M
- Rx Rate (Fps)	28.873
- Flood Count (Frames)	51
P-0-4-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	867.626
- Rx Rate (L1) (Bit/s)	355,84 M
- Rx Rate (Fps)	28.921
- Flood Count (Frames)	49
P-0-4-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	873.967
- Rx Rate (L1) (Bit/s)	358,44 M
- Rx Rate (Fps)	29.132
- Flood Count (Frames)	51
P-0-4-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	867.539
- Rx Rate (L1) (Bit/s)	355,81 M
- Rx Rate (Fps)	28.918
- Flood Count (Frames)	54
P-0-4-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	866.498
- Rx Rate (L1) (Bit/s)	355,38 M
- Rx Rate (Fps)	28.883
- Flood Count (Frames)	51



Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.139	13.682.423	7.336.952	3.806.385	1.939.652	1.557.683
Rx Rate (Percent)	0,01 %	0,01 %	0,05 %	23,56 %	22,83 %	43,26 %
Rx Rate (L1) (Bit/s)	921,24 K	2,33 M	8,99 M	4,24 G	4,11 G	7,79 G
Rx Rate (Fps)	1,37 K	1,97 K	4,07 K	996,51 K	492 K	748,67 K
Loss Rate (Percent)	99,99 %	99,99 %	99,94 %	73,82 %	74,63 %	51,94 %
Loss (Frames)	723.173.043	410.413.675	219.986.469	84.296.222	43.429.611	24.270.453
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.450	3.476	7.251	1.786.983	858.400	1.247.776
- Rx Rate (L1) (Bit/s)	54,88 K	137,19 K	533,67 K	253,51 M	238,98 M	432,56 M
- Rx Rate (Fps)	82	116	242	59.566	28.613	41.593
- Flood Count (Frames)	27	26	27	22	20	28
P-0-0-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.871	3.676	7.500	1.786.715	871.969	1.247.090
- Rx Rate (L1) (Bit/s)	64,31 K	145,08 K	552 K	253,48 M	242,76 M	432,32 M
- Rx Rate (Fps)	96	123	250	59.557	29.066	41.570
- Flood Count (Frames)	61	59	59	34	38	57
P-0-0-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.912	3.682	7.504	0	870.967	1.247.643
- Rx Rate (L1) (Bit/s)	65,23 K	145,32 K	552,29 K	0	242,48 M	432,52 M
- Rx Rate (Fps)	97	123	250	0	29.032	41.588
- Flood Count (Frames)	59	61	61	2	35	59
P-0-0-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.906	3.731	7.523	1.763.523	877.161	1.247.943

- Rx Rate (L1) (Bit/s)	65,09 K	147,25 K	553,69 K	250,19 M	244,2 M	432,62 M
- Rx Rate (Fps)	97	124	251	58.784	29.239	41.598
- Flood Count (Frames)	61	59	61	36	34	58
P-0-0-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	0	3.719	7.557	1.711.518	878.146	1.247.950
- Rx Rate (L1) (Bit/s)	0	146,78 K	556,2 K	242,81 M	244,48 M	432,62 M
- Rx Rate (Fps)	0	124	252	57.051	29.272	41.598
- Flood Count (Frames)	2	63	60	36	34	59
P-0-0-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.892	0	7.521	1.695.304	884.131	1.247.565
- Rx Rate (L1) (Bit/s)	64,78 K	0	553,55 K	240,51 M	246,14 M	432,49 M
- Rx Rate (Fps)	96	0	251	56.510	29.471	41.586
- Flood Count (Frames)	60	1	61	38	40	58
P-0-2-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.889	3.686	7.585	1.710.011	885.485	1.247.951
- Rx Rate (L1) (Bit/s)	64,71 K	145,47 K	558,26 K	242,59 M	246,52 M	432,62 M
- Rx Rate (Fps)	96	123	253	57.000	29.516	41.598
- Flood Count (Frames)	58	61	58	32	39	56
P-0-2-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.886	3.695	7.409	1.726.368	876.346	1.248.057
- Rx Rate (L1) (Bit/s)	64,65 K	145,83 K	545,3 K	244,91 M	243,97 M	432,66 M
- Rx Rate (Fps)	96	123	247	57.546	29.212	41.602
- Flood Count (Frames)	61	59	59	37	34	56
P-0-2-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.870	3.723	7.277	1.725.906	870.733	1.248.155
- Rx Rate (L1) (Bit/s)	64,29 K	146,93 K	535,59 K	244,85 M	242,41 M	432,69 M
- Rx Rate (Fps)	96	124	243	57.530	29.024	41.605
- Flood Count (Frames)	62	61	59	37	42	52
P-0-2-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	0	2.429	7.292	1.739.675	871.653	1.247.495
- Rx Rate (L1) (Bit/s)	0	95,86 K	536,69 K	246,8 M	242,67 M	432,46 M
- Rx Rate (Fps)	0	81	243	57.989	29.055	41.583
- Flood Count (Frames)	1	59	59	36	33	58
P-0-2-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	0	3.658	0	1.746.997	0	1.246.346
- Rx Rate (L1) (Bit/s)	0	144,37 K	0	247,84 M	0	432,07 M
- Rx Rate (Fps)	0	122	0	58.233	0	41.545
- Flood Count (Frames)	1	61	1	41	2	54
P-0-2-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.889	3.696	7.101	1.752.341	882.570	1.247.877
- Rx Rate (L1) (Bit/s)	64,71 K	145,87 K	522,63 K	248,6 M	245,71 M	432,6 M
- Rx Rate (Fps)	96	123	237	58.411	29.419	41.596
- Flood Count (Frames)	62	58	61	42	35	56
P-0-4-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538

- Rx (Frames)	2.878	3.710	7.045	1.769.419	849.999	1.248.381
- Rx Rate (L1) (Bit/s)	64,47 K	146,42 K	518,51 K	251,02 M	236,64 M	432,77 M
- Rx Rate (Fps)	96	124	235	58.981	28.333	41.613
- Flood Count (Frames)	60	60	56	35	34	54
P-0-4-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.888	3.522	6.797	1.782.540	844.924	1.248.163
- Rx Rate (L1) (Bit/s)	64,69 K	139 K	500,26 K	252,88 M	235,23 M	432,7 M
- Rx Rate (Fps)	96	117	227	59.418	28.164	41.605
- Flood Count (Frames)	59	56	56	34	35	55
P-0-4-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.860	3.381	6.774	1.796.495	852.861	1.248.465
- Rx Rate (L1) (Bit/s)	64,06 K	133,44 K	498,57 K	254,86 M	237,44 M	432,8 M
- Rx Rate (Fps)	95	113	226	59.883	28.429	41.616
- Flood Count (Frames)	61	57	56	36	45	55
P-0-4-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.608	3.225	6.694	1.804.066	860.069	1.248.206
- Rx Rate (L1) (Bit/s)	58,42 K	127,28 K	492,68 K	255,94 M	239,44 M	432,71 M
- Rx Rate (Fps)	87	108	223	60.136	28.669	41.607
- Flood Count (Frames)	58	59	57	41	41	55
P-0-4-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.295	3.081	6.679	1.796.305	860.372	1.247.792
- Rx Rate (L1) (Bit/s)	51,41 K	121,6 K	491,57 K	254,84 M	239,53 M	432,57 M
- Rx Rate (Fps)	77	103	223	59.877	28.679	41.593
- Flood Count (Frames)	60	59	56	34	38	54
P-0-4-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.033	2.919	6.576	1.801.162	864.175	1.247.176
- Rx Rate (L1) (Bit/s)	45,54 K	115,2 K	483,99 K	255,52 M	240,59 M	432,35 M
- Rx Rate (Fps)	68	97	219	60.039	28.806	41.573
- Flood Count (Frames)	59	56	59	41	34	56

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.636
Rx Rate (Percent)	22,25 %
Rx Rate (L1) (Bit/s)	4,01 G
Rx Rate (Fps)	325,55 K
Loss Rate (Percent)	75,27 %
Loss (Frames)	29.732.731
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	584.500
- Rx Rate (L1) (Bit/s)	239,72 M

- Rx Rate (Fps)	19.483
- Flood Count (Frames)	43
P-0-0-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	570.994
- Rx Rate (L1) (Bit/s)	234,18 M
- Rx Rate (Fps)	19.033
- Flood Count (Frames)	39
P-0-0-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	569.466
- Rx Rate (L1) (Bit/s)	233,56 M
- Rx Rate (Fps)	18.982
- Flood Count (Frames)	36
P-0-0-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	564.277
- Rx Rate (L1) (Bit/s)	231,43 M
- Rx Rate (Fps)	18.809
- Flood Count (Frames)	33
P-0-0-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	562.681
- Rx Rate (L1) (Bit/s)	230,77 M
- Rx Rate (Fps)	18.756
- Flood Count (Frames)	40
P-0-2-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	564.886
- Rx Rate (L1) (Bit/s)	231,68 M
- Rx Rate (Fps)	18.830
- Flood Count (Frames)	41
P-0-2-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	567.201
- Rx Rate (L1) (Bit/s)	232,63 M
- Rx Rate (Fps)	18.907
- Flood Count (Frames)	39
P-0-2-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	582.569
- Rx Rate (L1) (Bit/s)	238,93 M
- Rx Rate (Fps)	19.419
- Flood Count (Frames)	33
P-0-2-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	575.094
- Rx Rate (L1) (Bit/s)	235,87 M
- Rx Rate (Fps)	19.170
- Flood Count (Frames)	32
P-0-2-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	570.912

- Rx Rate (L1) (Bit/s)	234,15 M
- Rx Rate (Fps)	19.030
- Flood Count (Frames)	37
P-0-2-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	575.363
- Rx Rate (L1) (Bit/s)	235,98 M
- Rx Rate (Fps)	19.179
- Flood Count (Frames)	38
P-0-4-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	564.799
- Rx Rate (L1) (Bit/s)	231,64 M
- Rx Rate (Fps)	18.827
- Flood Count (Frames)	38
P-0-4-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	576.212
- Rx Rate (L1) (Bit/s)	236,32 M
- Rx Rate (Fps)	19.207
- Flood Count (Frames)	36
P-0-4-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	576.628
- Rx Rate (L1) (Bit/s)	236,49 M
- Rx Rate (Fps)	19.221
- Flood Count (Frames)	29
P-0-4-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	587.360
- Rx Rate (L1) (Bit/s)	240,9 M
- Rx Rate (Fps)	19.579
- Flood Count (Frames)	36
P-0-4-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	583.602
- Rx Rate (L1) (Bit/s)	239,35 M
- Rx Rate (Fps)	19.453
- Flood Count (Frames)	36
P-0-4-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	589.817
- Rx Rate (L1) (Bit/s)	241,9 M
- Rx Rate (Fps)	19.661
- Flood Count (Frames)	31



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26.785.710	15.202.702	8.152.166	4.229.318	2.155.168	1.730.767
Rx Rate (Percent)	0 %	0,01 %	0,04 %	45,51 %	15,81 %	46,47 %
Rx Rate (L1) (Bit/s)	748,43 K	2,33 M	7,32 M	8,19 G	2,85 G	8,36 G
Rx Rate (Fps)	1,11 K	1,97 K	3,31 K	1,92 M	340,75 K	804,24 K
Loss Rate (Percent)	100 %	99,99 %	99,96 %	54,49 %	84,19 %	53,53 %
Loss (Frames)	803.537.888	456.021.915	244.465.558	69.139.677	54.432.632	27.795.947
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	1.614	3.725	5.996	3.206.822	639.179	1.339.563
- Rx Rate (L1) (Bit/s)	36,15 K	147,01 K	441,31 K	454,94 M	177,95 M	464,38 M
- Rx Rate (Fps)	54	124	200	106.894	21.306	44.652
- Flood Count (Frames)	29	32	27	21	19	28
P-0-0-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.053	3.949	6.127	3.206.131	0	1.340.771
- Rx Rate (L1) (Bit/s)	45,99 K	155,85 K	450,95 K	454,84 M	0	464,8 M
- Rx Rate (Fps)	68	132	204	106.871	0	44.692
- Flood Count (Frames)	59	61	61	55	1	54
P-0-0-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.063	3.939	6.140	3.198.616	0	1.340.175
- Rx Rate (L1) (Bit/s)	46,21 K	155,46 K	451,9 K	453,78 M	0	464,59 M
- Rx Rate (Fps)	69	131	205	106.621	0	44.673
- Flood Count (Frames)	61	61	59	54	1	59
P-0-0-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.046	0	6.131	3.208.600	632.233	1.340.668

- Rx Rate (L1) (Bit/s)	45,83 K	0	451,24 K	455,19 M	176,01 M	464,76 M
- Rx Rate (Fps)	68	0	204	106.953	21.074	44.689
- Flood Count (Frames)	61	1	59	55	26	56
P-0-0-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.050	3.975	0	3.210.513	642.709	1.340.980
- Rx Rate (L1) (Bit/s)	45,92 K	156,88 K	0	455,46 M	178,93 M	464,87 M
- Rx Rate (Fps)	68	133	0	107.017	21.424	44.699
- Flood Count (Frames)	80	59	2	54	31	53
P-0-0-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	6.123	3.210.120	635.581	1.340.879
- Rx Rate (L1) (Bit/s)	0	0	450,65 K	455,41 M	176,95 M	464,84 M
- Rx Rate (Fps)	0	0	204	107.004	21.186	44.696
- Flood Count (Frames)	1	1	59	57	24	56
P-0-2-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.040	3.950	6.069	3.206.706	634.952	1.340.257
- Rx Rate (L1) (Bit/s)	45,7 K	155,89 K	446,68 K	454,92 M	176,77 M	464,62 M
- Rx Rate (Fps)	68	132	202	106.890	21.165	44.675
- Flood Count (Frames)	61	63	61	52	31	55
P-0-2-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.041	3.925	6.089	3.210.558	638.775	1.339.898
- Rx Rate (L1) (Bit/s)	45,72 K	154,91 K	448,15 K	455,47 M	177,83 M	464,5 M
- Rx Rate (Fps)	68	131	203	107.019	21.293	44.663
- Flood Count (Frames)	63	61	59	54	30	57
P-0-2-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.029	3.954	6.029	3.209.008	642.932	1.340.390
- Rx Rate (L1) (Bit/s)	45,45 K	156,05 K	443,73 K	455,25 M	178,99 M	464,67 M
- Rx Rate (Fps)	68	132	201	106.967	21.431	44.680
- Flood Count (Frames)	59	61	58	59	31	56
P-0-2-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.023	2.797	5.877	3.210.007	629.523	1.341.150
- Rx Rate (L1) (Bit/s)	45,32 K	110,39 K	432,55 K	455,39 M	175,26 M	464,93 M
- Rx Rate (Fps)	67	93	196	107.000	20.984	44.705
- Flood Count (Frames)	78	61	61	57	32	54
P-0-2-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.065	3.931	5.832	3.209.338	639.343	1.338.532
- Rx Rate (L1) (Bit/s)	46,26 K	155,14 K	429,24 K	455,3 M	177,99 M	464,02 M
- Rx Rate (Fps)	69	131	194	106.978	21.311	44.618
- Flood Count (Frames)	80	61	77	56	33	57
P-0-2-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.067	3.965	5.785	3.206.308	641.645	1.339.958
- Rx Rate (L1) (Bit/s)	46,3 K	156,49 K	425,78 K	454,87 M	178,63 M	464,52 M
- Rx Rate (Fps)	69	132	193	106.877	21.388	44.665
- Flood Count (Frames)	60	59	59	56	29	57
P-0-4-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154

- Rx (Frames)	2.031	3.967	5.805	3.202.745	635.018	1.340.856
- Rx Rate (L1) (Bit/s)	45,49 K	156,56 K	427,25 K	454,36 M	176,79 M	464,83 M
- Rx Rate (Fps)	68	132	194	106.758	21.167	44.695
- Flood Count (Frames)	63	61	58	52	34	56
P-0-4-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.034	3.798	5.633	3.211.129	636.495	1.340.893
- Rx Rate (L1) (Bit/s)	45,56 K	149,89 K	414,59 K	455,55 M	177,2 M	464,84 M
- Rx Rate (Fps)	68	127	188	107.038	21.217	44.696
- Flood Count (Frames)	58	56	60	54	32	49
P-0-4-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.059	3.598	5.587	3.209.843	644.782	1.341.150
- Rx Rate (L1) (Bit/s)	46,12 K	142 K	411,2 K	455,37 M	179,51 M	464,93 M
- Rx Rate (Fps)	69	120	186	106.995	21.493	44.705
- Flood Count (Frames)	57	54	56	54	29	54
P-0-4-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.062	3.402	5.546	3.205.359	644.066	1.340.187
- Rx Rate (L1) (Bit/s)	46,19 K	134,27 K	408,19 K	454,73 M	179,31 M	464,6 M
- Rx Rate (Fps)	69	113	185	106.845	21.469	44.673
- Flood Count (Frames)	57	58	58	51	29	52
P-0-4-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	1.726	3.219	5.336	3.210.711	639.011	1.340.045
- Rx Rate (L1) (Bit/s)	38,66 K	127,04 K	392,73 K	455,49 M	177,9 M	464,55 M
- Rx Rate (Fps)	58	107	178	107.024	21.300	44.668
- Flood Count (Frames)	59	57	57	53	35	53
P-0-4-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	1.409	3.057	5.329	3.207.343	646.170	1.340.699
- Rx Rate (L1) (Bit/s)	31,56 K	120,65 K	392,21 K	455,02 M	179,89 M	464,78 M
- Rx Rate (Fps)	47	102	178	106.911	21.539	44.690
- Flood Count (Frames)	58	57	57	53	29	56

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1.462.935
Rx Rate (Percent)	11,72 %
Rx Rate (L1) (Bit/s)	2,11 G
Rx Rate (Fps)	171,52 K
Loss Rate (Percent)	88,28 %
Loss (Frames)	38.742.529
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	348.981
- Rx Rate (L1) (Bit/s)	143,13 M
- Rx Rate (Fps)	11.633
- Flood Count (Frames)	16
P-0-0-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	344.785
- Rx Rate (L1) (Bit/s)	141,41 M

- Rx Rate (Fps)	11.493
- Flood Count (Frames)	25
P-0-0-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	343.542
- Rx Rate (L1) (Bit/s)	140,9 M
- Rx Rate (Fps)	11.451
- Flood Count (Frames)	28
P-0-0-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	339.430
- Rx Rate (L1) (Bit/s)	139,21 M
- Rx Rate (Fps)	11.314
- Flood Count (Frames)	29
P-0-0-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	343.211
- Rx Rate (L1) (Bit/s)	140,76 M
- Rx Rate (Fps)	11.440
- Flood Count (Frames)	31
P-0-2-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	343.583
- Rx Rate (L1) (Bit/s)	140,91 M
- Rx Rate (Fps)	11.453
- Flood Count (Frames)	27
P-0-2-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-2-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	342.804
- Rx Rate (L1) (Bit/s)	140,6 M
- Rx Rate (Fps)	11.427
- Flood Count (Frames)	24
P-0-2-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	344.320

- Rx Rate (L1) (Bit/s)	141,22 M
- Rx Rate (Fps)	11.477
- Flood Count (Frames)	31
P-0-2-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	339.114
- Rx Rate (L1) (Bit/s)	139,08 M
- Rx Rate (Fps)	11.304
- Flood Count (Frames)	35
P-0-4-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	337.492
- Rx Rate (L1) (Bit/s)	138,42 M
- Rx Rate (Fps)	11.250
- Flood Count (Frames)	28
P-0-4-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	339.404
- Rx Rate (L1) (Bit/s)	139,2 M
- Rx Rate (Fps)	11.313
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	341.740
- Rx Rate (L1) (Bit/s)	140,16 M
- Rx Rate (Fps)	11.391
- Flood Count (Frames)	30
P-0-4-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	343.446
- Rx Rate (L1) (Bit/s)	140,86 M
- Rx Rate (Fps)	11.448
- Flood Count (Frames)	27
P-0-4-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	348.634
- Rx Rate (L1) (Bit/s)	142,99 M
- Rx Rate (Fps)	11.621
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	345.035
- Rx Rate (L1) (Bit/s)	141,51 M
- Rx Rate (Fps)	11.501
- Flood Count (Frames)	25


Part.Mesh, N->N: Loss by Frame Size at 100,00% Rate
Loss Test Result (Loss Percent)
100,0
80,0
60,0
40,0
20,0
0,0
64
128
256
512
1024
1280
1518
Frame size (bytes)
Loss Percent

Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration: 30 seconds
Iteration: 1

Topology: Blocks
Direction: Bidirectional

Throughput Options

Initial Rate: 1,00%
Maximum Rate: 100,00%
Minimum Rate: 0,01%
Resolution: 0,01%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	FAIL	PASS	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	0,258 %	0,018 %	0,507 %	0,018 %	0,018 %	0,018 %
Tx Rate (L1) (Bit/s)	46,35 M	3,19 M	91,25 M	3,19 M	3,19 M	3,19 M
Tx Rate (Fps)	68.973	2.696	41.325	750	382	307
Rx Rate (Percent)	0,26 %	0,02 %	0,51 %	0,02 %	0,02 %	0,02 %
Rx Rate (L1) (Bit/s)	46,35 M	3,19 M	91,25 M	3,15 M	3,14 M	3,15 M
Rx Rate (Fps)	68,97 K	2,69 K	41,33 K	739,13	376,33	303,33
Loss Rate (Percent)	0 %	0,18 %	0 %	1,41 %	1,47 %	1,05 %
Loss (Frames)	0	142	0	317	168	97
P-0-0-0						
- Tx (Frames)	114.954	4.488	68.867	1.241	629	510
- Tx Rate (L1) (Bit/s)	2,57 M	177,13 K	5,07 M	176,06 K	175,11 K	176,8 K
- Tx Rate (Fps)	3.832	150	2.296	41	21	17
- Rx (Frames)	1.954.235	76.247	1.170.892	20.951	10.671	8.596
- Rx Rate (L1) (Bit/s)	43,77 M	3,01 M	86,18 M	2,97 M	2,97 M	2,98 M
- Rx Rate (Fps)	65.141	2.542	39.030	698	356	287
- Flood Count (Frames)	28	30	29	28	26	30
P-0-0-1						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	256	4.051	73	34	29
- Rx Rate (L1) (Bit/s)	151,47 K	10,1 K	298,15 K	10,36 K	9,47 K	10,05 K
- Rx Rate (Fps)	225	9	135	2	1	1

- Flood Count (Frames)	61	57	59	61	57	59
P-0-0-2						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	59	61	61	61	59	61
P-0-0-3						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	36	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,02 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	59	59	61	63	59	61
P-0-0-4						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	58	59	58	59	59	58
P-0-0-5						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	68	31	26
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	9,65 K	8,63 K	9,01 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	58	61	61	60	59	55
P-0-2-0						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	67	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	9,51 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	57	58	59	58	61	59
P-0-2-1						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	66	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	9,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	58	58	59	57	59	61
P-0-2-2						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	56	57	57	57	60	59
P-0-2-3						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	61	58	59	57	57	58
P-0-2-4						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	29
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,05 K

- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	59	59	59	56	60	59
P-0-2-5						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	61	58	59	60	57	59
P-0-4-0						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	59	58	57	57	59	55
P-0-4-1						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	58	57	56	58	56	54
P-0-4-2						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	56	55	59	58	58	56
P-0-4-3						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	59	55	56	59	59	54
P-0-4-4						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	58	58	57	55	55	56
P-0-4-5						
- Tx (Frames)	114.955	4.493	68.876	1.250	637	511
- Tx Rate (L1) (Bit/s)	2,57 M	177,32 K	5,07 M	177,33 K	177,34 K	177,15 K
- Tx Rate (Fps)	3.832	150	2.296	42	21	17
- Rx (Frames)	6.762	264	4.051	73	37	30
- Rx Rate (L1) (Bit/s)	151,47 K	10,42 K	298,15 K	10,36 K	10,3 K	10,4 K
- Rx Rate (Fps)	225	9	135	2	1	1
- Flood Count (Frames)	57	55	58	58	55	58

Frame Size	**1518**
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	0,018 %
Tx Rate (L1) (Bit/s)	3,19 M
Tx Rate (Fps)	259
Rx Rate (Percent)	0,02 %
Rx Rate (L1) (Bit/s)	3,11 M
Rx Rate (Fps)	252,93
Loss Rate (Percent)	2,33 %
Loss (Frames)	181

P-0-0-0	
- Tx (Frames)	425
- Tx Rate (L1) (Bit/s)	174,31 K
- Tx Rate (Fps)	14
- Rx (Frames)	7.173
- Rx Rate (L1) (Bit/s)	2,94 M
- Rx Rate (Fps)	239
- Flood Count (Frames)	26
P-0-0-1	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	63
P-0-0-2	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	57
P-0-0-3	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	23
- Rx Rate (L1) (Bit/s)	9,43 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	59
P-0-0-4	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	21
- Rx Rate (L1) (Bit/s)	8,61 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	56
P-0-0-5	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	57
P-0-2-0	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	63
P-0-2-1	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	61
P-0-2-2	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	21
- Rx Rate (L1) (Bit/s)	8,61 K
- Rx Rate (Fps)	1

- Flood Count (Frames)	58
P-0-2-3	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	63
P-0-2-4	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	59
P-0-4-0	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	60
P-0-4-1	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	55
P-0-4-3	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	53
P-0-4-4	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K
- Rx Rate (Fps)	1
- Flood Count (Frames)	56
P-0-4-5	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	25
- Rx Rate (L1) (Bit/s)	10,25 K

- Rx Rate (Fps)	1
- Flood Count (Frames)	57

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.270	815.217	422.932	215.517	173.076
Rx Rate (Percent)	5,74 %	5,84 %	5,9 %	5,94 %	5,95 %	5,99 %
Rx Rate (L1) (Bit/s)	1,03 G	1,05 G	1,06 G	1,07 G	1,07 G	1,08 G
Rx Rate (Fps)	1,54 M	887,2 K	481,03 K	251,09 K	128,31 K	103,63 K
Loss Rate (Percent)	42,63 %	41,64 %	40,99 %	40,63 %	40,46 %	40,12 %
Loss (Frames)	34.252.737	18.992.081	10.025.629	5.155.212	2.616.090	2.083.319
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	42.666.950	24.686.997	13.400.535	6.999.024	3.580.716	2.877.493
- Rx Rate (L1) (Bit/s)	955,74 M	974,31 M	986,28 M	992,93 M	996,87 M	997,53 M
- Rx Rate (Fps)	1.422.232	822.900	446.685	233.301	119.357	95.916
- Flood Count (Frames)	20	22	19	28	18	20
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	181.772	113.217	61.138	31.257	16.071	13.119
- Rx Rate (L1) (Bit/s)	4,07 M	4,47 M	4,5 M	4,43 M	4,47 M	4,55 M
- Rx Rate (Fps)	6.059	3.774	2.038	1.042	536	437
- Flood Count (Frames)	56	56	55	60	57	57
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	205.014	115.032	61.950	32.268	16.069	13.694
- Rx Rate (L1) (Bit/s)	4,59 M	4,54 M	4,56 M	4,58 M	4,47 M	4,75 M
- Rx Rate (Fps)	6.834	3.834	2.065	1.076	536	456
- Flood Count (Frames)	57	62	57	58	67	59
P-0-0-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	204.853	112.393	59.805	31.479	15.956	13.604
- Rx Rate (L1) (Bit/s)	4,59 M	4,44 M	4,4 M	4,47 M	4,44 M	4,72 M
- Rx Rate (Fps)	6.828	3.746	1.994	1.049	532	453
- Flood Count (Frames)	59	58	59	61	61	58
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	187.732	114.751	55.732	32.619	15.682	13.585
- Rx Rate (L1) (Bit/s)	4,21 M	4,53 M	4,1 M	4,63 M	4,37 M	4,71 M
- Rx Rate (Fps)	6.258	3.825	1.858	1.087	523	453
- Flood Count (Frames)	59	70	57	59	58	59
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	206.077	116.284	61.299	31.528	14.825	13.570
- Rx Rate (L1) (Bit/s)	4,62 M	4,59 M	4,51 M	4,47 M	4,13 M	4,7 M
- Rx Rate (Fps)	6.869	3.876	2.043	1.051	494	452
- Flood Count (Frames)	56	57	59	64	66	58
P-0-2-0						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	207.311	114.922	61.773	30.697	15.646	13.569
- Rx Rate (L1) (Bit/s)	4,64 M	4,54 M	4,55 M	4,35 M	4,36 M	4,7 M
- Rx Rate (Fps)	6.910	3.831	2.059	1.023	522	452
- Flood Count (Frames)	54	63	56	66	59	56
P-0-2-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	207.205	114.946	62.332	30.252	15.837	13.585
- Rx Rate (L1) (Bit/s)	4,64 M	4,54 M	4,59 M	4,29 M	4,41 M	4,71 M
- Rx Rate (Fps)	6.907	3.832	2.078	1.008	528	453
- Flood Count (Frames)	59	60	58	57	64	59
P-0-2-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	202.957	112.109	60.851	32.020	15.660	13.623
- Rx Rate (L1) (Bit/s)	4,55 M	4,42 M	4,48 M	4,54 M	4,36 M	4,72 M
- Rx Rate (Fps)	6.765	3.737	2.028	1.067	522	454
- Flood Count (Frames)	57	57	57	63	58	69
P-0-2-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	205.488	114.901	61.165	30.329	15.786	13.577
- Rx Rate (L1) (Bit/s)	4,6 M	4,53 M	4,5 M	4,3 M	4,39 M	4,71 M
- Rx Rate (Fps)	6.850	3.830	2.039	1.011	526	453
- Flood Count (Frames)	55	60	66	59	67	56
P-0-2-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	196.202	113.534	57.838	32.879	16.648	13.724
- Rx Rate (L1) (Bit/s)	4,39 M	4,48 M	4,26 M	4,66 M	4,63 M	4,76 M
- Rx Rate (Fps)	6.540	3.784	1.928	1.096	555	457
- Flood Count (Frames)	56	55	54	58	57	63
P-0-2-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461

- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	202.292	102.202	61.457	30.171	14.661	13.647
- Rx Rate (L1) (Bit/s)	4,53 M	4,03 M	4,52 M	4,28 M	4,08 M	4,73 M
- Rx Rate (Fps)	6.743	3.407	2.049	1.006	489	455
- Flood Count (Frames)	59	58	58	63	61	60
P-0-4-0						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	204.144	114.663	61.362	31.325	16.131	13.698
- Rx Rate (L1) (Bit/s)	4,57 M	4,53 M	4,52 M	4,44 M	4,49 M	4,75 M
- Rx Rate (Fps)	6.805	3.822	2.045	1.044	538	457
- Flood Count (Frames)	54	56	56	56	59	57
P-0-4-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	204.236	115.087	60.913	30.656	15.465	13.635
- Rx Rate (L1) (Bit/s)	4,57 M	4,54 M	4,48 M	4,35 M	4,31 M	4,73 M
- Rx Rate (Fps)	6.808	3.836	2.030	1.022	516	455
- Flood Count (Frames)	58	56	56	55	57	56
P-0-4-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	202.992	116.366	61.228	31.892	15.884	14.043
- Rx Rate (L1) (Bit/s)	4,55 M	4,59 M	4,51 M	4,52 M	4,42 M	4,87 M
- Rx Rate (Fps)	6.766	3.879	2.041	1.063	529	468
- Flood Count (Frames)	55	53	55	56	56	57
P-0-4-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	206.280	113.006	60.221	31.798	16.362	13.653
- Rx Rate (L1) (Bit/s)	4,62 M	4,46 M	4,43 M	4,51 M	4,56 M	4,73 M
- Rx Rate (Fps)	6.876	3.767	2.007	1.060	545	455
- Flood Count (Frames)	56	57	55	56	57	54
P-0-4-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	207.832	111.577	60.161	30.845	15.991	13.566
- Rx Rate (L1) (Bit/s)	4,66 M	4,4 M	4,43 M	4,38 M	4,45 M	4,7 M
- Rx Rate (Fps)	6.928	3.719	2.005	1.028	533	452
- Flood Count (Frames)	56	58	54	53	56	56
P-0-4-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	205.056	114.025	61.117	31.699	16.028	13.589
- Rx Rate (L1) (Bit/s)	4,59 M	4,5 M	4,5 M	4,5 M	4,46 M	4,71 M
- Rx Rate (Fps)	6.835	3.801	2.037	1.057	534	453
- Flood Count (Frames)	59	55	55	56	55	56

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.294
Rx Rate (Percent)	5,71 %
Rx Rate (L1) (Bit/s)	1,03 G
Rx Rate (Fps)	83,58 K
Loss Rate (Percent)	42,87 %
Loss (Frames)	1.881.335
P-0-0-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127

- Rx (Frames)	2.356.039
- Rx Rate (L1) (Bit/s)	966,29 M
- Rx Rate (Fps)	78.535
- Flood Count (Frames)	19
P-0-0-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.902
- Rx Rate (L1) (Bit/s)	3,65 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	41
P-0-0-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.896
- Rx Rate (L1) (Bit/s)	3,65 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	41
P-0-0-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.871
- Rx Rate (L1) (Bit/s)	3,64 M
- Rx Rate (Fps)	296
- Flood Count (Frames)	44
P-0-0-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.938
- Rx Rate (L1) (Bit/s)	3,67 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	46
P-0-0-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.915
- Rx Rate (L1) (Bit/s)	3,66 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	38
P-0-2-0	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.940
- Rx Rate (L1) (Bit/s)	3,67 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	45
P-0-2-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.847
- Rx Rate (L1) (Bit/s)	3,63 M
- Rx Rate (Fps)	295
- Flood Count (Frames)	44
P-0-2-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.936
- Rx Rate (L1) (Bit/s)	3,66 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	45
P-0-2-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8.127
- Rx (Frames)	8.942
- Rx Rate (L1) (Bit/s)	3,67 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	43
P-0-2-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.933
- Rx Rate (L1) (Bit/s)	3,66 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	39
P-0-2-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.950
- Rx Rate (L1) (Bit/s)	3,67 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	37
P-0-4-0	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.896
- Rx Rate (L1) (Bit/s)	3,65 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	43
P-0-4-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.896
- Rx Rate (L1) (Bit/s)	3,65 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	34
P-0-4-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.865
- Rx Rate (L1) (Bit/s)	3,64 M
- Rx Rate (Fps)	296
- Flood Count (Frames)	41
P-0-4-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.878
- Rx Rate (L1) (Bit/s)	3,64 M
- Rx Rate (Fps)	296
- Flood Count (Frames)	43
P-0-4-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.926
- Rx Rate (L1) (Bit/s)	3,66 M
- Rx Rate (Fps)	298
- Flood Count (Frames)	36
P-0-4-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	8.900
- Rx Rate (L1) (Bit/s)	3,65 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	37



Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.143	3.040.540	1.630.434	845.864	431.034	346.153
Rx Rate (Percent)	0,02 %	6,09 %	6,16 %	6,2 %	6,23 %	6,15 %
Rx Rate (L1) (Bit/s)	2,87 M	1,1 G	1,11 G	1,12 G	1,12 G	1,11 G
Rx Rate (Fps)	4,27 K	925,99 K	501,94 K	262,06 K	134,17 K	106,39 K
Loss Rate (Percent)	99,92 %	69,55 %	69,21 %	69,02 %	68,87 %	69,27 %
Loss (Frames)	160.586.110	63.436.581	33.854.817	17.514.144	8.905.821	7.193.013
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	117.650	24.698.051	13.410.853	7.003.963	3.582.665	2.851.333
- Rx Rate (L1) (Bit/s)	2,64 M	974,75 M	987,04 M	993,63 M	997,41 M	988,46 M
- Rx Rate (Fps)	3.922	823.268	447.028	233.465	119.422	95.044
- Flood Count (Frames)	32	16	13	12	11	15
P-0-0-1						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	735	172.671	98.141	50.469	27.061	20.026
- Rx Rate (L1) (Bit/s)	16,46 K	6,81 M	7,22 M	7,16 M	7,53 M	6,94 M
- Rx Rate (Fps)	25	5.756	3.271	1.682	902	668
- Flood Count (Frames)	61	55	55	57	60	55
P-0-0-2						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	176.043	100.051	47.567	26.910	20.064
- Rx Rate (L1) (Bit/s)	0	6,95 M	7,36 M	6,75 M	7,49 M	6,96 M
- Rx Rate (Fps)	0	5.868	3.335	1.586	897	669
- Flood Count (Frames)	58	56	55	54	54	56
P-0-0-3						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	719	182.296	86.313	49.769	26.878	20.181

- Rx Rate (L1) (Bit/s)	16,11 K	7,19 M	6,35 M	7,06 M	7,48 M	7 M
- Rx Rate (Fps)	24	6.077	2.877	1.659	896	673
- Flood Count (Frames)	56	56	55	56	58	55
P-0-0-4						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	745	183.489	100.158	51.000	25.624	18.545
- Rx Rate (L1) (Bit/s)	16,69 K	7,24 M	7,37 M	7,24 M	7,13 M	6,43 M
- Rx Rate (Fps)	25	6.116	3.339	1.700	854	618
- Flood Count (Frames)	59	56	55	59	58	54
P-0-0-5						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	736	183.523	98.050	51.258	25.140	19.259
- Rx Rate (L1) (Bit/s)	16,49 K	7,24 M	7,22 M	7,27 M	7 M	6,68 M
- Rx Rate (Fps)	25	6.117	3.268	1.709	838	642
- Flood Count (Frames)	58	57	55	56	58	53
P-0-2-0						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	182.325	98.887	51.402	25.766	20.072
- Rx Rate (L1) (Bit/s)	0	7,2 M	7,28 M	7,29 M	7,17 M	6,96 M
- Rx Rate (Fps)	0	6.078	3.296	1.713	859	669
- Flood Count (Frames)	59	54	57	58	55	55
P-0-2-1						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	729	181.735	94.760	50.541	25.338	20.016
- Rx Rate (L1) (Bit/s)	16,33 K	7,17 M	6,97 M	7,17 M	7,05 M	6,94 M
- Rx Rate (Fps)	24	6.058	3.159	1.685	845	667
- Flood Count (Frames)	61	56	56	57	55	56
P-0-2-2						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	696	182.870	97.523	50.410	26.396	20.289
- Rx Rate (L1) (Bit/s)	15,59 K	7,22 M	7,18 M	7,15 M	7,35 M	7,03 M
- Rx Rate (Fps)	23	6.096	3.251	1.680	880	676
- Flood Count (Frames)	59	59	56	56	54	61
P-0-2-3						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	693	182.291	100.975	51.035	26.564	20.107
- Rx Rate (L1) (Bit/s)	15,52 K	7,19 M	7,43 M	7,24 M	7,4 M	6,97 M
- Rx Rate (Fps)	23	6.076	3.366	1.701	885	670
- Flood Count (Frames)	59	56	56	56	59	57
P-0-2-4						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	681	181.757	97.342	50.813	25.263	20.230
- Rx Rate (L1) (Bit/s)	15,25 K	7,17 M	7,16 M	7,21 M	7,03 M	7,01 M
- Rx Rate (Fps)	23	6.059	3.245	1.694	842	674
- Flood Count (Frames)	57	56	52	56	55	51
P-0-2-5						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	684	181.906	87.701	49.481	26.309	20.089
- Rx Rate (L1) (Bit/s)	15,32 K	7,18 M	6,45 M	7,02 M	7,32 M	6,96 M
- Rx Rate (Fps)	23	6.064	2.923	1.649	877	670
- Flood Count (Frames)	57	54	57	56	58	57
P-0-4-0						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231

- Rx (Frames)	697	180.448	96.408	50.992	26.704	19.968
- Rx Rate (L1) (Bit/s)	15,61 K	7,12 M	7,1 M	7,23 M	7,43 M	6,92 M
- Rx Rate (Fps)	23	6.015	3.214	1.700	890	666
- Flood Count (Frames)	57	56	53	54	57	55
P-0-4-1						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	702	181.333	99.954	51.073	25.880	20.409
- Rx Rate (L1) (Bit/s)	15,72 K	7,16 M	7,36 M	7,25 M	7,2 M	7,08 M
- Rx Rate (Fps)	23	6.044	3.332	1.702	863	680
- Flood Count (Frames)	62	56	51	52	56	57
P-0-4-2						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	673	181.499	96.524	50.269	25.194	20.329
- Rx Rate (L1) (Bit/s)	15,08 K	7,16 M	7,1 M	7,13 M	7,01 M	7,05 M
- Rx Rate (Fps)	22	6.050	3.217	1.676	840	678
- Flood Count (Frames)	58	55	52	53	56	55
P-0-4-3						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	661	182.538	100.751	50.882	26.511	20.261
- Rx Rate (L1) (Bit/s)	14,81 K	7,2 M	7,42 M	7,22 M	7,38 M	7,02 M
- Rx Rate (Fps)	22	6.085	3.358	1.696	884	675
- Flood Count (Frames)	58	56	53	55	57	53
P-0-4-4						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	690	182.531	96.854	50.797	25.639	20.248
- Rx Rate (L1) (Bit/s)	15,46 K	7,2 M	7,13 M	7,21 M	7,14 M	7,02 M
- Rx Rate (Fps)	23	6.084	3.228	1.693	855	675
- Flood Count (Frames)	57	57	56	55	54	56
P-0-4-5						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	676	182.316	96.967	50.052	25.353	20.164
- Rx Rate (L1) (Bit/s)	15,14 K	7,2 M	7,14 M	7,1 M	7,06 M	6,99 M
- Rx Rate (Fps)	23	6.077	3.232	1.668	845	672
- Flood Count (Frames)	55	54	55	55	56	53

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.588
Rx Rate (Percent)	5,78 %
Rx Rate (L1) (Bit/s)	1,04 G
Rx Rate (Fps)	84,57 K
Loss Rate (Percent)	71,1 %
Loss (Frames)	6.240.584
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	2.391.348
- Rx Rate (L1) (Bit/s)	980,77 M
- Rx Rate (Fps)	79.712
- Flood Count (Frames)	15
P-0-0-1	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.179
- Rx Rate (L1) (Bit/s)	3,35 M

- Rx Rate (Fps)	273
- Flood Count (Frames)	34
P-0-0-2	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.571
- Rx Rate (L1) (Bit/s)	3,52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	32
P-0-0-3	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.604
- Rx Rate (L1) (Bit/s)	3,53 M
- Rx Rate (Fps)	287
- Flood Count (Frames)	30
P-0-0-4	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.590
- Rx Rate (L1) (Bit/s)	3,52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	30
P-0-0-5	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.082
- Rx Rate (L1) (Bit/s)	3,31 M
- Rx Rate (Fps)	269
- Flood Count (Frames)	30
P-0-2-0	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.646
- Rx Rate (L1) (Bit/s)	3,55 M
- Rx Rate (Fps)	288
- Flood Count (Frames)	30
P-0-2-1	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.716
- Rx Rate (L1) (Bit/s)	3,57 M
- Rx Rate (Fps)	291
- Flood Count (Frames)	35
P-0-2-2	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	7.520
- Rx Rate (L1) (Bit/s)	3,08 M
- Rx Rate (Fps)	251
- Flood Count (Frames)	22
P-0-2-3	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.815
- Rx Rate (L1) (Bit/s)	3,62 M
- Rx Rate (Fps)	294
- Flood Count (Frames)	31
P-0-2-4	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.729

- Rx Rate (L1) (Bit/s)	3,58 M
- Rx Rate (Fps)	291
- Flood Count (Frames)	31
P-0-2-5	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.750
- Rx Rate (L1) (Bit/s)	3,59 M
- Rx Rate (Fps)	292
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.758
- Rx Rate (L1) (Bit/s)	3,59 M
- Rx Rate (Fps)	292
- Flood Count (Frames)	29
P-0-4-1	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.783
- Rx Rate (L1) (Bit/s)	3,6 M
- Rx Rate (Fps)	293
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.783
- Rx Rate (L1) (Bit/s)	3,6 M
- Rx Rate (Fps)	293
- Flood Count (Frames)	24
P-0-4-3	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.738
- Rx Rate (L1) (Bit/s)	3,58 M
- Rx Rate (Fps)	291
- Flood Count (Frames)	32
P-0-4-4	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.744
- Rx Rate (L1) (Bit/s)	3,59 M
- Rx Rate (Fps)	291
- Flood Count (Frames)	33
P-0-4-5	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	8.687
- Rx Rate (L1) (Bit/s)	3,56 M
- Rx Rate (Fps)	290
- Flood Count (Frames)	27



Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.714	4.560.810	2.445.651	1.268.796	646.551	519.230
Rx Rate (Percent)	0 %	6,24 %	6,39 %	6,47 %	6,46 %	6,44 %
Rx Rate (L1) (Bit/s)	870,96 K	1,12 G	1,15 G	1,16 G	1,16 G	1,16 G
Rx Rate (Fps)	1,3 K	948,32 K	521,06 K	273,66 K	139,15 K	111,54 K
Loss Rate (Percent)	99,98 %	79,21 %	78,69 %	78,43 %	78,48 %	78,52 %
Loss (Frames)	241.032.542	108.374.665	57.737.814	29.853.995	15.221.927	12.230.800
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	38.880	24.703.272	13.413.512	7.005.896	3.583.010	2.879.195
- Rx Rate (L1) (Bit/s)	870,91 K	974,96 M	987,23 M	993,9 M	997,51 M	998,12 M
- Rx Rate (Fps)	1.296	823.442	447.117	233.530	119.434	95.973
- Flood Count (Frames)	27	15	14	14	18	15
P-0-0-1						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	222.678	130.421	71.271	35.174	27.295
- Rx Rate (L1) (Bit/s)	0	8,79 M	9,6 M	10,11 M	9,79 M	9,46 M
- Rx Rate (Fps)	0	7.423	4.347	2.376	1.172	910
- Flood Count (Frames)	62	47	55	57	56	54
P-0-0-2						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	222.736	130.329	68.026	33.550	27.198
- Rx Rate (L1) (Bit/s)	0	8,79 M	9,59 M	9,65 M	9,34 M	9,43 M
- Rx Rate (Fps)	0	7.425	4.344	2.268	1.118	907
- Flood Count (Frames)	59	54	55	55	52	54
P-0-0-3						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	223.698	131.020	70.232	34.700	27.579

- Rx Rate (L1) (Bit/s)	0	8,83 M	9,64 M	9,96 M	9,66 M	9,56 M
- Rx Rate (Fps)	0	7.457	4.367	2.341	1.157	919
- Flood Count (Frames)	61	46	55	59	55	55
P-0-0-4						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1	220.588	131.635	71.311	34.637	27.350
- Rx Rate (L1) (Bit/s)	22,4	8,71 M	9,69 M	10,12 M	9,64 M	9,48 M
- Rx Rate (Fps)	0	7.353	4.388	2.377	1.155	912
- Flood Count (Frames)	59	45	54	55	57	54
P-0-0-5						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	215.622	131.035	70.740	34.810	27.278
- Rx Rate (L1) (Bit/s)	0	8,51 M	9,64 M	10,04 M	9,69 M	9,46 M
- Rx Rate (Fps)	0	7.187	4.368	2.358	1.160	909
- Flood Count (Frames)	59	44	56	54	56	52
P-0-2-0						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	218.347	130.099	70.326	35.269	27.501
- Rx Rate (L1) (Bit/s)	0	8,62 M	9,58 M	9,98 M	9,82 M	9,53 M
- Rx Rate (Fps)	0	7.278	4.337	2.344	1.176	917
- Flood Count (Frames)	59	46	55	57	55	55
P-0-2-1						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	217.486	130.969	71.386	35.354	27.530
- Rx Rate (L1) (Bit/s)	0	8,58 M	9,64 M	10,13 M	9,84 M	9,54 M
- Rx Rate (Fps)	0	7.250	4.366	2.380	1.178	918
- Flood Count (Frames)	59	56	57	58	59	55
P-0-2-2						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	223.494	130.325	70.303	34.805	27.415
- Rx Rate (L1) (Bit/s)	0	8,82 M	9,59 M	9,97 M	9,69 M	9,5 M
- Rx Rate (Fps)	0	7.450	4.344	2.343	1.160	914
- Flood Count (Frames)	61	47	53	56	57	55
P-0-2-3						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	211.464	129.356	71.319	34.517	27.594
- Rx Rate (L1) (Bit/s)	0	8,35 M	9,52 M	10,12 M	9,61 M	9,57 M
- Rx Rate (Fps)	0	7.049	4.312	2.377	1.151	920
- Flood Count (Frames)	59	45	54	57	54	52
P-0-2-4						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	225.028	130.298	72.261	35.280	27.760
- Rx Rate (L1) (Bit/s)	0	8,88 M	9,59 M	10,25 M	9,82 M	9,62 M
- Rx Rate (Fps)	0	7.501	4.343	2.409	1.176	925
- Flood Count (Frames)	61	47	55	57	57	59
P-0-2-5						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	221.333	130.297	71.298	33.911	27.507
- Rx Rate (L1) (Bit/s)	0	8,74 M	9,59 M	10,11 M	9,44 M	9,54 M
- Rx Rate (Fps)	0	7.378	4.343	2.377	1.130	917
- Flood Count (Frames)	58	49	55	57	55	57
P-0-4-0						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846

- Rx (Frames)	0	222.436	130.848	70.414	35.280	27.443
- Rx Rate (L1) (Bit/s)	0	8,78 M	9,63 M	9,99 M	9,82 M	9,51 M
- Rx Rate (Fps)	0	7.415	4.362	2.347	1.176	915
- Flood Count (Frames)	56	46	54	55	56	54
P-0-4-1						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	222.319	130.746	71.372	34.792	27.565
- Rx Rate (L1) (Bit/s)	0	8,77 M	9,62 M	10,13 M	9,69 M	9,56 M
- Rx Rate (Fps)	0	7.411	4.358	2.379	1.160	919
- Flood Count (Frames)	55	53	54	53	54	54
P-0-4-2						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	220.545	130.731	70.828	34.326	27.445
- Rx Rate (L1) (Bit/s)	0	8,7 M	9,62 M	10,05 M	9,56 M	9,51 M
- Rx Rate (Fps)	0	7.352	4.358	2.361	1.144	915
- Flood Count (Frames)	55	50	54	53	56	54
P-0-4-3						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	216.986	130.081	71.209	35.086	27.431
- Rx Rate (L1) (Bit/s)	0	8,56 M	9,57 M	10,1 M	9,77 M	9,51 M
- Rx Rate (Fps)	0	7.233	4.336	2.374	1.170	914
- Flood Count (Frames)	56	47	51	54	57	56
P-0-4-4						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	0	223.491	129.049	71.495	34.642	27.447
- Rx Rate (L1) (Bit/s)	0	8,82 M	9,5 M	10,14 M	9,64 M	9,51 M
- Rx Rate (Fps)	0	7.450	4.302	2.383	1.155	915
- Flood Count (Frames)	55	48	55	52	56	57
P-0-4-5						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1	218.125	130.970	70.202	35.471	27.563
- Rx Rate (L1) (Bit/s)	22,4	8,61 M	9,64 M	9,96 M	9,88 M	9,56 M
- Rx Rate (Fps)	0	7.271	4.366	2.340	1.182	919
- Flood Count (Frames)	53	50	54	53	56	56

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.881
Rx Rate (Percent)	5,83 %
Rx Rate (L1) (Bit/s)	1,05 G
Rx Rate (Fps)	85,31 K
Loss Rate (Percent)	80,56 %
Loss (Frames)	10.607.172
P-0-0-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	2.421.958
- Rx Rate (L1) (Bit/s)	993,33 M
- Rx Rate (Fps)	80.732
- Flood Count (Frames)	10
P-0-0-1	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.175
- Rx Rate (L1) (Bit/s)	3,35 M

- Rx Rate (Fps)	273
- Flood Count (Frames)	24
P-0-0-2	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.195
- Rx Rate (L1) (Bit/s)	3,36 M
- Rx Rate (Fps)	273
- Flood Count (Frames)	29
P-0-0-3	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.021
- Rx Rate (L1) (Bit/s)	3,29 M
- Rx Rate (Fps)	267
- Flood Count (Frames)	30
P-0-0-4	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.166
- Rx Rate (L1) (Bit/s)	3,35 M
- Rx Rate (Fps)	272
- Flood Count (Frames)	26
P-0-0-5	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.002
- Rx Rate (L1) (Bit/s)	3,28 M
- Rx Rate (Fps)	267
- Flood Count (Frames)	32
P-0-2-0	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.207
- Rx Rate (L1) (Bit/s)	3,37 M
- Rx Rate (Fps)	274
- Flood Count (Frames)	25
P-0-2-1	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.116
- Rx Rate (L1) (Bit/s)	3,33 M
- Rx Rate (Fps)	271
- Flood Count (Frames)	29
P-0-2-2	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	6.904
- Rx Rate (L1) (Bit/s)	2,83 M
- Rx Rate (Fps)	230
- Flood Count (Frames)	29
P-0-2-3	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.096
- Rx Rate (L1) (Bit/s)	3,32 M
- Rx Rate (Fps)	270
- Flood Count (Frames)	33
P-0-2-4	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.110

- Rx Rate (L1) (Bit/s)	3,33 M
- Rx Rate (Fps)	270
- Flood Count (Frames)	25
P-0-2-5	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.169
- Rx Rate (L1) (Bit/s)	3,35 M
- Rx Rate (Fps)	272
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.187
- Rx Rate (L1) (Bit/s)	3,36 M
- Rx Rate (Fps)	273
- Flood Count (Frames)	27
P-0-4-1	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.108
- Rx Rate (L1) (Bit/s)	3,33 M
- Rx Rate (Fps)	270
- Flood Count (Frames)	30
P-0-4-2	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.171
- Rx Rate (L1) (Bit/s)	3,35 M
- Rx Rate (Fps)	272
- Flood Count (Frames)	24
P-0-4-3	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.248
- Rx Rate (L1) (Bit/s)	3,38 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.237
- Rx Rate (L1) (Bit/s)	3,38 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	8.190
- Rx Rate (L1) (Bit/s)	3,36 M
- Rx Rate (Fps)	273
- Flood Count (Frames)	24



Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.285	6.081.081	3.260.869	1.691.728	862.068	692.307
Rx Rate (Percent)	0,01 %	0,02 %	6,48 %	6,27 %	6,7 %	6,38 %
Rx Rate (L1) (Bit/s)	1,91 M	2,98 M	1,17 G	1,13 G	1,21 G	1,15 G
Rx Rate (Fps)	2,85 K	2,52 K	528,45 K	265,35 K	144,3 K	110,38 K
Loss Rate (Percent)	99,97 %	99,96 %	83,79 %	84,31 %	83,26 %	84,06 %
Loss (Frames)	321.343.121	182.356.943	81.972.615	42.791.245	21.533.056	17.457.770
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	74.061	67.804	13.415.069	6.468.386	3.583.466	2.711.095
- Rx Rate (L1) (Bit/s)	1,66 M	2,68 M	987,35 M	917,65 M	997,64 M	939,85 M
- Rx Rate (Fps)	2.469	2.260	447.169	215.613	119.449	90.370
- Flood Count (Frames)	28	31	17	8	12	10
P-0-0-1						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	960	574	146.347	87.768	44.650	34.982
- Rx Rate (L1) (Bit/s)	21,5 K	22,65 K	10,77 M	12,45 M	12,43 M	12,13 M
- Rx Rate (Fps)	32	19	4.878	2.926	1.488	1.166
- Flood Count (Frames)	59	57	54	57	59	58
P-0-0-2						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	531	146.434	87.678	43.886	35.416
- Rx Rate (L1) (Bit/s)	0	20,96 K	10,78 M	12,44 M	12,22 M	12,28 M
- Rx Rate (Fps)	0	18	4.881	2.923	1.463	1.181
- Flood Count (Frames)	60	58	49	58	57	56
P-0-0-3						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	966	524	142.371	87.838	42.274	35.460

- Rx Rate (L1) (Bit/s)	21,64 K	20,68 K	10,48 M	12,46 M	11,77 M	12,29 M
- Rx Rate (Fps)	32	17	4.746	2.928	1.409	1.182
- Flood Count (Frames)	60	59	51	55	53	56
P-0-0-4						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.002	0	145.202	88.079	43.717	35.632
- Rx Rate (L1) (Bit/s)	22,44 K	0	10,69 M	12,5 M	12,17 M	12,35 M
- Rx Rate (Fps)	33	0	4.840	2.936	1.457	1.188
- Flood Count (Frames)	60	59	49	56	56	53
P-0-0-5						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.013	532	145.363	87.875	43.647	35.364
- Rx Rate (L1) (Bit/s)	22,69 K	21 K	10,7 M	12,47 M	12,15 M	12,26 M
- Rx Rate (Fps)	34	18	4.845	2.929	1.455	1.179
- Flood Count (Frames)	61	59	51	58	55	56
P-0-2-0						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	483	144.804	87.420	43.987	35.415
- Rx Rate (L1) (Bit/s)	0	19,06 K	10,66 M	12,4 M	12,25 M	12,28 M
- Rx Rate (Fps)	0	16	4.827	2.914	1.466	1.181
- Flood Count (Frames)	55	60	48	59	54	55
P-0-2-1						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	145.993	87.491	44.500	33.537
- Rx Rate (L1) (Bit/s)	0	0	10,75 M	12,41 M	12,39 M	11,63 M
- Rx Rate (Fps)	0	0	4.866	2.916	1.483	1.118
- Flood Count (Frames)	56	61	48	59	53	55
P-0-2-2						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	497	146.209	87.873	44.229	35.386
- Rx Rate (L1) (Bit/s)	0	19,61 K	10,76 M	12,47 M	12,31 M	12,27 M
- Rx Rate (Fps)	0	17	4.874	2.929	1.474	1.180
- Flood Count (Frames)	57	59	51	57	61	55
P-0-2-3						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	961	508	137.399	87.797	42.422	35.412
- Rx Rate (L1) (Bit/s)	21,53 K	20,05 K	10,11 M	12,46 M	11,81 M	12,28 M
- Rx Rate (Fps)	32	17	4.580	2.927	1.414	1.180
- Flood Count (Frames)	57	59	44	58	54	55
P-0-2-4						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	490	127.162	87.638	43.984	35.504
- Rx Rate (L1) (Bit/s)	0	19,34 K	9,36 M	12,43 M	12,25 M	12,31 M
- Rx Rate (Fps)	0	16	4.239	2.921	1.466	1.183
- Flood Count (Frames)	56	58	47	57	56	56
P-0-2-5						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	926	504	137.639	87.310	43.864	35.458
- Rx Rate (L1) (Bit/s)	20,74 K	19,89 K	10,13 M	12,39 M	12,21 M	12,29 M
- Rx Rate (Fps)	31	17	4.588	2.910	1.462	1.182
- Flood Count (Frames)	58	59	48	56	57	54
P-0-4-0						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462

- Rx (Frames)	919	522	146.716	88.057	43.985	35.617
- Rx Rate (L1) (Bit/s)	20,59 K	20,6 K	10,8 M	12,49 M	12,25 M	12,35 M
- Rx Rate (Fps)	31	17	4.891	2.935	1.466	1.187
- Flood Count (Frames)	57	57	50	55	53	57
P-0-4-1						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	931	527	146.092	88.091	44.169	35.510
- Rx Rate (L1) (Bit/s)	20,85 K	20,8 K	10,75 M	12,5 M	12,3 M	12,31 M
- Rx Rate (Fps)	31	18	4.870	2.936	1.472	1.184
- Flood Count (Frames)	55	60	41	53	54	57
P-0-4-2						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	931	518	146.150	88.011	44.398	35.354
- Rx Rate (L1) (Bit/s)	20,85 K	20,44 K	10,76 M	12,49 M	12,36 M	12,26 M
- Rx Rate (Fps)	31	17	4.872	2.934	1.480	1.178
- Flood Count (Frames)	56	60	53	53	53	54
P-0-4-3						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	929	505	144.980	87.718	44.315	35.444
- Rx Rate (L1) (Bit/s)	20,81 K	19,93 K	10,67 M	12,44 M	12,34 M	12,29 M
- Rx Rate (Fps)	31	17	4.833	2.924	1.477	1.181
- Flood Count (Frames)	55	58	50	52	52	55
P-0-4-4						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	940	474	144.444	87.618	43.796	35.344
- Rx Rate (L1) (Bit/s)	21,06 K	18,71 K	10,63 M	12,43 M	12,19 M	12,25 M
- Rx Rate (Fps)	31	16	4.815	2.921	1.460	1.178
- Flood Count (Frames)	56	59	46	57	55	53
P-0-4-5						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	894	487	145.086	87.958	43.704	35.523
- Rx Rate (L1) (Bit/s)	20,03 K	19,22 K	10,68 M	12,48 M	12,17 M	12,31 M
- Rx Rate (Fps)	30	16	4.836	2.932	1.457	1.184
- Flood Count (Frames)	59	58	47	54	55	57

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.175
Rx Rate (Percent)	5,91 %
Rx Rate (L1) (Bit/s)	1,06 G
Rx Rate (Fps)	86,39 K
Loss Rate (Percent)	85,24 %
Loss (Frames)	14.963.407
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	2.412.928
- Rx Rate (L1) (Bit/s)	989,62 M
- Rx Rate (Fps)	80.431
- Flood Count (Frames)	13
P-0-0-1	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.501
- Rx Rate (L1) (Bit/s)	4,31 M

- Rx Rate (Fps)	350
- Flood Count (Frames)	29
P-0-0-2	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.615
- Rx Rate (L1) (Bit/s)	4,35 M
- Rx Rate (Fps)	354
- Flood Count (Frames)	28
P-0-0-3	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	9.799
- Rx Rate (L1) (Bit/s)	4,02 M
- Rx Rate (Fps)	327
- Flood Count (Frames)	25
P-0-0-4	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.542
- Rx Rate (L1) (Bit/s)	4,32 M
- Rx Rate (Fps)	351
- Flood Count (Frames)	30
P-0-0-5	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.592
- Rx Rate (L1) (Bit/s)	4,34 M
- Rx Rate (Fps)	353
- Flood Count (Frames)	25
P-0-2-0	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.636
- Rx Rate (L1) (Bit/s)	4,36 M
- Rx Rate (Fps)	355
- Flood Count (Frames)	23
P-0-2-1	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.683
- Rx Rate (L1) (Bit/s)	4,38 M
- Rx Rate (Fps)	356
- Flood Count (Frames)	26
P-0-2-2	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.592
- Rx Rate (L1) (Bit/s)	4,34 M
- Rx Rate (Fps)	353
- Flood Count (Frames)	23
P-0-2-3	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.509
- Rx Rate (L1) (Bit/s)	4,31 M
- Rx Rate (Fps)	350
- Flood Count (Frames)	24
P-0-2-4	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.352

- Rx Rate (L1) (Bit/s)	4,25 M
- Rx Rate (Fps)	345
- Flood Count (Frames)	26
P-0-2-5	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.452
- Rx Rate (L1) (Bit/s)	4,29 M
- Rx Rate (Fps)	348
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.608
- Rx Rate (L1) (Bit/s)	4,35 M
- Rx Rate (Fps)	354
- Flood Count (Frames)	26
P-0-4-1	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.498
- Rx Rate (L1) (Bit/s)	4,31 M
- Rx Rate (Fps)	350
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.621
- Rx Rate (L1) (Bit/s)	4,36 M
- Rx Rate (Fps)	354
- Flood Count (Frames)	21
P-0-4-3	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.575
- Rx Rate (L1) (Bit/s)	4,34 M
- Rx Rate (Fps)	353
- Flood Count (Frames)	26
P-0-4-4	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.576
- Rx Rate (L1) (Bit/s)	4,34 M
- Rx Rate (Fps)	353
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	10.768
- Rx Rate (L1) (Bit/s)	4,42 M
- Rx Rate (Fps)	359
- Flood Count (Frames)	29



Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.857	7.601.351	4.076.087	2.114.661	1.077.586	865.384
Rx Rate (Percent)	0,01 %	0,01 %	6,53 %	6,83 %	6,85 %	6,93 %
Rx Rate (L1) (Bit/s)	1,72 M	2,53 M	1,18 G	1,23 G	1,23 G	1,25 G
Rx Rate (Fps)	2,55 K	2,13 K	532,61 K	288,68 K	147,7 K	119,88 K
Loss Rate (Percent)	99,98 %	99,97 %	86,93 %	86,35 %	86,29 %	86,15 %
Loss (Frames)	401.709.125	227.976.480	106.304.306	54.779.525	27.896.590	22.365.098
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	64.607	55.588	13.416.658	6.932.897	3.583.872	2.880.139
- Rx Rate (L1) (Bit/s)	1,45 M	2,19 M	987,47 M	983,55 M	997,75 M	998,45 M
- Rx Rate (Fps)	2.154	1.853	447.222	231.097	119.462	96.005
- Flood Count (Frames)	23	28	13	11	8	11
P-0-0-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.307	580	152.539	101.940	50.623	42.173
- Rx Rate (L1) (Bit/s)	29,28 K	22,89 K	11,23 M	14,46 M	14,09 M	14,62 M
- Rx Rate (Fps)	44	19	5.085	3.398	1.687	1.406
- Flood Count (Frames)	58	58	37	46	58	52
P-0-0-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.225	0	151.060	101.808	47.638	42.105
- Rx Rate (L1) (Bit/s)	27,44 K	0	11,12 M	14,44 M	13,26 M	14,6 M
- Rx Rate (Fps)	41	0	5.035	3.394	1.588	1.404
- Flood Count (Frames)	58	59	43	52	50	55
P-0-0-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	955	552	150.229	96.176	49.484	42.023

- Rx Rate (L1) (Bit/s)	21,39 K	21,79 K	11,06 M	13,64 M	13,78 M	14,57 M
- Rx Rate (Fps)	32	18	5.008	3.206	1.649	1.401
- Flood Count (Frames)	59	59	38	52	52	53
P-0-0-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	590	150.137	101.824	50.522	42.186
- Rx Rate (L1) (Bit/s)	0	23,29 K	11,05 M	14,45 M	14,07 M	14,62 M
- Rx Rate (Fps)	0	20	5.005	3.394	1.684	1.406
- Flood Count (Frames)	59	59	48	51	51	52
P-0-0-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	571	152.231	99.140	49.310	42.320
- Rx Rate (L1) (Bit/s)	0	22,54 K	11,2 M	14,06 M	13,73 M	14,67 M
- Rx Rate (Fps)	0	19	5.074	3.305	1.644	1.411
- Flood Count (Frames)	57	58	50	48	52	51
P-0-2-0						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	545	140.706	102.565	49.936	42.012
- Rx Rate (L1) (Bit/s)	0	21,51 K	10,36 M	14,55 M	13,9 M	14,56 M
- Rx Rate (Fps)	0	18	4.690	3.419	1.665	1.400
- Flood Count (Frames)	59	59	44	49	53	55
P-0-2-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	598	150.099	102.170	49.172	41.637
- Rx Rate (L1) (Bit/s)	0	23,6 K	11,05 M	14,49 M	13,69 M	14,43 M
- Rx Rate (Fps)	0	20	5.003	3.406	1.639	1.388
- Flood Count (Frames)	58	59	45	47	50	52
P-0-2-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	594	150.804	102.225	50.395	42.056
- Rx Rate (L1) (Bit/s)	0	23,44 K	11,1 M	14,5 M	14,03 M	14,58 M
- Rx Rate (Fps)	0	20	5.027	3.408	1.680	1.402
- Flood Count (Frames)	58	61	42	46	55	54
P-0-2-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	963	0	151.921	102.078	49.936	42.220
- Rx Rate (L1) (Bit/s)	21,57 K	0	11,18 M	14,48 M	13,9 M	14,64 M
- Rx Rate (Fps)	32	0	5.064	3.403	1.665	1.407
- Flood Count (Frames)	59	58	40	47	55	50
P-0-2-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	923	555	151.923	102.140	49.753	42.111
- Rx Rate (L1) (Bit/s)	20,68 K	21,9 K	11,18 M	14,49 M	13,85 M	14,6 M
- Rx Rate (Fps)	31	19	5.064	3.405	1.658	1.404
- Flood Count (Frames)	61	57	42	52	54	49
P-0-2-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	943	545	152.016	101.948	50.018	42.135
- Rx Rate (L1) (Bit/s)	21,12 K	21,51 K	11,19 M	14,46 M	13,93 M	14,61 M
- Rx Rate (Fps)	31	18	5.067	3.398	1.667	1.405
- Flood Count (Frames)	61	59	41	45	52	56
P-0-4-0						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077

- Rx (Frames)	913	544	151.348	102.280	50.440	42.149
- Rx Rate (L1) (Bit/s)	20,45 K	21,47 K	11,14 M	14,51 M	14,04 M	14,61 M
- Rx Rate (Fps)	30	18	5.045	3.409	1.681	1.405
- Flood Count (Frames)	59	56	40	53	54	53
P-0-4-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	938	546	151.148	102.111	49.897	42.189
- Rx Rate (L1) (Bit/s)	21,01 K	21,55 K	11,12 M	14,49 M	13,89 M	14,63 M
- Rx Rate (Fps)	31	18	5.038	3.404	1.663	1.406
- Flood Count (Frames)	58	57	38	50	52	56
P-0-4-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	973	545	153.200	102.391	49.964	42.262
- Rx Rate (L1) (Bit/s)	21,8 K	21,51 K	11,28 M	14,53 M	13,91 M	14,65 M
- Rx Rate (Fps)	32	18	5.107	3.413	1.665	1.409
- Flood Count (Frames)	59	59	39	50	48	52
P-0-4-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	946	548	151.582	101.876	50.076	42.171
- Rx Rate (L1) (Bit/s)	21,19 K	21,63 K	11,16 M	14,45 M	13,94 M	14,62 M
- Rx Rate (Fps)	32	18	5.053	3.396	1.669	1.406
- Flood Count (Frames)	59	55	40	48	50	50
P-0-4-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	965	565	149.627	102.652	50.133	42.075
- Rx Rate (L1) (Bit/s)	21,62 K	22,3 K	11,01 M	14,56 M	13,96 M	14,59 M
- Rx Rate (Fps)	32	19	4.988	3.422	1.671	1.403
- Flood Count (Frames)	58	53	42	50	51	56
P-0-4-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	918	570	151.064	102.089	49.815	42.455
- Rx Rate (L1) (Bit/s)	20,56 K	22,5 K	11,12 M	14,48 M	13,87 M	14,72 M
- Rx Rate (Fps)	31	19	5.035	3.403	1.661	1.415
- Flood Count (Frames)	57	57	47	50	50	53

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.469
Rx Rate (Percent)	5,99 %
Rx Rate (L1) (Bit/s)	1,08 G
Rx Rate (Fps)	87,58 K
Loss Rate (Percent)	88,03 %
Loss (Frames)	19.316.510
P-0-0-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.431.462
- Rx Rate (L1) (Bit/s)	997,22 M
- Rx Rate (Fps)	81.049
- Flood Count (Frames)	12
P-0-0-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.680
- Rx Rate (L1) (Bit/s)	4,79 M

- Rx Rate (Fps)	389
- Flood Count (Frames)	28
P-0-0-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.691
- Rx Rate (L1) (Bit/s)	4,79 M
- Rx Rate (Fps)	390
- Flood Count (Frames)	23
P-0-0-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	10.208
- Rx Rate (L1) (Bit/s)	4,19 M
- Rx Rate (Fps)	340
- Flood Count (Frames)	24
P-0-0-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.686
- Rx Rate (L1) (Bit/s)	4,79 M
- Rx Rate (Fps)	390
- Flood Count (Frames)	22
P-0-0-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.705
- Rx Rate (L1) (Bit/s)	4,8 M
- Rx Rate (Fps)	390
- Flood Count (Frames)	23
P-0-2-0	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.747
- Rx Rate (L1) (Bit/s)	4,82 M
- Rx Rate (Fps)	392
- Flood Count (Frames)	29
P-0-2-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.654
- Rx Rate (L1) (Bit/s)	4,78 M
- Rx Rate (Fps)	388
- Flood Count (Frames)	25
P-0-2-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	9.841
- Rx Rate (L1) (Bit/s)	4,04 M
- Rx Rate (Fps)	328
- Flood Count (Frames)	23
P-0-2-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.646
- Rx Rate (L1) (Bit/s)	4,78 M
- Rx Rate (Fps)	388
- Flood Count (Frames)	26
P-0-2-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.735

- Rx Rate (L1) (Bit/s)	4,81 M
- Rx Rate (Fps)	391
- Flood Count (Frames)	26
P-0-2-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.726
- Rx Rate (L1) (Bit/s)	4,81 M
- Rx Rate (Fps)	391
- Flood Count (Frames)	23
P-0-4-0	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.679
- Rx Rate (L1) (Bit/s)	4,79 M
- Rx Rate (Fps)	389
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.792
- Rx Rate (L1) (Bit/s)	4,84 M
- Rx Rate (Fps)	393
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.781
- Rx Rate (L1) (Bit/s)	4,83 M
- Rx Rate (Fps)	393
- Flood Count (Frames)	23
P-0-4-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.780
- Rx Rate (L1) (Bit/s)	4,83 M
- Rx Rate (Fps)	393
- Flood Count (Frames)	23
P-0-4-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.837
- Rx Rate (L1) (Bit/s)	4,85 M
- Rx Rate (Fps)	395
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	11.899
- Rx Rate (L1) (Bit/s)	4,88 M
- Rx Rate (Fps)	397
- Flood Count (Frames)	25



Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G
Tx Rate (Fps)	16.071.428	9.121.621	4.891.303	2.537.593	1.293.103	1.038.461
Rx Rate (Percent)	0,01 %	0,01 %	0,71 %	7,03 %	6,6 %	6,94 %
Rx Rate (L1) (Bit/s)	1,1 M	2,09 M	128,02 M	1,26 G	1,19 G	1,25 G
Rx Rate (Fps)	1,63 K	1,77 K	57,98 K	297,13 K	142,23 K	120,05 K
Loss Rate (Percent)	99,99 %	99,98 %	98,81 %	88,29 %	89 %	88,44 %
Loss (Frames)	482.093.936	273.595.624	144.999.711	67.213.759	34.526.140	27.552.300
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	37.938	42.707	1.642.242	7.007.810	3.583.896	2.811.478
- Rx Rate (L1) (Bit/s)	849,81 K	1,69 M	120,87 M	994,17 M	997,76 M	974,65 M
- Rx Rate (Fps)	1.265	1.424	54.741	233.594	119.463	93.716
- Flood Count (Frames)	25	32	33	13	9	7
P-0-0-1						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	911	739	5.824	113.077	40.443	46.434
- Rx Rate (L1) (Bit/s)	20,41 K	29,17 K	428,65 K	16,04 M	11,26 M	16,1 M
- Rx Rate (Fps)	30	25	194	3.769	1.348	1.548
- Flood Count (Frames)	59	58	57	42	35	46
P-0-0-2						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	867	0	5.721	112.589	40.434	46.437
- Rx Rate (L1) (Bit/s)	19,42 K	0	421,07 K	15,97 M	11,26 M	16,1 M
- Rx Rate (Fps)	29	0	191	3.753	1.348	1.548
- Flood Count (Frames)	61	58	87	32	29	43
P-0-0-3						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	718	5.759	112.959	40.232	46.687

- Rx Rate (L1) (Bit/s)	0	28,34 K	423,86 K	16,03 M	11,2 M	16,18 M
- Rx Rate (Fps)	0	24	192	3.765	1.341	1.556
- Flood Count (Frames)	57	58	57	44	40	44
P-0-0-4						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	819	648	6.319	113.174	39.521	46.638
- Rx Rate (L1) (Bit/s)	18,35 K	25,57 K	465,08 K	16,06 M	11 M	16,17 M
- Rx Rate (Fps)	27	22	211	3.772	1.317	1.555
- Flood Count (Frames)	59	56	56	48	39	47
P-0-0-5						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	791	603	5.715	112.144	39.693	46.592
- Rx Rate (L1) (Bit/s)	17,72 K	23,8 K	420,62 K	15,91 M	11,05 M	16,15 M
- Rx Rate (Fps)	26	20	191	3.738	1.323	1.553
- Flood Count (Frames)	57	57	58	37	43	51
P-0-2-0						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	760	636	6.050	111.252	40.480	46.430
- Rx Rate (L1) (Bit/s)	17,02 K	25,1 K	445,28 K	15,78 M	11,27 M	16,1 M
- Rx Rate (Fps)	25	21	202	3.708	1.349	1.548
- Flood Count (Frames)	58	59	56	39	39	50
P-0-2-1						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	756	681	6.239	112.427	39.695	46.551
- Rx Rate (L1) (Bit/s)	16,93 K	26,88 K	459,19 K	15,95 M	11,05 M	16,14 M
- Rx Rate (Fps)	25	23	208	3.748	1.323	1.552
- Flood Count (Frames)	57	59	57	37	39	53
P-0-2-2						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	756	676	6.109	112.850	40.542	46.537
- Rx Rate (L1) (Bit/s)	16,93 K	26,68 K	449,62 K	16,01 M	11,29 M	16,13 M
- Rx Rate (Fps)	25	23	204	3.762	1.351	1.551
- Flood Count (Frames)	58	58	59	43	37	47
P-0-2-3						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	660	6.215	112.800	40.523	46.371
- Rx Rate (L1) (Bit/s)	0	26,05 K	457,42 K	16 M	11,28 M	16,08 M
- Rx Rate (Fps)	0	22	207	3.760	1.351	1.546
- Flood Count (Frames)	57	59	60	39	39	48
P-0-2-4						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	627	6.775	104.290	40.062	44.671
- Rx Rate (L1) (Bit/s)	0	24,75 K	498,64 K	14,8 M	11,15 M	15,49 M
- Rx Rate (Fps)	0	21	226	3.476	1.335	1.489
- Flood Count (Frames)	58	58	57	37	41	49
P-0-2-5						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	770	608	0	112.745	39.771	46.626
- Rx Rate (L1) (Bit/s)	17,25 K	24 K	0	15,99 M	11,07 M	16,16 M
- Rx Rate (Fps)	26	20	0	3.758	1.326	1.554
- Flood Count (Frames)	59	59	58	35	40	54
P-0-4-0						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692

- Rx (Frames)	754	610	6.198	111.803	40.037	46.537
- Rx Rate (L1) (Bit/s)	16,89 K	24,07 K	456,17 K	15,86 M	11,15 M	16,13 M
- Rx Rate (Fps)	25	20	207	3.727	1.335	1.551
- Flood Count (Frames)	55	56	60	38	41	42
P-0-4-1						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	737	597	6.100	112.680	40.287	46.944
- Rx Rate (L1) (Bit/s)	16,51 K	23,56 K	448,96 K	15,99 M	11,22 M	16,27 M
- Rx Rate (Fps)	25	20	203	3.756	1.343	1.565
- Flood Count (Frames)	57	56	58	37	42	45
P-0-4-2						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	773	610	5.743	112.854	40.476	46.685
- Rx Rate (L1) (Bit/s)	17,32 K	24,07 K	422,68 K	16,01 M	11,27 M	16,18 M
- Rx Rate (Fps)	26	20	191	3.762	1.349	1.556
- Flood Count (Frames)	55	55	57	43	30	40
P-0-4-3						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	757	627	6.517	112.694	40.145	46.495
- Rx Rate (L1) (Bit/s)	16,96 K	24,75 K	479,65 K	15,99 M	11,18 M	16,12 M
- Rx Rate (Fps)	25	21	217	3.756	1.338	1.550
- Flood Count (Frames)	58	58	58	45	35	45
P-0-4-4						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	763	609	5.989	113.467	40.459	46.780
- Rx Rate (L1) (Bit/s)	17,09 K	24,04 K	440,79 K	16,1 M	11,26 M	16,22 M
- Rx Rate (Fps)	25	20	200	3.782	1.349	1.559
- Flood Count (Frames)	54	57	61	36	38	45
P-0-4-5						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	760	646	5.878	112.428	40.246	46.633
- Rx Rate (L1) (Bit/s)	17,02 K	25,5 K	432,62 K	15,95 M	11,2 M	16,17 M
- Rx Rate (Fps)	25	22	196	3.748	1.342	1.554
- Flood Count (Frames)	57	59	56	46	35	46

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10,8 G
Tx Rate (Fps)	877.763
Rx Rate (Percent)	6,04 %
Rx Rate (L1) (Bit/s)	1,09 G
Rx Rate (Fps)	88,35 K
Loss Rate (Percent)	89,93 %
Loss (Frames)	23.682.375
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	2.423.054
- Rx Rate (L1) (Bit/s)	993,78 M
- Rx Rate (Fps)	80.768
- Flood Count (Frames)	8
P-0-0-1	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	12.700
- Rx Rate (L1) (Bit/s)	5,21 M

- Rx Rate (Fps)	423
- Flood Count (Frames)	24
P-0-0-2	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.356
- Rx Rate (L1) (Bit/s)	5,48 M
- Rx Rate (Fps)	445
- Flood Count (Frames)	25
P-0-0-3	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.455
- Rx Rate (L1) (Bit/s)	5,52 M
- Rx Rate (Fps)	449
- Flood Count (Frames)	23
P-0-0-4	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.282
- Rx Rate (L1) (Bit/s)	5,45 M
- Rx Rate (Fps)	443
- Flood Count (Frames)	22
P-0-0-5	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.428
- Rx Rate (L1) (Bit/s)	5,51 M
- Rx Rate (Fps)	448
- Flood Count (Frames)	25
P-0-2-0	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.478
- Rx Rate (L1) (Bit/s)	5,53 M
- Rx Rate (Fps)	449
- Flood Count (Frames)	27
P-0-2-1	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.320
- Rx Rate (L1) (Bit/s)	5,46 M
- Rx Rate (Fps)	444
- Flood Count (Frames)	27
P-0-2-2	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.446
- Rx Rate (L1) (Bit/s)	5,51 M
- Rx Rate (Fps)	448
- Flood Count (Frames)	25
P-0-2-3	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.177
- Rx Rate (L1) (Bit/s)	5,4 M
- Rx Rate (Fps)	439
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.448

- Rx Rate (L1) (Bit/s)	5,52 M
- Rx Rate (Fps)	448
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.536
- Rx Rate (L1) (Bit/s)	5,55 M
- Rx Rate (Fps)	451
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.493
- Rx Rate (L1) (Bit/s)	5,53 M
- Rx Rate (Fps)	450
- Flood Count (Frames)	31
P-0-4-1	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.487
- Rx Rate (L1) (Bit/s)	5,53 M
- Rx Rate (Fps)	450
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.515
- Rx Rate (L1) (Bit/s)	5,54 M
- Rx Rate (Fps)	451
- Flood Count (Frames)	22
P-0-4-3	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.441
- Rx Rate (L1) (Bit/s)	5,51 M
- Rx Rate (Fps)	448
- Flood Count (Frames)	20
P-0-4-4	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.434
- Rx Rate (L1) (Bit/s)	5,51 M
- Rx Rate (Fps)	448
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	13.456
- Rx Rate (L1) (Bit/s)	5,52 M
- Rx Rate (Fps)	449
- Flood Count (Frames)	28



Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G
Tx Rate (Fps)	18.750.000	10.641.891	5.706.521	2.960.526	1.508.620	1.211.538
Rx Rate (Percent)	0,01 %	0,01 %	0,02 %	7,06 %	7,04 %	7,19 %
Rx Rate (L1) (Bit/s)	928,01 K	1,97 M	3,55 M	1,27 G	1,27 G	1,29 G
Rx Rate (Fps)	1,38 K	1,67 K	1,61 K	298,8 K	151,77 K	124,46 K
Loss Rate (Percent)	99,99 %	99,98 %	99,97 %	89,91 %	89,94 %	89,73 %
Loss (Frames)	562.458.566	319.206.770	171.147.420	79.851.898	40.705.622	32.612.374
P-0-0-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	30.230	41.793	42.512	7.008.255	3.584.288	2.880.475
- Rx Rate (L1) (Bit/s)	677,15 K	1,65 M	3,13 M	994,24 M	997,87 M	998,56 M
- Rx Rate (Fps)	1.008	1.393	1.417	233.609	119.476	96.016
- Flood Count (Frames)	33	28	26	11	11	12
P-0-0-1						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	725	333	114.449	57.632	50.410
- Rx Rate (L1) (Bit/s)	0	28,61 K	24,51 K	16,24 M	16,04 M	17,48 M
- Rx Rate (Fps)	0	24	11	3.815	1.921	1.680
- Flood Count (Frames)	59	57	57	37	46	44
P-0-0-2						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	983	693	377	114.628	52.375	50.209
- Rx Rate (L1) (Bit/s)	22,02 K	27,35 K	27,75 K	16,26 M	14,58 M	17,41 M
- Rx Rate (Fps)	33	23	13	3.821	1.746	1.674
- Flood Count (Frames)	61	58	61	44	41	39
P-0-0-3						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	941	0	403	115.809	57.287	50.266

- Rx Rate (L1) (Bit/s)	21,08 K	0	29,66 K	16,43 M	15,95 M	17,43 M
- Rx Rate (Fps)	31	0	13	3.860	1.910	1.676
- Flood Count (Frames)	60	55	59	35	37	41
P-0-0-4						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	866	525	374	115.985	55.247	50.387
- Rx Rate (L1) (Bit/s)	19,4 K	20,72 K	27,53 K	16,45 M	15,38 M	17,47 M
- Rx Rate (Fps)	29	18	12	3.866	1.842	1.680
- Flood Count (Frames)	61	61	61	34	35	37
P-0-0-5						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	845	505	350	115.803	57.136	50.293
- Rx Rate (L1) (Bit/s)	18,93 K	19,93 K	25,76 K	16,43 M	15,91 M	17,43 M
- Rx Rate (Fps)	28	17	12	3.860	1.905	1.676
- Flood Count (Frames)	58	59	59	39	35	42
P-0-2-0						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	337	114.299	57.403	49.731
- Rx Rate (L1) (Bit/s)	0	0	24,8 K	16,22 M	15,98 M	17,24 M
- Rx Rate (Fps)	0	0	11	3.810	1.913	1.658
- Flood Count (Frames)	61	57	61	38	31	43
P-0-2-1						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	849	528	328	115.523	57.435	50.404
- Rx Rate (L1) (Bit/s)	19,02 K	20,84 K	24,14 K	16,39 M	15,99 M	17,47 M
- Rx Rate (Fps)	28	18	11	3.851	1.915	1.680
- Flood Count (Frames)	58	58	59	40	40	36
P-0-2-2						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	835	520	404	115.762	57.151	50.234
- Rx Rate (L1) (Bit/s)	18,7 K	20,52 K	29,73 K	16,42 M	15,91 M	17,41 M
- Rx Rate (Fps)	28	17	13	3.859	1.905	1.674
- Flood Count (Frames)	58	56	57	46	41	42
P-0-2-3						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	507	0	113.764	57.494	50.403
- Rx Rate (L1) (Bit/s)	0	20,01 K	0	16,14 M	16,01 M	17,47 M
- Rx Rate (Fps)	0	17	0	3.792	1.916	1.680
- Flood Count (Frames)	56	56	58	41	42	43
P-0-2-4						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	513	395	115.620	57.233	50.305
- Rx Rate (L1) (Bit/s)	0	20,25 K	29,07 K	16,4 M	15,93 M	17,44 M
- Rx Rate (Fps)	0	17	13	3.854	1.908	1.677
- Flood Count (Frames)	58	59	59	49	39	41
P-0-2-5						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	841	513	310	115.393	56.010	48.397
- Rx Rate (L1) (Bit/s)	18,84 K	20,25 K	22,82 K	16,37 M	15,59 M	16,78 M
- Rx Rate (Fps)	28	17	10	3.846	1.867	1.613
- Flood Count (Frames)	64	59	57	36	41	44
P-0-4-0						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308

- Rx (Frames)	826	533	340	115.795	57.706	50.181
- Rx Rate (L1) (Bit/s)	18,5 K	21,04 K	25,02 K	16,43 M	16,07 M	17,4 M
- Rx Rate (Fps)	28	18	11	3.860	1.924	1.673
- Flood Count (Frames)	56	56	58	37	37	39
P-0-4-1						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	847	507	350	115.256	57.617	50.336
- Rx Rate (L1) (Bit/s)	18,97 K	20,01 K	25,76 K	16,35 M	16,04 M	17,45 M
- Rx Rate (Fps)	28	17	12	3.842	1.921	1.678
- Flood Count (Frames)	54	58	56	43	47	40
P-0-4-2						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	847	526	324	114.203	57.737	50.378
- Rx Rate (L1) (Bit/s)	18,97 K	20,76 K	23,85 K	16,2 M	16,07 M	17,46 M
- Rx Rate (Fps)	28	18	11	3.807	1.925	1.679
- Flood Count (Frames)	56	58	60	34	35	41
P-0-4-3						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	837	529	389	114.190	57.891	50.439
- Rx Rate (L1) (Bit/s)	18,75 K	20,88 K	28,63 K	16,2 M	16,12 M	17,49 M
- Rx Rate (Fps)	28	18	13	3.806	1.930	1.681
- Flood Count (Frames)	56	57	58	37	43	42
P-0-4-4						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	849	540	289	114.421	57.627	50.349
- Rx Rate (L1) (Bit/s)	19,02 K	21,31 K	21,27 K	16,23 M	16,04 M	17,45 M
- Rx Rate (Fps)	28	18	10	3.814	1.921	1.678
- Flood Count (Frames)	58	58	59	38	40	42
P-0-4-5						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	833	509	392	114.716	57.699	50.565
- Rx Rate (L1) (Bit/s)	18,66 K	20,09 K	28,85 K	16,27 M	16,06 M	17,53 M
- Rx Rate (Fps)	28	17	13	3.824	1.923	1.686
- Flood Count (Frames)	55	55	60	41	39	38

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12,6 G
Tx Rate (Fps)	1.024.057
Rx Rate (Percent)	6,05 %
Rx Rate (L1) (Bit/s)	1,09 G
Rx Rate (Fps)	88,45 K
Loss Rate (Percent)	91,36 %
Loss (Frames)	28.068.234
P-0-0-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	2.424.428
- Rx Rate (L1) (Bit/s)	994,34 M
- Rx Rate (Fps)	80.814
- Flood Count (Frames)	13
P-0-0-1	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.518
- Rx Rate (L1) (Bit/s)	5,54 M

- Rx Rate (Fps)	451
- Flood Count (Frames)	24
P-0-0-2	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.578
- Rx Rate (L1) (Bit/s)	5,57 M
- Rx Rate (Fps)	453
- Flood Count (Frames)	28
P-0-0-3	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.559
- Rx Rate (L1) (Bit/s)	5,56 M
- Rx Rate (Fps)	452
- Flood Count (Frames)	24
P-0-0-4	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.693
- Rx Rate (L1) (Bit/s)	5,62 M
- Rx Rate (Fps)	456
- Flood Count (Frames)	25
P-0-0-5	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.567
- Rx Rate (L1) (Bit/s)	5,56 M
- Rx Rate (Fps)	452
- Flood Count (Frames)	31
P-0-2-0	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.231
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (Fps)	441
- Flood Count (Frames)	27
P-0-2-1	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	12.148
- Rx Rate (L1) (Bit/s)	4,98 M
- Rx Rate (Fps)	405
- Flood Count (Frames)	23
P-0-2-2	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.543
- Rx Rate (L1) (Bit/s)	5,55 M
- Rx Rate (Fps)	451
- Flood Count (Frames)	26
P-0-2-3	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.481
- Rx Rate (L1) (Bit/s)	5,53 M
- Rx Rate (Fps)	449
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.626

- Rx Rate (L1) (Bit/s)	5,59 M
- Rx Rate (Fps)	454
- Flood Count (Frames)	33
P-0-2-5	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.381
- Rx Rate (L1) (Bit/s)	5,49 M
- Rx Rate (Fps)	446
- Flood Count (Frames)	23
P-0-4-0	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.639
- Rx Rate (L1) (Bit/s)	5,59 M
- Rx Rate (Fps)	455
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.546
- Rx Rate (L1) (Bit/s)	5,56 M
- Rx Rate (Fps)	452
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.526
- Rx Rate (L1) (Bit/s)	5,55 M
- Rx Rate (Fps)	451
- Flood Count (Frames)	30
P-0-4-3	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.743
- Rx Rate (L1) (Bit/s)	5,64 M
- Rx Rate (Fps)	458
- Flood Count (Frames)	21
P-0-4-4	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.805
- Rx Rate (L1) (Bit/s)	5,66 M
- Rx Rate (Fps)	460
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	13.457
- Rx Rate (L1) (Bit/s)	5,52 M
- Rx Rate (Fps)	449
- Flood Count (Frames)	24



Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G
Tx Rate (Fps)	21.428.571	12.162.162	6.521.739	3.383.458	1.724.138	1.384.615
Rx Rate (Percent)	0 %	0,01 %	0,02 %	6,63 %	6,92 %	7,13 %
Rx Rate (L1) (Bit/s)	278,72 K	2,06 M	3,07 M	1,19 G	1,25 G	1,28 G
Rx Rate (Fps)	414,77	1,74 K	1,39 K	280,29 K	149,16 K	123,37 K
Loss Rate (Percent)	100 %	99,99 %	99,98 %	91,72 %	91,35 %	91,09 %
Loss (Frames)	642.844.682	364.812.618	195.610.445	93.095.046	47.249.207	37.837.377
P-0-0-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	12.442	42.629	36.381	7.008.824	3.466.018	2.879.814
- Rx Rate (L1) (Bit/s)	278,7 K	1,68 M	2,68 M	994,32 M	964,94 M	998,34 M
- Rx Rate (Fps)	415	1.421	1.213	233.627	115.534	95.994
- Flood Count (Frames)	27	32	23	7	10	12
P-0-0-1						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	898	464	81.504	58.501	46.274
- Rx Rate (L1) (Bit/s)	0	35,44 K	34,15 K	11,56 M	16,29 M	16,04 M
- Rx Rate (Fps)	0	30	15	2.717	1.950	1.542
- Flood Count (Frames)	58	63	57	33	30	35
P-0-0-2						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	778	0	82.251	59.512	47.498
- Rx Rate (L1) (Bit/s)	0	30,71 K	0	11,67 M	16,57 M	16,47 M
- Rx Rate (Fps)	0	26	0	2.742	1.984	1.583
- Flood Count (Frames)	58	61	59	35	44	35
P-0-0-3						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	354	82.570	59.668	48.660

- Rx Rate (L1) (Bit/s)	0	0	26,05 K	11,71 M	16,61 M	16,87 M
- Rx Rate (Fps)	0	0	12	2.752	1.989	1.622
- Flood Count (Frames)	58	60	60	35	43	44
P-0-0-4						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	425	83.195	59.092	48.827
- Rx Rate (L1) (Bit/s)	0	0	31,28 K	11,8 M	16,45 M	16,93 M
- Rx Rate (Fps)	0	0	14	2.773	1.970	1.628
- Flood Count (Frames)	60	61	61	35	43	40
P-0-0-5						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	841	386	82.687	59.679	48.448
- Rx Rate (L1) (Bit/s)	0	33,19 K	28,41 K	11,73 M	16,61 M	16,8 M
- Rx Rate (Fps)	0	28	13	2.756	1.989	1.615
- Flood Count (Frames)	57	59	59	33	32	30
P-0-2-0						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	394	82.982	59.004	48.508
- Rx Rate (L1) (Bit/s)	0	0	29 K	11,77 M	16,43 M	16,82 M
- Rx Rate (Fps)	0	0	13	2.766	1.967	1.617
- Flood Count (Frames)	57	60	59	38	34	44
P-0-2-1						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	83.086	59.403	47.496
- Rx Rate (L1) (Bit/s)	0	0	0	11,79 M	16,54 M	16,47 M
- Rx Rate (Fps)	0	0	0	2.770	1.980	1.583
- Flood Count (Frames)	58	59	59	35	46	33
P-0-2-2						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	727	0	82.313	59.211	48.484
- Rx Rate (L1) (Bit/s)	0	28,69 K	0	11,68 M	16,48 M	16,81 M
- Rx Rate (Fps)	0	24	0	2.744	1.974	1.616
- Flood Count (Frames)	59	61	57	34	37	45
P-0-2-3						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	721	389	76.475	58.875	48.803
- Rx Rate (L1) (Bit/s)	0	28,46 K	28,63 K	10,85 M	16,39 M	16,92 M
- Rx Rate (Fps)	0	24	13	2.549	1.963	1.627
- Flood Count (Frames)	60	59	58	31	44	44
P-0-2-4						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	703	376	82.525	59.530	48.514
- Rx Rate (L1) (Bit/s)	0	27,75 K	27,67 K	11,71 M	16,57 M	16,82 M
- Rx Rate (Fps)	0	23	13	2.751	1.984	1.617
- Flood Count (Frames)	61	60	58	43	42	37
P-0-2-5						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	686	354	83.105	60.041	46.838
- Rx Rate (L1) (Bit/s)	0	27,07 K	26,05 K	11,79 M	16,72 M	16,24 M
- Rx Rate (Fps)	0	23	12	2.770	2.001	1.561
- Flood Count (Frames)	61	59	60	41	36	34
P-0-4-0						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923

- Rx (Frames)	0	684	378	83.475	58.913	48.993
- Rx Rate (L1) (Bit/s)	0	27 K	27,82 K	11,84 M	16,4 M	16,98 M
- Rx Rate (Fps)	0	23	13	2.783	1.964	1.633
- Flood Count (Frames)	59	58	61	36	34	42
P-0-4-1						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	718	369	82.377	59.216	48.762
- Rx Rate (L1) (Bit/s)	0	28,34 K	27,16 K	11,69 M	16,49 M	16,9 M
- Rx Rate (Fps)	0	24	12	2.746	1.974	1.625
- Flood Count (Frames)	58	59	59	38	40	35
P-0-4-2						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	712	344	82.934	59.711	48.700
- Rx Rate (L1) (Bit/s)	0	28,1 K	25,32 K	11,77 M	16,62 M	16,88 M
- Rx Rate (Fps)	0	24	11	2.764	1.990	1.623
- Flood Count (Frames)	59	58	58	38	39	37
P-0-4-3						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	704	361	83.009	59.189	48.753
- Rx Rate (L1) (Bit/s)	0	27,78 K	26,57 K	11,78 M	16,48 M	16,9 M
- Rx Rate (Fps)	0	23	12	2.767	1.973	1.625
- Flood Count (Frames)	56	55	60	34	45	39
P-0-4-4						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	716	365	83.133	59.734	48.782
- Rx Rate (L1) (Bit/s)	0	28,26 K	26,86 K	11,79 M	16,63 M	16,91 M
- Rx Rate (Fps)	0	24	12	2.771	1.991	1.626
- Flood Count (Frames)	60	58	56	38	42	45
P-0-4-5						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1	711	382	82.245	59.628	48.915
- Rx Rate (L1) (Bit/s)	22,4	28,06 K	28,12 K	11,67 M	16,6 M	16,96 M
- Rx Rate (Fps)	0	24	13	2.742	1.988	1.631
- Flood Count (Frames)	58	59	56	33	35	40

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14,4 G
Tx Rate (Fps)	1.170.351
Rx Rate (Percent)	6,11 %
Rx Rate (L1) (Bit/s)	1,1 G
Rx Rate (Fps)	89,35 K
Loss Rate (Percent)	92,37 %
Loss (Frames)	32.430.129
P-0-0-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	2.422.933
- Rx Rate (L1) (Bit/s)	993,73 M
- Rx Rate (Fps)	80.764
- Flood Count (Frames)	12
P-0-0-1	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.230
- Rx Rate (L1) (Bit/s)	6,25 M

- Rx Rate (Fps)	508
- Flood Count (Frames)	30
P-0-0-2	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.195
- Rx Rate (L1) (Bit/s)	6,23 M
- Rx Rate (Fps)	507
- Flood Count (Frames)	23
P-0-0-3	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.182
- Rx Rate (L1) (Bit/s)	6,23 M
- Rx Rate (Fps)	506
- Flood Count (Frames)	28
P-0-0-4	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.145
- Rx Rate (L1) (Bit/s)	6,21 M
- Rx Rate (Fps)	505
- Flood Count (Frames)	27
P-0-0-5	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	14.303
- Rx Rate (L1) (Bit/s)	5,87 M
- Rx Rate (Fps)	477
- Flood Count (Frames)	24
P-0-2-0	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.145
- Rx Rate (L1) (Bit/s)	6,21 M
- Rx Rate (Fps)	505
- Flood Count (Frames)	29
P-0-2-1	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.063
- Rx Rate (L1) (Bit/s)	6,18 M
- Rx Rate (Fps)	502
- Flood Count (Frames)	26
P-0-2-2	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.347
- Rx Rate (L1) (Bit/s)	6,29 M
- Rx Rate (Fps)	512
- Flood Count (Frames)	27
P-0-2-3	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.084
- Rx Rate (L1) (Bit/s)	6,19 M
- Rx Rate (Fps)	503
- Flood Count (Frames)	25
P-0-2-4	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.167

- Rx Rate (L1) (Bit/s)	6,22 M
- Rx Rate (Fps)	506
- Flood Count (Frames)	22
P-0-2-5	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.216
- Rx Rate (L1) (Bit/s)	6,24 M
- Rx Rate (Fps)	507
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.173
- Rx Rate (L1) (Bit/s)	6,22 M
- Rx Rate (Fps)	506
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.327
- Rx Rate (L1) (Bit/s)	6,29 M
- Rx Rate (Fps)	511
- Flood Count (Frames)	22
P-0-4-2	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.260
- Rx Rate (L1) (Bit/s)	6,26 M
- Rx Rate (Fps)	509
- Flood Count (Frames)	20
P-0-4-3	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.232
- Rx Rate (L1) (Bit/s)	6,25 M
- Rx Rate (Fps)	508
- Flood Count (Frames)	21
P-0-4-4	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.321
- Rx Rate (L1) (Bit/s)	6,28 M
- Rx Rate (Fps)	511
- Flood Count (Frames)	22
P-0-4-5	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	15.073
- Rx Rate (L1) (Bit/s)	6,18 M
- Rx Rate (Fps)	502
- Flood Count (Frames)	22



Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.691
Rx Rate (Percent)	0 %	0,01 %	0,01 %	6,66 %	6,84 %	6,8 %
Rx Rate (L1) (Bit/s)	881,08 K	1,32 M	2,67 M	1,2 G	1,23 G	1,22 G
Rx Rate (Fps)	1,31 K	1,11 K	1,21 K	281,72 K	147,35 K	117,7 K
Loss Rate (Percent)	99,99 %	99,99 %	99,98 %	92,6 %	92,4 %	92,44 %
Loss (Frames)	723.174.938	410.439.631	220.072.418	105.740.241	53.769.173	43.199.638
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	22.778	25.751	30.804	7.008.131	3.584.140	2.880.257
- Rx Rate (L1) (Bit/s)	510,23 K	1,02 M	2,27 M	994,22 M	997,82 M	998,49 M
- Rx Rate (Fps)	759	858	1.027	233.604	119.471	96.009
- Flood Count (Frames)	28	27	26	9	10	12
P-0-0-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.194	0	363	95.793	63.815	0
- Rx Rate (L1) (Bit/s)	26,75 K	0	26,72 K	13,59 M	17,77 M	0
- Rx Rate (Fps)	40	0	12	3.193	2.127	0
- Flood Count (Frames)	59	1	58	40	42	2
P-0-0-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.072	705	342	97.269	64.389	46.881
- Rx Rate (L1) (Bit/s)	24,01 K	27,82 K	25,17 K	13,8 M	17,93 M	16,25 M
- Rx Rate (Fps)	36	24	11	3.242	2.146	1.563
- Flood Count (Frames)	59	61	61	38	43	42
P-0-0-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.024	580	346	94.765	0	47.190

- Rx Rate (L1) (Bit/s)	22,94 K	22,89 K	25,47 K	13,44 M	0	16,36 M
- Rx Rate (Fps)	34	19	12	3.159	0	1.573
- Flood Count (Frames)	62	61	59	33	0	40
P-0-0-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.021	548	323	95.270	64.597	45.414
- Rx Rate (L1) (Bit/s)	22,87 K	21,63 K	23,77 K	13,52 M	17,98 M	15,74 M
- Rx Rate (Fps)	34	18	11	3.176	2.153	1.514
- Flood Count (Frames)	61	59	61	41	40	36
P-0-0-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.006	0	342	97.003	0	46.416
- Rx Rate (L1) (Bit/s)	22,53 K	0	25,17 K	13,76 M	0	16,09 M
- Rx Rate (Fps)	34	0	11	3.233	0	1.547
- Flood Count (Frames)	59	59	57	37	2	35
P-0-2-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	544	320	95.119	63.302	46.361
- Rx Rate (L1) (Bit/s)	0	21,47 K	23,55 K	13,49 M	17,62 M	16,07 M
- Rx Rate (Fps)	0	18	11	3.171	2.110	1.545
- Flood Count (Frames)	1	57	58	37	38	42
P-0-2-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.031	500	339	95.166	0	46.222
- Rx Rate (L1) (Bit/s)	23,09 K	19,73 K	24,95 K	13,5 M	0	16,02 M
- Rx Rate (Fps)	34	17	11	3.172	0	1.541
- Flood Count (Frames)	59	61	59	36	1	39
P-0-2-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.027	508	305	95.806	63.266	0
- Rx Rate (L1) (Bit/s)	23 K	20,05 K	22,45 K	13,59 M	17,61 M	0
- Rx Rate (Fps)	34	17	10	3.194	2.109	0
- Flood Count (Frames)	58	61	56	30	42	2
P-0-2-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.027	557	312	95.969	0	0
- Rx Rate (L1) (Bit/s)	23 K	21,98 K	22,96 K	13,61 M	0	0
- Rx Rate (Fps)	34	19	10	3.199	0	0
- Flood Count (Frames)	59	59	58	39	1	1
P-0-2-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.028	0	313	0	63.490	46.295
- Rx Rate (L1) (Bit/s)	23,03 K	0	23,04 K	0	17,68 M	16,05 M
- Rx Rate (Fps)	34	0	10	0	2.116	1.543
- Flood Count (Frames)	57	1	59	2	39	38
P-0-2-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.008	543	304	0	65.313	46.104
- Rx Rate (L1) (Bit/s)	22,58 K	21,43 K	22,37 K	0	18,18 M	15,98 M
- Rx Rate (Fps)	34	18	10	0	2.177	1.537
- Flood Count (Frames)	61	61	56	1	40	37
P-0-4-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538

- Rx (Frames)	1.016	503	302	102.454	63.805	45.459
- Rx Rate (L1) (Bit/s)	22,76 K	19,85 K	22,23 K	14,53 M	17,76 M	15,76 M
- Rx Rate (Fps)	34	17	10	3.415	2.127	1.515
- Flood Count (Frames)	58	58	58	33	46	39
P-0-4-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.024	519	295	99.297	64.900	46.833
- Rx Rate (L1) (Bit/s)	22,94 K	20,48 K	21,71 K	14,09 M	18,07 M	16,24 M
- Rx Rate (Fps)	34	17	10	3.310	2.163	1.561
- Flood Count (Frames)	57	58	56	32	48	47
P-0-4-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.008	530	308	91.206	64.572	46.582
- Rx Rate (L1) (Bit/s)	22,58 K	20,92 K	22,67 K	12,94 M	17,98 M	16,15 M
- Rx Rate (Fps)	34	18	10	3.040	2.152	1.553
- Flood Count (Frames)	58	57	56	35	47	33
P-0-4-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.023	524	314	96.425	64.960	46.541
- Rx Rate (L1) (Bit/s)	22,92 K	20,68 K	23,11 K	13,68 M	18,08 M	16,13 M
- Rx Rate (Fps)	34	17	10	3.214	2.165	1.551
- Flood Count (Frames)	56	56	57	41	51	36
P-0-4-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.021	509	314	97.885	64.605	47.459
- Rx Rate (L1) (Bit/s)	22,87 K	20,09 K	23,11 K	13,89 M	17,99 M	16,45 M
- Rx Rate (Fps)	34	17	10	3.263	2.154	1.582
- Flood Count (Frames)	57	57	59	42	40	45
P-0-4-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	1.026	504	309	93.904	65.313	47.087
- Rx Rate (L1) (Bit/s)	22,98 K	19,89 K	22,74 K	13,32 M	18,18 M	16,32 M
- Rx Rate (Fps)	34	17	10	3.130	2.177	1.570
- Flood Count (Frames)	56	57	57	41	41	47

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.644
Rx Rate (Percent)	6,02 %
Rx Rate (L1) (Bit/s)	1,08 G
Rx Rate (Fps)	88,02 K
Loss Rate (Percent)	93,31 %
Loss (Frames)	36.858.592
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.416.155
- Rx Rate (L1) (Bit/s)	990,95 M
- Rx Rate (Fps)	80.539
- Flood Count (Frames)	9
P-0-0-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.835
- Rx Rate (L1) (Bit/s)	7,72 M

- Rx Rate (Fps)	628
- Flood Count (Frames)	23
P-0-0-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-0-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.505
- Rx Rate (L1) (Bit/s)	7,59 M
- Rx Rate (Fps)	617
- Flood Count (Frames)	22
P-0-0-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.722
- Rx Rate (L1) (Bit/s)	7,68 M
- Rx Rate (Fps)	624
- Flood Count (Frames)	29
P-0-0-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.598
- Rx Rate (L1) (Bit/s)	7,63 M
- Rx Rate (Fps)	620
- Flood Count (Frames)	22
P-0-2-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.682
- Rx Rate (L1) (Bit/s)	7,66 M
- Rx Rate (Fps)	623
- Flood Count (Frames)	27
P-0-2-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.640

- Rx Rate (L1) (Bit/s)	7,64 M
- Rx Rate (Fps)	621
- Flood Count (Frames)	25
P-0-2-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-4-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.822
- Rx Rate (L1) (Bit/s)	7,72 M
- Rx Rate (Fps)	627
- Flood Count (Frames)	26
P-0-4-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.625
- Rx Rate (L1) (Bit/s)	7,64 M
- Rx Rate (Fps)	621
- Flood Count (Frames)	22
P-0-4-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.872
- Rx Rate (L1) (Bit/s)	7,74 M
- Rx Rate (Fps)	629
- Flood Count (Frames)	22
P-0-4-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.686
- Rx Rate (L1) (Bit/s)	7,66 M
- Rx Rate (Fps)	623
- Flood Count (Frames)	24
P-0-4-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.943
- Rx Rate (L1) (Bit/s)	7,77 M
- Rx Rate (Fps)	631
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	18.653
- Rx Rate (L1) (Bit/s)	7,65 M
- Rx Rate (Fps)	622
- Flood Count (Frames)	20



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
Rx Rate (Percent)	0 %	0,01 %	0,02 %	6,64 %	6,95 %	6,91 %
Rx Rate (L1) (Bit/s)	890,51 K	1,37 M	3,18 M	1,2 G	1,25 G	1,24 G
Rx Rate (Fps)	1,33 K	1,16 K	1,44 K	280,94 K	149,68 K	119,67 K
Loss Rate (Percent)	100 %	99,99 %	99,98 %	93,36 %	93,05 %	93,09 %
Loss (Frames)	803.531.664	456.046.409	244.522.002	118.451.426	60.164.741	48.332.872
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	26.905	26.949	38.844	7.008.268	3.584.498	2.880.530
- Rx Rate (L1) (Bit/s)	602,67 K	1,06 M	2,86 M	994,24 M	997,92 M	998,58 M
- Rx Rate (Fps)	897	898	1.295	233.609	119.483	96.018
- Flood Count (Frames)	30	32	25	8	9	9
P-0-0-1						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.161	767	423	108.742	56.049	41.955
- Rx Rate (L1) (Bit/s)	26,01 K	30,27 K	31,13 K	15,43 M	15,6 M	14,54 M
- Rx Rate (Fps)	39	26	14	3.625	1.868	1.399
- Flood Count (Frames)	61	77	59	31	33	34
P-0-0-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	0	0	347	0	57.953	41.712
- Rx Rate (L1) (Bit/s)	0	0	25,54 K	0	16,13 M	14,46 M
- Rx Rate (Fps)	0	0	12	0	1.932	1.390
- Flood Count (Frames)	1	59	59	1	27	41
P-0-0-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	955	557	324	108.950	57.702	41.663

- Rx Rate (L1) (Bit/s)	21,39 K	21,98 K	23,85 K	15,46 M	16,06 M	14,44 M
- Rx Rate (Fps)	32	19	11	3.632	1.923	1.389
- Flood Count (Frames)	61	62	59	39	40	37
P-0-0-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	0	503	327	109.885	56.507	41.695
- Rx Rate (L1) (Bit/s)	0	19,85 K	24,07 K	15,59 M	15,73 M	14,45 M
- Rx Rate (Fps)	0	17	11	3.663	1.884	1.390
- Flood Count (Frames)	1	59	60	29	35	28
P-0-0-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	860	519	0	0	56.708	41.671
- Rx Rate (L1) (Bit/s)	19,26 K	20,48 K	0	0	15,79 M	14,45 M
- Rx Rate (Fps)	29	17	0	0	1.890	1.389
- Flood Count (Frames)	61	59	1	1	29	34
P-0-2-0						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	828	499	0	110.476	57.071	41.733
- Rx Rate (L1) (Bit/s)	18,55 K	19,69 K	0	15,67 M	15,89 M	14,47 M
- Rx Rate (Fps)	28	17	0	3.683	1.902	1.391
- Flood Count (Frames)	77	60	1	30	35	29
P-0-2-1						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	821	477	313	0	55.439	41.762
- Rx Rate (L1) (Bit/s)	18,39 K	18,83 K	23,04 K	0	15,43 M	14,48 M
- Rx Rate (Fps)	27	16	10	0	1.848	1.392
- Flood Count (Frames)	61	58	61	1	40	37
P-0-2-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	818	515	0	108.624	0	41.659
- Rx Rate (L1) (Bit/s)	18,32 K	20,33 K	0	15,41 M	0	14,44 M
- Rx Rate (Fps)	27	17	0	3.621	0	1.389
- Flood Count (Frames)	59	59	1	44	1	34
P-0-2-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	820	0	335	0	56.239	41.957
- Rx Rate (L1) (Bit/s)	18,37 K	0	24,66 K	0	15,66 M	14,55 M
- Rx Rate (Fps)	27	0	11	0	1.875	1.399
- Flood Count (Frames)	59	2	61	0	30	30
P-0-2-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	818	492	335	107.554	58.291	41.895
- Rx Rate (L1) (Bit/s)	18,32 K	19,42 K	24,66 K	15,26 M	16,23 M	14,52 M
- Rx Rate (Fps)	27	16	11	3.585	1.943	1.397
- Flood Count (Frames)	62	79	60	37	37	39
P-0-2-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	842	466	0	110.763	55.816	41.651
- Rx Rate (L1) (Bit/s)	18,86 K	18,39 K	0	15,71 M	15,54 M	14,44 M
- Rx Rate (Fps)	28	16	0	3.692	1.861	1.388
- Flood Count (Frames)	59	61	1	32	40	36
P-0-4-0						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154

- Rx (Frames)	833	505	331	106.989	55.442	41.795
- Rx Rate (L1) (Bit/s)	18,66 K	19,93 K	24,36 K	15,18 M	15,44 M	14,49 M
- Rx Rate (Fps)	28	17	11	3.566	1.848	1.393
- Flood Count (Frames)	58	59	60	40	34	36
P-0-4-1						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	815	487	338	111.432	55.998	41.766
- Rx Rate (L1) (Bit/s)	18,26 K	19,22 K	24,88 K	15,81 M	15,59 M	14,48 M
- Rx Rate (Fps)	27	16	11	3.714	1.867	1.392
- Flood Count (Frames)	59	56	58	35	31	30
P-0-4-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	811	497	317	107.150	57.160	41.688
- Rx Rate (L1) (Bit/s)	18,17 K	19,61 K	23,33 K	15,2 M	15,91 M	14,45 M
- Rx Rate (Fps)	27	17	11	3.572	1.905	1.390
- Flood Count (Frames)	58	58	58	36	26	25
P-0-4-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	813	480	317	110.995	56.413	41.685
- Rx Rate (L1) (Bit/s)	18,21 K	18,94 K	23,33 K	15,75 M	15,71 M	14,45 M
- Rx Rate (Fps)	27	16	11	3.700	1.880	1.390
- Flood Count (Frames)	61	55	57	35	31	24
P-0-4-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	832	470	328	107.745	56.177	41.673
- Rx Rate (L1) (Bit/s)	18,64 K	18,55 K	24,14 K	15,29 M	15,64 M	14,45 M
- Rx Rate (Fps)	28	16	11	3.592	1.873	1.389
- Flood Count (Frames)	56	54	59	34	33	35
P-0-4-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	823	474	315	110.688	56.961	41.704
- Rx Rate (L1) (Bit/s)	18,44 K	18,71 K	23,18 K	15,7 M	15,86 M	14,46 M
- Rx Rate (Fps)	27	16	11	3.690	1.899	1.390
- Flood Count (Frames)	58	55	58	34	38	38

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1.462.938
Rx Rate (Percent)	6,23 %
Rx Rate (L1) (Bit/s)	1,12 G
Rx Rate (Fps)	91,18 K
Loss Rate (Percent)	93,77 %
Loss (Frames)	41.152.837
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.419.434
- Rx Rate (L1) (Bit/s)	992,29 M
- Rx Rate (Fps)	80.648
- Flood Count (Frames)	8
P-0-0-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.785
- Rx Rate (L1) (Bit/s)	8,11 M
- Rx Rate (Fps)	660
- Flood Count (Frames)	23
P-0-0-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.591
- Rx Rate (L1) (Bit/s)	8,03 M
- Rx Rate (Fps)	653
- Flood Count (Frames)	20
P-0-0-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.855
- Rx Rate (L1) (Bit/s)	8,14 M
- Rx Rate (Fps)	662
- Flood Count (Frames)	28
P-0-0-5	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.771
- Rx Rate (L1) (Bit/s)	8,11 M
- Rx Rate (Fps)	659
- Flood Count (Frames)	26
P-0-2-0	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.616
- Rx Rate (L1) (Bit/s)	8,05 M
- Rx Rate (Fps)	654
- Flood Count (Frames)	26
P-0-2-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.815
- Rx Rate (L1) (Bit/s)	8,13 M
- Rx Rate (Fps)	661
- Flood Count (Frames)	27
P-0-2-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.803
- Rx Rate (L1) (Bit/s)	8,12 M
- Rx Rate (Fps)	660
- Flood Count (Frames)	24
P-0-2-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.637
- Rx Rate (L1) (Bit/s)	8,05 M
- Rx Rate (Fps)	655
- Flood Count (Frames)	28
P-0-2-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.854

- Rx Rate (L1) (Bit/s)	8,14 M
- Rx Rate (Fps)	662
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.759
- Rx Rate (L1) (Bit/s)	8,1 M
- Rx Rate (Fps)	659
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.468
- Rx Rate (L1) (Bit/s)	7,98 M
- Rx Rate (Fps)	649
- Flood Count (Frames)	26
P-0-4-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	20.024
- Rx Rate (L1) (Bit/s)	8,21 M
- Rx Rate (Fps)	667
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.796
- Rx Rate (L1) (Bit/s)	8,12 M
- Rx Rate (Fps)	660
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.801
- Rx Rate (L1) (Bit/s)	8,12 M
- Rx Rate (Fps)	660
- Flood Count (Frames)	24
P-0-4-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.753
- Rx Rate (L1) (Bit/s)	8,1 M
- Rx Rate (Fps)	658
- Flood Count (Frames)	26
P-0-4-5	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	19.553
- Rx Rate (L1) (Bit/s)	8,02 M
- Rx Rate (Fps)	652
- Flood Count (Frames)	23


Part.Mesh, N->N: Loss by Frame Size at 100,00% Rate
Loss Test Result (Loss Percent)
100,0
80,0
60,0
40,0
20,0
0,0
64
128
256
512
1024
1280
1518
Frame size (bytes)
Loss Percent

Rate Test: Part.Mesh, N->N Results

Test Setup

Duration: 30 seconds
Iteration: 1

Topology: Blocks
Direction: East-to-West

Throughput Options

Initial Rate: 1,00%
Maximum Rate: 100,00%
Minimum Rate: 0,01%
Resolution: 0,01%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	East
P-0-0-4	East
P-0-0-5	East
P-0-2-0	East
P-0-2-1	East
P-0-2-2	East
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	FAIL	FAIL	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	0,072 %	0,018 %	0,134 %	0,018 %	0,018 %	0,134 %
Tx Rate (L1) (Bit/s)	6,47 M	1,6 M	12,04 M	1,59 M	1,58 M	12,02 M
Tx Rate (Fps)	9.626	1.347	5.451	373	189	1.156
Rx Rate (Percent)	0,07 %	0,02 %	0,13 %	0,02 %	0,02 %	0,13 %
Rx Rate (L1) (Bit/s)	6,47 M	1,6 M	12,04 M	1,53 M	1,57 M	12,02 M
Rx Rate (Fps)	9,63 K	1,35 K	5,45 K	358,53	188,2	1,16 K
Loss Rate (Percent)	0 %	0 %	0 %	3,78 %	0,42 %	0 %
Loss (Frames)	0	0	0	422	24	0
P-0-0-0						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	32.085	4.491	18.171	1.242	630	3.852
- Tx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	176,2 K	175,39 K	1,34 M
- Tx Rate (Fps)	1.070	150	606	41	21	128
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.195	626	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,53 K	174,28 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	61	58	57	58	56	59
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.195	627	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,53 K	174,56 K	1,34 M

- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	59	59	59	56	59	58
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.185	627	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	168,11 K	174,56 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	58	61	61	58	56	61
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.196	627	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,67 K	174,56 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	55	60	57	58	58	57
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.196	627	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,67 K	174,56 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	54	56	55	56	60	56
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.197	628	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,81 K	174,84 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	56	57	55	54	57	56
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.197	628	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,81 K	174,84 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	57	56	58	57	58	59
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.197	628	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,81 K	174,84 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	53	58	55	59	58	59
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	32.085	4.491	18.171	1.198	628	3.852
- Rx Rate (L1) (Bit/s)	718,7 K	177,24 K	1,34 M	169,96 K	174,84 K	1,34 M
- Rx Rate (Fps)	1.070	150	606	40	21	128
- Flood Count (Frames)	56	58	53	58	59	59

Frame Size	**1518**
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	0,018 %
Tx Rate (L1) (Bit/s)	1,59 M
Tx Rate (Fps)	130
Rx Rate (Percent)	0,02 %
Rx Rate (L1) (Bit/s)	1,55 M
Rx Rate (Fps)	126,17
Loss Rate (Percent)	2,65 %
Loss (Frames)	103

P-0-0-0	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177,18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0

- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	420
- Rx Rate (L1) (Bit/s)	172,26 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	426
- Rx Rate (L1) (Bit/s)	174,72 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	378
- Rx Rate (L1) (Bit/s)	155,03 K
- Rx Rate (Fps)	13
- Flood Count (Frames)	57
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	426
- Rx Rate (L1) (Bit/s)	174,72 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	426
- Rx Rate (L1) (Bit/s)	174,72 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	426
- Rx Rate (L1) (Bit/s)	174,72 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	426
- Rx Rate (L1) (Bit/s)	174,72 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	428
- Rx Rate (L1) (Bit/s)	175,54 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	56
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	429
- Rx Rate (L1) (Bit/s)	175,95 K

- Rx Rate (Fps)	14
- Flood Count (Frames)	55

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10,00% Rate

Frame Size	**64**	**128**	**256**	**512**	**1024**	**1280**
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899,99 M	899,99 M	899,99 M
Tx Rate (Fps)	1.339.284	760.134	407.608	211.464	107.757	86.538
Rx Rate (Percent)	9,85 %	9,67 %	9,49 %	9,78 %	9,73 %	9,57 %
Rx Rate (L1) (Bit/s)	886,39 M	870,27 M	854 M	879,88 M	875,68 M	861,1 M
Rx Rate (Fps)	1,32 M	735,02 K	386,78 K	206,74 K	104,85 K	82,8 K
Loss Rate (Percent)	1,51 %	3,3 %	5,11 %	2,23 %	2,7 %	4,32 %
Loss (Frames)	607.328	753.292	624.944	141.785	87.305	112.183
P-0-0-0						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.800	2.259.739	1.243.752	689.126	353.238	275.993
- Rx Rate (L1) (Bit/s)	98,49 M	89,18 M	91,54 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.560	75.325	41.458	22.971	11.775	9.200
- Flood Count (Frames)	59	60	59	59	60	61
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.803	2.526.088	1.163.391	689.126	319.489	275.993
- Rx Rate (L1) (Bit/s)	98,49 M	99,7 M	85,63 M	97,76 M	88,95 M	95,68 M
- Rx Rate (Fps)	146.560	84.203	38.780	22.971	10.650	9.200
- Flood Count (Frames)	59	58	60	59	60	58
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.851	2.108.363	1.313.736	689.126	353.239	275.993
- Rx Rate (L1) (Bit/s)	98,49 M	83,21 M	96,69 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.562	70.279	43.791	22.971	11.775	9.200
- Flood Count (Frames)	59	60	61	57	61	59
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.764	2.526.088	1.313.737	689.126	353.239	275.993
- Rx Rate (L1) (Bit/s)	98,49 M	99,7 M	96,69 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.559	84.203	43.791	22.971	11.775	9.200
- Flood Count (Frames)	56	58	59	57	58	59
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.774	2.526.088	1.313.737	689.126	353.240	275.994
- Rx Rate (L1) (Bit/s)	98,49 M	99,7 M	96,69 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.559	84.203	43.791	22.971	11.775	9.200
- Flood Count (Frames)	56	58	59	56	57	56
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.680	2.526.088	1.313.737	689.126	353.240	275.994
- Rx Rate (L1) (Bit/s)	98,49 M	99,7 M	96,69 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.556	84.203	43.791	22.971	11.775	9.200
- Flood Count (Frames)	55	59	55	55	59	57
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.812	2.526.088	1.313.737	689.126	353.240	275.995
- Rx Rate (L1) (Bit/s)	98,49 M	99,7 M	96,69 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.560	84.203	43.791	22.971	11.775	9.200
- Flood Count (Frames)	57	58	59	56	59	56
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.846	2.526.088	1.313.737	689.126	353.240	275.996
- Rx Rate (L1) (Bit/s)	98,49 M	99,7 M	96,69 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.562	84.203	43.791	22.971	11.775	9.200
- Flood Count (Frames)	58	59	56	57	56	59
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.396.853	2.526.089	1.313.738	689.127	353.240	275.997
- Rx Rate (L1) (Bit/s)	98,49 M	99,7 M	96,69 M	97,76 M	98,34 M	95,68 M
- Rx Rate (Fps)	146.562	84.203	43.791	22.971	11.775	9.200
- Flood Count (Frames)	57	59	61	55	58	57

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899,98 M
Tx Rate (Fps)	73.146
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	899,98 M
Rx Rate (Fps)	73,15 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127

- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	61
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	61
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	63
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	57
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	61



Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.570	1.520.270	815.216	422.931	215.517	173.075
Rx Rate (Percent)	10,62 %	10,83 %	10,79 %	11,03 %	10,88 %	11,08 %
Rx Rate (L1) (Bit/s)	955,82 M	974,44 M	970,96 M	992,95 M	979,28 M	997,21 M
Rx Rate (Fps)	1,42 M	823,01 K	439,75 K	233,31 K	117,25 K	95,89 K
Loss Rate (Percent)	46,9 %	45,86 %	46,06 %	44,84 %	45,6 %	44,6 %
Loss (Frames)	37.686.569	20.917.829	11.264.105	5.688.769	2.947.989	2.315.683
P-0-0-0						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.702.969	2.741.203	1.485.585	777.643	337.232	319.425
- Rx Rate (L1) (Bit/s)	105,35 M	108,19 M	109,34 M	110,32 M	93,89 M	110,73 M
- Rx Rate (Fps)	156.766	91.373	49.520	25.921	11.241	10.648
- Flood Count (Frames)	41	41	28	36	30	41
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.701.355	2.737.261	1.280.784	777.634	397.801	319.247
- Rx Rate (L1) (Bit/s)	105,31 M	108,03 M	94,27 M	110,32 M	110,75 M	110,67 M
- Rx Rate (Fps)	156.712	91.242	42.693	25.921	13.260	10.642
- Flood Count (Frames)	36	41	26	38	36	38
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.719.207	2.740.011	1.487.353	776.656	397.370	319.688
- Rx Rate (L1) (Bit/s)	105,71 M	108,14 M	109,47 M	110,18 M	110,63 M	110,83 M
- Rx Rate (Fps)	157.307	91.334	49.578	25.889	13.246	10.656
- Flood Count (Frames)	38	39	34	38	37	39
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	4.741.951	2.748.871	1.488.539	777.786	397.195	319.680
- Rx Rate (L1) (Bit/s)	106,22 M	108,49 M	109,56 M	110,34 M	110,58 M	110,82 M
- Rx Rate (Fps)	158.065	91.629	49.618	25.926	13.240	10.656
- Flood Count (Frames)	34	35	32	37	32	33
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.762.131	2.744.550	1.491.158	777.145	397.087	319.801
- Rx Rate (L1) (Bit/s)	106,67 M	108,32 M	109,75 M	110,25 M	110,55 M	110,86 M
- Rx Rate (Fps)	158.738	91.485	49.705	25.905	13.236	10.660
- Flood Count (Frames)	28	34	28	35	28	40
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.772.132	2.744.478	1.493.184	777.203	397.834	319.590
- Rx Rate (L1) (Bit/s)	106,9 M	108,32 M	109,9 M	110,26 M	110,76 M	110,79 M
- Rx Rate (Fps)	159.071	91.483	49.773	25.907	13.261	10.653
- Flood Count (Frames)	30	37	34	32	28	37
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.772.739	2.740.857	1.492.178	778.099	397.543	319.528
- Rx Rate (L1) (Bit/s)	106,91 M	108,17 M	109,82 M	110,39 M	110,68 M	110,77 M
- Rx Rate (Fps)	159.091	91.362	49.739	25.937	13.251	10.651
- Flood Count (Frames)	43	36	30	33	32	34
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.760.724	2.745.772	1.486.298	778.463	397.765	320.067
- Rx Rate (L1) (Bit/s)	106,64 M	108,37 M	109,39 M	110,44 M	110,74 M	110,96 M
- Rx Rate (Fps)	158.691	91.526	49.543	25.949	13.259	10.669
- Flood Count (Frames)	33	33	28	34	34	38
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.737.326	2.747.271	1.487.308	778.523	397.685	319.553
- Rx Rate (L1) (Bit/s)	106,12 M	108,43 M	109,47 M	110,45 M	110,72 M	110,78 M
- Rx Rate (Fps)	157.911	91.576	49.577	25.951	13.256	10.652
- Flood Count (Frames)	34	40	28	31	39	34

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.291
Rx Rate (Percent)	10,71 %
Rx Rate (L1) (Bit/s)	963,77 M
Rx Rate (Fps)	78,33 K
Loss Rate (Percent)	46,46 %
Loss (Frames)	2.038.836
P-0-0-0	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	250.262
- Rx Rate (L1) (Bit/s)	102,64 M
- Rx Rate (Fps)	8.342
- Flood Count (Frames)	28
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	226.584

- Rx Rate (L1) (Bit/s)	92,93 M
- Rx Rate (Fps)	7.553
- Flood Count (Frames)	27
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	250.229
- Rx Rate (L1) (Bit/s)	102,63 M
- Rx Rate (Fps)	8.341
- Flood Count (Frames)	41
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.377
- Rx Rate (L1) (Bit/s)	110,89 M
- Rx Rate (Fps)	9.013
- Flood Count (Frames)	32
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.486
- Rx Rate (L1) (Bit/s)	110,94 M
- Rx Rate (Fps)	9.016
- Flood Count (Frames)	34
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.533
- Rx Rate (L1) (Bit/s)	110,95 M
- Rx Rate (Fps)	9.018
- Flood Count (Frames)	38
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.554
- Rx Rate (L1) (Bit/s)	110,96 M
- Rx Rate (Fps)	9.018
- Flood Count (Frames)	35
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.309
- Rx Rate (L1) (Bit/s)	110,86 M
- Rx Rate (Fps)	9.010
- Flood Count (Frames)	33
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.572
- Rx Rate (L1) (Bit/s)	110,97 M
- Rx Rate (Fps)	9.019
- Flood Count (Frames)	35



Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G
Tx Rate (Fps)	4.017.857	2.280.404	1.222.825	634.397	323.274	259.613
Rx Rate (Percent)	10,52 %	10,73 %	10,96 %	10,88 %	11,08 %	11,09 %
Rx Rate (L1) (Bit/s)	946,38 M	966,11 M	986,58 M	979,15 M	996,93 M	997,65 M
Rx Rate (Fps)	1,41 M	815,97 K	446,82 K	230,06 K	119,36 K	95,93 K
Loss Rate (Percent)	64,95 %	64,22 %	63,46 %	63,74 %	63,08 %	63,05 %
Loss (Frames)	78.286.602	43.932.926	23.280.079	12.130.030	6.117.270	4.910.566
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.317.737	2.530.730	1.486.048	778.703	397.990	318.474
- Rx Rate (L1) (Bit/s)	96,72 M	99,88 M	109,37 M	110,47 M	110,8 M	110,4 M
- Rx Rate (Fps)	143.925	84.358	49.535	25.957	13.266	10.616
- Flood Count (Frames)	31	29	28	27	30	34
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.755.933	2.749.664	1.485.436	754.276	397.281	318.685
- Rx Rate (L1) (Bit/s)	106,53 M	108,52 M	109,33 M	107,01 M	110,6 M	110,48 M
- Rx Rate (Fps)	158.531	91.655	49.515	25.143	13.243	10.623
- Flood Count (Frames)	31	27	26	32	28	30
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.753.004	2.732.289	1.487.492	702.121	396.789	319.867
- Rx Rate (L1) (Bit/s)	106,47 M	107,83 M	109,48 M	99,61 M	110,47 M	110,89 M
- Rx Rate (Fps)	158.433	91.076	49.583	23.404	13.226	10.662
- Flood Count (Frames)	32	31	27	33	30	32
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	4.747.336	2.736.013	1.487.137	776.444	395.994	320.293
- Rx Rate (L1) (Bit/s)	106,34 M	107,98 M	109,45 M	110,15 M	110,24 M	111,03 M
- Rx Rate (Fps)	158.245	91.200	49.571	25.881	13.200	10.676
- Flood Count (Frames)	31	33	27	29	34	33
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.736.139	2.743.138	1.491.411	775.973	397.518	320.353
- Rx Rate (L1) (Bit/s)	106,09 M	108,26 M	109,77 M	110,08 M	110,67 M	111,06 M
- Rx Rate (Fps)	157.871	91.438	49.714	25.866	13.251	10.678
- Flood Count (Frames)	27	23	31	32	29	28
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.735.492	2.750.984	1.491.617	778.514	397.879	320.268
- Rx Rate (L1) (Bit/s)	106,08 M	108,57 M	109,78 M	110,45 M	110,77 M	111,03 M
- Rx Rate (Fps)	157.850	91.699	49.721	25.950	13.263	10.676
- Flood Count (Frames)	27	25	31	25	26	31
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.740.226	2.749.328	1.493.823	779.584	400.132	319.833
- Rx Rate (L1) (Bit/s)	106,18 M	108,51 M	109,95 M	110,6 M	111,4 M	110,88 M
- Rx Rate (Fps)	158.008	91.644	49.794	25.986	13.338	10.661
- Flood Count (Frames)	27	31	26	32	28	30
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.799	2.738.195	1.492.583	777.593	399.446	320.387
- Rx Rate (L1) (Bit/s)	105,88 M	108,07 M	109,85 M	110,31 M	111,21 M	111,07 M
- Rx Rate (Fps)	157.560	91.273	49.753	25.920	13.315	10.680
- Flood Count (Frames)	29	25	35	30	26	33
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.736.427	2.748.847	1.489.112	778.684	397.912	319.667
- Rx Rate (L1) (Bit/s)	106,1 M	108,49 M	109,6 M	110,47 M	110,78 M	110,82 M
- Rx Rate (Fps)	157.881	91.628	49.637	25.956	13.264	10.656
- Flood Count (Frames)	29	26	30	25	33	35

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2,7 G
Tx Rate (Fps)	219.440
Rx Rate (Percent)	10,96 %
Rx Rate (L1) (Bit/s)	986,52 M
Rx Rate (Fps)	80,18 K
Loss Rate (Percent)	63,46 %
Loss (Frames)	4.177.842
P-0-0-0	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.214
- Rx Rate (L1) (Bit/s)	110,82 M
- Rx Rate (Fps)	9.007
- Flood Count (Frames)	31
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	242.578

- Rx Rate (L1) (Bit/s)	99,49 M
- Rx Rate (Fps)	8.086
- Flood Count (Frames)	35
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.657
- Rx Rate (L1) (Bit/s)	110,6 M
- Rx Rate (Fps)	8.989
- Flood Count (Frames)	26
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.059
- Rx Rate (L1) (Bit/s)	111,17 M
- Rx Rate (Fps)	9.035
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.416
- Rx Rate (L1) (Bit/s)	111,32 M
- Rx Rate (Fps)	9.047
- Flood Count (Frames)	30
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.608
- Rx Rate (L1) (Bit/s)	110,58 M
- Rx Rate (Fps)	8.987
- Flood Count (Frames)	30
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.275
- Rx Rate (L1) (Bit/s)	110,85 M
- Rx Rate (Fps)	9.009
- Flood Count (Frames)	29
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.050
- Rx Rate (L1) (Bit/s)	111,17 M
- Rx Rate (Fps)	9.035
- Flood Count (Frames)	32
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.495
- Rx Rate (L1) (Bit/s)	110,53 M
- Rx Rate (Fps)	8.983
- Flood Count (Frames)	25



Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.140	3.040.540	1.630.433	845.864	431.033	346.154
Rx Rate (Percent)	0,21 %	10,83 %	10,85 %	11,04 %	11,08 %	11,09 %
Rx Rate (L1) (Bit/s)	19,22 M	974,59 M	976,83 M	993,28 M	996,95 M	997,79 M
Rx Rate (Fps)	28,6 K	823,14 K	442,4 K	233,38 K	119,37 K	95,94 K
Loss Rate (Percent)	99,47 %	72,93 %	72,87 %	72,41 %	72,31 %	72,28 %
Loss (Frames)	159.856.077	66.522.143	35.640.857	18.374.439	9.350.016	7.506.378
P-0-0-0						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	95.792	2.737.427	1.362.445	775.192	397.281	318.607
- Rx Rate (L1) (Bit/s)	2,15 M	108,04 M	100,28 M	109,97 M	110,6 M	110,45 M
- Rx Rate (Fps)	3.193	91.248	45.415	25.840	13.243	10.620
- Flood Count (Frames)	55	28	28	33	29	21
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	96.288	2.725.407	1.488.737	777.612	399.865	320.110
- Rx Rate (L1) (Bit/s)	2,16 M	107,56 M	109,57 M	110,32 M	111,32 M	110,97 M
- Rx Rate (Fps)	3.210	90.847	49.625	25.920	13.329	10.670
- Flood Count (Frames)	55	24	30	22	30	26
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	95.774	2.756.086	1.487.103	776.698	400.173	319.492
- Rx Rate (L1) (Bit/s)	2,15 M	108,77 M	109,45 M	110,19 M	111,41 M	110,76 M
- Rx Rate (Fps)	3.192	91.870	49.570	25.890	13.339	10.650
- Flood Count (Frames)	57	32	25	26	29	26
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	96.108	2.745.250	1.483.069	780.452	398.018	320.307
- Rx Rate (L1) (Bit/s)	2,15 M	108,35 M	109,15 M	110,72 M	110,81 M	111,04 M
- Rx Rate (Fps)	3.204	91.508	49.436	26.015	13.267	10.677
- Flood Count (Frames)	53	35	25	25	27	27
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	94.808	2.748.699	1.486.158	777.668	397.629	319.068
- Rx Rate (L1) (Bit/s)	2,12 M	108,48 M	109,38 M	110,33 M	110,7 M	110,61 M
- Rx Rate (Fps)	3.160	91.623	49.539	25.922	13.254	10.636
- Flood Count (Frames)	58	30	27	26	21	30
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	95.150	2.737.411	1.489.552	777.577	396.088	319.471
- Rx Rate (L1) (Bit/s)	2,13 M	108,04 M	109,63 M	110,31 M	110,27 M	110,75 M
- Rx Rate (Fps)	3.172	91.247	49.652	25.919	13.203	10.649
- Flood Count (Frames)	57	27	25	21	29	27
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	94.602	2.747.169	1.490.752	779.244	396.107	319.883
- Rx Rate (L1) (Bit/s)	2,12 M	108,42 M	109,72 M	110,55 M	110,28 M	110,89 M
- Rx Rate (Fps)	3.153	91.572	49.692	25.975	13.204	10.663
- Flood Count (Frames)	56	24	24	27	24	25
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	94.520	2.756.232	1.492.654	778.513	397.335	320.533
- Rx Rate (L1) (Bit/s)	2,12 M	108,78 M	109,86 M	110,45 M	110,62 M	111,12 M
- Rx Rate (Fps)	3.151	91.874	49.755	25.950	13.245	10.684
- Flood Count (Frames)	55	25	24	24	24	26
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	95.087	2.740.382	1.491.657	778.528	398.490	320.756
- Rx Rate (L1) (Bit/s)	2,13 M	108,15 M	109,79 M	110,45 M	110,94 M	111,2 M
- Rx Rate (Fps)	3.170	91.346	49.722	25.951	13.283	10.692
- Flood Count (Frames)	57	32	25	24	25	27

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.586
Rx Rate (Percent)	11,09 %
Rx Rate (L1) (Bit/s)	998,21 M
Rx Rate (Fps)	81,13 K
Loss Rate (Percent)	72,27 %
Loss (Frames)	6.343.691
P-0-0-0	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268.356
- Rx Rate (L1) (Bit/s)	110,06 M
- Rx Rate (Fps)	8.945
- Flood Count (Frames)	24
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	275.438

- Rx Rate (L1) (Bit/s)	112,97 M
- Rx Rate (Fps)	9.181
- Flood Count (Frames)	31
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	266.526
- Rx Rate (L1) (Bit/s)	109,31 M
- Rx Rate (Fps)	8.884
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.442
- Rx Rate (L1) (Bit/s)	110,51 M
- Rx Rate (Fps)	8.981
- Flood Count (Frames)	28
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	275.848
- Rx Rate (L1) (Bit/s)	113,13 M
- Rx Rate (Fps)	9.195
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	267.191
- Rx Rate (L1) (Bit/s)	109,58 M
- Rx Rate (Fps)	8.906
- Flood Count (Frames)	33
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.701
- Rx Rate (L1) (Bit/s)	110,61 M
- Rx Rate (Fps)	8.990
- Flood Count (Frames)	28
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	275.131
- Rx Rate (L1) (Bit/s)	112,84 M
- Rx Rate (Fps)	9.171
- Flood Count (Frames)	28
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	266.241
- Rx Rate (L1) (Bit/s)	109,19 M
- Rx Rate (Fps)	8.875
- Flood Count (Frames)	25



Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Tx Rate (Fps)	6.696.427	3.800.674	2.038.041	1.057.331	538.793	432.691
Rx Rate (Percent)	0,02 %	10,83 %	10,95 %	10,81 %	11,08 %	10,94 %
Rx Rate (L1) (Bit/s)	1,43 M	974,29 M	985,48 M	973,22 M	997,12 M	984,47 M
Rx Rate (Fps)	2,13 K	822,88 K	446,32 K	228,67 K	119,39 K	94,66 K
Loss Rate (Percent)	99,97 %	78,35 %	78,1 %	78,37 %	77,84 %	78,12 %
Loss (Frames)	200.829.034	89.333.802	47.751.574	24.859.792	12.582.174	10.140.923
P-0-0-0						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.062	2.744.917	1.489.347	635.471	403.028	318.312
- Rx Rate (L1) (Bit/s)	158,19 K	108,33 M	109,62 M	90,15 M	112,2 M	110,35 M
- Rx Rate (Fps)	235	91.497	49.645	21.182	13.434	10.610
- Flood Count (Frames)	60	23	24	29	21	30
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.045	2.752.088	1.470.546	779.120	403.055	282.300
- Rx Rate (L1) (Bit/s)	157,81 K	108,62 M	108,23 M	110,53 M	112,21 M	97,86 M
- Rx Rate (Fps)	235	91.736	49.018	25.971	13.435	9.410
- Flood Count (Frames)	60	20	23	30	22	29
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.122	2.734.252	1.490.164	779.887	403.051	320.399
- Rx Rate (L1) (Bit/s)	159,53 K	107,91 M	109,68 M	110,64 M	112,21 M	111,07 M
- Rx Rate (Fps)	237	91.142	49.672	25.996	13.435	10.680
- Flood Count (Frames)	58	27	24	23	24	26
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	7.056	2.748.267	1.490.087	778.884	398.732	320.115
- Rx Rate (L1) (Bit/s)	158,05 K	108,46 M	109,67 M	110,5 M	111,01 M	110,97 M
- Rx Rate (Fps)	235	91.609	49.670	25.963	13.291	10.671
- Flood Count (Frames)	59	24	24	24	24	28
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.061	2.725.763	1.483.189	778.934	396.194	320.122
- Rx Rate (L1) (Bit/s)	158,17 K	107,58 M	109,16 M	110,5 M	110,3 M	110,98 M
- Rx Rate (Fps)	235	90.859	49.440	25.964	13.206	10.671
- Flood Count (Frames)	59	25	19	23	25	25
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.053	2.743.331	1.488.512	779.438	393.410	318.957
- Rx Rate (L1) (Bit/s)	157,99 K	108,27 M	109,55 M	110,58 M	109,53 M	110,57 M
- Rx Rate (Fps)	235	91.444	49.617	25.981	13.114	10.632
- Flood Count (Frames)	57	27	28	25	25	28
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.089	2.741.161	1.490.133	778.612	392.571	319.879
- Rx Rate (L1) (Bit/s)	158,79 K	108,18 M	109,67 M	110,46 M	109,29 M	110,89 M
- Rx Rate (Fps)	236	91.372	49.671	25.954	13.086	10.663
- Flood Count (Frames)	62	27	27	25	19	21
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.148	2.749.831	1.493.500	775.557	394.546	319.509
- Rx Rate (L1) (Bit/s)	160,12 K	108,53 M	109,92 M	110,03 M	109,84 M	110,76 M
- Rx Rate (Fps)	238	91.661	49.783	25.852	13.152	10.650
- Flood Count (Frames)	57	22	22	29	26	22
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.128	2.746.805	1.494.178	774.229	397.032	320.220
- Rx Rate (L1) (Bit/s)	159,67 K	108,41 M	109,97 M	109,84 M	110,53 M	111,01 M
- Rx Rate (Fps)	238	91.560	49.806	25.808	13.234	10.674
- Flood Count (Frames)	58	29	23	26	27	24

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4,5 G
Tx Rate (Fps)	365.734
Rx Rate (Percent)	11,09 %
Rx Rate (L1) (Bit/s)	998,34 M
Rx Rate (Fps)	81,14 K
Loss Rate (Percent)	77,81 %
Loss (Frames)	8.537.841
P-0-0-0	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	259.711
- Rx Rate (L1) (Bit/s)	106,52 M
- Rx Rate (Fps)	8.657
- Flood Count (Frames)	28
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268.056

- Rx Rate (L1) (Bit/s)	109,94 M
- Rx Rate (Fps)	8.935
- Flood Count (Frames)	23
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.363
- Rx Rate (L1) (Bit/s)	114,58 M
- Rx Rate (Fps)	9.312
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	261.028
- Rx Rate (L1) (Bit/s)	107,06 M
- Rx Rate (Fps)	8.701
- Flood Count (Frames)	34
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.698
- Rx Rate (L1) (Bit/s)	111,02 M
- Rx Rate (Fps)	9.023
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	281.125
- Rx Rate (L1) (Bit/s)	115,3 M
- Rx Rate (Fps)	9.371
- Flood Count (Frames)	31
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	262.048
- Rx Rate (L1) (Bit/s)	107,47 M
- Rx Rate (Fps)	8.735
- Flood Count (Frames)	31
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.454
- Rx Rate (L1) (Bit/s)	110,92 M
- Rx Rate (Fps)	9.015
- Flood Count (Frames)	30
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	281.693
- Rx Rate (L1) (Bit/s)	115,53 M
- Rx Rate (Fps)	9.390
- Flood Count (Frames)	33



Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.713	4.560.810	2.445.652	1.268.795	646.550	519.229
Rx Rate (Percent)	0,01 %	10,62 %	10,9 %	11,04 %	11,08 %	11,05 %
Rx Rate (L1) (Bit/s)	1,22 M	955,81 M	981,33 M	993,48 M	997,35 M	994,74 M
Rx Rate (Fps)	1,82 K	807,27 K	444,45 K	233,43 K	119,41 K	95,65 K
Loss Rate (Percent)	99,98 %	82,3 %	81,83 %	81,6 %	81,53 %	81,58 %
Loss (Frames)	241.016.919	112.606.111	60.036.204	31.060.931	15.814.065	12.707.416
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.049	2.625.937	1.489.712	778.681	396.703	310.573
- Rx Rate (L1) (Bit/s)	135,5 K	103,64 M	109,64 M	110,47 M	110,44 M	107,67 M
- Rx Rate (Fps)	202	87.531	49.657	25.956	13.223	10.352
- Flood Count (Frames)	61	24	24	24	21	26
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.008	2.731.240	1.487.480	778.398	398.310	317.913
- Rx Rate (L1) (Bit/s)	134,58 K	107,79 M	109,48 M	110,43 M	110,89 M	110,21 M
- Rx Rate (Fps)	200	91.041	49.583	25.947	13.277	10.597
- Flood Count (Frames)	56	24	24	24	25	20
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.113	2.399.460	1.417.114	776.961	396.544	318.844
- Rx Rate (L1) (Bit/s)	136,93 K	94,7 M	104,3 M	110,22 M	110,4 M	110,53 M
- Rx Rate (Fps)	204	79.982	47.237	25.899	13.218	10.628
- Flood Count (Frames)	61	27	26	26	25	23
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	6.091	2.747.687	1.488.601	777.061	399.720	320.613
- Rx Rate (L1) (Bit/s)	136,44 K	108,44 M	109,56 M	110,24 M	111,28 M	111,15 M
- Rx Rate (Fps)	203	91.590	49.620	25.902	13.324	10.687
- Flood Count (Frames)	57	27	25	22	26	25
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.066	2.757.213	1.490.288	777.466	397.899	320.543
- Rx Rate (L1) (Bit/s)	135,88 K	108,82 M	109,69 M	110,3 M	110,78 M	111,12 M
- Rx Rate (Fps)	202	91.907	49.676	25.916	13.263	10.685
- Flood Count (Frames)	55	22	22	23	30	27
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.029	2.739.012	1.491.892	778.398	398.174	319.670
- Rx Rate (L1) (Bit/s)	135,05 K	108,1 M	109,8 M	110,43 M	110,85 M	110,82 M
- Rx Rate (Fps)	201	91.300	49.730	25.947	13.272	10.656
- Flood Count (Frames)	55	22	25	29	24	25
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.070	2.724.892	1.490.109	778.355	398.017	320.619
- Rx Rate (L1) (Bit/s)	135,97 K	107,54 M	109,67 M	110,42 M	110,81 M	111,15 M
- Rx Rate (Fps)	202	90.830	49.670	25.945	13.267	10.687
- Flood Count (Frames)	56	21	20	26	25	22
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.034	2.739.381	1.487.287	778.558	397.948	319.910
- Rx Rate (L1) (Bit/s)	135,16 K	108,11 M	109,46 M	110,45 M	110,79 M	110,9 M
- Rx Rate (Fps)	201	91.313	49.576	25.952	13.265	10.664
- Flood Count (Frames)	58	25	23	23	25	24
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6.011	2.753.376	1.490.870	779.035	399.123	320.766
- Rx Rate (L1) (Bit/s)	134,65 K	108,67 M	109,73 M	110,52 M	111,12 M	111,2 M
- Rx Rate (Fps)	200	91.779	49.696	25.968	13.304	10.692
- Flood Count (Frames)	59	23	26	23	25	28

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.880
Rx Rate (Percent)	10,88 %
Rx Rate (L1) (Bit/s)	979,57 M
Rx Rate (Fps)	79,61 K
Loss Rate (Percent)	81,86 %
Loss (Frames)	10.777.979
P-0-0-0	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.746
- Rx Rate (L1) (Bit/s)	111,04 M
- Rx Rate (Fps)	9.025
- Flood Count (Frames)	25
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.963

- Rx Rate (L1) (Bit/s)	110,72 M
- Rx Rate (Fps)	8.999
- Flood Count (Frames)	30
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	224.152
- Rx Rate (L1) (Bit/s)	91,93 M
- Rx Rate (Fps)	7.472
- Flood Count (Frames)	22
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.370
- Rx Rate (L1) (Bit/s)	110,89 M
- Rx Rate (Fps)	9.012
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.166
- Rx Rate (L1) (Bit/s)	111,21 M
- Rx Rate (Fps)	9.039
- Flood Count (Frames)	30
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.997
- Rx Rate (L1) (Bit/s)	110,73 M
- Rx Rate (Fps)	9.000
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.113
- Rx Rate (L1) (Bit/s)	111,19 M
- Rx Rate (Fps)	9.037
- Flood Count (Frames)	26
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.723
- Rx Rate (L1) (Bit/s)	110,62 M
- Rx Rate (Fps)	8.991
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.179
- Rx Rate (L1) (Bit/s)	111,22 M
- Rx Rate (Fps)	9.039
- Flood Count (Frames)	25



Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	6,3 G	6,3 G	6,3 G	6,3 G	6,3 G	6,3 G
Tx Rate (Fps)	9.374.999	5.320.944	2.853.260	1.480.262	754.310	605.767
Rx Rate (Percent)	0,01 %	0,02 %	10,96 %	10,93 %	11,03 %	11,09 %
Rx Rate (L1) (Bit/s)	1,08 M	1,68 M	986,71 M	984,03 M	992,36 M	997,68 M
Rx Rate (Fps)	1,6 K	1,42 K	446,88 K	231,21 K	118,82 K	95,93 K
Loss Rate (Percent)	99,98 %	99,97 %	84,34 %	84,38 %	84,25 %	84,16 %
Loss (Frames)	281.201.891	159.585.856	72.191.437	37.471.578	19.064.794	15.295.080
P-0-0-0						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.324	5.053	1.489.039	779.259	398.267	318.047
- Rx Rate (L1) (Bit/s)	119,26 K	199,43 K	109,59 M	110,55 M	110,88 M	110,26 M
- Rx Rate (Fps)	177	168	49.635	25.975	13.276	10.602
- Flood Count (Frames)	59	58	23	26	23	20
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.282	2.410	1.489.366	777.044	381.540	318.939
- Rx Rate (L1) (Bit/s)	118,32 K	95,11 K	109,62 M	110,24 M	106,22 M	110,57 M
- Rx Rate (Fps)	176	80	49.646	25.901	12.718	10.631
- Flood Count (Frames)	57	57	26	22	22	25
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.330	5.053	1.491.476	716.166	398.667	319.683
- Rx Rate (L1) (Bit/s)	119,39 K	199,43 K	109,77 M	101,6 M	110,99 M	110,82 M
- Rx Rate (Fps)	178	168	49.716	23.872	13.289	10.656
- Flood Count (Frames)	61	59	23	21	27	21
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	5.330	5.004	1.488.387	777.190	397.681	319.836
- Rx Rate (L1) (Bit/s)	119,39 K	197,49 K	109,55 M	110,26 M	110,71 M	110,88 M
- Rx Rate (Fps)	178	167	49.613	25.906	13.256	10.661
- Flood Count (Frames)	57	57	23	20	26	24
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.422	5.025	1.490.352	776.185	397.444	319.875
- Rx Rate (L1) (Bit/s)	121,45 K	198,32 K	109,69 M	110,11 M	110,65 M	110,89 M
- Rx Rate (Fps)	181	168	49.678	25.873	13.248	10.663
- Flood Count (Frames)	55	56	22	21	25	22
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.328	4.985	1.491.254	777.119	397.403	320.705
- Rx Rate (L1) (Bit/s)	119,35 K	196,74 K	109,76 M	110,25 M	110,64 M	111,18 M
- Rx Rate (Fps)	178	166	49.708	25.904	13.247	10.690
- Flood Count (Frames)	59	56	23	20	19	24
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.338	4.963	1.490.336	778.192	398.065	320.585
- Rx Rate (L1) (Bit/s)	119,57 K	195,87 K	109,69 M	110,4 M	110,82 M	111,14 M
- Rx Rate (Fps)	178	165	49.678	25.940	13.269	10.686
- Flood Count (Frames)	56	58	28	23	21	23
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.361	4.942	1.488.911	776.574	397.882	320.083
- Rx Rate (L1) (Bit/s)	120,09 K	195,04 K	109,58 M	110,17 M	110,77 M	110,96 M
- Rx Rate (Fps)	179	165	49.630	25.886	13.263	10.669
- Flood Count (Frames)	56	59	29	21	26	22
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.376	5.029	1.487.245	778.538	397.551	320.165
- Rx Rate (L1) (Bit/s)	120,42 K	198,48 K	109,46 M	110,45 M	110,68 M	110,99 M
- Rx Rate (Fps)	179	168	49.575	25.951	13.252	10.672
- Flood Count (Frames)	55	56	17	22	28	19

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	6,3 G
Tx Rate (Fps)	512.028
Rx Rate (Percent)	11,09 %
Rx Rate (L1) (Bit/s)	998,17 M
Rx Rate (Fps)	81,13 K
Loss Rate (Percent)	84,16 %
Loss (Frames)	12.927.079
P-0-0-0	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.326
- Rx Rate (L1) (Bit/s)	110,46 M
- Rx Rate (Fps)	8.978
- Flood Count (Frames)	24
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.400

- Rx Rate (L1) (Bit/s)	110,49 M
- Rx Rate (Fps)	8.980
- Flood Count (Frames)	23
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.320
- Rx Rate (L1) (Bit/s)	110,87 M
- Rx Rate (Fps)	9.011
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.412
- Rx Rate (L1) (Bit/s)	111,32 M
- Rx Rate (Fps)	9.047
- Flood Count (Frames)	22
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.448
- Rx Rate (L1) (Bit/s)	111,33 M
- Rx Rate (Fps)	9.048
- Flood Count (Frames)	24
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.428
- Rx Rate (L1) (Bit/s)	111,32 M
- Rx Rate (Fps)	9.048
- Flood Count (Frames)	19
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.760
- Rx Rate (L1) (Bit/s)	111,05 M
- Rx Rate (Fps)	9.025
- Flood Count (Frames)	27
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.332
- Rx Rate (L1) (Bit/s)	110,87 M
- Rx Rate (Fps)	9.011
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.335
- Rx Rate (L1) (Bit/s)	110,46 M
- Rx Rate (Fps)	8.978
- Flood Count (Frames)	27



Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.283	6.081.080	3.260.868	1.691.728	862.067	692.307
Rx Rate (Percent)	0,01 %	0,1 %	10,8 %	10,93 %	11,08 %	11,09 %
Rx Rate (L1) (Bit/s)	907,96 K	9,08 M	972,29 M	983,75 M	996,9 M	997,93 M
Rx Rate (Fps)	1,35 K	7,67 K	440,35 K	231,14 K	119,36 K	95,95 K
Loss Rate (Percent)	99,99 %	99,87 %	86,5 %	86,34 %	86,15 %	86,14 %
Loss (Frames)	321.387.959	182.202.350	84.615.538	43.817.534	22.281.197	17.890.579
P-0-0-0						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.531	1.781	1.491.004	776.658	397.859	318.802
- Rx Rate (L1) (Bit/s)	101,49 K	70,29 K	109,74 M	110,18 M	110,76 M	110,52 M
- Rx Rate (Fps)	151	59	49.700	25.889	13.262	10.627
- Flood Count (Frames)	61	58	24	22	24	21
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.518	26.682	1.491.037	710.244	397.935	319.746
- Rx Rate (L1) (Bit/s)	101,2 K	1,05 M	109,74 M	100,76 M	110,79 M	110,85 M
- Rx Rate (Fps)	151	889	49.701	23.675	13.265	10.658
- Flood Count (Frames)	58	58	20	21	24	23
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.596	34.202	1.291.102	778.460	398.064	319.115
- Rx Rate (L1) (Bit/s)	102,95 K	1,35 M	95,03 M	110,44 M	110,82 M	110,63 M
- Rx Rate (Fps)	153	1.140	43.037	25.949	13.269	10.637
- Flood Count (Frames)	56	60	20	22	26	31
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	4.533	36.642	1.493.110	777.012	398.095	320.153
- Rx Rate (L1) (Bit/s)	101,54 K	1,45 M	109,89 M	110,23 M	110,83 M	110,99 M
- Rx Rate (Fps)	151	1.221	49.770	25.900	13.270	10.672
- Flood Count (Frames)	55	57	19	18	23	27
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.547	35.588	1.489.267	777.509	398.227	319.921
- Rx Rate (L1) (Bit/s)	101,85 K	1,4 M	109,61 M	110,3 M	110,87 M	110,91 M
- Rx Rate (Fps)	152	1.186	49.642	25.917	13.274	10.664
- Flood Count (Frames)	53	54	19	20	21	26
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.440	30.181	1.490.244	778.230	397.684	319.493
- Rx Rate (L1) (Bit/s)	99,46 K	1,19 M	109,68 M	110,4 M	110,72 M	110,76 M
- Rx Rate (Fps)	148	1.006	49.675	25.941	13.256	10.650
- Flood Count (Frames)	57	53	21	20	24	21
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.465	24.477	1.487.803	779.911	397.624	320.976
- Rx Rate (L1) (Bit/s)	100,02 K	966,03 K	109,5 M	110,64 M	110,7 M	111,27 M
- Rx Rate (Fps)	149	816	49.593	25.997	13.254	10.699
- Flood Count (Frames)	55	54	21	25	22	28
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.394	21.167	1.487.542	778.264	397.415	320.288
- Rx Rate (L1) (Bit/s)	98,43 K	835,39 K	109,48 M	110,41 M	110,64 M	111,03 M
- Rx Rate (Fps)	146	706	49.585	25.942	13.247	10.676
- Flood Count (Frames)	58	56	24	18	21	18
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.510	19.342	1.489.402	778.024	397.904	320.137
- Rx Rate (L1) (Bit/s)	101,02 K	763,36 K	109,62 M	110,38 M	110,78 M	110,98 M
- Rx Rate (Fps)	150	645	49.647	25.934	13.263	10.671
- Flood Count (Frames)	59	56	26	24	24	23

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.174
Rx Rate (Percent)	11,09 %
Rx Rate (L1) (Bit/s)	997,78 M
Rx Rate (Fps)	81,09 K
Loss Rate (Percent)	86,14 %
Loss (Frames)	15.122.391
P-0-0-0	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268.917
- Rx Rate (L1) (Bit/s)	110,29 M
- Rx Rate (Fps)	8.964
- Flood Count (Frames)	28
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.208

- Rx Rate (L1) (Bit/s)	110,41 M
- Rx Rate (Fps)	8.974
- Flood Count (Frames)	30
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	267.518
- Rx Rate (L1) (Bit/s)	109,72 M
- Rx Rate (Fps)	8.917
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.913
- Rx Rate (L1) (Bit/s)	111,11 M
- Rx Rate (Fps)	9.030
- Flood Count (Frames)	21
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.885
- Rx Rate (L1) (Bit/s)	111,51 M
- Rx Rate (Fps)	9.063
- Flood Count (Frames)	21
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.928
- Rx Rate (L1) (Bit/s)	111,12 M
- Rx Rate (Fps)	9.031
- Flood Count (Frames)	24
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.549
- Rx Rate (L1) (Bit/s)	111,37 M
- Rx Rate (Fps)	9.052
- Flood Count (Frames)	27
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.892
- Rx Rate (L1) (Bit/s)	111,1 M
- Rx Rate (Fps)	9.030
- Flood Count (Frames)	19
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.010
- Rx Rate (L1) (Bit/s)	111,15 M
- Rx Rate (Fps)	9.034
- Flood Count (Frames)	23



Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G
Tx Rate (Fps)	12.053.570	6.841.214	3.668.477	1.903.195	969.827	778.845
Rx Rate (Percent)	0,01 %	0,02 %	10,96 %	11,03 %	11,08 %	10,85 %
Rx Rate (L1) (Bit/s)	542,1 K	1,83 M	986,79 M	992,45 M	997,11 M	976,25 M
Rx Rate (Fps)	806,7	1,55 K	446,92 K	233,19 K	119,39 K	93,87 K
Loss Rate (Percent)	99,99 %	99,98 %	87,82 %	87,75 %	87,69 %	87,95 %
Loss (Frames)	361.582.884	205.190.052	96.646.805	50.100.199	25.513.225	20.549.227
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.077	5.105	1.481.151	779.570	397.357	262.913
- Rx Rate (L1) (Bit/s)	68,92 K	201,48 K	109,01 M	110,59 M	110,62 M	91,14 M
- Rx Rate (Fps)	103	170	49.372	25.986	13.245	8.764
- Flood Count (Frames)	57	58	27	25	22	22
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575	5.106	1.485.095	769.220	398.346	327.626
- Rx Rate (L1) (Bit/s)	35,28 K	201,52 K	109,3 M	109,13 M	110,9 M	113,58 M
- Rx Rate (Fps)	53	170	49.503	25.641	13.278	10.921
- Flood Count (Frames)	58	60	23	21	21	27
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.403	5.223	1.491.294	776.706	398.249	327.799
- Rx Rate (L1) (Bit/s)	31,43 K	206,13 K	109,76 M	110,19 M	110,87 M	113,64 M
- Rx Rate (Fps)	47	174	49.710	25.890	13.275	10.927
- Flood Count (Frames)	58	61	27	22	26	21
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	2.963	5.171	1.481.183	777.081	398.311	314.855
- Rx Rate (L1) (Bit/s)	66,37 K	204,08 K	109,02 M	110,24 M	110,89 M	109,15 M
- Rx Rate (Fps)	99	172	49.373	25.903	13.277	10.495
- Flood Count (Frames)	55	60	24	24	24	24
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.124	5.204	1.482.915	777.800	397.633	317.352
- Rx Rate (L1) (Bit/s)	69,98 K	205,38 K	109,14 M	110,34 M	110,7 M	110,02 M
- Rx Rate (Fps)	104	173	49.431	25.927	13.254	10.578
- Flood Count (Frames)	53	60	22	20	22	23
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.868	5.135	1.484.276	777.533	398.019	316.975
- Rx Rate (L1) (Bit/s)	64,24 K	202,66 K	109,24 M	110,31 M	110,81 M	109,88 M
- Rx Rate (Fps)	96	171	49.476	25.918	13.267	10.566
- Flood Count (Frames)	55	59	25	26	21	28
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.070	5.143	1.507.642	778.216	398.052	320.512
- Rx Rate (L1) (Bit/s)	68,77 K	202,98 K	110,96 M	110,4 M	110,82 M	111,11 M
- Rx Rate (Fps)	102	171	50.255	25.941	13.268	10.684
- Flood Count (Frames)	56	57	23	20	23	24
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.019	5.167	1.500.822	778.891	397.696	313.567
- Rx Rate (L1) (Bit/s)	67,63 K	203,92 K	110,46 M	110,5 M	110,72 M	108,7 M
- Rx Rate (Fps)	101	172	50.027	25.963	13.257	10.452
- Flood Count (Frames)	55	60	21	25	23	28
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.102	5.117	1.493.112	780.631	397.907	314.515
- Rx Rate (L1) (Bit/s)	69,48 K	201,95 K	109,89 M	110,75 M	110,78 M	109,03 M
- Rx Rate (Fps)	103	171	49.770	26.021	13.264	10.484
- Flood Count (Frames)	55	58	22	19	23	23

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	8,1 G
Tx Rate (Fps)	658.322
Rx Rate (Percent)	11,09 %
Rx Rate (L1) (Bit/s)	998,23 M
Rx Rate (Fps)	81,13 K
Loss Rate (Percent)	87,68 %
Loss (Frames)	17.315.752
P-0-0-0	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.623
- Rx Rate (L1) (Bit/s)	110,58 M
- Rx Rate (Fps)	8.987
- Flood Count (Frames)	25
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.659

- Rx Rate (L1) (Bit/s)	111,01 M
- Rx Rate (Fps)	9.022
- Flood Count (Frames)	22
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.236
- Rx Rate (L1) (Bit/s)	110,42 M
- Rx Rate (Fps)	8.975
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.396
- Rx Rate (L1) (Bit/s)	111,31 M
- Rx Rate (Fps)	9.047
- Flood Count (Frames)	23
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.822
- Rx Rate (L1) (Bit/s)	111,48 M
- Rx Rate (Fps)	9.061
- Flood Count (Frames)	20
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.681
- Rx Rate (L1) (Bit/s)	110,61 M
- Rx Rate (Fps)	8.989
- Flood Count (Frames)	22
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.041
- Rx Rate (L1) (Bit/s)	110,75 M
- Rx Rate (Fps)	9.001
- Flood Count (Frames)	22
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271.254
- Rx Rate (L1) (Bit/s)	111,25 M
- Rx Rate (Fps)	9.042
- Flood Count (Frames)	27
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.199
- Rx Rate (L1) (Bit/s)	110,82 M
- Rx Rate (Fps)	9.007
- Flood Count (Frames)	22



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.856	7.601.351	4.076.085	2.114.662	1.077.586	865.382
Rx Rate (Percent)	0,01 %	0,02 %	10,83 %	10,72 %	11,07 %	11,02 %
Rx Rate (L1) (Bit/s)	1,12 M	1,42 M	975,07 M	964,74 M	996,55 M	991,97 M
Rx Rate (Fps)	1,67 K	1,2 K	441,61 K	226,68 K	119,32 K	95,38 K
Loss Rate (Percent)	99,99 %	99,98 %	89,17 %	89,28 %	88,93 %	88,98 %
Loss (Frames)	401.735.464	228.004.434	109.034.332	56.639.495	28.748.040	23.100.029
P-0-0-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.449	4.114	1.491.245	775.216	398.284	317.484
- Rx Rate (L1) (Bit/s)	77,26 K	162,37 K	109,76 M	109,98 M	110,88 M	110,06 M
- Rx Rate (Fps)	115	137	49.708	25.841	13.276	10.583
- Flood Count (Frames)	56	58	22	26	20	21
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.748	4.031	1.419.274	726.525	394.221	301.768
- Rx Rate (L1) (Bit/s)	128,76 K	159,09 K	104,46 M	103,07 M	109,75 M	104,61 M
- Rx Rate (Fps)	192	134	47.309	24.218	13.141	10.059
- Flood Count (Frames)	60	61	23	21	21	21
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.831	4.008	1.406.075	613.318	398.026	318.933
- Rx Rate (L1) (Bit/s)	130,61 K	158,18 K	103,49 M	87,01 M	110,81 M	110,56 M
- Rx Rate (Fps)	194	134	46.869	20.444	13.268	10.631
- Flood Count (Frames)	61	61	19	21	24	23
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	5.795	4.030	1.490.842	780.271	397.511	319.783
- Rx Rate (L1) (Bit/s)	129,81 K	159,05 K	109,73 M	110,69 M	110,67 M	110,86 M
- Rx Rate (Fps)	193	134	49.695	26.009	13.250	10.659
- Flood Count (Frames)	56	57	22	21	24	27
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.877	3.988	1.485.680	781.283	398.438	321.207
- Rx Rate (L1) (Bit/s)	131,64 K	157,39 K	109,35 M	110,84 M	110,93 M	111,35 M
- Rx Rate (Fps)	196	133	49.523	26.043	13.281	10.707
- Flood Count (Frames)	61	57	24	18	24	27
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.834	3.889	1.487.466	782.746	398.679	320.336
- Rx Rate (L1) (Bit/s)	130,68 K	153,49 K	109,48 M	111,05 M	110,99 M	111,05 M
- Rx Rate (Fps)	194	130	49.582	26.092	13.289	10.678
- Flood Count (Frames)	57	58	22	19	22	24
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.813	4.053	1.486.745	780.961	398.255	321.190
- Rx Rate (L1) (Bit/s)	130,21 K	159,96 K	109,42 M	110,79 M	110,87 M	111,35 M
- Rx Rate (Fps)	194	135	49.558	26.032	13.275	10.706
- Flood Count (Frames)	57	55	18	20	21	21
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.932	3.943	1.492.134	779.021	398.501	319.933
- Rx Rate (L1) (Bit/s)	132,88 K	155,62 K	109,82 M	110,52 M	110,94 M	110,91 M
- Rx Rate (Fps)	198	131	49.738	25.967	13.283	10.664
- Flood Count (Frames)	53	56	20	21	21	22
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.934	4.025	1.488.748	781.012	397.631	320.809
- Rx Rate (L1) (Bit/s)	132,92 K	158,85 K	109,57 M	110,8 M	110,7 M	111,21 M
- Rx Rate (Fps)	198	134	49.625	26.034	13.254	10.694
- Flood Count (Frames)	58	57	22	20	21	24

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.468
Rx Rate (Percent)	10,92 %
Rx Rate (L1) (Bit/s)	982,92 M
Rx Rate (Fps)	79,89 K
Loss Rate (Percent)	89,08 %
Loss (Frames)	19.547.452
P-0-0-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	230.006
- Rx Rate (L1) (Bit/s)	94,33 M
- Rx Rate (Fps)	7.667
- Flood Count (Frames)	26
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	267.835

- Rx Rate (L1) (Bit/s)	109,85 M
- Rx Rate (Fps)	8.928
- Flood Count (Frames)	23
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	273.462
- Rx Rate (L1) (Bit/s)	112,16 M
- Rx Rate (Fps)	9.115
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268.007
- Rx Rate (L1) (Bit/s)	109,92 M
- Rx Rate (Fps)	8.934
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268.844
- Rx Rate (L1) (Bit/s)	110,26 M
- Rx Rate (Fps)	8.961
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	274.775
- Rx Rate (L1) (Bit/s)	112,69 M
- Rx Rate (Fps)	9.159
- Flood Count (Frames)	22
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268.998
- Rx Rate (L1) (Bit/s)	110,33 M
- Rx Rate (Fps)	8.967
- Flood Count (Frames)	23
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269.940
- Rx Rate (L1) (Bit/s)	110,71 M
- Rx Rate (Fps)	8.998
- Flood Count (Frames)	20
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	274.715
- Rx Rate (L1) (Bit/s)	112,67 M
- Rx Rate (Fps)	9.157
- Flood Count (Frames)	23


Part.Mesh, N->N: Loss by Frame Size at 100,00% Rate
Loss Test Result (Loss Percent)
100,0
80,0
60,0
40,0
20,0
0,0
64
128
256
512
1024
1280
1518
Frame size (bytes)
Loss Percent

Congestion Control Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89.285.714	50.675.676	27.173.914	14.097.746	7.183.909	5.769.232
Uncongested Port: (P-0-4-4)						
- Tx (Frames)	22.321.429	12.668.919	6.793.479	3.524.437	1.795.977	1.442.308
- Rx (Frames)	22.321.429	12.668.919	6.793.479	3.524.437	1.795.977	1.442.308
- Loss (Frames)	0	0	0	0	0	0
- Loss (Percent)	0,00	0,00	0,00	0,00	0,00	0,00
Congested Port: (P-0-4-5)						
- Tx (Frames)	66.964.285	38.006.757	20.380.435	10.573.309	5.387.932	4.326.924
- Rx (Frames)	42.621.976	24.672.475	13.393.737	6.996.709	3.578.522	2.875.979
- Loss (Frames)	24.342.309	13.334.282	6.986.698	3.576.600	1.809.410	1.450.945
- Loss (Percent)	36,35	35,08	34,28	33,83	33,58	33,53

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4.876.464
Uncongested Port: (P-0-4-4)	
- Tx (Frames)	1.219.116
- Rx (Frames)	1.219.116
- Loss (Frames)	0
- Loss (Percent)	0,00
Congested Port: (P-0-4-5)	
- Tx (Frames)	3.657.348
- Rx (Frames)	2.432.099
- Loss (Frames)	1.225.249
- Loss (Percent)	33,50

Forward Pressure Results

Test Setup

Duration: 30 seconds
Iteration: 1

InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	45.180.722	25.510.204	13.636.363	7.062.146	3.595.397	2.886.836
Tx Rate (Fps)	1.506.024	850.340	454.545	235.405	119.847	96.228
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	101,205	100,680	100,364	100,188	100,096	100,077
Rx (Frames)	42.613.635	24.671.080	13.392.896	6.996.319	3.578.299	2.875.824
Rx Rate (Fps)	1.420.451	822.367	446.427	233.208	119.275	95.859
Rx Max. Util. (Percent)	95,454	97,368	98,571	99,253	99,618	99,693
Loss (Frames)	2.567.087	839.124	243.467	65.827	17.098	11.012
Loss (Percent)	5,68	3,29	1,79	0,93	0,48	0,38

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	2.439.817
Tx Rate (Fps)	81.327
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	100,065
Rx (Frames)	2.431.962
Rx Rate (Fps)	81.063
Rx Max. Util. (Percent)	99,740
Loss (Frames)	7.855
Loss (Percent)	0,32

Maximum Forwarding Rate Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	100 %	90,505 %	90,018 %	100 %	100 %
Tx (Frames)	40.178.571	25.337.837	12.296.875	6.345.235	3.591.954	2.884.615
Tx Rate (L1) (Bit/s)	900 M	1000 M	905,05 M	900,18 M	1000 M	1000 M
Tx Rate (Fps)	1.339.286	844.595	409.896	211.508	119.732	96.154
Rx (Frames)	40.178.571	24.671.142	12.296.875	6.345.235	3.574.416	2.875.830
Rx Rate (L1) (Bit/s)	900 M	973,69 M	905,05 M	900,18 M	995,12 M	996,95 M
Rx Rate (Fps)	1.339.286	822.371	409.896	211.508	119.147	95.861

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	2.438.231
Tx Rate (L1) (Bit/s)	1000 M
Tx Rate (Fps)	81.274
Rx (Frames)	2.431.968
Rx Rate (L1) (Bit/s)	997,43 M
Rx Rate (Fps)	81.066

Address Caching Capacity Results

Test Setup

Iteration: 1

Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC

Address Initial Count: 100
Address Maximum Count: 2.048
Address Minimum Count: 100
Address Resolution: 100

Learning Rate: 20 Fps
Toggle Port Sync State: No
Sync. State Off Duration: 1 seconds
Delay After Sync On: 0 seconds
Switch Test Ports: No
DUT Aging Time: 310 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Duration (Seconds)	55	6	6	6	6	6
Address Count	1.074	100	100	100	100	100
TestPort Tx (Frames)	22	22	22	22	22	22
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	22	22	22	22	22	22
MonPort Rx (Frames)	22	22	22	22	22	22

Frame Size	1518
Result State	FAIL
Iter. #	1
Duration (Seconds)	6
Address Count	100
TestPort Tx (Frames)	22
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	22
MonPort Rx (Frames)	22

Note: One or more of the tests did not pass the test criteria!

Address Learning Rate Results

Test Setup

Iteration: 1

Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC
Only Use Max. Capacity: No
Set End = Max. Capacity: Yes

Base Learning Rate: 100 Fps
Initial Rate: 20,00%
Maximum Rate: 100,00%
Minimum Rate : 20,00%
Resolution: 20,00%

Toggle Port Sync State: No
Sync. State Off Duration: 1 seconds
Delay After Sync On: 0 seconds
Switch Test Ports: No
DUT Aging Time: 310 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port

Test Results

Results for 100 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	6	6	6	6	6	6
Address Count	100	100	100	100	100	100
TestPort Tx (Frames)	100	100	100	100	100	100
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	100	100	100	100	100	100
MonPort Rx (Frames)	100	100	100	100	100	100

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	6
Address Count	100
TestPort Tx (Frames)	100
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	100
MonPort Rx (Frames)	100

Note: One or more of the tests did not pass the test criteria!



Results for 300 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	16	16	16	16	16	16
Address Count	300	300	300	300	300	300
TestPort Tx (Frames)	300	300	300	300	300	300
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	300	300	300	300	300	300
MonPort Rx (Frames)	300	300	300	300	300	300

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	16
Address Count	300
TestPort Tx (Frames)	300
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	300
MonPort Rx (Frames)	300

Note: One or more of the tests did not pass the test criteria!



Results for 500 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	26	26	26	26	26	26
Address Count	500	500	500	500	500	500
TestPort Tx (Frames)	500	500	500	500	500	500
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	500	500	500	500	500	500
MonPort Rx (Frames)	500	500	500	500	500	500

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	26
Address Count	500
TestPort Tx (Frames)	500
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	500
MonPort Rx (Frames)	500

Note: One or more of the tests did not pass the test criteria!



Results for 700 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	36	36	36	36	36	36
Address Count	700	700	700	700	700	700
TestPort Tx (Frames)	700	700	700	700	700	700
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	700	700	700	700	700	700
MonPort Rx (Frames)	512	512	512	512	512	512

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	36
Address Count	700
TestPort Tx (Frames)	700
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	700
MonPort Rx (Frames)	512

Note: One or more of the tests did not pass the test criteria!



Results for 900 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	46	46	46	46	46	46
Address Count	900	900	900	900	900	900
TestPort Tx (Frames)	900	900	900	900	900	900
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	900	900	900	900	900	900
MonPort Rx (Frames)	512	512	512	512	512	512

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	46
Address Count	900
TestPort Tx (Frames)	900
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	900
MonPort Rx (Frames)	512

Note: One or more of the tests did not pass the test criteria!



Results for 1.100 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	56	56	56	56	56	56
Address Count	1.100	1.100	1.100	1.100	1.100	1.100
TestPort Tx (Frames)	1.100	1.100	1.100	1.100	1.100	1.100
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.100	1.100	1.100	1.100	1.100	1.100
MonPort Rx (Frames)	512	512	512	512	512	512

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	56
Address Count	1.100
TestPort Tx (Frames)	1.100
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.100
MonPort Rx (Frames)	512

Note: One or more of the tests did not pass the test criteria!



Results for 1.300 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	66	66	66	66	66	66
Address Count	1.300	1.300	1.300	1.300	1.300	1.300
TestPort Tx (Frames)	1.300	1.300	1.300	1.300	1.300	1.300
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.300	1.300	1.300	1.300	1.300	1.300
MonPort Rx (Frames)	513	514	514	514	514	514

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	66
Address Count	1.300
TestPort Tx (Frames)	1.300
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.300
MonPort Rx (Frames)	514

Note: One or more of the tests did not pass the test criteria!



Results for 1.500 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	76	76	76	76	76	76
Address Count	1.500	1.500	1.500	1.500	1.500	1.500
TestPort Tx (Frames)	1.500	1.500	1.500	1.500	1.500	1.500
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.500	1.500	1.500	1.500	1.500	1.500
MonPort Rx (Frames)	513	514	514	514	514	514

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	76
Address Count	1.500
TestPort Tx (Frames)	1.500
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.500
MonPort Rx (Frames)	514

Note: One or more of the tests did not pass the test criteria!



Results for 1.700 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	86	86	86	86	86	86
Address Count	1.700	1.700	1.700	1.700	1.700	1.700
TestPort Tx (Frames)	1.700	1.700	1.700	1.700	1.700	1.700
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.700	1.700	1.700	1.700	1.700	1.700
MonPort Rx (Frames)	513	514	514	514	514	514

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	86
Address Count	1.700
TestPort Tx (Frames)	1.700
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.700
MonPort Rx (Frames)	514

Note: One or more of the tests did not pass the test criteria!



Results for 1.900 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	96	96	96	96	96	96
Address Count	1.900	1.900	1.900	1.900	1.900	1.900
TestPort Tx (Frames)	1.900	1.900	1.900	1.900	1.900	1.900
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.900	1.900	1.900	1.900	1.900	1.900
MonPort Rx (Frames)	514	516	516	516	516	516

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	96
Address Count	1.900
TestPort Tx (Frames)	1.900
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.900
MonPort Rx (Frames)	516

Note: One or more of the tests did not pass the test criteria!



Results for 2.048 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Learning Rate (Fps)	20	20	20	20	20	20
Duration (Seconds)	104	104	104	104	104	104
Address Count	2.048	2.048	2.048	2.048	2.048	2.048
TestPort Tx (Frames)	2.048	2.048	2.048	2.048	2.048	2.048
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	2.048	2.048	2.048	2.048	2.048	2.048
MonPort Rx (Frames)	515	517	517	517	517	517

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	20 %
Learning Rate (Fps)	20
Duration (Seconds)	104
Address Count	2.048
TestPort Tx (Frames)	2.048
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	2.048
MonPort Rx (Frames)	517

Note: One or more of the tests did not pass the test criteria!


Address Learning Rate for 2.048 Addresses
Learning Test Result (Learning Rate)
1,000
0,800
0,600
0,400
0,200
0,000
64
128
256
512
1024
1280
1518
Frame size (bytes)
Max. Learning Rate

Errored Frames Filtering Results

Test Setup

Duration: 30 seconds
Iteration: 1

Oversize Test Enabled: Yes
Max. Valid Frame Size: 1518 bytes
Min. Valid Frame Size: 64 bytes
Oversize Frame Span: 1 bytes
Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Tx Rate (Percent)	10 %	20 %	30 %	40 %	50 %	60 %
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (L1) (Bit/s)	100 M	200 M	300 M	399,96 M	500 M	600 M
Tx (Frames)	1.741.375	3.482.752	5.224.128	6.965.406	8.706.880	10.448.257
Rx (Frames)	1.741.294	3.474.141	5.151.028	6.688.704	8.278.244	9.751.072
Tx Valid (Frames)	154.130	308.261	462.392	616.522	770.653	924.784
Rx Valid (Frames)	154.130	308.261	462.392	616.522	770.653	924.784
Tx Oversize (Frames)	81.221	162.443	243.664	324.788	406.107	487.329
Rx Oversize (Frames)	81.221	162.443	243.664	324.788	406.107	487.329
Tx Undersize (Frames)	1.506.024	3.012.048	4.518.072	6.024.096	7.530.120	9.036.144
Rx Undersize (Frames)	1.505.943	3.003.437	4.444.972	5.747.394	7.101.484	8.338.959
Tx FCS Error (Frames)	58	58	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0	0	0

Tx Rate (Percent)	70 %	80 %	90 %	100 %
Result State	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1
Tx Rate (L1) (Bit/s)	700 M	800 M	900 M	1000 M
Tx (Frames)	12.189.633	13.931.009	15.672.386	17.413.762
Rx (Frames)	11.107.208	12.613.751	14.062.292	13.728.422
Tx Valid (Frames)	1.078.914	1.233.045	1.387.176	1.541.307
Rx Valid (Frames)	1.078.914	1.233.045	1.387.176	1.477.426
Tx Oversize (Frames)	568.551	649.772	730.994	812.215
Rx Oversize (Frames)	568.551	649.772	730.994	629.434
Tx Undersize (Frames)	10.542.168	12.048.192	13.554.216	15.060.240
Rx Undersize (Frames)	9.459.743	10.730.934	11.944.122	11.621.562
Tx FCS Error (Frames)	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0

Note: One or more of the tests did not pass the test criteria!

Broadcast Forwarding Results

Test Setup

Duration: 30 seconds
Iteration: 1

Initial Rate: 10,00%
Maximum Rate: 100,00%
Minimum Rate: 10,00%
Resolution: 10,00%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	66,294 %	77,852 %	83,125 %	91,563 %	94,375 %	94,375 %
Tx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
Tx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
Tx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-1						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	3,352	3,495	2,903	6,478	3,009	2,925
- Min Latency (micsec)	2,238	2,727	2,719	2,727	2,767	2,727
- Max Latency (micsec)	7,506	7,322	5,293	20,431	5,510	5,397
- Avg Jitter (micsec)	0,003	0,002	0,009	0,002	0,004	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,621	2,140	2,309	2,068	2,549	2,357
P-0-0-2						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	2,679	3,052	2,937	3,457	3,016	2,941
- Min Latency (micsec)	2,286	2,727	2,719	2,727	2,767	2,727
- Max Latency (micsec)	7,819	7,129	5,317	10,906	5,317	5,157
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,838	2,140	2,212	2,140	2,285	2,261
P-0-0-3						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	2,579	2,976	2,961	3,315	3,029	2,935

- Min Latency (micsec)	2,286	2,703	2,695	2,703	2,767	2,727
- Max Latency (micsec)	5,967	6,311	5,173	11,074	5,437	5,253
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,766	2,237	2,212	2,237	2,621	2,453
P-0-0-4						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	3,020	3,096	2,954	4,586	3,025	2,954
- Min Latency (micsec)	2,238	2,727	2,719	2,727	2,767	2,727
- Max Latency (micsec)	6,592	7,249	5,967	11,170	5,365	5,277
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,645	2,140	2,309	2,116	2,309	2,501
P-0-0-5						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	2,909	3,530	2,978	15,949	3,022	2,973
- Min Latency (micsec)	2,262	2,727	2,743	2,751	2,767	2,751
- Max Latency (micsec)	7,650	8,188	6,207	45,255	5,437	5,229
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,003	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,453	2,116	2,285	2,164	2,381	2,261
P-0-2-0						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	2,681	3,607	2,403	27,398	2,437	2,391
- Min Latency (micsec)	1,669	2,134	2,126	2,134	2,174	2,134
- Max Latency (micsec)	7,298	7,474	4,988	66,479	4,772	4,852
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,429	2,044	2,188	2,188	2,309	2,453
P-0-2-1						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	3,277	3,874	2,414	37,222	2,456	2,399
- Min Latency (micsec)	1,693	2,158	2,150	2,158	2,198	2,158
- Max Latency (micsec)	7,322	8,797	5,205	63,424	4,796	4,804
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,742	2,116	2,212	2,116	2,285	2,477
P-0-2-2						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	3,594	3,942	2,434	33,016	2,471	2,395
- Min Latency (micsec)	1,741	2,158	2,150	2,182	2,222	2,158
- Max Latency (micsec)	8,404	7,715	5,758	58,854	4,868	4,708
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,621	2,140	2,212	2,164	2,333	2,261
P-0-2-3						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	3,784	4,532	2,442	38,156	2,469	2,372
- Min Latency (micsec)	1,693	2,158	2,150	2,374	2,198	2,158
- Max Latency (micsec)	8,212	9,013	5,325	77,760	4,796	4,708
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,006
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,621	2,140	2,381	2,140	2,212	2,477
P-0-2-4						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	3,779	4,502	2,464	60,254	2,482	2,374
- Min Latency (micsec)	1,693	2,158	2,150	2,495	2,222	2,158

- Max Latency (micsec)	9,703	8,989	4,844	133,710	4,772	4,587
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,006
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,453	2,140	2,116	2,092	2,212	2,237
P-0-2-5						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	4,001	4,442	2,465	68,323	2,479	2,382
- Min Latency (micsec)	1,693	2,158	2,150	2,519	2,222	2,182
- Max Latency (micsec)	8,308	9,230	5,061	119,951	4,796	4,828
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,006
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,742	2,044	2,333	2,164	2,309	2,477
P-0-4-0						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	4,014	4,909	2,575	51,642	2,612	2,504
- Min Latency (micsec)	1,845	2,286	2,278	2,647	2,326	2,286
- Max Latency (micsec)	8,412	9,238	4,924	104,781	4,876	4,932
- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,003	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,405	2,140	2,188	2,164	2,333	2,549
P-0-4-1						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	4,454	4,601	2,553	85,393	2,602	2,483
- Min Latency (micsec)	1,797	2,262	2,254	2,623	2,302	2,262
- Max Latency (micsec)	8,508	9,454	4,828	145,120	5,309	4,836
- Avg Jitter (micsec)	0,003	0,002	0,008	0,002	0,003	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,044	2,044	2,309	2,116	2,333	2,333
P-0-4-2						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	4,999	4,377	2,584	83,795	2,618	2,501
- Min Latency (micsec)	1,821	2,286	2,278	2,358	2,326	2,286
- Max Latency (micsec)	10,721	9,527	5,093	160,875	5,165	4,932
- Avg Jitter (micsec)	0,003	0,002	0,008	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,237	2,140	2,237	2,140	2,429	2,573
P-0-4-3						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	5,572	3,961	2,579	133,953	2,617	2,516
- Min Latency (micsec)	1,845	2,310	2,302	2,383	2,350	2,310
- Max Latency (micsec)	11,515	9,719	5,045	228,828	5,165	5,077
- Avg Jitter (micsec)	0,003	0,002	0,008	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,621	2,333	2,237	2,140	2,309	2,645
P-0-4-4						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	5,221	4,889	2,554	143,205	2,598	2,479
- Min Latency (micsec)	1,821	2,286	2,278	2,455	2,326	2,286
- Max Latency (micsec)	9,831	9,527	5,550	261,999	5,213	4,692
- Avg Jitter (micsec)	0,003	0,002	0,008	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	2,044	2,116	2,140	2,477	2,261
P-0-4-5						
- Rx (Frames)	29.595.511	19.725.902	11.294.157	6.454.123	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	662,94 M	778,52 M	831,25 M	915,62 M	943,75 M	943,75 M
- Rx Rate (Fps)	986.517	657.530	376.472	215.137	112.997	90.745
- Avg Latency (micsec)	4,915	4,591	2,576	129,432	2,644	2,522
- Min Latency (micsec)	1,893	2,334	2,302	2,503	2,374	2,310
- Max Latency (micsec)	9,879	9,671	4,900	231,017	5,165	5,053

- Avg Jitter (micsec)	0,003	0,002	0,010	0,002	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,333	2,237	2,501	2,164	2,333	2,645

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94,375 %
Tx (Frames)	2.301.080
Tx Rate (L1) (Bit/s)	943,75 M
Tx Rate (Fps)	76.703
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-1	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,919
- Min Latency (micsec)	2,735
- Max Latency (micsec)	5,020
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,092
P-0-0-2	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,937
- Min Latency (micsec)	2,735
- Max Latency (micsec)	5,309
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,429
P-0-0-3	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,926
- Min Latency (micsec)	2,711
- Max Latency (micsec)	5,189
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,357
P-0-0-4	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,954
- Min Latency (micsec)	2,735
- Max Latency (micsec)	5,285
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,285
P-0-0-5	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,969
- Min Latency (micsec)	2,735
- Max Latency (micsec)	5,357
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,501
P-0-2-0	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,383
- Min Latency (micsec)	2,142
- Max Latency (micsec)	4,764

- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,501
P-0-2-1	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,392
- Min Latency (micsec)	2,142
- Max Latency (micsec)	4,475
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,164
P-0-2-2	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,405
- Min Latency (micsec)	2,166
- Max Latency (micsec)	4,475
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,285
P-0-2-3	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,405
- Min Latency (micsec)	2,166
- Max Latency (micsec)	4,475
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,044
P-0-2-4	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,414
- Min Latency (micsec)	2,190
- Max Latency (micsec)	4,812
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,357
P-0-2-5	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,408
- Min Latency (micsec)	2,166
- Max Latency (micsec)	4,764
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,477
P-0-4-0	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,517
- Min Latency (micsec)	2,294
- Max Latency (micsec)	5,397
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,790
P-0-4-1	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,491
- Min Latency (micsec)	2,270
- Max Latency (micsec)	4,700
- Avg Jitter (micsec)	0,003

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,140
P-0-4-2	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,496
- Min Latency (micsec)	2,294
- Max Latency (micsec)	4,868
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,381
P-0-4-3	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,494
- Min Latency (micsec)	2,318
- Max Latency (micsec)	4,964
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,429
P-0-4-4	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,461
- Min Latency (micsec)	2,294
- Max Latency (micsec)	5,061
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,694
P-0-4-5	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,513
- Min Latency (micsec)	2,342
- Max Latency (micsec)	4,844
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,357


Broadcast Throughput by Frame Size vs Theoretical Max
BcThroughput Test Result (Frames/s)
1,20 M
1,00 M
0,80 M
0,60 M
0,40 M
0,20 M
0,00 M
64
128
256
512
1024
1280
1518
Frame size (bytes)
Theoretical Max. Throughput
Actual Throughput