

Valkyrie2889 Test Report

Test Summary

Test company: Xena Networks
 Customer: GSI TOS
 Test Date and Time: 2021-07-28, 21:43
 Test Duration: 12:26:43 (h:m:s)
 Generated By: Valkyrie2889 v1.40, running on 'Microsoft Windows 8.1 Enterprise Evaluation'
 Comments: Test with 1 WRS
 - software: Valkyrie2889 v1.40
 - chassis: Xenabay (140.181.139.228)
 - configuration: https://github.com/GSI-CS-CO/network_testing
 - WRS: backplane v3.30, scb v3.4, gw v6.0, fw WP3a-wrpc_fixes-7-ga8311e1, Creotech

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh Enabled
 - Throughput Enabled
 - Forwarding Enabled

Rate Test: Part.Mesh, 1:N Enabled
 - Throughput Enabled
 - Forwarding Enabled

Rate Test: Part.Mesh, N->N Enabled
 - Throughput Enabled
 - Forwarding Enabled

Congestion Control: Enabled
 Forward Pressure: Enabled
 Maximum Forwarding Rate: Enabled
 Address Caching Capacity: Enabled
 Address Learning Rate: Enabled
 Errored Frames Filtering: Enabled
 Broadcast Forwarding: Enabled

Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518
 Rate Type: Fraction
 Fraction per Port: 100.00%
 Latency Measurement Mode: Last-To-Last
 Toggle Port Sync States: Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Mesh
Direction: Bidirectional

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 0.50%

Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,269	815,215	422,923	215,516	173,074
Rx Rate (Percent)	7.6 %	7.68 %	7.79 %	7.75 %	7.73 %	7.73 %
Rx Rate (L1) (Bit/s)	1.37 G	1.38 G	1.4 G	1.39 G	1.39 G	1.39 G
Rx Rate (Fps)	2.04 M	1.17 M	634.86 K	327.71 K	166.63 K	133.77 K
Loss Rate (Percent)	23.98 %	23.17 %	22.12 %	22.51 %	22.68 %	22.71 %
Loss (Frames)	19,272,387	10,567,819	5,410,636	2,856,341	1,466,463	1,179,167
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,420,592	1,967,573	1,012,857	548,090	281,975	224,191
- Rx Rate (L1) (Bit/s)	76.62 M	77.65 M	74.55 M	77.76 M	78.5 M	77.72 M
- Rx Rate (Fps)	114,020	65,586	33,762	18,270	9,399	7,473
- Flood Count (Frames)	60	64	61	56	60	60
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,420,757	1,966,402	1,065,835	540,030	282,491	224,101
- Rx Rate (L1) (Bit/s)	76.62 M	77.61 M	78.45 M	76.61 M	78.65 M	77.69 M
- Rx Rate (Fps)	114,025	65,547	35,528	18,001	9,416	7,470

- Flood Count (Frames)	59	59	60	58	61	60
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,386,720	1,967,236	1,065,261	548,257	282,953	223,635
- Rx Rate (L1) (Bit/s)	75.86 M	77.64 M	78.4 M	77.78 M	78.77 M	77.53 M
- Rx Rate (Fps)	112,891	65,575	35,509	18,275	9,432	7,455
- Flood Count (Frames)	59	61	58	59	59	64
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,418,818	1,956,442	1,063,952	534,663	282,132	224,118
- Rx Rate (L1) (Bit/s)	76.58 M	77.21 M	78.31 M	75.85 M	78.55 M	77.69 M
- Rx Rate (Fps)	113,961	65,215	35,465	17,822	9,404	7,471
- Flood Count (Frames)	60	64	62	59	58	59
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,298,950	1,965,950	1,061,566	549,367	282,430	221,937
- Rx Rate (L1) (Bit/s)	73.9 M	77.59 M	78.13 M	77.94 M	78.63 M	76.94 M
- Rx Rate (Fps)	109,965	65,532	35,386	18,312	9,414	7,398
- Flood Count (Frames)	57	66	60	58	58	60
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,217,183	1,964,658	1,062,408	548,576	246,529	214,446
- Rx Rate (L1) (Bit/s)	72.06 M	77.54 M	78.19 M	77.82 M	68.63 M	74.34 M
- Rx Rate (Fps)	107,239	65,489	35,414	18,286	8,218	7,148
- Flood Count (Frames)	31	29	32	24	25	24
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,418,773	1,967,702	1,063,451	548,445	279,985	223,749
- Rx Rate (L1) (Bit/s)	76.58 M	77.66 M	78.27 M	77.81 M	77.95 M	77.57 M
- Rx Rate (Fps)	113,959	65,590	35,448	18,282	9,333	7,458
- Flood Count (Frames)	58	62	58	56	61	61
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,419,899	1,966,422	1,052,400	548,273	281,736	223,801
- Rx Rate (L1) (Bit/s)	76.61 M	77.61 M	77.46 M	77.78 M	78.44 M	77.58 M
- Rx Rate (Fps)	113,997	65,547	35,080	18,276	9,391	7,460
- Flood Count (Frames)	61	58	62	59	60	60
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,299,922	1,899,720	1,064,452	548,000	282,365	224,124
- Rx Rate (L1) (Bit/s)	73.92 M	74.98 M	78.34 M	77.74 M	78.61 M	77.7 M
- Rx Rate (Fps)	109,997	63,324	35,482	18,267	9,412	7,471
- Flood Count (Frames)	61	61	60	62	59	61
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,420,064	1,829,305	1,066,216	549,174	243,603	224,606
- Rx Rate (L1) (Bit/s)	76.61 M	72.2 M	78.47 M	77.91 M	67.82 M	77.86 M
- Rx Rate (Fps)	114,002	60,977	35,541	18,306	8,120	7,487
- Flood Count (Frames)	61	60	61	62	61	60
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,420,146	1,834,641	1,024,490	547,614	281,174	216,582
- Rx Rate (L1) (Bit/s)	76.61 M	72.41 M	75.4 M	77.69 M	78.28 M	75.08 M

- Rx Rate (Fps)	114,005	61,155	34,150	18,254	9,372	7,219
- Flood Count (Frames)	57	60	57	59	59	59
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,418,792	1,964,282	1,063,257	529,776	282,160	222,240
- Rx Rate (L1) (Bit/s)	76.58 M	77.52 M	78.26 M	75.16 M	78.55 M	77.04 M
- Rx Rate (Fps)	113,960	65,476	35,442	17,659	9,405	7,408
- Flood Count (Frames)	63	61	57	61	59	61
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,419,165	1,965,709	1,063,688	548,259	281,687	224,482
- Rx Rate (L1) (Bit/s)	76.59 M	77.58 M	78.29 M	77.78 M	78.42 M	77.82 M
- Rx Rate (Fps)	113,972	65,524	35,456	18,275	9,390	7,483
- Flood Count (Frames)	61	54	58	55	58	53
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,422,175	1,965,538	1,062,911	548,774	281,373	223,863
- Rx Rate (L1) (Bit/s)	76.66 M	77.57 M	78.23 M	77.85 M	78.33 M	77.61 M
- Rx Rate (Fps)	114,073	65,518	35,430	18,292	9,379	7,462
- Flood Count (Frames)	57	59	59	57	58	53
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,422,225	1,965,029	1,063,112	548,258	280,987	224,319
- Rx Rate (L1) (Bit/s)	76.66 M	77.55 M	78.25 M	77.78 M	78.23 M	77.76 M
- Rx Rate (Fps)	114,074	65,501	35,437	18,275	9,366	7,477
- Flood Count (Frames)	58	58	57	60	58	55
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,419,902	1,963,726	1,063,017	548,703	281,784	224,075
- Rx Rate (L1) (Bit/s)	76.61 M	77.5 M	78.24 M	77.84 M	78.45 M	77.68 M
- Rx Rate (Fps)	113,997	65,458	35,434	18,290	9,393	7,469
- Flood Count (Frames)	57	57	56	57	57	59
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,419,858	1,965,621	1,062,778	548,840	281,917	224,540
- Rx Rate (L1) (Bit/s)	76.6 M	77.58 M	78.22 M	77.86 M	78.49 M	77.84 M
- Rx Rate (Fps)	113,995	65,521	35,426	18,295	9,397	7,485
- Flood Count (Frames)	56	60	55	58	54	56
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,420,802	1,964,301	1,064,151	548,238	281,730	224,232
- Rx Rate (L1) (Bit/s)	76.63 M	77.52 M	78.32 M	77.78 M	78.43 M	77.73 M
- Rx Rate (Fps)	114,027	65,477	35,472	18,275	9,391	7,474
- Flood Count (Frames)	60	58	57	58	58	57


Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,288
Rx Rate (Percent)	7.61 %
Rx Rate (L1) (Bit/s)	1.37 G
Rx Rate (Fps)	111.26 K
Loss Rate (Percent)	23.95 %
Loss (Frames)	1,050,893

P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,489
- Rx Rate (L1) (Bit/s)	76.49 M
- Rx Rate (Fps)	6,216
- Flood Count (Frames)	61
P-0-0-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,187
- Rx Rate (L1) (Bit/s)	76.77 M
- Rx Rate (Fps)	6,240
- Flood Count (Frames)	62
P-0-0-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	185,731
- Rx Rate (L1) (Bit/s)	76.17 M
- Rx Rate (Fps)	6,191
- Flood Count (Frames)	60
P-0-0-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	179,204
- Rx Rate (L1) (Bit/s)	73.5 M
- Rx Rate (Fps)	5,973
- Flood Count (Frames)	59
P-0-0-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,423
- Rx Rate (L1) (Bit/s)	76.46 M
- Rx Rate (Fps)	6,214
- Flood Count (Frames)	59
P-0-0-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	165,848
- Rx Rate (L1) (Bit/s)	68.02 M
- Rx Rate (Fps)	5,528
- Flood Count (Frames)	21
P-0-2-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	184,222
- Rx Rate (L1) (Bit/s)	75.56 M
- Rx Rate (Fps)	6,141
- Flood Count (Frames)	59
P-0-2-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,099
- Rx Rate (L1) (Bit/s)	76.74 M
- Rx Rate (Fps)	6,237
- Flood Count (Frames)	59
P-0-2-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	184,925
- Rx Rate (L1) (Bit/s)	75.84 M
- Rx Rate (Fps)	6,164

- Flood Count (Frames)	58
P-0-2-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,238
- Rx Rate (L1) (Bit/s)	77.2 M
- Rx Rate (Fps)	6,275
- Flood Count (Frames)	58
P-0-2-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,071
- Rx Rate (L1) (Bit/s)	77.13 M
- Rx Rate (Fps)	6,269
- Flood Count (Frames)	59
P-0-2-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	189,606
- Rx Rate (L1) (Bit/s)	77.76 M
- Rx Rate (Fps)	6,320
- Flood Count (Frames)	61
P-0-4-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,975
- Rx Rate (L1) (Bit/s)	77.5 M
- Rx Rate (Fps)	6,299
- Flood Count (Frames)	57
P-0-4-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,352
- Rx Rate (L1) (Bit/s)	76.43 M
- Rx Rate (Fps)	6,212
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,145
- Rx Rate (L1) (Bit/s)	76.34 M
- Rx Rate (Fps)	6,205
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,594
- Rx Rate (L1) (Bit/s)	76.53 M
- Rx Rate (Fps)	6,220
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,377
- Rx Rate (L1) (Bit/s)	77.26 M
- Rx Rate (Fps)	6,279
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,273
- Rx Rate (L1) (Bit/s)	77.22 M

- Rx Rate (Fps)	6,276
- Flood Count (Frames)	61

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,269	815,215	422,923	215,516	173,074
Rx Rate (Percent)	7.7 %	7.88 %	7.8 %	7.96 %	8.04 %	7.96 %
Rx Rate (L1) (Bit/s)	1.39 G	1.42 G	1.4 G	1.43 G	1.45 G	1.43 G
Rx Rate (Fps)	2.06 M	1.2 M	636.06 K	336.69 K	173.25 K	137.68 K
Loss Rate (Percent)	22.97 %	21.21 %	21.98 %	20.39 %	19.61 %	20.45 %
Loss (Frames)	18,459,845	9,675,492	5,374,684	2,586,906	1,268,109	1,061,739
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,461,132	2,013,952	1,006,607	560,558	283,080	229,385
- Rx Rate (L1) (Bit/s)	77.53 M	79.48 M	74.09 M	79.52 M	78.81 M	79.52 M
- Rx Rate (Fps)	115,371	67,132	33,554	18,685	9,436	7,646
- Flood Count (Frames)	59	59	60	58	67	61
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,326,637	1,983,115	1,084,791	561,586	289,297	230,868
- Rx Rate (L1) (Bit/s)	74.52 M	78.27 M	79.84 M	79.67 M	80.54 M	80.03 M
- Rx Rate (Fps)	110,888	66,104	36,160	18,720	9,643	7,696
- Flood Count (Frames)	58	62	63	60	65	65
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,460,280	2,030,896	1,077,064	557,243	287,018	231,849
- Rx Rate (L1) (Bit/s)	77.51 M	80.15 M	79.27 M	79.05 M	79.91 M	80.37 M
- Rx Rate (Fps)	115,343	67,697	35,902	18,575	9,567	7,728
- Flood Count (Frames)	60	58	60	60	63	70
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,460,521	2,074,322	1,063,833	559,361	285,461	230,992
- Rx Rate (L1) (Bit/s)	77.52 M	81.87 M	78.3 M	79.35 M	79.47 M	80.08 M
- Rx Rate (Fps)	115,351	69,144	35,461	18,645	9,515	7,700
- Flood Count (Frames)	59	57	68	61	70	65
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,458,547	1,899,877	1,079,922	554,916	287,355	231,236
- Rx Rate (L1) (Bit/s)	77.47 M	74.98 M	79.48 M	78.72 M	80 M	80.16 M
- Rx Rate (Fps)	115,285	63,329	35,997	18,497	9,579	7,708
- Flood Count (Frames)	59	62	64	60	62	63
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,460,698	2,028,367	1,069,627	565,828	284,062	231,243
- Rx Rate (L1) (Bit/s)	77.52 M	80.05 M	78.72 M	80.27 M	79.08 M	80.16 M
- Rx Rate (Fps)	115,357	67,612	35,654	18,861	9,469	7,708
- Flood Count (Frames)	30	25	30	32	30	26
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,459,088	2,028,220	1,048,715	571,544	292,988	230,140
- Rx Rate (L1) (Bit/s)	77.48 M	80.05 M	77.19 M	81.08 M	81.57 M	79.78 M
- Rx Rate (Fps)	115,303	67,607	34,957	19,051	9,766	7,671
- Flood Count (Frames)	61	62	62	61	60	60
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,224,274	1,989,203	1,067,592	572,344	285,984	230,153
- Rx Rate (L1) (Bit/s)	72.22 M	78.51 M	78.57 M	81.2 M	79.62 M	79.79 M
- Rx Rate (Fps)	107,476	66,307	35,586	19,078	9,533	7,672
- Flood Count (Frames)	61	66	62	62	62	59
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,457,682	1,865,421	1,030,695	568,672	285,499	232,502
- Rx Rate (L1) (Bit/s)	77.45 M	73.62 M	75.86 M	80.68 M	79.48 M	80.6 M
- Rx Rate (Fps)	115,256	62,181	34,357	18,956	9,517	7,750
- Flood Count (Frames)	62	62	59	61	62	63
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,456,923	2,008,062	1,062,936	556,758	288,923	204,360
- Rx Rate (L1) (Bit/s)	77.44 M	79.25 M	78.23 M	78.99 M	80.44 M	70.84 M
- Rx Rate (Fps)	115,231	66,935	35,431	18,559	9,631	6,812
- Flood Count (Frames)	59	62	59	59	62	60
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,456,171	2,003,534	962,990	550,282	288,333	227,731
- Rx Rate (L1) (Bit/s)	77.42 M	79.07 M	70.88 M	78.07 M	80.27 M	78.95 M
- Rx Rate (Fps)	115,206	66,784	32,100	18,343	9,611	7,591
- Flood Count (Frames)	61	62	60	61	61	72
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456


- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,458,459	1,983,347	1,080,298	542,184	288,474	233,991
- Rx Rate (L1) (Bit/s)	77.47 M	78.28 M	79.51 M	76.92 M	80.31 M	81.12 M
- Rx Rate (Fps)	115,282	66,112	36,010	18,073	9,616	7,800
- Flood Count (Frames)	60	68	62	60	61	61
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,458,530	1,998,064	1,072,315	564,115	290,034	231,210
- Rx Rate (L1) (Bit/s)	77.47 M	78.86 M	78.92 M	80.03 M	80.75 M	80.15 M
- Rx Rate (Fps)	115,284	66,602	35,744	18,804	9,668	7,707
- Flood Count (Frames)	59	56	61	58	62	61
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,460,521	1,994,825	1,072,441	560,601	290,807	231,740
- Rx Rate (L1) (Bit/s)	77.52 M	78.73 M	78.93 M	79.53 M	80.96 M	80.34 M
- Rx Rate (Fps)	115,351	66,494	35,748	18,687	9,694	7,725
- Flood Count (Frames)	58	55	61	58	59	57
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,459,026	2,012,681	1,080,204	562,816	293,763	229,886
- Rx Rate (L1) (Bit/s)	77.48 M	79.43 M	79.5 M	79.84 M	81.78 M	79.69 M
- Rx Rate (Fps)	115,301	67,089	36,007	18,761	9,792	7,663
- Flood Count (Frames)	57	62	60	61	58	57
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,459,812	1,992,946	1,061,858	564,950	287,753	227,602
- Rx Rate (L1) (Bit/s)	77.5 M	78.65 M	78.15 M	80.15 M	80.11 M	78.9 M
- Rx Rate (Fps)	115,327	66,432	35,395	18,832	9,592	7,587
- Flood Count (Frames)	57	56	59	61	57	60
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,457,675	2,014,998	1,080,881	563,868	290,391	234,752
- Rx Rate (L1) (Bit/s)	77.45 M	79.53 M	79.55 M	79.99 M	80.84 M	81.38 M
- Rx Rate (Fps)	115,256	67,167	36,029	18,796	9,680	7,825
- Flood Count (Frames)	61	57	57	57	56	64
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	3,461,309	2,010,754	1,078,985	563,146	298,143	230,829
- Rx Rate (L1) (Bit/s)	77.53 M	79.36 M	79.41 M	79.89 M	83 M	80.02 M
- Rx Rate (Fps)	115,377	67,025	35,966	18,772	9,938	7,694
- Flood Count (Frames)	63	58	59	59	56	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,288
Rx Rate (Percent)	7.75 %
Rx Rate (L1) (Bit/s)	1.4 G
Rx Rate (Fps)	113.44 K
Loss Rate (Percent)	22.45 %
Loss (Frames)	985,442
P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	186,649
- Rx Rate (L1) (Bit/s)	76.55 M
- Rx Rate (Fps)	6,222
- Flood Count (Frames)	62
P-0-0-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	190,329
- Rx Rate (L1) (Bit/s)	78.06 M
- Rx Rate (Fps)	6,344
- Flood Count (Frames)	63
P-0-0-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	192,462
- Rx Rate (L1) (Bit/s)	78.94 M
- Rx Rate (Fps)	6,415
- Flood Count (Frames)	62
P-0-0-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	190,432
- Rx Rate (L1) (Bit/s)	78.1 M
- Rx Rate (Fps)	6,348
- Flood Count (Frames)	63
P-0-0-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	191,507
- Rx Rate (L1) (Bit/s)	78.54 M
- Rx Rate (Fps)	6,384
- Flood Count (Frames)	62
P-0-0-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,673
- Rx Rate (L1) (Bit/s)	76.56 M
- Rx Rate (Fps)	6,222
- Flood Count (Frames)	27
P-0-2-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	186,747
- Rx Rate (L1) (Bit/s)	76.59 M
- Rx Rate (Fps)	6,225
- Flood Count (Frames)	60
P-0-2-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,125
- Rx Rate (L1) (Bit/s)	76.75 M
- Rx Rate (Fps)	6,238
- Flood Count (Frames)	60
P-0-2-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	191,297
- Rx Rate (L1) (Bit/s)	78.46 M
- Rx Rate (Fps)	6,377
- Flood Count (Frames)	61
P-0-2-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8,127
- Rx (Frames)	190,419
- Rx Rate (L1) (Bit/s)	78.1 M
- Rx Rate (Fps)	6,347
- Flood Count (Frames)	60
P-0-2-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,496
- Rx Rate (L1) (Bit/s)	77.31 M
- Rx Rate (Fps)	6,283
- Flood Count (Frames)	61
P-0-2-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,730
- Rx Rate (L1) (Bit/s)	76.99 M
- Rx Rate (Fps)	6,258
- Flood Count (Frames)	65
P-0-4-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	189,959
- Rx Rate (L1) (Bit/s)	77.91 M
- Rx Rate (Fps)	6,332
- Flood Count (Frames)	61
P-0-4-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,196
- Rx Rate (L1) (Bit/s)	77.19 M
- Rx Rate (Fps)	6,273
- Flood Count (Frames)	61
P-0-4-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	187,324
- Rx Rate (L1) (Bit/s)	76.83 M
- Rx Rate (Fps)	6,244
- Flood Count (Frames)	60
P-0-4-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	190,198
- Rx Rate (L1) (Bit/s)	78.01 M
- Rx Rate (Fps)	6,340
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	189,575
- Rx Rate (L1) (Bit/s)	77.75 M
- Rx Rate (Fps)	6,319
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	188,092
- Rx Rate (L1) (Bit/s)	77.14 M
- Rx Rate (Fps)	6,270
- Flood Count (Frames)	59

Part.Mesh, N->N: Loss by Frame Size at 10.00% Rate



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,142	3,040,538	1,630,429	845,855	431,032	346,147
Rx Rate (Percent)	0.2 %	12.33 %	12.54 %	12.56 %	12.69 %	12.44 %
Rx Rate (L1) (Bit/s)	35.72 M	2.22 G	2.26 G	2.26 G	2.28 G	2.24 G
Rx Rate (Fps)	53.16 K	1.87 M	1.02 M	531.33 K	273.41 K	215.38 K
Loss Rate (Percent)	99.01 %	38.35 %	37.31 %	37.18 %	36.57 %	37.78 %
Loss (Frames)	159,119,464	34,981,644	18,250,862	9,435,817	4,728,576	3,922,919
P-0-0-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,978	3,141,319	1,710,420	885,279	455,915	358,568
- Rx Rate (L1) (Bit/s)	2.35 M	123.98 M	125.89 M	125.59 M	126.93 M	124.3 M
- Rx Rate (Fps)	3,499	104,711	57,014	29,509	15,197	11,952
- Flood Count (Frames)	61	58	61	60	59	60
P-0-0-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,303	3,138,678	1,716,501	890,183	456,494	358,187
- Rx Rate (L1) (Bit/s)	2.36 M	123.87 M	126.33 M	126.29 M	127.09 M	124.17 M
- Rx Rate (Fps)	3,510	104,623	57,217	29,673	15,216	11,940
- Flood Count (Frames)	65	58	61	59	60	57
P-0-0-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,844	3,002,304	1,626,239	890,336	456,225	359,445
- Rx Rate (L1) (Bit/s)	2.35 M	118.49 M	119.69 M	126.31 M	127.01 M	124.61 M
- Rx Rate (Fps)	3,495	100,077	54,208	29,678	15,208	11,982
- Flood Count (Frames)	66	59	60	60	61	56
P-0-0-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,989	3,126,643	1,689,838	860,224	456,264	357,510

- Rx Rate (L1) (Bit/s)	2.35 M	123.4 M	124.37 M	122.04 M	127.02 M	123.94 M
- Rx Rate (Fps)	3,500	104,221	56,328	28,674	15,209	11,917
- Flood Count (Frames)	61	57	58	60	58	59
P-0-0-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,310	3,133,719	1,700,658	893,135	456,835	359,800
- Rx Rate (L1) (Bit/s)	2.36 M	123.68 M	125.17 M	126.71 M	127.18 M	124.73 M
- Rx Rate (Fps)	3,510	104,457	56,689	29,771	15,228	11,993
- Flood Count (Frames)	63	58	58	59	61	60
P-0-0-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	7,742	3,126,652	1,698,540	892,650	456,538	359,744
- Rx Rate (L1) (Bit/s)	173.42 K	123.4 M	125.01 M	126.64 M	127.1 M	124.71 M
- Rx Rate (Fps)	258	104,222	56,618	29,755	15,218	11,991
- Flood Count (Frames)	30	25	25	21	25	32
P-0-2-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,042	2,982,484	1,699,641	891,712	457,046	359,102
- Rx Rate (L1) (Bit/s)	2.35 M	117.71 M	125.09 M	126.5 M	127.24 M	124.49 M
- Rx Rate (Fps)	3,501	99,416	56,655	29,724	15,235	11,970
- Flood Count (Frames)	63	57	60	59	60	57
P-0-2-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,215	3,129,826	1,653,234	888,225	457,049	357,794
- Rx Rate (L1) (Bit/s)	2.36 M	123.52 M	121.68 M	126.01 M	127.24 M	124.04 M
- Rx Rate (Fps)	3,507	104,328	55,108	29,608	15,235	11,926
- Flood Count (Frames)	64	60	57	61	60	58
P-0-2-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,780	3,130,534	1,616,018	887,740	456,309	356,687
- Rx Rate (L1) (Bit/s)	2.35 M	123.55 M	118.94 M	125.94 M	127.04 M	123.65 M
- Rx Rate (Fps)	3,493	104,351	53,867	29,591	15,210	11,890
- Flood Count (Frames)	61	56	58	61	57	62
P-0-2-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	7,481	3,135,066	1,713,291	821,615	455,974	360,295
- Rx Rate (L1) (Bit/s)	167.57 K	123.73 M	126.1 M	116.56 M	126.94 M	124.9 M
- Rx Rate (Fps)	249	104,502	57,110	27,387	15,199	12,010
- Flood Count (Frames)	64	60	60	61	59	57
P-0-2-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	105,005	3,134,325	1,716,402	891,513	444,596	360,797
- Rx Rate (L1) (Bit/s)	2.35 M	123.7 M	126.33 M	126.48 M	123.78 M	125.08 M
- Rx Rate (Fps)	3,500	104,478	57,213	29,717	14,820	12,027
- Flood Count (Frames)	60	56	61	61	59	56
P-0-2-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	7,358	3,132,724	1,709,332	893,814	456,602	359,745
- Rx Rate (L1) (Bit/s)	164.82 K	123.64 M	125.81 M	126.8 M	127.12 M	124.71 M
- Rx Rate (Fps)	245	104,424	56,978	29,794	15,220	11,992
- Flood Count (Frames)	64	59	56	60	62	60
P-0-4-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230


- Rx (Frames)	104,256	3,149,248	1,738,989	895,947	456,111	359,255
- Rx Rate (L1) (Bit/s)	2.34 M	124.29 M	127.99 M	127.11 M	126.98 M	124.54 M
- Rx Rate (Fps)	3,475	104,975	57,966	29,865	15,204	11,975
- Flood Count (Frames)	58	58	55	58	62	57
P-0-4-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	103,859	3,145,494	1,739,258	893,154	456,591	357,962
- Rx Rate (L1) (Bit/s)	2.33 M	124.14 M	128.01 M	126.71 M	127.11 M	124.09 M
- Rx Rate (Fps)	3,462	104,850	57,975	29,772	15,220	11,932
- Flood Count (Frames)	59	58	57	58	58	58
P-0-4-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,842	3,150,535	1,739,869	889,973	456,126	358,600
- Rx Rate (L1) (Bit/s)	2.35 M	124.34 M	128.05 M	126.26 M	126.99 M	124.31 M
- Rx Rate (Fps)	3,495	105,018	57,996	29,666	15,204	11,953
- Flood Count (Frames)	61	61	57	59	58	57
P-0-4-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,712	3,152,853	1,739,541	889,544	455,771	358,316
- Rx Rate (L1) (Bit/s)	2.35 M	124.43 M	128.03 M	126.2 M	126.89 M	124.22 M
- Rx Rate (Fps)	3,490	105,095	57,985	29,651	15,192	11,944
- Flood Count (Frames)	58	58	57	58	59	56
P-0-4-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,569	3,159,599	1,714,544	892,930	455,877	360,188
- Rx Rate (L1) (Bit/s)	2.34 M	124.7 M	126.19 M	126.68 M	126.92 M	124.87 M
- Rx Rate (Fps)	3,486	105,320	57,151	29,764	15,196	12,006
- Flood Count (Frames)	58	60	60	57	59	59
P-0-4-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	104,511	3,162,505	1,739,699	891,871	456,049	359,502
- Rx Rate (L1) (Bit/s)	2.34 M	124.81 M	128.04 M	126.53 M	126.96 M	124.63 M
- Rx Rate (Fps)	3,484	105,417	57,990	29,729	15,202	11,983
- Flood Count (Frames)	65	54	55	60	59	57

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,587
Rx Rate (Percent)	12.17 %
Rx Rate (L1) (Bit/s)	2.19 G
Rx Rate (Fps)	178.04 K
Loss Rate (Percent)	39.15 %
Loss (Frames)	3,436,279
P-0-0-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	298,009
- Rx Rate (L1) (Bit/s)	122.22 M
- Rx Rate (Fps)	9,934
- Flood Count (Frames)	58
P-0-0-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	295,983
- Rx Rate (L1) (Bit/s)	121.39 M

- Rx Rate (Fps)	9,866
- Flood Count (Frames)	58
P-0-0-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	301,488
- Rx Rate (L1) (Bit/s)	123.65 M
- Rx Rate (Fps)	10,050
- Flood Count (Frames)	60
P-0-0-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	296,133
- Rx Rate (L1) (Bit/s)	121.45 M
- Rx Rate (Fps)	9,871
- Flood Count (Frames)	59
P-0-0-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	287,864
- Rx Rate (L1) (Bit/s)	118.06 M
- Rx Rate (Fps)	9,595
- Flood Count (Frames)	60
P-0-0-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	302,034
- Rx Rate (L1) (Bit/s)	123.87 M
- Rx Rate (Fps)	10,068
- Flood Count (Frames)	23
P-0-2-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	283,171
- Rx Rate (L1) (Bit/s)	116.14 M
- Rx Rate (Fps)	9,439
- Flood Count (Frames)	61
P-0-2-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	304,141
- Rx Rate (L1) (Bit/s)	124.74 M
- Rx Rate (Fps)	10,138
- Flood Count (Frames)	56
P-0-2-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	274,391
- Rx Rate (L1) (Bit/s)	112.54 M
- Rx Rate (Fps)	9,146
- Flood Count (Frames)	60
P-0-2-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	301,838
- Rx Rate (L1) (Bit/s)	123.79 M
- Rx Rate (Fps)	10,061
- Flood Count (Frames)	61
P-0-2-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	298,751

- Rx Rate (L1) (Bit/s)	122.53 M
- Rx Rate (Fps)	9,958
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	292,667
- Rx Rate (L1) (Bit/s)	120.03 M
- Rx Rate (Fps)	9,756
- Flood Count (Frames)	54
P-0-4-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	302,151
- Rx Rate (L1) (Bit/s)	123.92 M
- Rx Rate (Fps)	10,072
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	303,619
- Rx Rate (L1) (Bit/s)	124.52 M
- Rx Rate (Fps)	10,121
- Flood Count (Frames)	59
P-0-4-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	301,847
- Rx Rate (L1) (Bit/s)	123.8 M
- Rx Rate (Fps)	10,062
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	299,707
- Rx Rate (L1) (Bit/s)	122.92 M
- Rx Rate (Fps)	9,990
- Flood Count (Frames)	56
P-0-4-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	301,117
- Rx Rate (L1) (Bit/s)	123.5 M
- Rx Rate (Fps)	10,037
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	296,420
- Rx Rate (L1) (Bit/s)	121.57 M
- Rx Rate (Fps)	9,881
- Flood Count (Frames)	58

Part.Mesh, N->N: Loss by Frame Size at 20.00% Rate



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,713	4,560,808	2,445,644	1,268,788	646,547	519,221
Rx Rate (Percent)	0.02 %	16.67 %	17.17 %	16.8 %	17.13 %	16.75 %
Rx Rate (L1) (Bit/s)	3 M	3 G	3.09 G	3.02 G	3.08 G	3.02 G
Rx Rate (Fps)	4.47 K	2.53 M	1.4 M	710.72 K	369.14 K	289.96 K
Loss Rate (Percent)	99.94 %	44.44 %	42.75 %	43.98 %	42.91 %	44.15 %
Loss (Frames)	240,937,372	60,807,928	31,366,056	16,742,058	8,322,303	6,877,815
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	4,874	4,212,201	2,331,123	1,186,347	614,332	485,160
- Rx Rate (L1) (Bit/s)	109.18 K	166.24 M	171.57 M	168.3 M	171.03 M	168.19 M
- Rx Rate (Fps)	162	140,407	77,704	39,545	20,478	16,172
- Flood Count (Frames)	63	57	59	54	59	58
P-0-0-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,239	4,212,132	2,323,444	1,187,520	616,020	452,518
- Rx Rate (L1) (Bit/s)	184.55 K	166.24 M	171.01 M	168.47 M	171.5 M	156.87 M
- Rx Rate (Fps)	275	140,404	77,448	39,584	20,534	15,084
- Flood Count (Frames)	64	56	57	57	57	61
P-0-0-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,349	4,211,331	2,324,279	1,187,454	615,658	485,672
- Rx Rate (L1) (Bit/s)	187.02 K	166.21 M	171.07 M	168.46 M	171.4 M	168.37 M
- Rx Rate (Fps)	278	140,378	77,476	39,582	20,522	16,189
- Flood Count (Frames)	64	62	55	53	61	61
P-0-0-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,416	4,200,112	2,327,961	1,187,717	618,093	484,912

- Rx Rate (L1) (Bit/s)	188.52 K	165.76 M	171.34 M	168.5 M	172.08 M	168.1 M
- Rx Rate (Fps)	281	140,004	77,599	39,591	20,603	16,164
- Flood Count (Frames)	64	56	60	57	59	61
P-0-0-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,523	4,209,745	2,329,247	1,187,921	618,042	485,203
- Rx Rate (L1) (Bit/s)	190.92 K	166.14 M	171.43 M	168.53 M	172.06 M	168.2 M
- Rx Rate (Fps)	284	140,325	77,642	39,597	20,601	16,173
- Flood Count (Frames)	64	62	59	58	60	61
P-0-0-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	4,876	4,209,413	2,325,491	1,187,380	619,017	485,469
- Rx Rate (L1) (Bit/s)	109.22 K	166.13 M	171.16 M	168.45 M	172.33 M	168.3 M
- Rx Rate (Fps)	163	140,314	77,516	39,579	20,634	16,182
- Flood Count (Frames)	33	23	30	23	25	25
P-0-2-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,615	4,185,579	2,333,245	1,188,230	619,297	485,574
- Rx Rate (L1) (Bit/s)	192.98 K	165.19 M	171.73 M	168.57 M	172.41 M	168.33 M
- Rx Rate (Fps)	287	139,519	77,775	39,608	20,643	16,186
- Flood Count (Frames)	64	58	58	54	61	61
P-0-2-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	4,876	4,227,237	2,337,511	1,189,276	615,421	484,755
- Rx Rate (L1) (Bit/s)	109.22 K	166.83 M	172.04 M	168.72 M	171.33 M	168.05 M
- Rx Rate (Fps)	163	140,908	77,917	39,643	20,514	16,159
- Flood Count (Frames)	64	58	58	60	58	56
P-0-2-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,478	4,225,098	2,335,250	1,188,037	590,845	485,244
- Rx Rate (L1) (Bit/s)	189.91 K	166.75 M	171.87 M	168.54 M	164.49 M	168.22 M
- Rx Rate (Fps)	283	140,837	77,842	39,601	19,695	16,175
- Flood Count (Frames)	62	58	59	55	60	58
P-0-2-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	4,703	4,228,137	2,334,854	1,148,577	618,105	485,542
- Rx Rate (L1) (Bit/s)	105.35 K	166.87 M	171.85 M	162.94 M	172.08 M	168.32 M
- Rx Rate (Fps)	157	140,938	77,828	38,286	20,604	16,185
- Flood Count (Frames)	65	57	59	54	59	54
P-0-2-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,309	4,221,983	2,331,725	1,187,073	612,373	484,489
- Rx Rate (L1) (Bit/s)	186.12 K	166.63 M	171.61 M	168.41 M	170.48 M	167.96 M
- Rx Rate (Fps)	277	140,733	77,724	39,569	20,412	16,150
- Flood Count (Frames)	64	60	62	55	60	59
P-0-2-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,239	4,217,942	2,328,000	1,186,398	617,782	485,704
- Rx Rate (L1) (Bit/s)	184.55 K	166.47 M	171.34 M	168.31 M	171.99 M	168.38 M
- Rx Rate (Fps)	275	140,598	77,600	39,547	20,593	16,190
- Flood Count (Frames)	63	58	57	56	61	60
P-0-4-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846


- Rx (Frames)	8,149	4,250,933	2,340,031	1,183,044	617,112	486,020
- Rx Rate (L1) (Bit/s)	182.54 K	167.77 M	172.23 M	167.83 M	171.8 M	168.49 M
- Rx Rate (Fps)	272	141,698	78,001	39,435	20,570	16,201
- Flood Count (Frames)	64	57	56	57	58	60
P-0-4-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	8,038	4,248,313	2,344,956	1,184,954	617,048	484,671
- Rx Rate (L1) (Bit/s)	180.05 K	167.67 M	172.59 M	168.11 M	171.79 M	168.02 M
- Rx Rate (Fps)	268	141,610	78,165	39,498	20,568	16,156
- Flood Count (Frames)	59	59	56	56	60	55
P-0-4-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,962	4,244,836	2,345,096	1,184,863	617,638	484,343
- Rx Rate (L1) (Bit/s)	178.35 K	167.53 M	172.6 M	168.09 M	171.95 M	167.91 M
- Rx Rate (Fps)	265	141,495	78,170	39,495	20,588	16,145
- Flood Count (Frames)	60	60	56	55	58	60
P-0-4-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,882	4,253,237	2,340,984	1,184,594	616,865	483,860
- Rx Rate (L1) (Bit/s)	176.56 K	167.86 M	172.3 M	168.05 M	171.74 M	167.74 M
- Rx Rate (Fps)	263	141,775	78,033	39,486	20,562	16,129
- Flood Count (Frames)	56	57	58	58	56	55
P-0-4-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,779	4,243,643	2,339,481	1,186,324	614,883	484,784
- Rx Rate (L1) (Bit/s)	174.25 K	167.48 M	172.19 M	168.3 M	171.18 M	168.06 M
- Rx Rate (Fps)	259	141,455	77,983	39,544	20,496	16,159
- Flood Count (Frames)	58	56	57	56	56	56
P-0-4-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	7,711	4,214,428	2,330,580	1,185,879	615,588	484,889
- Rx Rate (L1) (Bit/s)	172.73 K	166.33 M	171.53 M	168.24 M	171.38 M	168.09 M
- Rx Rate (Fps)	257	140,481	77,686	39,529	20,520	16,163
- Flood Count (Frames)	58	59	59	60	58	59

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,875
Rx Rate (Percent)	17.17 %
Rx Rate (L1) (Bit/s)	3.09 G
Rx Rate (Fps)	251.12 K
Loss Rate (Percent)	42.78 %
Loss (Frames)	5,632,755
P-0-0-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	418,549
- Rx Rate (L1) (Bit/s)	171.66 M
- Rx Rate (Fps)	13,952
- Flood Count (Frames)	57
P-0-0-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	417,211
- Rx Rate (L1) (Bit/s)	171.11 M

- Rx Rate (Fps)	13,907
- Flood Count (Frames)	59
P-0-0-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	421,062
- Rx Rate (L1) (Bit/s)	172.69 M
- Rx Rate (Fps)	14,035
- Flood Count (Frames)	59
P-0-0-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	418,325
- Rx Rate (L1) (Bit/s)	171.57 M
- Rx Rate (Fps)	13,944
- Flood Count (Frames)	58
P-0-0-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	409,197
- Rx Rate (L1) (Bit/s)	167.83 M
- Rx Rate (Fps)	13,640
- Flood Count (Frames)	63
P-0-0-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	419,676
- Rx Rate (L1) (Bit/s)	172.12 M
- Rx Rate (Fps)	13,989
- Flood Count (Frames)	24
P-0-2-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	421,734
- Rx Rate (L1) (Bit/s)	172.97 M
- Rx Rate (Fps)	14,058
- Flood Count (Frames)	61
P-0-2-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	416,929
- Rx Rate (L1) (Bit/s)	171 M
- Rx Rate (Fps)	13,898
- Flood Count (Frames)	59
P-0-2-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	419,109
- Rx Rate (L1) (Bit/s)	171.89 M
- Rx Rate (Fps)	13,970
- Flood Count (Frames)	60
P-0-2-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	419,332
- Rx Rate (L1) (Bit/s)	171.98 M
- Rx Rate (Fps)	13,978
- Flood Count (Frames)	58
P-0-2-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	420,874

- Rx Rate (L1) (Bit/s)	172.61 M
- Rx Rate (Fps)	14,029
- Flood Count (Frames)	55
P-0-2-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	416,966
- Rx Rate (L1) (Bit/s)	171.01 M
- Rx Rate (Fps)	13,899
- Flood Count (Frames)	58
P-0-4-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	420,450
- Rx Rate (L1) (Bit/s)	172.44 M
- Rx Rate (Fps)	14,015
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	419,190
- Rx Rate (L1) (Bit/s)	171.92 M
- Rx Rate (Fps)	13,973
- Flood Count (Frames)	57
P-0-4-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	419,596
- Rx Rate (L1) (Bit/s)	172.09 M
- Rx Rate (Fps)	13,987
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	420,526
- Rx Rate (L1) (Bit/s)	172.47 M
- Rx Rate (Fps)	14,018
- Flood Count (Frames)	58
P-0-4-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	420,494
- Rx Rate (L1) (Bit/s)	172.46 M
- Rx Rate (Fps)	14,016
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	414,287
- Rx Rate (L1) (Bit/s)	169.91 M
- Rx Rate (Fps)	13,810
- Flood Count (Frames)	55

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,284	6,081,077	3,260,869	1,691,721	862,063	692,305
Rx Rate (Percent)	0.01 %	0.03 %	20.69 %	21.09 %	20.63 %	21.56 %
Rx Rate (L1) (Bit/s)	2.37 M	6.24 M	3.72 G	3.8 G	3.71 G	3.88 G
Rx Rate (Fps)	3.53 K	5.27 K	1.69 M	892.01 K	444.68 K	373.13 K
Loss Rate (Percent)	99.97 %	99.91 %	48.27 %	47.27 %	48.42 %	46.1 %
Loss (Frames)	321,322,671	182,274,268	47,219,716	23,991,454	12,521,360	9,575,277
P-0-0-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,680	9,194	2,766,980	1,486,302	747,459	622,034
- Rx Rate (L1) (Bit/s)	127.23 K	362.86 K	203.65 M	210.86 M	208.09 M	215.64 M
- Rx Rate (Fps)	189	306	92,233	49,543	24,915	20,734
- Flood Count (Frames)	64	63	56	57	56	58
P-0-0-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,893	9,409	2,815,340	1,478,075	748,416	621,530
- Rx Rate (L1) (Bit/s)	132 K	371.34 K	207.21 M	209.69 M	208.36 M	215.46 M
- Rx Rate (Fps)	196	314	93,845	49,269	24,947	20,718
- Flood Count (Frames)	61	62	55	59	56	60
P-0-0-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,033	6,819	2,813,220	1,486,774	705,138	621,559
- Rx Rate (L1) (Bit/s)	135.14 K	269.12 K	207.05 M	210.92 M	196.31 M	215.47 M
- Rx Rate (Fps)	201	227	93,774	49,559	23,505	20,719
- Flood Count (Frames)	63	66	55	55	56	59
P-0-0-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,120	9,602	2,809,274	1,487,210	732,976	621,492

- Rx Rate (L1) (Bit/s)	137.09 K	378.96 K	206.76 M	210.99 M	204.06 M	215.45 M
- Rx Rate (Fps)	204	320	93,642	49,574	24,433	20,716
- Flood Count (Frames)	65	64	61	58	55	61
P-0-0-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,135	6,818	2,806,913	1,487,432	748,918	622,224
- Rx Rate (L1) (Bit/s)	137.42 K	269.08 K	206.59 M	211.02 M	208.5 M	215.7 M
- Rx Rate (Fps)	205	227	93,564	49,581	24,964	20,741
- Flood Count (Frames)	64	62	56	56	59	61
P-0-0-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,144	6,735	2,805,191	1,486,391	749,318	622,666
- Rx Rate (L1) (Bit/s)	137.63 K	265.81 K	206.46 M	210.87 M	208.61 M	215.86 M
- Rx Rate (Fps)	205	225	93,506	49,546	24,977	20,756
- Flood Count (Frames)	32	28	30	23	28	25
P-0-2-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,112	9,547	2,809,103	1,487,620	725,259	621,855
- Rx Rate (L1) (Bit/s)	136.91 K	376.79 K	206.75 M	211.04 M	201.91 M	215.58 M
- Rx Rate (Fps)	204	318	93,637	49,587	24,175	20,729
- Flood Count (Frames)	63	63	57	54	58	59
P-0-2-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,109	9,467	2,809,826	1,487,803	749,221	622,459
- Rx Rate (L1) (Bit/s)	136.84 K	373.63 K	206.8 M	211.07 M	208.58 M	215.79 M
- Rx Rate (Fps)	204	316	93,661	49,593	24,974	20,749
- Flood Count (Frames)	62	66	56	58	61	59
P-0-2-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,138	9,392	2,750,621	1,487,241	749,017	622,164
- Rx Rate (L1) (Bit/s)	137.49 K	370.67 K	202.45 M	210.99 M	208.53 M	215.68 M
- Rx Rate (Fps)	205	313	91,687	49,575	24,967	20,739
- Flood Count (Frames)	62	64	58	55	58	60
P-0-2-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,103	9,300	2,813,750	1,488,201	749,323	621,417
- Rx Rate (L1) (Bit/s)	136.71 K	367.04 K	207.09 M	211.13 M	208.61 M	215.42 M
- Rx Rate (Fps)	203	310	93,792	49,607	24,977	20,714
- Flood Count (Frames)	64	64	57	56	55	60
P-0-2-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	6,111	9,242	2,817,232	1,487,177	696,748	622,120
- Rx Rate (L1) (Bit/s)	136.89 K	364.75 K	207.35 M	210.98 M	193.97 M	215.67 M
- Rx Rate (Fps)	204	308	93,908	49,573	23,225	20,737
- Flood Count (Frames)	64	64	58	58	57	58
P-0-2-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,983	9,187	2,816,113	1,488,279	748,312	622,314
- Rx Rate (L1) (Bit/s)	134.02 K	362.58 K	207.27 M	211.14 M	208.33 M	215.74 M
- Rx Rate (Fps)	199	306	93,870	49,609	24,944	20,744
- Flood Count (Frames)	62	64	58	58	57	56
P-0-4-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461


- Rx (Frames)	5,862	9,095	2,829,918	1,487,547	748,454	622,189
- Rx Rate (L1) (Bit/s)	131.31 K	358.95 K	208.28 M	211.03 M	208.37 M	215.69 M
- Rx Rate (Fps)	195	303	94,331	49,585	24,948	20,740
- Flood Count (Frames)	60	58	57	58	56	56
P-0-4-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,776	9,007	2,834,383	1,486,373	748,389	622,680
- Rx Rate (L1) (Bit/s)	129.38 K	355.48 K	208.61 M	210.87 M	208.35 M	215.86 M
- Rx Rate (Fps)	193	300	94,479	49,546	24,946	20,756
- Flood Count (Frames)	58	58	57	59	56	55
P-0-4-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,602	8,924	2,833,426	1,487,569	748,658	621,535
- Rx Rate (L1) (Bit/s)	125.48 K	352.2 K	208.54 M	211.04 M	208.43 M	215.47 M
- Rx Rate (Fps)	187	297	94,448	49,586	24,955	20,718
- Flood Count (Frames)	58	60	55	57	57	56
P-0-4-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,511	8,819	2,829,620	1,486,840	748,438	621,243
- Rx Rate (L1) (Bit/s)	123.45 K	348.06 K	208.26 M	210.93 M	208.37 M	215.36 M
- Rx Rate (Fps)	184	294	94,321	49,561	24,948	20,708
- Flood Count (Frames)	60	59	58	58	58	56
P-0-4-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,332	8,768	2,823,535	1,487,016	748,216	621,200
- Rx Rate (L1) (Bit/s)	119.44 K	346.04 K	207.81 M	210.96 M	208.3 M	215.35 M
- Rx Rate (Fps)	178	292	94,118	49,567	24,941	20,707
- Flood Count (Frames)	60	58	54	58	57	60
P-0-4-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	5,205	8,711	2,821,897	1,486,326	748,276	621,180
- Rx Rate (L1) (Bit/s)	116.59 K	343.79 K	207.69 M	210.86 M	208.32 M	215.34 M
- Rx Rate (Fps)	174	290	94,063	49,544	24,943	20,706
- Flood Count (Frames)	59	57	55	55	58	55

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,174
Rx Rate (Percent)	21.61 %
Rx Rate (L1) (Bit/s)	3.89 G
Rx Rate (Fps)	316.11 K
Loss Rate (Percent)	45.98 %
Loss (Frames)	8,071,870
P-0-0-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	528,289
- Rx Rate (L1) (Bit/s)	216.67 M
- Rx Rate (Fps)	17,610
- Flood Count (Frames)	56
P-0-0-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	528,705
- Rx Rate (L1) (Bit/s)	216.84 M

- Rx Rate (Fps)	17,624
- Flood Count (Frames)	60
P-0-0-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	529,440
- Rx Rate (L1) (Bit/s)	217.14 M
- Rx Rate (Fps)	17,648
- Flood Count (Frames)	58
P-0-0-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	528,937
- Rx Rate (L1) (Bit/s)	216.93 M
- Rx Rate (Fps)	17,631
- Flood Count (Frames)	59
P-0-0-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	510,848
- Rx Rate (L1) (Bit/s)	209.52 M
- Rx Rate (Fps)	17,028
- Flood Count (Frames)	60
P-0-0-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	529,467
- Rx Rate (L1) (Bit/s)	217.15 M
- Rx Rate (Fps)	17,649
- Flood Count (Frames)	27
P-0-2-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	505,162
- Rx Rate (L1) (Bit/s)	207.18 M
- Rx Rate (Fps)	16,839
- Flood Count (Frames)	60
P-0-2-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	530,011
- Rx Rate (L1) (Bit/s)	217.38 M
- Rx Rate (Fps)	17,667
- Flood Count (Frames)	59
P-0-2-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	529,769
- Rx Rate (L1) (Bit/s)	217.28 M
- Rx Rate (Fps)	17,659
- Flood Count (Frames)	57
P-0-2-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	528,907
- Rx Rate (L1) (Bit/s)	216.92 M
- Rx Rate (Fps)	17,630
- Flood Count (Frames)	61
P-0-2-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	529,837

- Rx Rate (L1) (Bit/s)	217.3 M
- Rx Rate (Fps)	17,661
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	527,844
- Rx Rate (L1) (Bit/s)	216.49 M
- Rx Rate (Fps)	17,595
- Flood Count (Frames)	60
P-0-4-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	528,514
- Rx Rate (L1) (Bit/s)	216.76 M
- Rx Rate (Fps)	17,617
- Flood Count (Frames)	58
P-0-4-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	529,769
- Rx Rate (L1) (Bit/s)	217.28 M
- Rx Rate (Fps)	17,659
- Flood Count (Frames)	57
P-0-4-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	530,379
- Rx Rate (L1) (Bit/s)	217.53 M
- Rx Rate (Fps)	17,679
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	528,931
- Rx Rate (L1) (Bit/s)	216.93 M
- Rx Rate (Fps)	17,631
- Flood Count (Frames)	58
P-0-4-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	529,740
- Rx Rate (L1) (Bit/s)	217.26 M
- Rx Rate (Fps)	17,658
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	528,801
- Rx Rate (L1) (Bit/s)	216.88 M
- Rx Rate (Fps)	17,627
- Flood Count (Frames)	57

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,855	7,601,346	4,076,083	2,114,654	1,077,579	865,378
Rx Rate (Percent)	0.01 %	0.04 %	25.94 %	25.5 %	25.8 %	25.33 %
Rx Rate (L1) (Bit/s)	2.16 M	6.72 M	4.67 G	4.59 G	4.64 G	4.56 G
Rx Rate (Fps)	3.22 K	5.68 K	2.11 M	1.08 M	556.01 K	438.36 K
Loss Rate (Percent)	99.98 %	99.93 %	48.13 %	49 %	48.4 %	49.34 %
Loss (Frames)	401,689,055	227,870,077	58,852,445	31,084,304	15,646,989	12,810,526
P-0-0-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,083	7,458	3,509,145	1,804,778	866,928	732,752
- Rx Rate (L1) (Bit/s)	113.86 K	294.34 K	258.27 M	256.04 M	241.35 M	254.02 M
- Rx Rate (Fps)	169	249	116,972	60,159	28,898	24,425
- Flood Count (Frames)	64	64	56	59	56	58
P-0-0-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,596	10,138	3,514,198	1,806,400	931,610	733,006
- Rx Rate (L1) (Bit/s)	125.35 K	400.11 K	258.64 M	256.27 M	259.36 M	254.11 M
- Rx Rate (Fps)	187	338	117,140	60,213	31,054	24,434
- Flood Count (Frames)	64	64	55	56	58	59
P-0-0-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,683	10,292	3,476,926	1,806,308	931,945	732,732
- Rx Rate (L1) (Bit/s)	127.3 K	406.19 K	255.9 M	256.25 M	259.45 M	254.01 M
- Rx Rate (Fps)	189	343	115,898	60,210	31,065	24,424
- Flood Count (Frames)	64	64	59	57	60	57
P-0-0-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,703	10,427	3,517,169	1,805,125	932,015	716,777

- Rx Rate (L1) (Bit/s)	127.75 K	411.52 K	258.86 M	256.09 M	259.47 M	248.48 M
- Rx Rate (Fps)	190	348	117,239	60,171	31,067	23,893
- Flood Count (Frames)	63	66	58	59	55	57
P-0-0-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,740	7,463	3,512,940	1,804,866	932,092	722,640
- Rx Rate (L1) (Bit/s)	128.58 K	294.54 K	258.55 M	256.05 M	259.49 M	250.52 M
- Rx Rate (Fps)	191	249	117,098	60,162	31,070	24,088
- Flood Count (Frames)	62	61	56	54	57	59
P-0-0-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,741	10,356	3,518,476	1,804,384	932,172	733,266
- Rx Rate (L1) (Bit/s)	128.6 K	408.72 K	258.96 M	255.98 M	259.52 M	254.2 M
- Rx Rate (Fps)	191	345	117,283	60,146	31,072	24,442
- Flood Count (Frames)	30	29	25	21	24	24
P-0-2-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	2,972	7,474	3,515,475	1,716,897	910,084	733,221
- Rx Rate (L1) (Bit/s)	66.57 K	294.97 K	258.74 M	243.57 M	253.37 M	254.18 M
- Rx Rate (Fps)	99	249	117,183	57,230	30,336	24,441
- Flood Count (Frames)	62	64	56	60	59	56
P-0-2-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,769	10,383	3,516,336	1,749,814	933,058	733,324
- Rx Rate (L1) (Bit/s)	129.23 K	409.78 K	258.8 M	248.24 M	259.76 M	254.22 M
- Rx Rate (Fps)	192	346	117,211	58,327	31,102	24,444
- Flood Count (Frames)	63	63	58	59	57	57
P-0-2-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,737	10,299	3,519,499	1,803,527	925,149	712,342
- Rx Rate (L1) (Bit/s)	128.51 K	406.47 K	259.04 M	255.86 M	257.56 M	246.95 M
- Rx Rate (Fps)	191	343	117,317	60,118	30,838	23,745
- Flood Count (Frames)	61	62	56	60	58	56
P-0-2-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,747	9,932	3,524,234	1,803,314	924,002	733,107
- Rx Rate (L1) (Bit/s)	128.73 K	391.98 K	259.38 M	255.83 M	257.24 M	254.14 M
- Rx Rate (Fps)	192	331	117,474	60,110	30,800	24,437
- Flood Count (Frames)	62	64	60	57	59	57
P-0-2-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,758	9,843	3,524,799	1,802,506	933,294	733,338
- Rx Rate (L1) (Bit/s)	128.98 K	388.47 K	259.43 M	255.72 M	259.83 M	254.22 M
- Rx Rate (Fps)	192	328	117,493	60,084	31,110	24,445
- Flood Count (Frames)	63	67	60	59	58	56
P-0-2-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,708	9,747	3,521,433	1,800,560	932,979	734,264
- Rx Rate (L1) (Bit/s)	127.86 K	384.68 K	259.18 M	255.44 M	259.74 M	254.54 M
- Rx Rate (Fps)	190	325	117,381	60,019	31,099	24,475
- Flood Count (Frames)	61	64	56	56	55	54
P-0-4-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077


- Rx (Frames)	5,650	9,637	3,553,025	1,806,778	933,086	734,214
- Rx Rate (L1) (Bit/s)	126.56 K	380.34 K	261.5 M	256.32 M	259.77 M	254.53 M
- Rx Rate (Fps)	188	321	118,434	60,226	31,103	24,474
- Flood Count (Frames)	57	61	56	55	54	55
P-0-4-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,482	9,542	3,555,804	1,808,274	932,926	733,599
- Rx Rate (L1) (Bit/s)	122.8 K	376.59 K	261.71 M	256.53 M	259.73 M	254.31 M
- Rx Rate (Fps)	183	318	118,527	60,276	31,098	24,453
- Flood Count (Frames)	58	62	60	57	57	56
P-0-4-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,305	9,450	3,553,379	1,808,596	932,403	733,559
- Rx Rate (L1) (Bit/s)	118.83 K	372.96 K	261.53 M	256.58 M	259.58 M	254.3 M
- Rx Rate (Fps)	177	315	118,446	60,287	31,080	24,452
- Flood Count (Frames)	59	59	57	57	55	55
P-0-4-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,143	9,339	3,541,644	1,807,481	932,485	732,820
- Rx Rate (L1) (Bit/s)	115.2 K	368.58 K	260.66 M	256.42 M	259.6 M	254.04 M
- Rx Rate (Fps)	171	311	118,055	60,249	31,083	24,427
- Flood Count (Frames)	59	62	55	55	56	55
P-0-4-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	4,962	9,319	3,520,988	1,807,495	932,209	732,492
- Rx Rate (L1) (Bit/s)	111.15 K	367.79 K	259.14 M	256.42 M	259.53 M	253.93 M
- Rx Rate (Fps)	165	311	117,366	60,250	31,074	24,416
- Flood Count (Frames)	58	60	56	55	56	52
P-0-4-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	4,816	9,204	3,534,581	1,808,207	931,944	733,367
- Rx Rate (L1) (Bit/s)	107.88 K	363.25 K	260.15 M	256.52 M	259.45 M	254.23 M
- Rx Rate (Fps)	161	307	117,819	60,274	31,065	24,446
- Flood Count (Frames)	58	59	58	56	56	54

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,462
Rx Rate (Percent)	25.39 %
Rx Rate (L1) (Bit/s)	4.57 G
Rx Rate (Fps)	371.45 K
Loss Rate (Percent)	49.22 %
Loss (Frames)	10,800,380
P-0-0-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	618,563
- Rx Rate (L1) (Bit/s)	253.69 M
- Rx Rate (Fps)	20,619
- Flood Count (Frames)	57
P-0-0-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	607,490
- Rx Rate (L1) (Bit/s)	249.15 M

- Rx Rate (Fps)	20,250
- Flood Count (Frames)	58
P-0-0-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	618,236
- Rx Rate (L1) (Bit/s)	253.56 M
- Rx Rate (Fps)	20,608
- Flood Count (Frames)	58
P-0-0-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,445
- Rx Rate (L1) (Bit/s)	254.06 M
- Rx Rate (Fps)	20,648
- Flood Count (Frames)	56
P-0-0-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	620,944
- Rx Rate (L1) (Bit/s)	254.67 M
- Rx Rate (Fps)	20,698
- Flood Count (Frames)	59
P-0-0-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	620,114
- Rx Rate (L1) (Bit/s)	254.33 M
- Rx Rate (Fps)	20,670
- Flood Count (Frames)	24
P-0-2-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,699
- Rx Rate (L1) (Bit/s)	254.16 M
- Rx Rate (Fps)	20,657
- Flood Count (Frames)	55
P-0-2-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,984
- Rx Rate (L1) (Bit/s)	254.28 M
- Rx Rate (Fps)	20,666
- Flood Count (Frames)	57
P-0-2-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	620,851
- Rx Rate (L1) (Bit/s)	254.63 M
- Rx Rate (Fps)	20,695
- Flood Count (Frames)	55
P-0-2-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,951
- Rx Rate (L1) (Bit/s)	254.26 M
- Rx Rate (Fps)	20,665
- Flood Count (Frames)	54
P-0-2-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	620,970

- Rx Rate (L1) (Bit/s)	254.68 M
- Rx Rate (Fps)	20,699
- Flood Count (Frames)	56
P-0-2-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,746
- Rx Rate (L1) (Bit/s)	254.18 M
- Rx Rate (Fps)	20,658
- Flood Count (Frames)	56
P-0-4-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	620,963
- Rx Rate (L1) (Bit/s)	254.68 M
- Rx Rate (Fps)	20,699
- Flood Count (Frames)	59
P-0-4-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,878
- Rx Rate (L1) (Bit/s)	254.23 M
- Rx Rate (Fps)	20,663
- Flood Count (Frames)	54
P-0-4-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,494
- Rx Rate (L1) (Bit/s)	254.08 M
- Rx Rate (Fps)	20,650
- Flood Count (Frames)	56
P-0-4-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	619,663
- Rx Rate (L1) (Bit/s)	254.14 M
- Rx Rate (Fps)	20,655
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	618,524
- Rx Rate (L1) (Bit/s)	253.68 M
- Rx Rate (Fps)	20,617
- Flood Count (Frames)	54
P-0-4-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	618,977
- Rx Rate (L1) (Bit/s)	253.86 M
- Rx Rate (Fps)	20,633
- Flood Count (Frames)	57

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G
Tx Rate (Fps)	16,071,426	9,121,615	4,891,298	2,537,587	1,293,095	1,038,452
Rx Rate (Percent)	0.01 %	0.02 %	0.19 %	30.82 %	30.76 %	30.31 %
Rx Rate (L1) (Bit/s)	1.6 M	4.21 M	34.78 M	5.55 G	5.54 G	5.46 G
Rx Rate (Fps)	2.38 K	3.56 K	15.75 K	1.3 M	662.98 K	524.52 K
Loss Rate (Percent)	99.99 %	99.96 %	99.68 %	48.64 %	48.73 %	49.49 %
Loss (Frames)	482,071,356	273,541,695	146,266,327	37,025,386	18,903,296	15,417,866
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	2,612	5,874	27,393	2,172,492	1,106,099	873,960
- Rx Rate (L1) (Bit/s)	58.51 K	231.83 K	2.02 M	308.2 M	307.94 M	302.97 M
- Rx Rate (Fps)	87	196	913	72,416	36,870	29,132
- Flood Count (Frames)	63	61	60	58	56	56
P-0-0-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,835	6,100	27,718	2,173,159	1,106,159	874,193
- Rx Rate (L1) (Bit/s)	85.9 K	240.75 K	2.04 M	308.3 M	307.95 M	303.05 M
- Rx Rate (Fps)	128	203	924	72,439	36,872	29,140
- Flood Count (Frames)	61	59	61	60	59	57
P-0-0-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,160	6,342	27,800	2,171,407	1,105,400	875,670
- Rx Rate (L1) (Bit/s)	93.18 K	250.3 K	2.05 M	308.05 M	307.74 M	303.57 M
- Rx Rate (Fps)	139	211	927	72,380	36,847	29,189
- Flood Count (Frames)	63	64	58	57	56	56
P-0-0-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,266	6,330	27,737	2,172,188	1,089,923	874,728

- Rx Rate (L1) (Bit/s)	95.56 K	249.82 K	2.04 M	308.16 M	303.43 M	303.24 M
- Rx Rate (Fps)	142	211	925	72,406	36,331	29,158
- Flood Count (Frames)	63	61	62	56	57	55
P-0-0-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,330	6,331	27,564	2,173,491	1,105,684	875,346
- Rx Rate (L1) (Bit/s)	96.99 K	249.86 K	2.03 M	308.35 M	307.82 M	303.45 M
- Rx Rate (Fps)	144	211	919	72,450	36,856	29,178
- Flood Count (Frames)	61	59	61	56	59	58
P-0-0-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,363	6,319	27,975	2,172,679	1,106,136	874,462
- Rx Rate (L1) (Bit/s)	97.73 K	249.39 K	2.06 M	308.23 M	307.95 M	303.15 M
- Rx Rate (Fps)	145	211	933	72,423	36,871	29,149
- Flood Count (Frames)	28	30	34	22	23	25
P-0-2-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,280	6,293	27,619	2,172,857	1,105,994	873,332
- Rx Rate (L1) (Bit/s)	95.87 K	248.36 K	2.03 M	308.26 M	307.91 M	302.76 M
- Rx Rate (Fps)	143	210	921	72,429	36,866	29,111
- Flood Count (Frames)	64	59	61	56	60	57
P-0-2-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,435	6,353	27,754	2,171,602	1,106,204	873,503
- Rx Rate (L1) (Bit/s)	99.34 K	250.73 K	2.04 M	308.08 M	307.97 M	302.81 M
- Rx Rate (Fps)	148	212	925	72,387	36,873	29,117
- Flood Count (Frames)	63	61	63	58	54	58
P-0-2-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,423	6,321	27,666	2,171,969	1,105,996	868,902
- Rx Rate (L1) (Bit/s)	99.08 K	249.47 K	2.04 M	308.13 M	307.91 M	301.22 M
- Rx Rate (Fps)	147	211	922	72,399	36,867	28,963
- Flood Count (Frames)	61	61	61	58	57	60
P-0-2-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	2,638	6,268	27,295	2,171,788	1,105,919	874,358
- Rx Rate (L1) (Bit/s)	59.09 K	247.38 K	2.01 M	308.1 M	307.89 M	303.11 M
- Rx Rate (Fps)	88	209	910	72,393	36,864	29,145
- Flood Count (Frames)	60	63	61	58	60	56
P-0-2-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,312	4,004	27,396	2,172,784	1,105,764	875,325
- Rx Rate (L1) (Bit/s)	96.59 K	158.02 K	2.02 M	308.25 M	307.84 M	303.45 M
- Rx Rate (Fps)	144	133	913	72,426	36,859	29,178
- Flood Count (Frames)	61	57	61	59	56	57
P-0-2-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,378	6,083	7,854	2,172,690	1,105,810	875,601
- Rx Rate (L1) (Bit/s)	98.07 K	240.08 K	578.05 K	308.23 M	307.86 M	303.54 M
- Rx Rate (Fps)	146	203	262	72,423	36,860	29,187
- Flood Count (Frames)	63	61	63	58	58	59
P-0-4-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692


- Rx (Frames)	4,410	5,989	27,276	2,171,751	1,105,521	875,101
- Rx Rate (L1) (Bit/s)	98.78 K	236.37 K	2.01 M	308.1 M	307.78 M	303.37 M
- Rx Rate (Fps)	147	200	909	72,392	36,851	29,170
- Flood Count (Frames)	58	58	60	55	55	55
P-0-4-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	4,168	5,845	26,849	2,172,878	1,105,712	875,265
- Rx Rate (L1) (Bit/s)	93.36 K	230.68 K	1.98 M	308.26 M	307.83 M	303.43 M
- Rx Rate (Fps)	139	195	895	72,429	36,857	29,176
- Flood Count (Frames)	61	59	63	54	56	55
P-0-4-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,963	5,715	26,900	2,171,807	1,105,762	874,495
- Rx Rate (L1) (Bit/s)	88.77 K	225.55 K	1.98 M	308.11 M	307.84 M	303.16 M
- Rx Rate (Fps)	132	191	897	72,394	36,859	29,150
- Flood Count (Frames)	60	58	60	58	55	54
P-0-4-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,800	5,617	26,857	2,171,945	1,106,092	874,778
- Rx Rate (L1) (Bit/s)	85.12 K	221.68 K	1.98 M	308.13 M	307.94 M	303.26 M
- Rx Rate (Fps)	127	187	895	72,398	36,870	29,159
- Flood Count (Frames)	60	58	60	55	55	55
P-0-4-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,612	5,575	26,524	2,172,041	1,105,742	873,765
- Rx Rate (L1) (Bit/s)	80.91 K	220.03 K	1.95 M	308.14 M	307.84 M	302.91 M
- Rx Rate (Fps)	120	186	884	72,401	36,858	29,126
- Flood Count (Frames)	61	58	61	57	58	54
P-0-4-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	3,439	5,402	26,430	2,172,684	1,105,631	872,904
- Rx Rate (L1) (Bit/s)	77.03 K	213.2 K	1.95 M	308.23 M	307.81 M	302.61 M
- Rx Rate (Fps)	115	180	881	72,423	36,854	29,097
- Flood Count (Frames)	59	61	59	56	60	60

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10.8 G
Tx Rate (Fps)	877,761
Rx Rate (Percent)	30.42 %
Rx Rate (L1) (Bit/s)	5.47 G
Rx Rate (Fps)	444.96 K
Loss Rate (Percent)	49.31 %
Loss (Frames)	12,984,090
P-0-0-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,251
- Rx Rate (L1) (Bit/s)	305.24 M
- Rx Rate (Fps)	24,808
- Flood Count (Frames)	58
P-0-0-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	714,997
- Rx Rate (L1) (Bit/s)	293.24 M

- Rx Rate (Fps)	23,833
- Flood Count (Frames)	60
P-0-0-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	743,117
- Rx Rate (L1) (Bit/s)	304.78 M
- Rx Rate (Fps)	24,771
- Flood Count (Frames)	60
P-0-0-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,341
- Rx Rate (L1) (Bit/s)	305.28 M
- Rx Rate (Fps)	24,811
- Flood Count (Frames)	62
P-0-0-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,839
- Rx Rate (L1) (Bit/s)	305.48 M
- Rx Rate (Fps)	24,828
- Flood Count (Frames)	56
P-0-0-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,503
- Rx Rate (L1) (Bit/s)	305.35 M
- Rx Rate (Fps)	24,817
- Flood Count (Frames)	32
P-0-2-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	745,038
- Rx Rate (L1) (Bit/s)	305.56 M
- Rx Rate (Fps)	24,835
- Flood Count (Frames)	62
P-0-2-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,486
- Rx Rate (L1) (Bit/s)	305.34 M
- Rx Rate (Fps)	24,816
- Flood Count (Frames)	59
P-0-2-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	745,846
- Rx Rate (L1) (Bit/s)	305.9 M
- Rx Rate (Fps)	24,862
- Flood Count (Frames)	59
P-0-2-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	745,591
- Rx Rate (L1) (Bit/s)	305.79 M
- Rx Rate (Fps)	24,853
- Flood Count (Frames)	63
P-0-2-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	743,922

- Rx Rate (L1) (Bit/s)	305.11 M
- Rx Rate (Fps)	24,797
- Flood Count (Frames)	57
P-0-2-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	722,613
- Rx Rate (L1) (Bit/s)	296.37 M
- Rx Rate (Fps)	24,087
- Flood Count (Frames)	59
P-0-4-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	743,764
- Rx Rate (L1) (Bit/s)	305.04 M
- Rx Rate (Fps)	24,792
- Flood Count (Frames)	56
P-0-4-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,964
- Rx Rate (L1) (Bit/s)	305.53 M
- Rx Rate (Fps)	24,832
- Flood Count (Frames)	56
P-0-4-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,832
- Rx Rate (L1) (Bit/s)	305.48 M
- Rx Rate (Fps)	24,828
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	744,254
- Rx Rate (L1) (Bit/s)	305.24 M
- Rx Rate (Fps)	24,808
- Flood Count (Frames)	58
P-0-4-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	743,736
- Rx Rate (L1) (Bit/s)	305.03 M
- Rx Rate (Fps)	24,791
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	743,646
- Rx Rate (L1) (Bit/s)	304.99 M
- Rx Rate (Fps)	24,788
- Flood Count (Frames)	61

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G
Tx Rate (Fps)	18,749,997	10,641,884	5,706,512	2,960,519	1,508,611	1,211,536
Rx Rate (Percent)	0.01 %	0.02 %	0.07 %	33.94 %	34.19 %	35.1 %
Rx Rate (L1) (Bit/s)	1.53 M	3.99 M	11.8 M	6.11 G	6.15 G	6.32 G
Rx Rate (Fps)	2.28 K	3.37 K	5.34 K	1.44 M	736.84 K	607.58 K
Loss Rate (Percent)	99.99 %	99.97 %	99.91 %	51.51 %	51.16 %	49.85 %
Loss (Frames)	562,431,484	319,155,448	171,035,089	45,746,372	23,153,102	18,118,769
P-0-0-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,640	5,682	9,193	2,357,039	1,228,727	1,013,673
- Rx Rate (L1) (Bit/s)	81.54 K	224.25 K	676.6 K	334.39 M	342.08 M	351.41 M
- Rx Rate (Fps)	121	189	306	78,568	40,958	33,789
- Flood Count (Frames)	62	64	61	55	58	58
P-0-0-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,315	3,724	9,429	2,386,811	1,228,440	1,012,739
- Rx Rate (L1) (Bit/s)	96.66 K	146.97 K	693.97 K	338.61 M	342 M	351.08 M
- Rx Rate (Fps)	144	124	314	79,560	40,948	33,758
- Flood Count (Frames)	59	62	62	58	54	57
P-0-0-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,154	6,024	9,524	2,394,818	1,227,443	999,242
- Rx Rate (L1) (Bit/s)	48.25 K	237.75 K	700.97 K	339.74 M	341.72 M	346.4 M
- Rx Rate (Fps)	72	201	317	79,827	40,915	33,308
- Flood Count (Frames)	59	64	65	54	57	56
P-0-0-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,531	6,112	9,426	2,394,911	1,227,947	1,013,871

- Rx Rate (L1) (Bit/s)	101.49 K	241.22 K	693.75 K	339.76 M	341.86 M	351.48 M
- Rx Rate (Fps)	151	204	314	79,830	40,932	33,796
- Flood Count (Frames)	63	64	63	57	58	58
P-0-0-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,159	6,161	9,445	2,394,897	1,228,180	1,013,294
- Rx Rate (L1) (Bit/s)	48.36 K	243.15 K	695.15 K	339.76 M	341.93 M	351.28 M
- Rx Rate (Fps)	72	205	315	79,830	40,939	33,776
- Flood Count (Frames)	60	60	64	57	55	55
P-0-0-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,528	6,081	7,507	2,395,377	1,228,261	1,013,091
- Rx Rate (L1) (Bit/s)	101.43 K	240 K	552.52 K	339.82 M	341.95 M	351.2 M
- Rx Rate (Fps)	151	203	250	79,846	40,942	33,770
- Flood Count (Frames)	28	26	33	30	29	21
P-0-2-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,540	6,132	9,310	2,394,315	1,227,811	1,013,887
- Rx Rate (L1) (Bit/s)	101.7 K	242.01 K	685.22 K	339.67 M	341.82 M	351.48 M
- Rx Rate (Fps)	151	204	310	79,811	40,927	33,796
- Flood Count (Frames)	61	63	61	57	56	57
P-0-2-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,511	6,082	8,973	2,395,789	1,227,807	1,012,993
- Rx Rate (L1) (Bit/s)	101.05 K	240.04 K	660.41 K	339.88 M	341.82 M	351.17 M
- Rx Rate (Fps)	150	203	299	79,860	40,927	33,766
- Flood Count (Frames)	61	61	61	57	56	60
P-0-2-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,158	6,109	9,090	2,396,291	1,227,969	1,013,501
- Rx Rate (L1) (Bit/s)	48.34 K	241.1 K	669.02 K	339.95 M	341.87 M	351.35 M
- Rx Rate (Fps)	72	204	303	79,876	40,932	33,783
- Flood Count (Frames)	61	63	62	58	59	57
P-0-2-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,524	3,727	8,925	2,394,814	1,227,928	1,013,498
- Rx Rate (L1) (Bit/s)	101.34 K	147.09 K	656.88 K	339.74 M	341.86 M	351.35 M
- Rx Rate (Fps)	151	124	298	79,827	40,931	33,783
- Flood Count (Frames)	61	61	61	55	59	59
P-0-2-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,503	6,105	8,927	2,395,307	1,228,609	1,012,902
- Rx Rate (L1) (Bit/s)	100.87 K	240.94 K	657.03 K	339.81 M	342.04 M	351.14 M
- Rx Rate (Fps)	150	204	298	79,844	40,954	33,763
- Flood Count (Frames)	62	62	64	54	57	57
P-0-2-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	2,154	5,954	8,995	2,396,069	1,226,964	1,013,540
- Rx Rate (L1) (Bit/s)	48.25 K	234.98 K	662.03 K	339.92 M	341.59 M	351.36 M
- Rx Rate (Fps)	72	198	300	79,869	40,899	33,785
- Flood Count (Frames)	63	61	62	60	52	57
P-0-4-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308


- Rx (Frames)	4,459	5,912	8,776	2,398,553	1,227,319	1,013,508
- Rx Rate (L1) (Bit/s)	99.88 K	233.33 K	645.91 K	340.27 M	341.69 M	351.35 M
- Rx Rate (Fps)	149	197	293	79,952	40,911	33,784
- Flood Count (Frames)	61	56	60	58	60	57
P-0-4-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,500	5,705	8,734	2,397,092	1,229,244	1,013,772
- Rx Rate (L1) (Bit/s)	100.8 K	225.16 K	642.82 K	340.07 M	342.22 M	351.44 M
- Rx Rate (Fps)	150	190	291	79,903	40,975	33,792
- Flood Count (Frames)	58	57	58	54	57	59
P-0-4-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,289	5,612	8,587	2,393,534	1,228,272	1,013,963
- Rx Rate (L1) (Bit/s)	96.07 K	221.49 K	632 K	339.56 M	341.95 M	351.51 M
- Rx Rate (Fps)	143	187	286	79,784	40,942	33,799
- Flood Count (Frames)	56	60	61	54	57	56
P-0-4-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,060	5,409	8,683	2,394,882	1,227,948	1,013,447
- Rx Rate (L1) (Bit/s)	90.94 K	213.48 K	639.07 K	339.75 M	341.86 M	351.33 M
- Rx Rate (Fps)	135	180	289	79,829	40,932	33,782
- Flood Count (Frames)	61	59	58	59	55	57
P-0-4-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,809	5,325	8,336	2,395,454	1,227,911	1,012,949
- Rx Rate (L1) (Bit/s)	85.32 K	210.16 K	613.53 K	339.84 M	341.85 M	351.16 M
- Rx Rate (Fps)	127	178	278	79,848	40,930	33,765
- Flood Count (Frames)	56	61	62	56	53	57
P-0-4-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,592	5,228	8,423	2,393,257	1,228,436	1,013,429
- Rx Rate (L1) (Bit/s)	80.46 K	206.33 K	619.93 K	339.52 M	342 M	351.32 M
- Rx Rate (Fps)	120	174	281	79,775	40,948	33,781
- Flood Count (Frames)	58	56	62	58	52	55

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12.6 G
Tx Rate (Fps)	1,024,049
Rx Rate (Percent)	34.26 %
Rx Rate (L1) (Bit/s)	6.17 G
Rx Rate (Fps)	501.17 K
Loss Rate (Percent)	51.06 %
Loss (Frames)	15,686,502
P-0-0-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	833,668
- Rx Rate (L1) (Bit/s)	341.92 M
- Rx Rate (Fps)	27,789
- Flood Count (Frames)	54
P-0-0-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	827,344
- Rx Rate (L1) (Bit/s)	339.32 M

- Rx Rate (Fps)	27,578
- Flood Count (Frames)	56
P-0-0-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	833,194
- Rx Rate (L1) (Bit/s)	341.72 M
- Rx Rate (Fps)	27,773
- Flood Count (Frames)	55
P-0-0-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	830,841
- Rx Rate (L1) (Bit/s)	340.76 M
- Rx Rate (Fps)	27,695
- Flood Count (Frames)	52
P-0-0-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	835,240
- Rx Rate (L1) (Bit/s)	342.56 M
- Rx Rate (Fps)	27,841
- Flood Count (Frames)	57
P-0-0-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	835,724
- Rx Rate (L1) (Bit/s)	342.76 M
- Rx Rate (Fps)	27,857
- Flood Count (Frames)	23
P-0-2-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	834,821
- Rx Rate (L1) (Bit/s)	342.39 M
- Rx Rate (Fps)	27,827
- Flood Count (Frames)	54
P-0-2-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	838,490
- Rx Rate (L1) (Bit/s)	343.89 M
- Rx Rate (Fps)	27,950
- Flood Count (Frames)	56
P-0-2-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	825,667
- Rx Rate (L1) (Bit/s)	338.63 M
- Rx Rate (Fps)	27,522
- Flood Count (Frames)	59
P-0-2-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	839,691
- Rx Rate (L1) (Bit/s)	344.39 M
- Rx Rate (Fps)	27,990
- Flood Count (Frames)	57
P-0-2-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	839,470

- Rx Rate (L1) (Bit/s)	344.29 M
- Rx Rate (Fps)	27,982
- Flood Count (Frames)	56
P-0-2-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	835,795
- Rx Rate (L1) (Bit/s)	342.79 M
- Rx Rate (Fps)	27,860
- Flood Count (Frames)	60
P-0-4-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	839,784
- Rx Rate (L1) (Bit/s)	344.42 M
- Rx Rate (Fps)	27,993
- Flood Count (Frames)	54
P-0-4-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	837,529
- Rx Rate (L1) (Bit/s)	343.5 M
- Rx Rate (Fps)	27,918
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	837,833
- Rx Rate (L1) (Bit/s)	343.62 M
- Rx Rate (Fps)	27,928
- Flood Count (Frames)	55
P-0-4-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	838,725
- Rx Rate (L1) (Bit/s)	343.99 M
- Rx Rate (Fps)	27,958
- Flood Count (Frames)	56
P-0-4-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	833,792
- Rx Rate (L1) (Bit/s)	341.97 M
- Rx Rate (Fps)	27,793
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	837,372
- Rx Rate (L1) (Bit/s)	343.43 M
- Rx Rate (Fps)	27,912
- Flood Count (Frames)	56

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G
Tx Rate (Fps)	21,428,568	12,162,154	6,521,737	3,383,452	1,724,137	1,384,609
Rx Rate (Percent)	0.01 %	0.02 %	0.05 %	39.94 %	40.07 %	38.11 %
Rx Rate (L1) (Bit/s)	1.32 M	3.07 M	9.64 M	7.19 G	7.21 G	6.86 G
Rx Rate (Fps)	1.96 K	2.6 K	4.37 K	1.69 M	863.67 K	659.58 K
Loss Rate (Percent)	99.99 %	99.98 %	99.93 %	50.07 %	49.91 %	52.36 %
Loss (Frames)	642,798,327	364,786,705	195,521,087	50,824,689	25,814,123	21,750,946
P-0-0-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	2,474	4,323	6,436	2,820,550	1,441,079	1,101,303
- Rx Rate (L1) (Bit/s)	55.42 K	170.61 K	473.69 K	400.14 M	401.2 M	381.79 M
- Rx Rate (Fps)	82	144	215	94,018	48,036	36,710
- Flood Count (Frames)	60	62	64	57	56	57
P-0-0-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	1,463	4,582	7,657	2,819,943	1,424,433	1,095,960
- Rx Rate (L1) (Bit/s)	32.77 K	180.84 K	563.56 K	400.06 M	396.56 M	379.93 M
- Rx Rate (Fps)	49	153	255	93,998	47,481	36,532
- Flood Count (Frames)	60	61	64	59	54	57
P-0-0-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,583	4,593	7,686	2,820,509	1,440,838	1,101,513
- Rx Rate (L1) (Bit/s)	80.26 K	181.27 K	565.69 K	400.14 M	401.13 M	381.86 M
- Rx Rate (Fps)	119	153	256	94,017	48,028	36,717
- Flood Count (Frames)	61	63	64	60	58	58
P-0-0-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,661	4,634	7,709	2,820,141	1,441,984	1,101,754

- Rx Rate (L1) (Bit/s)	82.01 K	182.89 K	567.38 K	400.08 M	401.45 M	381.94 M
- Rx Rate (Fps)	122	154	257	94,005	48,066	36,725
- Flood Count (Frames)	60	63	63	55	54	52
P-0-0-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,666	4,614	7,690	2,791,124	1,441,627	1,100,811
- Rx Rate (L1) (Bit/s)	82.12 K	182.1 K	565.98 K	395.97 M	401.35 M	381.61 M
- Rx Rate (Fps)	122	154	256	93,037	48,054	36,694
- Flood Count (Frames)	60	62	64	57	55	56
P-0-0-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,656	2,922	7,737	2,818,589	1,434,987	1,101,027
- Rx Rate (L1) (Bit/s)	81.89 K	115.32 K	569.44 K	399.86 M	399.5 M	381.69 M
- Rx Rate (Fps)	122	97	258	93,953	47,833	36,701
- Flood Count (Frames)	29	30	34	28	24	29
P-0-2-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,631	4,627	7,641	2,769,950	1,442,191	1,101,196
- Rx Rate (L1) (Bit/s)	81.33 K	182.61 K	562.38 K	392.96 M	401.51 M	381.75 M
- Rx Rate (Fps)	121	154	255	92,332	48,073	36,707
- Flood Count (Frames)	61	63	62	57	58	58
P-0-2-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,687	4,560	7,498	2,819,263	1,442,375	1,100,978
- Rx Rate (L1) (Bit/s)	82.59 K	179.97 K	551.85 K	399.96 M	401.56 M	381.67 M
- Rx Rate (Fps)	123	152	250	93,975	48,079	36,699
- Flood Count (Frames)	60	64	61	56	56	56
P-0-2-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,649	4,633	7,446	2,819,437	1,441,801	1,070,947
- Rx Rate (L1) (Bit/s)	81.74 K	182.85 K	548.03 K	399.98 M	401.4 M	371.26 M
- Rx Rate (Fps)	122	154	248	93,981	48,060	35,698
- Flood Count (Frames)	62	61	62	58	56	54
P-0-2-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	1,465	4,635	7,390	2,819,751	1,441,611	1,102,276
- Rx Rate (L1) (Bit/s)	32.82 K	182.93 K	543.9 K	400.03 M	401.34 M	382.12 M
- Rx Rate (Fps)	49	155	246	93,992	48,054	36,743
- Flood Count (Frames)	59	64	64	55	56	53
P-0-2-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,680	4,555	7,340	2,820,068	1,437,972	1,096,630
- Rx Rate (L1) (Bit/s)	82.43 K	179.77 K	540.22 K	400.07 M	400.33 M	380.17 M
- Rx Rate (Fps)	123	152	245	94,002	47,932	36,554
- Flood Count (Frames)	58	61	63	58	57	59
P-0-2-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,689	4,633	7,244	2,819,785	1,427,812	1,102,435
- Rx Rate (L1) (Bit/s)	82.63 K	182.85 K	533.16 K	400.03 M	397.5 M	382.18 M
- Rx Rate (Fps)	123	154	241	93,993	47,594	36,748
- Flood Count (Frames)	61	63	61	58	58	56
P-0-4-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923


- Rx (Frames)	3,645	4,464	7,193	2,820,347	1,442,319	1,102,088
- Rx Rate (L1) (Bit/s)	81.65 K	176.18 K	529.4 K	400.11 M	401.54 M	382.06 M
- Rx Rate (Fps)	122	149	240	94,012	48,077	36,736
- Flood Count (Frames)	60	59	59	57	58	57
P-0-4-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,638	4,318	7,153	2,820,291	1,441,875	1,101,913
- Rx Rate (L1) (Bit/s)	81.49 K	170.42 K	526.46 K	400.11 M	401.42 M	382 M
- Rx Rate (Fps)	121	144	238	94,010	48,063	36,730
- Flood Count (Frames)	59	60	59	58	56	55
P-0-4-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,664	4,155	7,036	2,820,840	1,441,602	1,102,257
- Rx Rate (L1) (Bit/s)	82.07 K	163.98 K	517.85 K	400.18 M	401.34 M	382.12 M
- Rx Rate (Fps)	122	139	235	94,028	48,053	36,742
- Flood Count (Frames)	59	59	57	57	58	56
P-0-4-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,395	3,976	6,919	2,819,592	1,441,942	1,101,991
- Rx Rate (L1) (Bit/s)	76.05 K	156.92 K	509.24 K	400.01 M	401.44 M	382.02 M
- Rx Rate (Fps)	113	133	231	93,986	48,065	36,733
- Flood Count (Frames)	58	56	60	54	55	56
P-0-4-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,150	3,917	6,920	2,819,520	1,442,072	1,101,444
- Rx Rate (L1) (Bit/s)	70.56 K	154.59 K	509.31 K	400 M	401.47 M	381.83 M
- Rx Rate (Fps)	105	131	231	93,984	48,069	36,715
- Flood Count (Frames)	60	56	61	54	59	57
P-0-4-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	2,917	3,762	6,334	2,819,177	1,441,455	1,100,807
- Rx Rate (L1) (Bit/s)	65.34 K	148.47 K	466.18 K	399.95 M	401.3 M	381.61 M
- Rx Rate (Fps)	97	125	211	93,973	48,049	36,694
- Flood Count (Frames)	58	62	56	56	57	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14.4 G
Tx Rate (Fps)	1,170,348
Rx Rate (Percent)	35.94 %
Rx Rate (L1) (Bit/s)	6.47 G
Rx Rate (Fps)	525.8 K
Loss Rate (Percent)	55.07 %
Loss (Frames)	19,336,352
P-0-0-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	876,365
- Rx Rate (L1) (Bit/s)	359.43 M
- Rx Rate (Fps)	29,212
- Flood Count (Frames)	53
P-0-0-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	857,692
- Rx Rate (L1) (Bit/s)	351.77 M

- Rx Rate (Fps)	28,590
- Flood Count (Frames)	56
P-0-0-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	878,234
- Rx Rate (L1) (Bit/s)	360.19 M
- Rx Rate (Fps)	29,274
- Flood Count (Frames)	53
P-0-0-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	879,525
- Rx Rate (L1) (Bit/s)	360.72 M
- Rx Rate (Fps)	29,318
- Flood Count (Frames)	49
P-0-0-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	885,036
- Rx Rate (L1) (Bit/s)	362.98 M
- Rx Rate (Fps)	29,501
- Flood Count (Frames)	54
P-0-0-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	880,662
- Rx Rate (L1) (Bit/s)	361.19 M
- Rx Rate (Fps)	29,355
- Flood Count (Frames)	25
P-0-2-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	882,339
- Rx Rate (L1) (Bit/s)	361.88 M
- Rx Rate (Fps)	29,411
- Flood Count (Frames)	51
P-0-2-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	879,342
- Rx Rate (L1) (Bit/s)	360.65 M
- Rx Rate (Fps)	29,311
- Flood Count (Frames)	52
P-0-2-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	888,322
- Rx Rate (L1) (Bit/s)	364.33 M
- Rx Rate (Fps)	29,611
- Flood Count (Frames)	53
P-0-2-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	880,792
- Rx Rate (L1) (Bit/s)	361.24 M
- Rx Rate (Fps)	29,360
- Flood Count (Frames)	52
P-0-2-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	874,319

- Rx Rate (L1) (Bit/s)	358.59 M
- Rx Rate (Fps)	29,144
- Flood Count (Frames)	49
P-0-2-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	874,465
- Rx Rate (L1) (Bit/s)	358.65 M
- Rx Rate (Fps)	29,149
- Flood Count (Frames)	50
P-0-4-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	874,422
- Rx Rate (L1) (Bit/s)	358.63 M
- Rx Rate (Fps)	29,147
- Flood Count (Frames)	54
P-0-4-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	879,441
- Rx Rate (L1) (Bit/s)	360.69 M
- Rx Rate (Fps)	29,315
- Flood Count (Frames)	51
P-0-4-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	871,540
- Rx Rate (L1) (Bit/s)	357.45 M
- Rx Rate (Fps)	29,051
- Flood Count (Frames)	51
P-0-4-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	864,197
- Rx Rate (L1) (Bit/s)	354.44 M
- Rx Rate (Fps)	28,807
- Flood Count (Frames)	49
P-0-4-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	876,858
- Rx Rate (L1) (Bit/s)	359.63 M
- Rx Rate (Fps)	29,229
- Flood Count (Frames)	51
P-0-4-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	870,537
- Rx Rate (L1) (Bit/s)	357.04 M
- Rx Rate (Fps)	29,018
- Flood Count (Frames)	54

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G
Tx Rate (Fps)	24,107,139	13,682,423	7,336,952	3,806,385	1,939,652	1,557,683
Rx Rate (Percent)	0.01 %	0.01 %	0.05 %	23.26 %	23.41 %	15.88 %
Rx Rate (L1) (Bit/s)	1.38 M	2.48 M	9.08 M	4.19 G	4.21 G	2.86 G
Rx Rate (Fps)	2.05 K	2.1 K	4.11 K	983.79 K	504.6 K	274.84 K
Loss Rate (Percent)	99.99 %	99.98 %	99.94 %	74.15 %	73.99 %	82.36 %
Loss (Frames)	723,152,618	410,409,733	219,985,171	84,677,785	43,051,616	38,485,248
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,900	3,412	7,033	1,738,931	889,375	515,224
- Rx Rate (L1) (Bit/s)	64.96 K	134.66 K	517.63 K	246.7 M	247.6 M	178.61 M
- Rx Rate (Fps)	97	114	234	57,964	29,646	17,174
- Flood Count (Frames)	60	63	63	41	36	33
P-0-0-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	0	3,669	7,181	1,749,149	891,000	516,038
- Rx Rate (L1) (Bit/s)	0	144.8 K	528.52 K	248.15 M	248.05 M	178.89 M
- Rx Rate (Fps)	0	122	239	58,305	29,700	17,201
- Flood Count (Frames)	2	63	62	37	37	33
P-0-0-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,858	3,729	7,202	1,760,609	885,830	516,886
- Rx Rate (L1) (Bit/s)	86.42 K	147.17 K	530.07 K	249.77 M	246.62 M	179.19 M
- Rx Rate (Fps)	129	124	240	58,687	29,528	17,230
- Flood Count (Frames)	58	63	66	40	35	25
P-0-0-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,914	3,740	7,195	1,751,524	898,836	513,390

- Rx Rate (L1) (Bit/s)	87.67 K	147.61 K	529.55 K	248.48 M	250.24 M	177.98 M
- Rx Rate (Fps)	130	125	240	58,384	29,961	17,113
- Flood Count (Frames)	60	63	61	36	35	32
P-0-0-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,888	3,754	7,156	1,761,826	897,088	0
- Rx Rate (L1) (Bit/s)	87.09 K	148.16 K	526.68 K	249.94 M	249.75 M	0
- Rx Rate (Fps)	130	125	239	58,728	29,903	0
- Flood Count (Frames)	62	60	61	42	41	1
P-0-0-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,889	3,721	7,239	1,749,975	903,613	517,359
- Rx Rate (L1) (Bit/s)	87.11 K	146.86 K	532.79 K	248.26 M	251.57 M	179.35 M
- Rx Rate (Fps)	130	124	241	58,333	30,120	17,245
- Flood Count (Frames)	30	31	30	23	15	15
P-0-2-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,879	3,662	7,217	1,750,412	898,412	515,318
- Rx Rate (L1) (Bit/s)	86.89 K	144.53 K	531.17 K	248.33 M	250.12 M	178.64 M
- Rx Rate (Fps)	129	122	241	58,347	29,947	17,177
- Flood Count (Frames)	60	63	64	37	40	37
P-0-2-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	1,652	3,748	7,130	0	888,000	514,666
- Rx Rate (L1) (Bit/s)	37 K	147.92 K	524.77 K	0	247.22 M	178.42 M
- Rx Rate (Fps)	55	125	238	0	29,600	17,156
- Flood Count (Frames)	60	63	63	1	37	35
P-0-2-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,927	3,724	6,942	1,749,689	890,210	515,469
- Rx Rate (L1) (Bit/s)	87.96 K	146.97 K	510.93 K	248.22 M	247.83 M	178.7 M
- Rx Rate (Fps)	131	124	231	58,323	29,674	17,182
- Flood Count (Frames)	58	60	61	38	42	37
P-0-2-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,885	2,354	6,889	1,707,358	0	0
- Rx Rate (L1) (Bit/s)	87.02 K	92.9 K	507.03 K	242.22 M	0	0
- Rx Rate (Fps)	130	78	230	56,912	0	0
- Flood Count (Frames)	61	64	62	38	2	1
P-0-2-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,929	3,742	6,819	1,715,404	908,624	517,611
- Rx Rate (L1) (Bit/s)	88.01 K	147.68 K	501.88 K	243.36 M	252.96 M	179.44 M
- Rx Rate (Fps)	131	125	227	57,180	30,287	17,254
- Flood Count (Frames)	60	60	64	40	37	31
P-0-2-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,919	3,711	6,719	1,719,119	884,431	514,998
- Rx Rate (L1) (Bit/s)	87.79 K	146.46 K	494.52 K	243.89 M	246.23 M	178.53 M
- Rx Rate (Fps)	131	124	224	57,304	29,481	17,167
- Flood Count (Frames)	60	62	63	39	41	31
P-0-4-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538


- Rx (Frames)	3,919	3,711	6,636	1,718,028	880,398	517,164
- Rx Rate (L1) (Bit/s)	87.79 K	146.46 K	488.41 K	243.73 M	245.1 M	179.28 M
- Rx Rate (Fps)	131	124	221	57,268	29,347	17,239
- Flood Count (Frames)	58	58	59	38	35	34
P-0-4-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,914	3,567	6,539	1,727,464	881,743	510,261
- Rx Rate (L1) (Bit/s)	87.67 K	140.78 K	481.27 K	245.07 M	245.48 M	176.89 M
- Rx Rate (Fps)	130	119	218	57,582	29,391	17,009
- Flood Count (Frames)	57	61	56	36	39	37
P-0-4-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,923	3,404	6,504	1,729,248	882,900	516,745
- Rx Rate (L1) (Bit/s)	87.88 K	134.34 K	478.69 K	245.32 M	245.8 M	179.14 M
- Rx Rate (Fps)	131	113	217	57,642	29,430	17,225
- Flood Count (Frames)	58	60	59	35	44	31
P-0-4-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,662	3,236	6,403	1,723,857	881,480	512,619
- Rx Rate (L1) (Bit/s)	82.03 K	127.71 K	471.26 K	244.56 M	245.4 M	177.71 M
- Rx Rate (Fps)	122	108	213	57,462	29,383	17,087
- Flood Count (Frames)	57	60	59	35	42	31
P-0-4-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,392	3,074	6,331	1,733,018	884,701	513,854
- Rx Rate (L1) (Bit/s)	75.98 K	121.32 K	465.96 K	245.86 M	246.3 M	178.14 M
- Rx Rate (Fps)	113	102	211	57,767	29,490	17,128
- Flood Count (Frames)	59	59	57	47	39	33
P-0-4-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,102	2,993	6,248	1,728,154	891,315	517,634
- Rx Rate (L1) (Bit/s)	69.48 K	118.12 K	459.85 K	245.17 M	248.14 M	179.45 M
- Rx Rate (Fps)	103	100	208	57,605	29,711	17,254
- Flood Count (Frames)	60	60	61	36	40	28

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16.2 G
Tx Rate (Fps)	1,316,636
Rx Rate (Percent)	16.15 %
Rx Rate (L1) (Bit/s)	2.91 G
Rx Rate (Fps)	236.23 K
Loss Rate (Percent)	82.06 %
Loss (Frames)	32,412,074
P-0-0-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-0-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	446,544
- Rx Rate (L1) (Bit/s)	183.14 M

- Rx Rate (Fps)	14,885
- Flood Count (Frames)	30
P-0-0-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-0-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	444,423
- Rx Rate (L1) (Bit/s)	182.27 M
- Rx Rate (Fps)	14,814
- Flood Count (Frames)	32
P-0-0-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	442,137
- Rx Rate (L1) (Bit/s)	181.34 M
- Rx Rate (Fps)	14,738
- Flood Count (Frames)	33
P-0-0-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	437,170
- Rx Rate (L1) (Bit/s)	179.3 M
- Rx Rate (Fps)	14,572
- Flood Count (Frames)	18
P-0-2-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	439,645
- Rx Rate (L1) (Bit/s)	180.31 M
- Rx Rate (Fps)	14,655
- Flood Count (Frames)	27
P-0-2-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	437,284
- Rx Rate (L1) (Bit/s)	179.34 M
- Rx Rate (Fps)	14,576
- Flood Count (Frames)	34
P-0-2-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	435,137
- Rx Rate (L1) (Bit/s)	178.46 M
- Rx Rate (Fps)	14,505
- Flood Count (Frames)	29
P-0-2-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	439,893
- Rx Rate (L1) (Bit/s)	180.41 M
- Rx Rate (Fps)	14,663
- Flood Count (Frames)	31
P-0-2-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	440,980

- Rx Rate (L1) (Bit/s)	180.86 M
- Rx Rate (Fps)	14,699
- Flood Count (Frames)	38
P-0-2-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	441,237
- Rx Rate (L1) (Bit/s)	180.97 M
- Rx Rate (Fps)	14,708
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	442,100
- Rx Rate (L1) (Bit/s)	181.32 M
- Rx Rate (Fps)	14,737
- Flood Count (Frames)	28
P-0-4-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	448,818
- Rx Rate (L1) (Bit/s)	184.08 M
- Rx Rate (Fps)	14,961
- Flood Count (Frames)	37
P-0-4-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	449,003
- Rx Rate (L1) (Bit/s)	184.15 M
- Rx Rate (Fps)	14,967
- Flood Count (Frames)	28
P-0-4-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	446,891
- Rx Rate (L1) (Bit/s)	183.28 M
- Rx Rate (Fps)	14,896
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	449,951
- Rx Rate (L1) (Bit/s)	184.54 M
- Rx Rate (Fps)	14,998
- Flood Count (Frames)	34
P-0-4-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	445,805
- Rx Rate (L1) (Bit/s)	182.84 M
- Rx Rate (Fps)	14,860
- Flood Count (Frames)	29

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26,785,710	15,202,702	8,152,166	4,229,318	2,155,168	1,730,767
Rx Rate (Percent)	0.01 %	0.01 %	0.04 %	15.9 %	16.04 %	47.68 %
Rx Rate (L1) (Bit/s)	922.43 K	2.5 M	7.36 M	2.86 G	2.89 G	8.58 G
Rx Rate (Fps)	1.37 K	2.11 K	3.33 K	672.66 K	345.67 K	825.21 K
Loss Rate (Percent)	99.99 %	99.99 %	99.96 %	84.1 %	83.96 %	52.32 %
Loss (Frames)	803,530,120	456,017,732	244,465,049	106,699,597	54,284,857	27,166,679
P-0-0-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,321	3,621	5,975	0	650,055	1,375,002
- Rx Rate (L1) (Bit/s)	51.99 K	142.91 K	439.76 K	0	180.98 M	476.67 M
- Rx Rate (Fps)	77	121	199	0	21,669	45,833
- Flood Count (Frames)	63	63	60	1	35	55
P-0-0-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,850	3,877	6,118	1,281,856	651,310	1,375,183
- Rx Rate (L1) (Bit/s)	63.84 K	153.01 K	450.28 K	181.85 M	181.32 M	476.73 M
- Rx Rate (Fps)	95	129	204	42,729	21,710	45,839
- Flood Count (Frames)	81	61	60	33	36	54
P-0-0-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,851	3,877	0	1,259,390	0	1,373,724
- Rx Rate (L1) (Bit/s)	63.86 K	153.01 K	0	178.67 M	0	476.22 M
- Rx Rate (Fps)	95	129	0	41,980	0	45,791
- Flood Count (Frames)	59	62	0	33	2	56
P-0-0-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,835	0	6,194	0	655,593	1,375,666


- Rx Rate (L1) (Bit/s)	63.5 K	0	455.88 K	0	182.52 M	476.9 M
- Rx Rate (Fps)	95	0	206	0	21,853	45,856
- Flood Count (Frames)	62	1	61	1	33	57
P-0-0-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,806	3,885	6,130	1,256,998	648,189	1,374,399
- Rx Rate (L1) (Bit/s)	62.85 K	153.33 K	451.17 K	178.33 M	180.46 M	476.46 M
- Rx Rate (Fps)	94	130	204	41,900	21,606	45,813
- Flood Count (Frames)	62	64	63	29	28	56
P-0-0-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,768	3,893	6,152	1,246,418	641,678	1,375,453
- Rx Rate (L1) (Bit/s)	62 K	153.64 K	452.79 K	176.83 M	178.64 M	476.82 M
- Rx Rate (Fps)	92	130	205	41,547	21,389	45,848
- Flood Count (Frames)	29	29	27	18	13	25
P-0-2-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,746	3,880	6,132	1,233,902	645,603	1,376,022
- Rx Rate (L1) (Bit/s)	61.51 K	153.13 K	451.32 K	175.05 M	179.74 M	477.02 M
- Rx Rate (Fps)	92	129	204	41,130	21,520	45,867
- Flood Count (Frames)	63	62	61	31	34	56
P-0-2-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	3,900	6,205	1,233,181	641,521	1,375,414
- Rx Rate (L1) (Bit/s)	0	153.92 K	456.69 K	174.95 M	178.6 M	476.81 M
- Rx Rate (Fps)	0	130	207	41,106	21,384	45,847
- Flood Count (Frames)	2	64	61	36	28	59
P-0-2-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,844	3,910	6,038	1,257,267	648,874	1,376,613
- Rx Rate (L1) (Bit/s)	63.71 K	154.31 K	444.4 K	178.36 M	180.65 M	477.23 M
- Rx Rate (Fps)	95	130	201	41,909	21,629	45,887
- Flood Count (Frames)	59	63	62	32	32	55
P-0-2-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	1,584	3,939	5,926	1,263,261	653,979	1,374,362
- Rx Rate (L1) (Bit/s)	35.48 K	155.46 K	436.15 K	179.21 M	182.07 M	476.45 M
- Rx Rate (Fps)	53	131	198	42,109	21,799	45,812
- Flood Count (Frames)	61	61	62	27	32	58
P-0-2-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,755	3,942	5,986	1,254,526	0	1,375,910
- Rx Rate (L1) (Bit/s)	61.71 K	155.58 K	440.57 K	177.98 M	0	476.98 M
- Rx Rate (Fps)	92	131	200	41,818	0	45,864
- Flood Count (Frames)	61	61	63	35	1	56
P-0-2-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	3,892	5,726	1,251,821	651,717	1,375,261
- Rx Rate (L1) (Bit/s)	0	153.6 K	421.43 K	177.59 M	181.44 M	476.76 M
- Rx Rate (Fps)	0	130	191	41,727	21,724	45,842
- Flood Count (Frames)	1	62	60	33	30	58
P-0-4-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154

- Rx (Frames)	2,832	3,900	5,768	1,257,831	650,186	1,372,985
- Rx Rate (L1) (Bit/s)	63.44 K	153.92 K	424.52 K	178.44 M	181.01 M	475.97 M
- Rx Rate (Fps)	94	130	192	41,928	21,673	45,766
- Flood Count (Frames)	59	61	61	24	34	58
P-0-4-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,691	3,689	5,671	1,293,464	642,202	1,377,611
- Rx Rate (L1) (Bit/s)	60.28 K	145.59 K	417.39 K	183.5 M	178.79 M	477.57 M
- Rx Rate (Fps)	90	123	189	43,115	21,407	45,920
- Flood Count (Frames)	55	58	60	26	29	53
P-0-4-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,678	3,576	5,630	1,277,352	644,051	1,375,535
- Rx Rate (L1) (Bit/s)	59.99 K	141.13 K	414.37 K	181.21 M	179.3 M	476.85 M
- Rx Rate (Fps)	89	119	188	42,578	21,468	45,851
- Flood Count (Frames)	59	59	60	33	32	56
P-0-4-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,618	3,350	5,567	1,253,351	645,733	1,376,352
- Rx Rate (L1) (Bit/s)	58.64 K	132.21 K	409.73 K	177.81 M	179.77 M	477.14 M
- Rx Rate (Fps)	87	112	186	41,778	21,524	45,878
- Flood Count (Frames)	61	57	62	31	25	57
P-0-4-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,101	3,175	5,366	1,283,129	644,298	1,375,752
- Rx Rate (L1) (Bit/s)	47.06 K	125.31 K	394.94 K	182.03 M	179.37 M	476.93 M
- Rx Rate (Fps)	70	106	179	42,771	21,477	45,858
- Flood Count (Frames)	58	61	61	32	30	57
P-0-4-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	1,900	3,028	5,359	1,276,190	655,200	1,375,075
- Rx Rate (L1) (Bit/s)	42.56 K	119.51 K	394.42 K	181.05 M	182.41 M	476.69 M
- Rx Rate (Fps)	63	101	179	42,540	21,840	45,836
- Flood Count (Frames)	58	66	58	33	30	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1,462,935
Rx Rate (Percent)	15.34 %
Rx Rate (L1) (Bit/s)	2.76 G
Rx Rate (Fps)	224.45 K
Loss Rate (Percent)	84.66 %
Loss (Frames)	37,154,551
P-0-0-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	412,003
- Rx Rate (L1) (Bit/s)	168.98 M

- Rx Rate (Fps)	13,733
- Flood Count (Frames)	39
P-0-0-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	408,009
- Rx Rate (L1) (Bit/s)	167.34 M
- Rx Rate (Fps)	13,600
- Flood Count (Frames)	35
P-0-0-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	403,927
- Rx Rate (L1) (Bit/s)	165.66 M
- Rx Rate (Fps)	13,464
- Flood Count (Frames)	27
P-0-0-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	404,882
- Rx Rate (L1) (Bit/s)	166.06 M
- Rx Rate (Fps)	13,496
- Flood Count (Frames)	28
P-0-0-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	430,029
- Rx Rate (L1) (Bit/s)	176.37 M
- Rx Rate (Fps)	14,334
- Flood Count (Frames)	14
P-0-2-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	446,240
- Rx Rate (L1) (Bit/s)	183.02 M
- Rx Rate (Fps)	14,875
- Flood Count (Frames)	31
P-0-2-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-2-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	444,177
- Rx Rate (L1) (Bit/s)	182.17 M
- Rx Rate (Fps)	14,806
- Flood Count (Frames)	29
P-0-2-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	411,376
- Rx Rate (L1) (Bit/s)	168.72 M
- Rx Rate (Fps)	13,713
- Flood Count (Frames)	29
P-0-2-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	421,148

- Rx Rate (L1) (Bit/s)	172.73 M
- Rx Rate (Fps)	14,038
- Flood Count (Frames)	35
P-0-2-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	397,170
- Rx Rate (L1) (Bit/s)	162.89 M
- Rx Rate (Fps)	13,239
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	405,754
- Rx Rate (L1) (Bit/s)	166.41 M
- Rx Rate (Fps)	13,525
- Flood Count (Frames)	31
P-0-4-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	404,084
- Rx Rate (L1) (Bit/s)	165.73 M
- Rx Rate (Fps)	13,469
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	428,552
- Rx Rate (L1) (Bit/s)	175.76 M
- Rx Rate (Fps)	14,285
- Flood Count (Frames)	35
P-0-4-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	429,970
- Rx Rate (L1) (Bit/s)	176.35 M
- Rx Rate (Fps)	14,332
- Flood Count (Frames)	30
P-0-4-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	449,758
- Rx Rate (L1) (Bit/s)	184.46 M
- Rx Rate (Fps)	14,992
- Flood Count (Frames)	35
P-0-4-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	436,420
- Rx Rate (L1) (Bit/s)	178.99 M
- Rx Rate (Fps)	14,547
- Flood Count (Frames)	26



Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Blocks
Direction: Bidirectional

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,270	815,217	422,932	215,517	173,076
Rx Rate (Percent)	5.86 %	5.2 %	5.92 %	5.51 %	5.64 %	5.97 %
Rx Rate (L1) (Bit/s)	1.05 G	935.46 M	1.06 G	992.42 M	1.01 G	1.07 G
Rx Rate (Fps)	1.57 M	790.09 K	482.22 K	233.18 K	121.45 K	103.33 K
Loss Rate (Percent)	41.42 %	48.03 %	40.85 %	44.87 %	43.65 %	40.3 %
Loss (Frames)	33,283,832	21,905,496	9,990,000	5,692,523	2,822,000	2,092,340
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	42,664,898	21,882,513	13,402,955	6,476,144	3,364,568	2,877,305
- Rx Rate (L1) (Bit/s)	955.69 M	863.63 M	986.46 M	918.75 M	936.7 M	997.47 M
- Rx Rate (Fps)	1,422,163	729,417	446,765	215,871	112,152	95,910
- Flood Count (Frames)	57	37	42	37	46	44
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,466	106,602	62,858	31,274	16,580	13,507
- Rx Rate (L1) (Bit/s)	5.83 M	4.21 M	4.63 M	4.44 M	4.62 M	4.68 M
- Rx Rate (Fps)	8,682	3,553	2,095	1,042	553	450

- Flood Count (Frames)	60	58	60	60	60	59
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	254,709	106,729	62,386	27,117	16,361	13,525
- Rx Rate (L1) (Bit/s)	5.71 M	4.21 M	4.59 M	3.85 M	4.55 M	4.69 M
- Rx Rate (Fps)	8,490	3,558	2,080	904	545	451
- Flood Count (Frames)	62	62	57	61	57	59
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,540	106,827	62,801	31,086	16,018	9,941
- Rx Rate (L1) (Bit/s)	5.84 M	4.22 M	4.62 M	4.41 M	4.46 M	3.45 M
- Rx Rate (Fps)	8,685	3,561	2,093	1,036	534	331
- Flood Count (Frames)	61	58	61	60	56	58
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,382	107,316	63,150	31,151	16,577	13,604
- Rx Rate (L1) (Bit/s)	5.83 M	4.24 M	4.65 M	4.42 M	4.62 M	4.72 M
- Rx Rate (Fps)	8,679	3,577	2,105	1,038	553	453
- Flood Count (Frames)	60	62	58	58	60	61
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,128	106,070	62,157	31,095	16,606	11,979
- Rx Rate (L1) (Bit/s)	5.83 M	4.19 M	4.57 M	4.41 M	4.62 M	4.15 M
- Rx Rate (Fps)	8,671	3,536	2,072	1,037	554	399
- Flood Count (Frames)	27	27	21	27	32	27
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,333	106,368	63,078	30,191	16,678	13,469
- Rx Rate (L1) (Bit/s)	5.83 M	4.2 M	4.64 M	4.28 M	4.64 M	4.67 M
- Rx Rate (Fps)	8,678	3,546	2,103	1,006	556	449
- Flood Count (Frames)	60	58	60	59	57	59
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,383	107,746	58,341	30,102	15,786	10,969
- Rx Rate (L1) (Bit/s)	5.83 M	4.25 M	4.29 M	4.27 M	4.39 M	3.8 M
- Rx Rate (Fps)	8,679	3,592	1,945	1,003	526	366
- Flood Count (Frames)	97	57	59	58	62	58
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	248,945	108,250	61,910	30,937	16,618	13,558
- Rx Rate (L1) (Bit/s)	5.58 M	4.27 M	4.56 M	4.39 M	4.63 M	4.7 M
- Rx Rate (Fps)	8,298	3,608	2,064	1,031	554	452
- Flood Count (Frames)	61	58	57	60	59	61
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,126	107,654	63,234	30,954	16,905	13,595
- Rx Rate (L1) (Bit/s)	5.83 M	4.25 M	4.65 M	4.39 M	4.71 M	4.71 M
- Rx Rate (Fps)	8,671	3,588	2,108	1,032	564	453
- Flood Count (Frames)	63	57	60	62	60	58
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,318	108,130	62,951	30,167	16,570	13,650
- Rx Rate (L1) (Bit/s)	5.83 M	4.27 M	4.63 M	4.28 M	4.61 M	4.73 M

- Rx Rate (Fps)	8,677	3,604	2,098	1,006	552	455
- Flood Count (Frames)	60	61	57	59	60	59
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,328	105,250	63,162	30,257	16,276	13,483
- Rx Rate (L1) (Bit/s)	5.83 M	4.15 M	4.65 M	4.29 M	4.53 M	4.67 M
- Rx Rate (Fps)	8,678	3,508	2,105	1,009	543	449
- Flood Count (Frames)	63	59	60	61	60	60
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,113	107,001	62,507	31,360	16,442	13,473
- Rx Rate (L1) (Bit/s)	5.83 M	4.22 M	4.6 M	4.45 M	4.58 M	4.67 M
- Rx Rate (Fps)	8,670	3,567	2,084	1,045	548	449
- Flood Count (Frames)	59	58	54	58	51	60
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,270	106,967	62,935	30,326	16,286	13,552
- Rx Rate (L1) (Bit/s)	5.83 M	4.22 M	4.63 M	4.3 M	4.53 M	4.7 M
- Rx Rate (Fps)	8,676	3,566	2,098	1,011	543	452
- Flood Count (Frames)	59	56	55	55	55	63
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,367	107,888	62,829	31,345	16,580	13,703
- Rx Rate (L1) (Bit/s)	5.83 M	4.26 M	4.62 M	4.45 M	4.62 M	4.75 M
- Rx Rate (Fps)	8,679	3,596	2,094	1,045	553	457
- Flood Count (Frames)	57	57	59	57	57	60
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,250	107,437	62,973	30,273	16,047	13,504
- Rx Rate (L1) (Bit/s)	5.83 M	4.24 M	4.63 M	4.29 M	4.47 M	4.68 M
- Rx Rate (Fps)	8,675	3,581	2,099	1,009	535	450
- Flood Count (Frames)	58	57	55	56	57	54
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,386	106,825	63,261	31,024	16,409	13,655
- Rx Rate (L1) (Bit/s)	5.83 M	4.22 M	4.66 M	4.4 M	4.57 M	4.73 M
- Rx Rate (Fps)	8,680	3,561	2,109	1,034	547	455
- Flood Count (Frames)	58	58	56	57	53	57
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	260,356	107,024	63,018	30,624	16,201	13,481
- Rx Rate (L1) (Bit/s)	5.83 M	4.22 M	4.64 M	4.34 M	4.51 M	4.67 M
- Rx Rate (Fps)	8,679	3,567	2,101	1,021	540	449
- Flood Count (Frames)	57	57	56	56	58	54


Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,294
Rx Rate (Percent)	5.7 %
Rx Rate (L1) (Bit/s)	1.03 G
Rx Rate (Fps)	83.45 K
Loss Rate (Percent)	42.96 %
Loss (Frames)	1,885,217

P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	2,349,322
- Rx Rate (L1) (Bit/s)	963.54 M
- Rx Rate (Fps)	78,311
- Flood Count (Frames)	38
P-0-0-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,924
- Rx Rate (L1) (Bit/s)	3.66 M
- Rx Rate (Fps)	297
- Flood Count (Frames)	39
P-0-0-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,051
- Rx Rate (L1) (Bit/s)	3.71 M
- Rx Rate (Fps)	302
- Flood Count (Frames)	40
P-0-0-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,097
- Rx Rate (L1) (Bit/s)	3.73 M
- Rx Rate (Fps)	303
- Flood Count (Frames)	44
P-0-0-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,108
- Rx Rate (L1) (Bit/s)	3.74 M
- Rx Rate (Fps)	304
- Flood Count (Frames)	36
P-0-0-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,113
- Rx Rate (L1) (Bit/s)	3.74 M
- Rx Rate (Fps)	304
- Flood Count (Frames)	28
P-0-2-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,137
- Rx Rate (L1) (Bit/s)	3.75 M
- Rx Rate (Fps)	305
- Flood Count (Frames)	42
P-0-2-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,129
- Rx Rate (L1) (Bit/s)	3.74 M
- Rx Rate (Fps)	304
- Flood Count (Frames)	46
P-0-2-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,063
- Rx Rate (L1) (Bit/s)	3.72 M
- Rx Rate (Fps)	302

- Flood Count (Frames)	44
P-0-2-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,106
- Rx Rate (L1) (Bit/s)	3.73 M
- Rx Rate (Fps)	304
- Flood Count (Frames)	44
P-0-2-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,088
- Rx Rate (L1) (Bit/s)	3.73 M
- Rx Rate (Fps)	303
- Flood Count (Frames)	37
P-0-2-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,988
- Rx Rate (L1) (Bit/s)	3.69 M
- Rx Rate (Fps)	300
- Flood Count (Frames)	44
P-0-4-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,086
- Rx Rate (L1) (Bit/s)	3.73 M
- Rx Rate (Fps)	303
- Flood Count (Frames)	37
P-0-4-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,100
- Rx Rate (L1) (Bit/s)	3.73 M
- Rx Rate (Fps)	303
- Flood Count (Frames)	40
P-0-4-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,065
- Rx Rate (L1) (Bit/s)	3.72 M
- Rx Rate (Fps)	302
- Flood Count (Frames)	41
P-0-4-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,061
- Rx Rate (L1) (Bit/s)	3.72 M
- Rx Rate (Fps)	302
- Flood Count (Frames)	40
P-0-4-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,081
- Rx Rate (L1) (Bit/s)	3.72 M
- Rx Rate (Fps)	303
- Flood Count (Frames)	40
P-0-4-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	9,069
- Rx Rate (L1) (Bit/s)	3.72 M

- Rx Rate (Fps)	302
- Flood Count (Frames)	39

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,270	815,217	422,932	215,517	173,076
Rx Rate (Percent)	5.75 %	5.91 %	5.97 %	5.91 %	5.98 %	5.98 %
Rx Rate (L1) (Bit/s)	1.03 G	1.06 G	1.07 G	1.06 G	1.08 G	1.08 G
Rx Rate (Fps)	1.54 M	897.84 K	486.84 K	249.76 K	128.94 K	103.54 K
Loss Rate (Percent)	42.52 %	40.94 %	40.28 %	40.95 %	40.17 %	40.18 %
Loss (Frames)	34,169,646	18,673,011	9,851,421	5,195,255	2,597,416	2,086,120
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	42,670,160	24,687,351	13,402,759	6,924,769	3,580,865	2,877,713
- Rx Rate (L1) (Bit/s)	955.81 M	974.33 M	986.44 M	982.39 M	996.91 M	997.61 M
- Rx Rate (Fps)	1,422,339	822,912	446,759	230,826	119,362	95,924
- Flood Count (Frames)	37	40	39	49	39	43
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,015	132,907	71,741	32,693	16,701	13,534
- Rx Rate (L1) (Bit/s)	4.66 M	5.25 M	5.28 M	4.64 M	4.65 M	4.69 M
- Rx Rate (Fps)	6,934	4,430	2,391	1,090	557	451
- Flood Count (Frames)	59	62	60	57	64	60
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	207,143	132,571	71,838	32,276	17,115	13,449
- Rx Rate (L1) (Bit/s)	4.64 M	5.23 M	5.29 M	4.58 M	4.76 M	4.66 M
- Rx Rate (Fps)	6,905	4,419	2,395	1,076	571	448
- Flood Count (Frames)	61	79	61	76	59	62
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	206,605	132,385	71,654	33,256	16,706	13,358
- Rx Rate (L1) (Bit/s)	4.63 M	5.22 M	5.27 M	4.72 M	4.65 M	4.63 M
- Rx Rate (Fps)	6,887	4,413	2,388	1,109	557	445
- Flood Count (Frames)	59	64	59	57	60	61
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,939	131,046	71,873	32,845	17,050	13,487
- Rx Rate (L1) (Bit/s)	4.68 M	5.17 M	5.29 M	4.66 M	4.75 M	4.68 M
- Rx Rate (Fps)	6,965	4,368	2,396	1,095	568	450
- Flood Count (Frames)	60	62	61	61	59	64
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	206,470	133,390	71,178	32,894	17,043	13,434
- Rx Rate (L1) (Bit/s)	4.62 M	5.26 M	5.24 M	4.67 M	4.74 M	4.66 M
- Rx Rate (Fps)	6,882	4,446	2,373	1,096	568	448
- Flood Count (Frames)	29	29	33	29	28	24
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	206,895	129,248	71,087	33,254	16,978	13,376
- Rx Rate (L1) (Bit/s)	4.63 M	5.1 M	5.23 M	4.72 M	4.73 M	4.64 M
- Rx Rate (Fps)	6,897	4,308	2,370	1,108	566	446
- Flood Count (Frames)	62	59	62	72	60	61
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	207,405	131,136	63,035	32,820	15,011	13,475
- Rx Rate (L1) (Bit/s)	4.65 M	5.18 M	4.64 M	4.66 M	4.18 M	4.67 M
- Rx Rate (Fps)	6,914	4,371	2,101	1,094	500	449
- Flood Count (Frames)	59	59	80	59	58	59
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	207,033	132,597	71,180	32,937	17,168	13,481
- Rx Rate (L1) (Bit/s)	4.64 M	5.23 M	5.24 M	4.67 M	4.78 M	4.67 M
- Rx Rate (Fps)	6,901	4,420	2,373	1,098	572	449
- Flood Count (Frames)	61	80	63	59	59	60
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	198,542	131,815	71,061	34,793	16,779	12,860
- Rx Rate (L1) (Bit/s)	4.45 M	5.2 M	5.23 M	4.94 M	4.67 M	4.46 M
- Rx Rate (Fps)	6,618	4,394	2,369	1,160	559	429
- Flood Count (Frames)	61	60	62	69	60	58
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	206,228	133,032	71,165	34,617	16,813	13,530
- Rx Rate (L1) (Bit/s)	4.62 M	5.25 M	5.24 M	4.91 M	4.68 M	4.69 M
- Rx Rate (Fps)	6,874	4,434	2,372	1,154	560	451
- Flood Count (Frames)	61	61	64	59	62	60
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461


- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	206,047	133,630	71,020	33,530	16,964	13,451
- Rx Rate (L1) (Bit/s)	4.62 M	5.27 M	5.23 M	4.76 M	4.72 M	4.66 M
- Rx Rate (Fps)	6,868	4,454	2,367	1,118	565	448
- Flood Count (Frames)	59	65	59	58	62	66
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,772	130,801	71,735	34,502	17,375	13,471
- Rx Rate (L1) (Bit/s)	4.68 M	5.16 M	5.28 M	4.89 M	4.84 M	4.67 M
- Rx Rate (Fps)	6,959	4,360	2,391	1,150	579	449
- Flood Count (Frames)	56	56	58	56	56	56
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,316	131,760	71,810	33,723	16,956	13,541
- Rx Rate (L1) (Bit/s)	4.67 M	5.2 M	5.29 M	4.78 M	4.72 M	4.69 M
- Rx Rate (Fps)	6,944	4,392	2,394	1,124	565	451
- Flood Count (Frames)	56	60	56	61	57	58
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	208,357	133,292	70,904	34,253	17,298	13,507
- Rx Rate (L1) (Bit/s)	4.67 M	5.26 M	5.22 M	4.86 M	4.82 M	4.68 M
- Rx Rate (Fps)	6,945	4,443	2,363	1,142	577	450
- Flood Count (Frames)	55	59	59	59	58	56
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	205,207	133,536	70,375	33,889	17,267	13,319
- Rx Rate (L1) (Bit/s)	4.6 M	5.27 M	5.18 M	4.81 M	4.81 M	4.62 M
- Rx Rate (Fps)	6,840	4,451	2,346	1,130	576	444
- Flood Count (Frames)	54	59	57	61	58	56
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	207,886	130,933	69,862	32,829	17,161	13,456
- Rx Rate (L1) (Bit/s)	4.66 M	5.17 M	5.14 M	4.66 M	4.78 M	4.66 M
- Rx Rate (Fps)	6,930	4,364	2,329	1,094	572	449
- Flood Count (Frames)	57	58	58	57	61	59
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	209,464	133,652	70,808	32,815	16,842	13,731
- Rx Rate (L1) (Bit/s)	4.69 M	5.27 M	5.21 M	4.66 M	4.69 M	4.76 M
- Rx Rate (Fps)	6,982	4,455	2,360	1,094	561	458
- Flood Count (Frames)	54	60	59	56	57	61

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,294
Rx Rate (Percent)	5.76 %
Rx Rate (L1) (Bit/s)	1.04 G
Rx Rate (Fps)	84.33 K
Loss Rate (Percent)	42.35 %
Loss (Frames)	1,858,768
P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	2,386,582
- Rx Rate (L1) (Bit/s)	978.82 M
- Rx Rate (Fps)	79,553
- Flood Count (Frames)	43
P-0-0-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,567
- Rx Rate (L1) (Bit/s)	3.51 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	44
P-0-0-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,573
- Rx Rate (L1) (Bit/s)	3.52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	47
P-0-0-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,535
- Rx Rate (L1) (Bit/s)	3.5 M
- Rx Rate (Fps)	285
- Flood Count (Frames)	44
P-0-0-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,575
- Rx Rate (L1) (Bit/s)	3.52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	60
P-0-0-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,522
- Rx Rate (L1) (Bit/s)	3.5 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	24
P-0-2-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,528
- Rx Rate (L1) (Bit/s)	3.5 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	46
P-0-2-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,038
- Rx Rate (L1) (Bit/s)	3.3 M
- Rx Rate (Fps)	268
- Flood Count (Frames)	52
P-0-2-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,497
- Rx Rate (L1) (Bit/s)	3.48 M
- Rx Rate (Fps)	283
- Flood Count (Frames)	49
P-0-2-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8,127
- Rx (Frames)	8,517
- Rx Rate (L1) (Bit/s)	3.49 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	54
P-0-2-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	7,136
- Rx Rate (L1) (Bit/s)	2.93 M
- Rx Rate (Fps)	238
- Flood Count (Frames)	39
P-0-2-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,513
- Rx Rate (L1) (Bit/s)	3.49 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	41
P-0-4-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,586
- Rx Rate (L1) (Bit/s)	3.52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	40
P-0-4-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,575
- Rx Rate (L1) (Bit/s)	3.52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	46
P-0-4-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,545
- Rx Rate (L1) (Bit/s)	3.5 M
- Rx Rate (Fps)	285
- Flood Count (Frames)	47
P-0-4-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,567
- Rx Rate (L1) (Bit/s)	3.51 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	44
P-0-4-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,538
- Rx Rate (L1) (Bit/s)	3.5 M
- Rx Rate (Fps)	285
- Flood Count (Frames)	33
P-0-4-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	8,643
- Rx Rate (L1) (Bit/s)	3.54 M
- Rx Rate (Fps)	288
- Flood Count (Frames)	44

Part.Mesh, N->N: Loss by Frame Size at 10.00% Rate



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,143	3,040,540	1,630,434	845,864	431,034	346,153
Rx Rate (Percent)	0.1 %	6.12 %	6.18 %	6.22 %	6.26 %	6.26 %
Rx Rate (L1) (Bit/s)	17.99 M	1.1 G	1.11 G	1.12 G	1.13 G	1.13 G
Rx Rate (Fps)	26.78 K	929.95 K	503.79 K	263.09 K	134.99 K	108.31 K
Loss Rate (Percent)	99.5 %	69.41 %	69.1 %	68.9 %	68.68 %	68.71 %
Loss (Frames)	159,911,026	63,317,710	33,799,190	17,483,169	8,881,387	7,135,304
P-0-0-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	755,944	24,700,717	13,410,012	7,007,081	3,582,585	2,879,382
- Rx Rate (L1) (Bit/s)	16.93 M	974.85 M	986.98 M	994.07 M	997.39 M	998.19 M
- Rx Rate (Fps)	25,198	823,357	447,000	233,569	119,420	95,979
- Flood Count (Frames)	63	30	33	28	26	36
P-0-0-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	188,994	100,809	53,744	27,576	21,805
- Rx Rate (L1) (Bit/s)	0	7.46 M	7.42 M	7.62 M	7.68 M	7.56 M
- Rx Rate (Fps)	0	6,300	3,360	1,791	919	727
- Flood Count (Frames)	61	57	60	55	58	58
P-0-0-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,517	181,716	100,565	51,722	24,925	22,190
- Rx Rate (L1) (Bit/s)	78.78 K	7.17 M	7.4 M	7.34 M	6.94 M	7.69 M
- Rx Rate (Fps)	117	6,057	3,352	1,724	831	740
- Flood Count (Frames)	60	57	58	58	56	59
P-0-0-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	190,498	102,198	51,906	27,720	22,163

- Rx Rate (L1) (Bit/s)	0	7.52 M	7.52 M	7.36 M	7.72 M	7.68 M
- Rx Rate (Fps)	0	6,350	3,407	1,730	924	739
- Flood Count (Frames)	60	59	60	59	60	59
P-0-0-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,475	188,492	99,563	51,316	27,475	22,267
- Rx Rate (L1) (Bit/s)	77.84 K	7.44 M	7.33 M	7.28 M	7.65 M	7.72 M
- Rx Rate (Fps)	116	6,283	3,319	1,711	916	742
- Flood Count (Frames)	58	57	61	56	56	58
P-0-0-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,500	189,326	102,231	51,854	27,802	22,473
- Rx Rate (L1) (Bit/s)	78.4 K	7.47 M	7.52 M	7.36 M	7.74 M	7.79 M
- Rx Rate (Fps)	117	6,311	3,408	1,728	927	749
- Flood Count (Frames)	25	22	24	25	25	27
P-0-2-0						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,615	187,913	100,634	52,343	27,480	16,773
- Rx Rate (L1) (Bit/s)	80.98 K	7.42 M	7.41 M	7.43 M	7.65 M	5.81 M
- Rx Rate (Fps)	121	6,264	3,354	1,745	916	559
- Flood Count (Frames)	64	57	59	60	59	58
P-0-2-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,479	188,669	102,123	51,816	27,984	21,933
- Rx Rate (L1) (Bit/s)	77.93 K	7.45 M	7.52 M	7.35 M	7.79 M	7.6 M
- Rx Rate (Fps)	116	6,289	3,404	1,727	933	731
- Flood Count (Frames)	64	55	59	60	59	60
P-0-2-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	2,623	189,972	90,682	51,649	27,731	21,303
- Rx Rate (L1) (Bit/s)	58.76 K	7.5 M	6.67 M	7.33 M	7.72 M	7.39 M
- Rx Rate (Fps)	87	6,332	3,023	1,722	924	710
- Flood Count (Frames)	61	57	60	57	62	58
P-0-2-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	189,255	99,844	51,811	27,083	22,493
- Rx Rate (L1) (Bit/s)	0	7.47 M	7.35 M	7.35 M	7.54 M	7.8 M
- Rx Rate (Fps)	0	6,309	3,328	1,727	903	750
- Flood Count (Frames)	61	56	60	59	58	63
P-0-2-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	2,668	182,139	100,406	51,653	27,792	20,791
- Rx Rate (L1) (Bit/s)	59.76 K	7.19 M	7.39 M	7.33 M	7.74 M	7.21 M
- Rx Rate (Fps)	89	6,071	3,347	1,722	926	693
- Flood Count (Frames)	61	57	59	62	57	60
P-0-2-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,467	182,988	100,686	51,878	27,594	22,187
- Rx Rate (L1) (Bit/s)	77.66 K	7.22 M	7.41 M	7.36 M	7.68 M	7.69 M
- Rx Rate (Fps)	116	6,100	3,356	1,729	920	740
- Flood Count (Frames)	63	55	57	59	58	60
P-0-4-0						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231


- Rx (Frames)	3,400	189,412	99,233	52,299	27,361	22,101
- Rx Rate (L1) (Bit/s)	76.16 K	7.48 M	7.3 M	7.42 M	7.62 M	7.66 M
- Rx Rate (Fps)	113	6,314	3,308	1,743	912	737
- Flood Count (Frames)	59	54	54	57	56	55
P-0-4-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,470	189,329	100,156	52,464	27,754	22,197
- Rx Rate (L1) (Bit/s)	77.73 K	7.47 M	7.37 M	7.44 M	7.73 M	7.69 M
- Rx Rate (Fps)	116	6,311	3,339	1,749	925	740
- Flood Count (Frames)	58	57	57	53	55	55
P-0-4-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,506	189,353	102,214	51,895	27,706	22,307
- Rx Rate (L1) (Bit/s)	78.53 K	7.47 M	7.52 M	7.36 M	7.71 M	7.73 M
- Rx Rate (Fps)	117	6,312	3,407	1,730	924	744
- Flood Count (Frames)	58	55	54	55	54	58
P-0-4-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,619	189,439	100,682	52,114	27,799	22,144
- Rx Rate (L1) (Bit/s)	81.07 K	7.48 M	7.41 M	7.39 M	7.74 M	7.68 M
- Rx Rate (Fps)	121	6,315	3,356	1,737	927	738
- Flood Count (Frames)	59	59	56	52	60	61
P-0-4-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,560	191,049	100,079	51,988	27,881	22,265
- Rx Rate (L1) (Bit/s)	79.74 K	7.54 M	7.37 M	7.38 M	7.76 M	7.72 M
- Rx Rate (Fps)	119	6,368	3,336	1,733	929	742
- Flood Count (Frames)	56	56	55	55	59	56
P-0-4-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	3,408	189,232	101,722	53,215	27,381	22,525
- Rx Rate (L1) (Bit/s)	76.34 K	7.47 M	7.49 M	7.55 M	7.62 M	7.81 M
- Rx Rate (Fps)	114	6,308	3,391	1,774	913	751
- Flood Count (Frames)	60	60	52	57	60	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,588
Rx Rate (Percent)	5.62 %
Rx Rate (L1) (Bit/s)	1.01 G
Rx Rate (Fps)	82.27 K
Loss Rate (Percent)	71.88 %
Loss (Frames)	6,309,502
P-0-0-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	2,321,779
- Rx Rate (L1) (Bit/s)	952.24 M
- Rx Rate (Fps)	77,393
- Flood Count (Frames)	30
P-0-0-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,564
- Rx Rate (L1) (Bit/s)	3.51 M

- Rx Rate (Fps)	285
- Flood Count (Frames)	30
P-0-0-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,567
- Rx Rate (L1) (Bit/s)	3.51 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	35
P-0-0-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,556
- Rx Rate (L1) (Bit/s)	3.51 M
- Rx Rate (Fps)	285
- Flood Count (Frames)	26
P-0-0-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,587
- Rx Rate (L1) (Bit/s)	3.52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	29
P-0-0-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,506
- Rx Rate (L1) (Bit/s)	3.49 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	12
P-0-2-0	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,547
- Rx Rate (L1) (Bit/s)	3.51 M
- Rx Rate (Fps)	285
- Flood Count (Frames)	29
P-0-2-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,517
- Rx Rate (L1) (Bit/s)	3.49 M
- Rx Rate (Fps)	284
- Flood Count (Frames)	28
P-0-2-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,611
- Rx Rate (L1) (Bit/s)	3.53 M
- Rx Rate (Fps)	287
- Flood Count (Frames)	29
P-0-2-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,610
- Rx Rate (L1) (Bit/s)	3.53 M
- Rx Rate (Fps)	287
- Flood Count (Frames)	31
P-0-2-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,629

- Rx Rate (L1) (Bit/s)	3.54 M
- Rx Rate (Fps)	288
- Flood Count (Frames)	27
P-0-2-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,653
- Rx Rate (L1) (Bit/s)	3.55 M
- Rx Rate (Fps)	288
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,672
- Rx Rate (L1) (Bit/s)	3.56 M
- Rx Rate (Fps)	289
- Flood Count (Frames)	28
P-0-4-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,710
- Rx Rate (L1) (Bit/s)	3.57 M
- Rx Rate (Fps)	290
- Flood Count (Frames)	31
P-0-4-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,755
- Rx Rate (L1) (Bit/s)	3.59 M
- Rx Rate (Fps)	292
- Flood Count (Frames)	28
P-0-4-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,636
- Rx Rate (L1) (Bit/s)	3.54 M
- Rx Rate (Fps)	288
- Flood Count (Frames)	29
P-0-4-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,645
- Rx Rate (L1) (Bit/s)	3.55 M
- Rx Rate (Fps)	288
- Flood Count (Frames)	33
P-0-4-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	8,581
- Rx Rate (L1) (Bit/s)	3.52 M
- Rx Rate (Fps)	286
- Flood Count (Frames)	27

Part.Mesh, N->N: Loss by Frame Size at 20.00% Rate



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,714	4,560,810	2,445,651	1,268,796	646,551	519,230
Rx Rate (Percent)	0.01 %	5.54 %	6.45 %	6.5 %	6.51 %	6.51 %
Rx Rate (L1) (Bit/s)	2.02 M	997.76 M	1.16 G	1.17 G	1.17 G	1.17 G
Rx Rate (Fps)	3.01 K	842.7 K	526 K	274.83 K	140.23 K	112.71 K
Loss Rate (Percent)	99.96 %	81.52 %	78.49 %	78.34 %	78.31 %	78.29 %
Loss (Frames)	240,981,151	111,543,312	57,589,637	29,818,875	15,189,723	12,195,728
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	77,265	21,859,289	13,414,423	7,006,747	3,583,133	2,880,012
- Rx Rate (L1) (Bit/s)	1.73 M	862.71 M	987.3 M	994.02 M	997.54 M	998.4 M
- Rx Rate (Fps)	2,576	728,643	447,147	233,558	119,438	96,000
- Flood Count (Frames)	63	26	21	30	23	21
P-0-0-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	855	202,717	141,569	73,443	36,064	29,651
- Rx Rate (L1) (Bit/s)	19.15 K	8 M	10.42 M	10.42 M	10.04 M	10.28 M
- Rx Rate (Fps)	29	6,757	4,719	2,448	1,202	988
- Flood Count (Frames)	60	54	55	58	58	59
P-0-0-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	809	202,628	139,213	73,709	35,325	29,581
- Rx Rate (L1) (Bit/s)	18.12 K	8 M	10.25 M	10.46 M	9.83 M	10.25 M
- Rx Rate (Fps)	27	6,754	4,640	2,457	1,178	986
- Flood Count (Frames)	60	48	57	60	58	57
P-0-0-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	810	201,012	135,778	71,000	36,889	29,599

- Rx Rate (L1) (Bit/s)	18.14 K	7.93 M	9.99 M	10.07 M	10.27 M	10.26 M
- Rx Rate (Fps)	27	6,700	4,526	2,367	1,230	987
- Flood Count (Frames)	61	55	57	59	57	57
P-0-0-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	782	200,443	139,739	73,504	37,983	29,500
- Rx Rate (L1) (Bit/s)	17.52 K	7.91 M	10.28 M	10.43 M	10.57 M	10.23 M
- Rx Rate (Fps)	26	6,681	4,658	2,450	1,266	983
- Flood Count (Frames)	61	50	58	60	59	59
P-0-0-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	783	201,256	139,235	73,638	36,146	29,387
- Rx Rate (L1) (Bit/s)	17.54 K	7.94 M	10.25 M	10.45 M	10.06 M	10.19 M
- Rx Rate (Fps)	26	6,709	4,641	2,455	1,205	980
- Flood Count (Frames)	29	22	25	24	27	26
P-0-2-0						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	767	202,186	141,661	72,654	36,945	29,633
- Rx Rate (L1) (Bit/s)	17.18 K	7.98 M	10.43 M	10.31 M	10.29 M	10.27 M
- Rx Rate (Fps)	26	6,740	4,722	2,422	1,232	988
- Flood Count (Frames)	63	48	55	59	59	59
P-0-2-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	754	201,877	140,205	72,721	37,022	29,391
- Rx Rate (L1) (Bit/s)	16.89 K	7.97 M	10.32 M	10.32 M	10.31 M	10.19 M
- Rx Rate (Fps)	25	6,729	4,674	2,424	1,234	980
- Flood Count (Frames)	61	45	59	58	58	60
P-0-2-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	755	198,637	140,005	73,512	36,180	29,415
- Rx Rate (L1) (Bit/s)	16.91 K	7.84 M	10.3 M	10.43 M	10.07 M	10.2 M
- Rx Rate (Fps)	25	6,621	4,667	2,450	1,206	981
- Flood Count (Frames)	63	45	56	59	58	57
P-0-2-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	753	201,198	123,179	72,833	37,094	29,372
- Rx Rate (L1) (Bit/s)	16.87 K	7.94 M	9.07 M	10.33 M	10.33 M	10.18 M
- Rx Rate (Fps)	25	6,707	4,106	2,428	1,236	979
- Flood Count (Frames)	61	54	56	58	61	60
P-0-2-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	729	201,292	140,433	72,213	36,436	29,448
- Rx Rate (L1) (Bit/s)	16.33 K	7.94 M	10.34 M	10.24 M	10.14 M	10.21 M
- Rx Rate (Fps)	24	6,710	4,681	2,407	1,215	982
- Flood Count (Frames)	66	55	59	57	56	60
P-0-2-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	751	201,295	139,911	69,560	37,068	29,523
- Rx Rate (L1) (Bit/s)	16.82 K	7.94 M	10.3 M	9.87 M	10.32 M	10.23 M
- Rx Rate (Fps)	25	6,710	4,664	2,319	1,236	984
- Flood Count (Frames)	63	48	58	60	58	57
P-0-4-0						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846


- Rx (Frames)	753	200,489	139,689	73,136	35,921	29,461
- Rx Rate (L1) (Bit/s)	16.87 K	7.91 M	10.28 M	10.38 M	10 M	10.21 M
- Rx Rate (Fps)	25	6,683	4,656	2,438	1,197	982
- Flood Count (Frames)	57	50	57	56	57	55
P-0-4-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	731	201,701	139,887	73,525	37,330	29,623
- Rx Rate (L1) (Bit/s)	16.37 K	7.96 M	10.3 M	10.43 M	10.39 M	10.27 M
- Rx Rate (Fps)	24	6,723	4,663	2,451	1,244	987
- Flood Count (Frames)	63	48	54	56	58	56
P-0-4-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	733	201,080	141,190	73,667	36,287	29,424
- Rx Rate (L1) (Bit/s)	16.42 K	7.94 M	10.39 M	10.45 M	10.1 M	10.2 M
- Rx Rate (Fps)	24	6,703	4,706	2,456	1,210	981
- Flood Count (Frames)	56	47	54	57	55	64
P-0-4-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	724	200,089	141,234	72,423	36,926	29,410
- Rx Rate (L1) (Bit/s)	16.22 K	7.9 M	10.39 M	10.27 M	10.28 M	10.2 M
- Rx Rate (Fps)	24	6,670	4,708	2,414	1,231	980
- Flood Count (Frames)	56	48	56	57	57	60
P-0-4-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	749	201,239	141,730	73,721	37,267	29,366
- Rx Rate (L1) (Bit/s)	16.78 K	7.94 M	10.43 M	10.46 M	10.38 M	10.18 M
- Rx Rate (Fps)	25	6,708	4,724	2,457	1,242	979
- Flood Count (Frames)	59	50	55	55	55	56
P-0-4-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	770	202,573	140,817	73,003	36,802	29,372
- Rx Rate (L1) (Bit/s)	17.25 K	7.99 M	10.36 M	10.36 M	10.25 M	10.18 M
- Rx Rate (Fps)	26	6,752	4,694	2,433	1,227	979
- Flood Count (Frames)	59	51	58	55	57	58

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,881
Rx Rate (Percent)	5.83 %
Rx Rate (L1) (Bit/s)	1.05 G
Rx Rate (Fps)	85.36 K
Loss Rate (Percent)	80.55 %
Loss (Frames)	10,605,665
P-0-0-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	2,422,524
- Rx Rate (L1) (Bit/s)	993.56 M
- Rx Rate (Fps)	80,751
- Flood Count (Frames)	22
P-0-0-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,325
- Rx Rate (L1) (Bit/s)	3.41 M

- Rx Rate (Fps)	278
- Flood Count (Frames)	23
P-0-0-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,233
- Rx Rate (L1) (Bit/s)	3.38 M
- Rx Rate (Fps)	274
- Flood Count (Frames)	24
P-0-0-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,333
- Rx Rate (L1) (Bit/s)	3.42 M
- Rx Rate (Fps)	278
- Flood Count (Frames)	27
P-0-0-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,167
- Rx Rate (L1) (Bit/s)	3.35 M
- Rx Rate (Fps)	272
- Flood Count (Frames)	25
P-0-0-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	6,863
- Rx Rate (L1) (Bit/s)	2.81 M
- Rx Rate (Fps)	229
- Flood Count (Frames)	8
P-0-2-0	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,385
- Rx Rate (L1) (Bit/s)	3.44 M
- Rx Rate (Fps)	280
- Flood Count (Frames)	28
P-0-2-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,289
- Rx Rate (L1) (Bit/s)	3.4 M
- Rx Rate (Fps)	276
- Flood Count (Frames)	29
P-0-2-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,972
- Rx Rate (L1) (Bit/s)	3.27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	26
P-0-2-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,126
- Rx Rate (L1) (Bit/s)	3.33 M
- Rx Rate (Fps)	271
- Flood Count (Frames)	27
P-0-2-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	7,883

- Rx Rate (L1) (Bit/s)	3.23 M
- Rx Rate (Fps)	263
- Flood Count (Frames)	28
P-0-2-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,248
- Rx Rate (L1) (Bit/s)	3.38 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,244
- Rx Rate (L1) (Bit/s)	3.38 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,216
- Rx Rate (L1) (Bit/s)	3.37 M
- Rx Rate (Fps)	274
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,210
- Rx Rate (L1) (Bit/s)	3.37 M
- Rx Rate (Fps)	274
- Flood Count (Frames)	28
P-0-4-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,300
- Rx Rate (L1) (Bit/s)	3.4 M
- Rx Rate (Fps)	277
- Flood Count (Frames)	32
P-0-4-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,203
- Rx Rate (L1) (Bit/s)	3.36 M
- Rx Rate (Fps)	273
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	8,246
- Rx Rate (L1) (Bit/s)	3.38 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	26

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,285	6,081,081	3,260,869	1,691,728	862,068	692,307
Rx Rate (Percent)	0 %	0.02 %	5.84 %	6.76 %	6.79 %	6.76 %
Rx Rate (L1) (Bit/s)	616.58 K	3.08 M	1.05 G	1.22 G	1.22 G	1.22 G
Rx Rate (Fps)	917.53	2.6 K	476.08 K	285.92 K	146.41 K	117.05 K
Loss Rate (Percent)	99.99 %	99.96 %	85.4 %	83.1 %	83.02 %	83.09 %
Loss (Frames)	321,401,028	182,354,465	83,543,688	42,174,115	21,469,608	17,257,587
P-0-0-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	27,524	68,306	11,894,616	7,009,542	3,583,525	2,880,330
- Rx Rate (L1) (Bit/s)	616.54 K	2.7 M	875.44 M	994.42 M	997.65 M	998.51 M
- Rx Rate (Fps)	917	2,277	396,487	233,651	119,451	96,011
- Flood Count (Frames)	64	63	22	25	21	22
P-0-0-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	139,495	91,880	45,475	37,215
- Rx Rate (L1) (Bit/s)	0	0	10.27 M	13.03 M	12.66 M	12.9 M
- Rx Rate (Fps)	0	0	4,650	3,063	1,516	1,241
- Flood Count (Frames)	60	59	44	57	62	55
P-0-0-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	692	141,695	91,820	48,595	37,418
- Rx Rate (L1) (Bit/s)	0	27.31 K	10.43 M	13.03 M	13.53 M	12.97 M
- Rx Rate (Fps)	0	23	4,723	3,061	1,620	1,247
- Flood Count (Frames)	61	62	50	56	56	57
P-0-0-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	141,667	92,626	47,153	34,821

- Rx Rate (L1) (Bit/s)	0	0	10.43 M	13.14 M	13.13 M	12.07 M
- Rx Rate (Fps)	0	0	4,722	3,088	1,572	1,161
- Flood Count (Frames)	61	60	47	58	62	59
P-0-0-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	717	141,314	92,273	47,099	37,361
- Rx Rate (L1) (Bit/s)	0	28.3 K	10.4 M	13.09 M	13.11 M	12.95 M
- Rx Rate (Fps)	0	24	4,710	3,076	1,570	1,245
- Flood Count (Frames)	64	62	50	55	58	56
P-0-0-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	140,388	92,855	47,447	37,255
- Rx Rate (L1) (Bit/s)	0	0	10.33 M	13.17 M	13.21 M	12.92 M
- Rx Rate (Fps)	0	0	4,680	3,095	1,582	1,242
- Flood Count (Frames)	27	35	19	27	28	32
P-0-2-0						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	735	140,291	92,601	47,905	37,594
- Rx Rate (L1) (Bit/s)	0	29.01 K	10.33 M	13.14 M	13.34 M	13.03 M
- Rx Rate (Fps)	0	25	4,676	3,087	1,597	1,253
- Flood Count (Frames)	60	63	42	57	60	56
P-0-2-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	691	139,987	92,407	47,786	37,180
- Rx Rate (L1) (Bit/s)	0	27.27 K	10.3 M	13.11 M	13.3 M	12.89 M
- Rx Rate (Fps)	0	23	4,666	3,080	1,593	1,239
- Flood Count (Frames)	63	61	51	57	59	55
P-0-2-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	703	140,606	92,034	47,624	37,477
- Rx Rate (L1) (Bit/s)	0	27.75 K	10.35 M	13.06 M	13.26 M	12.99 M
- Rx Rate (Fps)	0	23	4,687	3,068	1,587	1,249
- Flood Count (Frames)	60	63	54	56	60	56
P-0-2-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	714	140,749	91,262	47,355	37,178
- Rx Rate (L1) (Bit/s)	0	28.18 K	10.36 M	12.95 M	13.18 M	12.89 M
- Rx Rate (Fps)	0	24	4,692	3,042	1,579	1,239
- Flood Count (Frames)	59	64	44	58	59	56
P-0-2-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	702	140,551	92,644	47,521	37,185
- Rx Rate (L1) (Bit/s)	0	27.71 K	10.34 M	13.14 M	13.23 M	12.89 M
- Rx Rate (Fps)	0	23	4,685	3,088	1,584	1,240
- Flood Count (Frames)	60	60	57	56	58	57
P-0-2-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1	686	139,855	92,028	47,435	37,453
- Rx Rate (L1) (Bit/s)	22.4	27.07 K	10.29 M	13.06 M	13.21 M	12.98 M
- Rx Rate (Fps)	0	23	4,662	3,068	1,581	1,248
- Flood Count (Frames)	62	61	54	58	61	56
P-0-4-0						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462


- Rx (Frames)	0	662	139,034	91,925	48,519	37,384
- Rx Rate (L1) (Bit/s)	0	26.13 K	10.23 M	13.04 M	13.51 M	12.96 M
- Rx Rate (Fps)	0	22	4,634	3,064	1,617	1,246
- Flood Count (Frames)	59	58	52	54	55	56
P-0-4-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	671	140,577	92,047	47,641	36,995
- Rx Rate (L1) (Bit/s)	0	26.48 K	10.35 M	13.06 M	13.26 M	12.82 M
- Rx Rate (Fps)	0	22	4,686	3,068	1,588	1,233
- Flood Count (Frames)	61	60	53	56	53	56
P-0-4-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	663	139,754	92,633	47,342	37,132
- Rx Rate (L1) (Bit/s)	0	26.17 K	10.29 M	13.14 M	13.18 M	12.87 M
- Rx Rate (Fps)	0	22	4,658	3,088	1,578	1,238
- Flood Count (Frames)	59	60	50	55	54	56
P-0-4-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	676	142,023	92,219	48,513	37,054
- Rx Rate (L1) (Bit/s)	0	26.68 K	10.45 M	13.08 M	13.51 M	12.85 M
- Rx Rate (Fps)	0	23	4,734	3,074	1,617	1,235
- Flood Count (Frames)	61	59	49	55	57	56
P-0-4-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	672	140,117	92,638	47,722	37,389
- Rx Rate (L1) (Bit/s)	0	26.52 K	10.31 M	13.14 M	13.29 M	12.96 M
- Rx Rate (Fps)	0	22	4,671	3,088	1,591	1,246
- Flood Count (Frames)	58	59	48	55	55	54
P-0-4-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1	668	139,668	92,302	47,784	37,215
- Rx Rate (L1) (Bit/s)	22.4	26.36 K	10.28 M	13.09 M	13.3 M	12.9 M
- Rx Rate (Fps)	0	22	4,656	3,077	1,593	1,241
- Flood Count (Frames)	57	58	46	52	59	58

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,175
Rx Rate (Percent)	5.94 %
Rx Rate (L1) (Bit/s)	1.07 G
Rx Rate (Fps)	86.83 K
Loss Rate (Percent)	85.16 %
Loss (Frames)	14,950,476
P-0-0-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	2,424,513
- Rx Rate (L1) (Bit/s)	994.37 M
- Rx Rate (Fps)	80,817
- Flood Count (Frames)	20
P-0-0-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,678
- Rx Rate (L1) (Bit/s)	4.38 M

- Rx Rate (Fps)	356
- Flood Count (Frames)	22
P-0-0-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,695
- Rx Rate (L1) (Bit/s)	4.39 M
- Rx Rate (Fps)	357
- Flood Count (Frames)	25
P-0-0-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,603
- Rx Rate (L1) (Bit/s)	4.35 M
- Rx Rate (Fps)	353
- Flood Count (Frames)	19
P-0-0-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,626
- Rx Rate (L1) (Bit/s)	4.36 M
- Rx Rate (Fps)	354
- Flood Count (Frames)	21
P-0-0-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,685
- Rx Rate (L1) (Bit/s)	4.38 M
- Rx Rate (Fps)	356
- Flood Count (Frames)	13
P-0-2-0	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,522
- Rx Rate (L1) (Bit/s)	4.32 M
- Rx Rate (Fps)	351
- Flood Count (Frames)	29
P-0-2-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,597
- Rx Rate (L1) (Bit/s)	4.35 M
- Rx Rate (Fps)	353
- Flood Count (Frames)	24
P-0-2-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,529
- Rx Rate (L1) (Bit/s)	4.32 M
- Rx Rate (Fps)	351
- Flood Count (Frames)	22
P-0-2-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,363
- Rx Rate (L1) (Bit/s)	4.25 M
- Rx Rate (Fps)	345
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,759

- Rx Rate (L1) (Bit/s)	4.41 M
- Rx Rate (Fps)	359
- Flood Count (Frames)	26
P-0-2-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,301
- Rx Rate (L1) (Bit/s)	4.22 M
- Rx Rate (Fps)	343
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,485
- Rx Rate (L1) (Bit/s)	4.3 M
- Rx Rate (Fps)	350
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,687
- Rx Rate (L1) (Bit/s)	4.38 M
- Rx Rate (Fps)	356
- Flood Count (Frames)	22
P-0-4-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,679
- Rx Rate (L1) (Bit/s)	4.38 M
- Rx Rate (Fps)	356
- Flood Count (Frames)	30
P-0-4-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,709
- Rx Rate (L1) (Bit/s)	4.39 M
- Rx Rate (Fps)	357
- Flood Count (Frames)	24
P-0-4-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,645
- Rx Rate (L1) (Bit/s)	4.37 M
- Rx Rate (Fps)	355
- Flood Count (Frames)	31
P-0-4-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	10,702
- Rx Rate (L1) (Bit/s)	4.39 M
- Rx Rate (Fps)	357
- Flood Count (Frames)	26

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,857	7,601,351	4,076,087	2,114,661	1,077,586	865,384
Rx Rate (Percent)	0.01 %	0.02 %	6.49 %	6.72 %	6.98 %	6.88 %
Rx Rate (L1) (Bit/s)	1.63 M	3.14 M	1.17 G	1.21 G	1.26 G	1.24 G
Rx Rate (Fps)	2.42 K	2.65 K	529.45 K	284.18 K	150.36 K	119.16 K
Loss Rate (Percent)	99.98 %	99.97 %	87.01 %	86.56 %	86.05 %	86.23 %
Loss (Frames)	401,713,110	227,961,064	106,399,122	54,914,383	27,816,781	22,386,787
P-0-0-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	61,485	70,406	13,417,785	7,008,585	3,584,508	2,881,222
- Rx Rate (L1) (Bit/s)	1.38 M	2.78 M	987.55 M	994.28 M	997.93 M	998.82 M
- Rx Rate (Fps)	2,050	2,347	447,260	233,620	119,484	96,041
- Flood Count (Frames)	63	61	24	23	23	22
P-0-0-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	1,203	604	143,747	89,662	54,485	40,793
- Rx Rate (L1) (Bit/s)	26.95 K	23.84 K	10.58 M	12.72 M	15.17 M	14.14 M
- Rx Rate (Fps)	40	20	4,792	2,989	1,816	1,360
- Flood Count (Frames)	64	62	45	51	54	51
P-0-0-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	1,230	605	146,052	89,088	54,281	40,967
- Rx Rate (L1) (Bit/s)	27.55 K	23.88 K	10.75 M	12.64 M	15.11 M	14.2 M
- Rx Rate (Fps)	41	20	4,868	2,970	1,809	1,366
- Flood Count (Frames)	62	61	45	51	51	51
P-0-0-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	608	144,337	89,308	54,745	40,942

- Rx Rate (L1) (Bit/s)	0	24 K	10.62 M	12.67 M	15.24 M	14.19 M
- Rx Rate (Fps)	0	20	4,811	2,977	1,825	1,365
- Flood Count (Frames)	63	61	45	51	54	50
P-0-0-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	612	145,422	89,078	54,586	40,732
- Rx Rate (L1) (Bit/s)	0	24.15 K	10.7 M	12.64 M	15.2 M	14.12 M
- Rx Rate (Fps)	0	20	4,847	2,969	1,820	1,358
- Flood Count (Frames)	63	62	43	45	52	51
P-0-0-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	585	145,577	89,720	54,806	40,778
- Rx Rate (L1) (Bit/s)	0	23.09 K	10.71 M	12.73 M	15.26 M	14.14 M
- Rx Rate (Fps)	0	20	4,853	2,991	1,827	1,359
- Flood Count (Frames)	29	32	21	20	24	21
P-0-2-0						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	924	542	145,203	89,574	54,640	40,673
- Rx Rate (L1) (Bit/s)	20.7 K	21.39 K	10.69 M	12.71 M	15.21 M	14.1 M
- Rx Rate (Fps)	31	18	4,840	2,986	1,821	1,356
- Flood Count (Frames)	64	62	36	42	49	49
P-0-2-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	850	0	145,113	90,108	54,681	40,817
- Rx Rate (L1) (Bit/s)	19.04 K	0	10.68 M	12.78 M	15.22 M	14.15 M
- Rx Rate (Fps)	28	0	4,837	3,004	1,823	1,361
- Flood Count (Frames)	62	63	43	51	56	53
P-0-2-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	547	145,132	90,122	53,636	40,668
- Rx Rate (L1) (Bit/s)	0	21.59 K	10.68 M	12.79 M	14.93 M	14.1 M
- Rx Rate (Fps)	0	18	4,838	3,004	1,788	1,356
- Flood Count (Frames)	61	63	50	47	53	53
P-0-2-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	856	545	145,290	80,777	54,721	40,828
- Rx Rate (L1) (Bit/s)	19.17 K	21.51 K	10.69 M	11.46 M	15.23 M	14.15 M
- Rx Rate (Fps)	29	18	4,843	2,693	1,824	1,361
- Flood Count (Frames)	61	61	43	51	54	53
P-0-2-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	851	534	144,587	89,202	52,773	40,773
- Rx Rate (L1) (Bit/s)	19.06 K	21.08 K	10.64 M	12.65 M	14.69 M	14.13 M
- Rx Rate (Fps)	28	18	4,820	2,973	1,759	1,359
- Flood Count (Frames)	64	64	48	45	50	47
P-0-2-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	583	144,279	89,927	54,443	40,731
- Rx Rate (L1) (Bit/s)	0	23.01 K	10.62 M	12.76 M	15.16 M	14.12 M
- Rx Rate (Fps)	0	19	4,809	2,998	1,815	1,358
- Flood Count (Frames)	64	62	45	46	56	45
P-0-4-0						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077


- Rx (Frames)	867	541	145,772	90,237	55,088	40,933
- Rx Rate (L1) (Bit/s)	19.42 K	21.35 K	10.73 M	12.8 M	15.34 M	14.19 M
- Rx Rate (Fps)	29	18	4,859	3,008	1,836	1,364
- Flood Count (Frames)	58	57	38	45	49	50
P-0-4-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	872	560	146,048	89,268	54,536	40,774
- Rx Rate (L1) (Bit/s)	19.53 K	22.1 K	10.75 M	12.66 M	15.18 M	14.13 M
- Rx Rate (Fps)	29	19	4,868	2,976	1,818	1,359
- Flood Count (Frames)	57	56	43	47	49	46
P-0-4-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	853	548	143,974	90,535	54,866	40,674
- Rx Rate (L1) (Bit/s)	19.11 K	21.63 K	10.6 M	12.84 M	15.27 M	14.1 M
- Rx Rate (Fps)	28	18	4,799	3,018	1,829	1,356
- Flood Count (Frames)	55	59	46	43	53	48
P-0-4-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	868	557	144,280	90,320	54,658	40,985
- Rx Rate (L1) (Bit/s)	19.44 K	21.98 K	10.62 M	12.81 M	15.22 M	14.21 M
- Rx Rate (Fps)	29	19	4,809	3,011	1,822	1,366
- Flood Count (Frames)	58	58	45	50	52	54
P-0-4-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	851	545	145,595	89,099	54,699	40,648
- Rx Rate (L1) (Bit/s)	19.06 K	21.51 K	10.72 M	12.64 M	15.23 M	14.09 M
- Rx Rate (Fps)	28	18	4,853	2,970	1,823	1,355
- Flood Count (Frames)	56	56	42	52	52	50
P-0-4-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	881	530	145,283	90,842	54,641	40,791
- Rx Rate (L1) (Bit/s)	19.73 K	20.92 K	10.69 M	12.89 M	15.21 M	14.14 M
- Rx Rate (Fps)	29	18	4,843	3,028	1,821	1,360
- Flood Count (Frames)	58	59	46	43	52	53

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,469
Rx Rate (Percent)	6.03 %
Rx Rate (L1) (Bit/s)	1.08 G
Rx Rate (Fps)	88.17 K
Loss Rate (Percent)	87.95 %
Loss (Frames)	19,298,834
P-0-0-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	2,428,519
- Rx Rate (L1) (Bit/s)	996.02 M
- Rx Rate (Fps)	80,951
- Flood Count (Frames)	24
P-0-0-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,826
- Rx Rate (L1) (Bit/s)	5.26 M

- Rx Rate (Fps)	428
- Flood Count (Frames)	31
P-0-0-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,209
- Rx Rate (L1) (Bit/s)	5.01 M
- Rx Rate (Fps)	407
- Flood Count (Frames)	21
P-0-0-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,852
- Rx Rate (L1) (Bit/s)	5.27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	33
P-0-0-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	11,614
- Rx Rate (L1) (Bit/s)	4.76 M
- Rx Rate (Fps)	387
- Flood Count (Frames)	26
P-0-0-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,847
- Rx Rate (L1) (Bit/s)	5.27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	11
P-0-2-0	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,822
- Rx Rate (L1) (Bit/s)	5.26 M
- Rx Rate (Fps)	427
- Flood Count (Frames)	27
P-0-2-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,362
- Rx Rate (L1) (Bit/s)	5.07 M
- Rx Rate (Fps)	412
- Flood Count (Frames)	26
P-0-2-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,841
- Rx Rate (L1) (Bit/s)	5.27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	23
P-0-2-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,950
- Rx Rate (L1) (Bit/s)	5.31 M
- Rx Rate (Fps)	432
- Flood Count (Frames)	34
P-0-2-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,834

- Rx Rate (L1) (Bit/s)	5.26 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	26
P-0-2-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,897
- Rx Rate (L1) (Bit/s)	5.29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	25
P-0-4-0	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,924
- Rx Rate (L1) (Bit/s)	5.3 M
- Rx Rate (Fps)	431
- Flood Count (Frames)	23
P-0-4-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,969
- Rx Rate (L1) (Bit/s)	5.32 M
- Rx Rate (Fps)	432
- Flood Count (Frames)	28
P-0-4-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,917
- Rx Rate (L1) (Bit/s)	5.3 M
- Rx Rate (Fps)	431
- Flood Count (Frames)	23
P-0-4-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,984
- Rx Rate (L1) (Bit/s)	5.33 M
- Rx Rate (Fps)	433
- Flood Count (Frames)	27
P-0-4-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,955
- Rx Rate (L1) (Bit/s)	5.31 M
- Rx Rate (Fps)	432
- Flood Count (Frames)	27
P-0-4-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	12,903
- Rx Rate (L1) (Bit/s)	5.29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	24

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G
Tx Rate (Fps)	16,071,428	9,121,621	4,891,303	2,537,593	1,293,103	1,038,461
Rx Rate (Percent)	0 %	0.01 %	3.33 %	7.14 %	6.89 %	7.09 %
Rx Rate (L1) (Bit/s)	360.89 K	2.02 M	599.82 M	1.29 G	1.24 G	1.28 G
Rx Rate (Fps)	537.03	1.7 K	271.66 K	302.06 K	148.55 K	122.67 K
Loss Rate (Percent)	100 %	99.98 %	94.45 %	88.1 %	88.51 %	88.19 %
Loss (Frames)	482,126,737	273,597,521	138,589,346	67,065,882	34,336,530	27,473,830
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	16,109	43,381	7,553,696	7,010,133	3,584,358	2,880,434
- Rx Rate (L1) (Bit/s)	360.84 K	1.71 M	555.95 M	994.5 M	997.89 M	998.55 M
- Rx Rate (Fps)	537	1,446	251,790	233,671	119,479	96,014
- Flood Count (Frames)	62	61	55	23	25	20
P-0-0-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	501	0	121,394	51,187	47,047
- Rx Rate (L1) (Bit/s)	0	19.77 K	0	17.22 M	14.25 M	16.31 M
- Rx Rate (Fps)	0	17	0	4,046	1,706	1,568
- Flood Count (Frames)	65	61	7	45	43	50
P-0-0-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	511	37,726	120,585	51,411	46,574
- Rx Rate (L1) (Bit/s)	0	20.17 K	2.78 M	17.11 M	14.31 M	16.15 M
- Rx Rate (Fps)	0	17	1,258	4,020	1,714	1,552
- Flood Count (Frames)	64	61	57	43	45	49
P-0-0-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	495	35,506	120,868	51,021	47,131

- Rx Rate (L1) (Bit/s)	0	19.54 K	2.61 M	17.15 M	14.2 M	16.34 M
- Rx Rate (Fps)	0	17	1,184	4,029	1,701	1,571
- Flood Count (Frames)	62	63	55	47	38	48
P-0-0-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	457	37,540	120,815	51,358	47,121
- Rx Rate (L1) (Bit/s)	0	18.04 K	2.76 M	17.14 M	14.3 M	16.34 M
- Rx Rate (Fps)	0	15	1,251	4,027	1,712	1,571
- Flood Count (Frames)	62	61	53	39	45	50
P-0-0-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	473	37,348	120,793	51,289	46,860
- Rx Rate (L1) (Bit/s)	0	18.67 K	2.75 M	17.14 M	14.28 M	16.24 M
- Rx Rate (Fps)	0	16	1,245	4,026	1,710	1,562
- Flood Count (Frames)	31	27	28	22	27	23
P-0-2-0						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	441	37,340	120,243	51,590	46,997
- Rx Rate (L1) (Bit/s)	0	17.4 K	2.75 M	17.06 M	14.36 M	16.29 M
- Rx Rate (Fps)	0	15	1,245	4,008	1,720	1,567
- Flood Count (Frames)	61	59	56	45	41	53
P-0-2-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	430	38,218	118,589	51,423	46,918
- Rx Rate (L1) (Bit/s)	0	16.97 K	2.81 M	16.82 M	14.32 M	16.26 M
- Rx Rate (Fps)	0	14	1,274	3,953	1,714	1,564
- Flood Count (Frames)	61	61	55	45	38	39
P-0-2-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	1	444	38,338	121,200	51,376	46,905
- Rx Rate (L1) (Bit/s)	22.4	17.52 K	2.82 M	17.19 M	14.3 M	16.26 M
- Rx Rate (Fps)	0	15	1,278	4,040	1,713	1,564
- Flood Count (Frames)	62	61	52	45	47	54
P-0-2-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	435	37,516	119,728	51,553	47,232
- Rx Rate (L1) (Bit/s)	0	17.17 K	2.76 M	16.99 M	14.35 M	16.37 M
- Rx Rate (Fps)	0	15	1,251	3,991	1,718	1,574
- Flood Count (Frames)	64	61	59	38	43	48
P-0-2-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	438	38,322	121,090	51,375	46,830
- Rx Rate (L1) (Bit/s)	0	17.29 K	2.82 M	17.18 M	14.3 M	16.23 M
- Rx Rate (Fps)	0	15	1,277	4,036	1,713	1,561
- Flood Count (Frames)	64	62	56	42	43	44
P-0-2-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	443	37,511	120,957	50,755	47,095
- Rx Rate (L1) (Bit/s)	0	17.48 K	2.76 M	17.16 M	14.13 M	16.33 M
- Rx Rate (Fps)	0	15	1,250	4,032	1,692	1,570
- Flood Count (Frames)	64	63	53	45	45	42
P-0-4-0						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692


- Rx (Frames)	0	461	38,102	119,981	51,252	47,294
- Rx Rate (L1) (Bit/s)	0	18.19 K	2.8 M	17.02 M	14.27 M	16.4 M
- Rx Rate (Fps)	0	15	1,270	3,999	1,708	1,576
- Flood Count (Frames)	56	58	55	39	36	48
P-0-4-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	439	37,531	120,410	51,329	47,184
- Rx Rate (L1) (Bit/s)	0	17.33 K	2.76 M	17.08 M	14.29 M	16.36 M
- Rx Rate (Fps)	0	15	1,251	4,014	1,711	1,573
- Flood Count (Frames)	60	58	55	49	41	44
P-0-4-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	440	35,973	121,860	51,280	47,163
- Rx Rate (L1) (Bit/s)	0	17.37 K	2.65 M	17.29 M	14.28 M	16.35 M
- Rx Rate (Fps)	0	15	1,199	4,062	1,709	1,572
- Flood Count (Frames)	59	60	57	44	42	51
P-0-4-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	432	35,852	120,160	51,374	47,160
- Rx Rate (L1) (Bit/s)	0	17.05 K	2.64 M	17.05 M	14.3 M	16.35 M
- Rx Rate (Fps)	0	14	1,195	4,005	1,712	1,572
- Flood Count (Frames)	57	60	56	44	36	44
P-0-4-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	444	36,761	121,853	51,266	47,030
- Rx Rate (L1) (Bit/s)	0	17.52 K	2.71 M	17.29 M	14.27 M	16.3 M
- Rx Rate (Fps)	0	15	1,225	4,062	1,709	1,568
- Flood Count (Frames)	57	61	56	40	43	46
P-0-4-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	1	440	36,478	121,261	51,355	47,021
- Rx Rate (L1) (Bit/s)	22.4	17.37 K	2.68 M	17.2 M	14.3 M	16.3 M
- Rx Rate (Fps)	0	15	1,216	4,042	1,712	1,567
- Flood Count (Frames)	55	58	58	46	42	50

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10.8 G
Tx Rate (Fps)	877,763
Rx Rate (Percent)	6.06 %
Rx Rate (L1) (Bit/s)	1.09 G
Rx Rate (Fps)	88.65 K
Loss Rate (Percent)	89.9 %
Loss (Frames)	23,673,516
P-0-0-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	2,421,899
- Rx Rate (L1) (Bit/s)	993.3 M
- Rx Rate (Fps)	80,730
- Flood Count (Frames)	20
P-0-0-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,090
- Rx Rate (L1) (Bit/s)	5.78 M

- Rx Rate (Fps)	470
- Flood Count (Frames)	27
P-0-0-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,071
- Rx Rate (L1) (Bit/s)	5.77 M
- Rx Rate (Fps)	469
- Flood Count (Frames)	21
P-0-0-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	13,942
- Rx Rate (L1) (Bit/s)	5.72 M
- Rx Rate (Fps)	465
- Flood Count (Frames)	24
P-0-0-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	13,323
- Rx Rate (L1) (Bit/s)	5.46 M
- Rx Rate (Fps)	444
- Flood Count (Frames)	30
P-0-0-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,027
- Rx Rate (L1) (Bit/s)	5.75 M
- Rx Rate (Fps)	468
- Flood Count (Frames)	11
P-0-2-0	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	13,957
- Rx Rate (L1) (Bit/s)	5.72 M
- Rx Rate (Fps)	465
- Flood Count (Frames)	25
P-0-2-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,107
- Rx Rate (L1) (Bit/s)	5.79 M
- Rx Rate (Fps)	470
- Flood Count (Frames)	22
P-0-2-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,014
- Rx Rate (L1) (Bit/s)	5.75 M
- Rx Rate (Fps)	467
- Flood Count (Frames)	23
P-0-2-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	13,962
- Rx Rate (L1) (Bit/s)	5.73 M
- Rx Rate (Fps)	465
- Flood Count (Frames)	27
P-0-2-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	13,917

- Rx Rate (L1) (Bit/s)	5.71 M
- Rx Rate (Fps)	464
- Flood Count (Frames)	27
P-0-2-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	13,908
- Rx Rate (L1) (Bit/s)	5.7 M
- Rx Rate (Fps)	464
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	13,895
- Rx Rate (L1) (Bit/s)	5.7 M
- Rx Rate (Fps)	463
- Flood Count (Frames)	26
P-0-4-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,061
- Rx Rate (L1) (Bit/s)	5.77 M
- Rx Rate (Fps)	469
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,040
- Rx Rate (L1) (Bit/s)	5.76 M
- Rx Rate (Fps)	468
- Flood Count (Frames)	23
P-0-4-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,033
- Rx Rate (L1) (Bit/s)	5.76 M
- Rx Rate (Fps)	468
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,108
- Rx Rate (L1) (Bit/s)	5.79 M
- Rx Rate (Fps)	470
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	14,011
- Rx Rate (L1) (Bit/s)	5.75 M
- Rx Rate (Fps)	467
- Flood Count (Frames)	20

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G
Tx Rate (Fps)	18,750,000	10,641,891	5,706,521	2,960,526	1,508,620	1,211,538
Rx Rate (Percent)	0.01 %	0.01 %	0.02 %	6.82 %	6.98 %	7.17 %
Rx Rate (L1) (Bit/s)	1.11 M	2.27 M	3.5 M	1.23 G	1.26 G	1.29 G
Rx Rate (Fps)	1.65 K	1.91 K	1.58 K	288.63 K	150.53 K	124.04 K
Loss Rate (Percent)	99.99 %	99.98 %	99.97 %	90.25 %	90.02 %	89.76 %
Loss (Frames)	562,450,414	319,199,312	171,148,129	80,156,828	40,742,753	32,624,944
P-0-0-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	40,476	42,966	42,485	6,585,133	3,584,382	2,880,660
- Rx Rate (L1) (Bit/s)	906.66 K	1.7 M	3.13 M	934.21 M	997.89 M	998.63 M
- Rx Rate (Fps)	1,349	1,432	1,416	219,504	119,479	96,022
- Flood Count (Frames)	61	61	59	22	21	21
P-0-0-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	678	0	494	121,411	54,867	49,548
- Rx Rate (L1) (Bit/s)	15.19 K	0	36.36 K	17.22 M	15.27 M	17.18 M
- Rx Rate (Fps)	23	0	16	4,047	1,829	1,652
- Flood Count (Frames)	60	62	62	41	41	43
P-0-0-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	614	0	437	121,120	54,844	49,349
- Rx Rate (L1) (Bit/s)	13.75 K	0	32.16 K	17.18 M	15.27 M	17.11 M
- Rx Rate (Fps)	20	0	15	4,037	1,828	1,645
- Flood Count (Frames)	61	60	64	47	39	42
P-0-0-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	580	0	0	122,007	54,912	49,420

- Rx Rate (L1) (Bit/s)	12.99 K	0	0	17.31 M	15.29 M	17.13 M
- Rx Rate (Fps)	19	0	0	4,067	1,830	1,647
- Flood Count (Frames)	64	62	58	36	37	37
P-0-0-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	563	1,419	0	122,461	54,741	49,321
- Rx Rate (L1) (Bit/s)	12.61 K	56 K	0	17.37 M	15.24 M	17.1 M
- Rx Rate (Fps)	19	47	0	4,082	1,825	1,644
- Flood Count (Frames)	62	60	59	38	38	40
P-0-0-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	555	1,369	279	122,787	54,089	49,408
- Rx Rate (L1) (Bit/s)	12.43 K	54.03 K	20.53 K	17.42 M	15.06 M	17.13 M
- Rx Rate (Fps)	19	46	9	4,093	1,803	1,647
- Flood Count (Frames)	34	25	33	14	21	20
P-0-2-0						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	564	1,443	343	122,661	54,831	49,475
- Rx Rate (L1) (Bit/s)	12.63 K	56.95 K	25.24 K	17.4 M	15.26 M	17.15 M
- Rx Rate (Fps)	19	48	11	4,089	1,828	1,649
- Flood Count (Frames)	61	58	63	37	48	49
P-0-2-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	562	0	310	122,069	54,852	49,045
- Rx Rate (L1) (Bit/s)	12.59 K	0	22.82 K	17.32 M	15.27 M	17 M
- Rx Rate (Fps)	19	0	10	4,069	1,828	1,635
- Flood Count (Frames)	63	58	61	38	38	32
P-0-2-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	550	0	338	122,295	54,850	49,427
- Rx Rate (L1) (Bit/s)	12.32 K	0	24.88 K	17.35 M	15.27 M	17.13 M
- Rx Rate (Fps)	18	0	11	4,077	1,828	1,648
- Flood Count (Frames)	61	60	61	40	32	41
P-0-2-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	555	0	322	122,437	54,885	49,599
- Rx Rate (L1) (Bit/s)	12.43 K	0	23.7 K	17.37 M	15.28 M	17.19 M
- Rx Rate (Fps)	19	0	11	4,081	1,830	1,653
- Flood Count (Frames)	62	60	62	35	45	40
P-0-2-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	547	1,301	317	122,498	54,649	49,738
- Rx Rate (L1) (Bit/s)	12.25 K	51.35 K	23.33 K	17.38 M	15.21 M	17.24 M
- Rx Rate (Fps)	18	43	11	4,083	1,822	1,658
- Flood Count (Frames)	59	59	61	35	37	41
P-0-2-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	0	1,285	308	122,720	54,875	49,426
- Rx Rate (L1) (Bit/s)	0	50.71 K	22.67 K	17.41 M	15.28 M	17.13 M
- Rx Rate (Fps)	0	43	10	4,091	1,829	1,648
- Flood Count (Frames)	57	60	61	40	37	39
P-0-4-0						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308


- Rx (Frames)	549	1,278	308	122,890	54,792	49,159
- Rx Rate (L1) (Bit/s)	12.3 K	50.44 K	22.67 K	17.43 M	15.25 M	17.04 M
- Rx Rate (Fps)	18	43	10	4,096	1,826	1,639
- Flood Count (Frames)	60	59	59	31	48	42
P-0-4-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	546	1,276	336	122,070	54,857	49,566
- Rx Rate (L1) (Bit/s)	12.23 K	50.36 K	24.73 K	17.32 M	15.27 M	17.18 M
- Rx Rate (Fps)	18	43	11	4,069	1,829	1,652
- Flood Count (Frames)	58	60	59	36	44	38
P-0-4-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	566	1,273	295	120,902	54,499	49,470
- Rx Rate (L1) (Bit/s)	12.68 K	50.24 K	21.71 K	17.15 M	15.17 M	17.15 M
- Rx Rate (Fps)	19	42	10	4,030	1,817	1,649
- Flood Count (Frames)	58	60	57	38	39	38
P-0-4-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	572	1,260	295	120,797	54,780	49,615
- Rx Rate (L1) (Bit/s)	12.81 K	49.73 K	21.71 K	17.14 M	15.25 M	17.2 M
- Rx Rate (Fps)	19	42	10	4,027	1,826	1,654
- Flood Count (Frames)	61	58	57	40	40	43
P-0-4-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	554	1,270	315	121,286	55,043	49,395
- Rx Rate (L1) (Bit/s)	12.41 K	50.12 K	23.18 K	17.21 M	15.32 M	17.12 M
- Rx Rate (Fps)	18	42	11	4,043	1,835	1,647
- Flood Count (Frames)	59	56	57	37	32	47
P-0-4-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	550	1,284	316	121,397	55,089	49,571
- Rx Rate (L1) (Bit/s)	12.32 K	50.68 K	23.26 K	17.22 M	15.34 M	17.18 M
- Rx Rate (Fps)	18	43	11	4,047	1,836	1,652
- Flood Count (Frames)	61	61	58	35	41	43

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12.6 G
Tx Rate (Fps)	1,024,057
Rx Rate (Percent)	6.05 %
Rx Rate (L1) (Bit/s)	1.09 G
Rx Rate (Fps)	88.52 K
Loss Rate (Percent)	91.36 %
Loss (Frames)	28,066,252
P-0-0-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	2,420,781
- Rx Rate (L1) (Bit/s)	992.84 M
- Rx Rate (Fps)	80,693
- Flood Count (Frames)	21
P-0-0-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,812
- Rx Rate (L1) (Bit/s)	5.66 M

- Rx Rate (Fps)	460
- Flood Count (Frames)	28
P-0-0-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,883
- Rx Rate (L1) (Bit/s)	5.69 M
- Rx Rate (Fps)	463
- Flood Count (Frames)	25
P-0-0-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,945
- Rx Rate (L1) (Bit/s)	5.72 M
- Rx Rate (Fps)	465
- Flood Count (Frames)	28
P-0-0-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,882
- Rx Rate (L1) (Bit/s)	5.69 M
- Rx Rate (Fps)	463
- Flood Count (Frames)	25
P-0-0-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,846
- Rx Rate (L1) (Bit/s)	5.68 M
- Rx Rate (Fps)	462
- Flood Count (Frames)	11
P-0-2-0	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	12,637
- Rx Rate (L1) (Bit/s)	5.18 M
- Rx Rate (Fps)	421
- Flood Count (Frames)	29
P-0-2-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,920
- Rx Rate (L1) (Bit/s)	5.71 M
- Rx Rate (Fps)	464
- Flood Count (Frames)	32
P-0-2-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,537
- Rx Rate (L1) (Bit/s)	5.55 M
- Rx Rate (Fps)	451
- Flood Count (Frames)	28
P-0-2-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,942
- Rx Rate (L1) (Bit/s)	5.72 M
- Rx Rate (Fps)	465
- Flood Count (Frames)	25
P-0-2-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,862

- Rx Rate (L1) (Bit/s)	5.69 M
- Rx Rate (Fps)	462
- Flood Count (Frames)	27
P-0-2-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,821
- Rx Rate (L1) (Bit/s)	5.67 M
- Rx Rate (Fps)	461
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,819
- Rx Rate (L1) (Bit/s)	5.67 M
- Rx Rate (Fps)	461
- Flood Count (Frames)	23
P-0-4-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	14,040
- Rx Rate (L1) (Bit/s)	5.76 M
- Rx Rate (Fps)	468
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,917
- Rx Rate (L1) (Bit/s)	5.71 M
- Rx Rate (Fps)	464
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	14,050
- Rx Rate (L1) (Bit/s)	5.76 M
- Rx Rate (Fps)	468
- Flood Count (Frames)	31
P-0-4-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,953
- Rx Rate (L1) (Bit/s)	5.72 M
- Rx Rate (Fps)	465
- Flood Count (Frames)	27
P-0-4-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	13,804
- Rx Rate (L1) (Bit/s)	5.66 M
- Rx Rate (Fps)	460
- Flood Count (Frames)	24

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G
Tx Rate (Fps)	21,428,571	12,162,162	6,521,739	3,383,458	1,724,138	1,384,615
Rx Rate (Percent)	0 %	0.01 %	0.01 %	6.7 %	7.17 %	7.07 %
Rx Rate (L1) (Bit/s)	855.88 K	1.7 M	1.29 M	1.21 G	1.29 G	1.27 G
Rx Rate (Fps)	1.27 K	1.44 K	585.13	283.34 K	154.44 K	122.43 K
Loss Rate (Percent)	99.99 %	99.99 %	99.99 %	91.63 %	91.04 %	91.16 %
Loss (Frames)	642,818,916	364,821,646	195,634,613	93,003,643	47,090,906	37,865,476
P-0-0-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	26,842	34,766	17,553	7,008,632	3,584,373	2,815,422
- Rx Rate (L1) (Bit/s)	601.26 K	1.37 M	1.29 M	994.29 M	997.89 M	976.01 M
- Rx Rate (Fps)	895	1,159	585	233,621	119,479	93,847
- Flood Count (Frames)	61	62	59	27	23	21
P-0-0-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	848	644	0	88,042	60,994	50,466
- Rx Rate (L1) (Bit/s)	19 K	25.42 K	0	12.49 M	16.98 M	17.49 M
- Rx Rate (Fps)	28	21	0	2,935	2,033	1,682
- Flood Count (Frames)	59	61	62	42	41	42
P-0-0-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	760	574	0	87,838	61,889	50,267
- Rx Rate (L1) (Bit/s)	17.02 K	22.65 K	0	12.46 M	17.23 M	17.43 M
- Rx Rate (Fps)	25	19	0	2,928	2,063	1,676
- Flood Count (Frames)	60	61	61	41	37	41
P-0-0-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	661	553	0	87,031	62,231	50,523

- Rx Rate (L1) (Bit/s)	14.81 K	21.83 K	0	12.35 M	17.33 M	17.51 M
- Rx Rate (Fps)	22	18	0	2,901	2,074	1,684
- Flood Count (Frames)	61	61	57	38	41	33
P-0-0-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	642	535	0	87,182	61,924	50,557
- Rx Rate (L1) (Bit/s)	14.38 K	21.11 K	0	12.37 M	17.24 M	17.53 M
- Rx Rate (Fps)	21	18	0	2,906	2,064	1,685
- Flood Count (Frames)	59	63	61	39	38	45
P-0-0-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	657	0	0	87,577	62,256	50,490
- Rx Rate (L1) (Bit/s)	14.72 K	0	0	12.42 M	17.33 M	17.5 M
- Rx Rate (Fps)	22	0	0	2,919	2,075	1,683
- Flood Count (Frames)	27	33	28	18	19	22
P-0-2-0						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	656	530	0	87,791	62,223	50,445
- Rx Rate (L1) (Bit/s)	14.69 K	20.92 K	0	12.45 M	17.32 M	17.49 M
- Rx Rate (Fps)	22	18	0	2,926	2,074	1,682
- Flood Count (Frames)	62	62	59	36	38	40
P-0-2-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	639	491	0	87,640	61,741	50,579
- Rx Rate (L1) (Bit/s)	14.31 K	19.38 K	0	12.43 M	17.19 M	17.53 M
- Rx Rate (Fps)	21	16	0	2,921	2,058	1,686
- Flood Count (Frames)	61	62	59	37	39	35
P-0-2-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	664	508	0	87,690	61,552	50,427
- Rx Rate (L1) (Bit/s)	14.87 K	20.05 K	0	12.44 M	17.14 M	17.48 M
- Rx Rate (Fps)	22	17	0	2,923	2,052	1,681
- Flood Count (Frames)	59	64	61	37	39	38
P-0-2-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	657	502	0	87,321	61,692	50,614
- Rx Rate (L1) (Bit/s)	14.72 K	19.81 K	0	12.39 M	17.18 M	17.55 M
- Rx Rate (Fps)	22	17	0	2,911	2,056	1,687
- Flood Count (Frames)	60	64	59	30	36	39
P-0-2-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	641	517	0	88,222	62,352	50,420
- Rx Rate (L1) (Bit/s)	14.36 K	20.4 K	0	12.52 M	17.36 M	17.48 M
- Rx Rate (Fps)	21	17	0	2,941	2,078	1,681
- Flood Count (Frames)	61	63	61	36	41	31
P-0-2-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	634	516	0	87,702	61,513	50,363
- Rx Rate (L1) (Bit/s)	14.2 K	20.36 K	0	12.44 M	17.13 M	17.46 M
- Rx Rate (Fps)	21	17	0	2,923	2,050	1,679
- Flood Count (Frames)	61	62	61	38	47	43
P-0-4-0						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923


- Rx (Frames)	644	514	0	87,783	62,126	50,360
- Rx Rate (L1) (Bit/s)	14.43 K	20.29 K	0	12.45 M	17.3 M	17.46 M
- Rx Rate (Fps)	21	17	0	2,926	2,071	1,679
- Flood Count (Frames)	60	61	56	42	35	44
P-0-4-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	647	484	0	87,981	61,109	50,392
- Rx Rate (L1) (Bit/s)	14.49 K	19.1 K	0	12.48 M	17.01 M	17.47 M
- Rx Rate (Fps)	22	16	0	2,933	2,037	1,680
- Flood Count (Frames)	57	59	57	39	40	29
P-0-4-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	663	496	0	87,979	61,385	50,333
- Rx Rate (L1) (Bit/s)	14.85 K	19.58 K	0	12.48 M	17.09 M	17.45 M
- Rx Rate (Fps)	22	17	0	2,933	2,046	1,678
- Flood Count (Frames)	57	59	58	36	38	42
P-0-4-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	661	536	0	87,992	61,357	50,732
- Rx Rate (L1) (Bit/s)	14.81 K	21.15 K	0	12.48 M	17.08 M	17.59 M
- Rx Rate (Fps)	22	18	0	2,933	2,045	1,691
- Flood Count (Frames)	58	59	58	33	42	39
P-0-4-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	649	504	0	87,847	61,199	50,009
- Rx Rate (L1) (Bit/s)	14.54 K	19.89 K	0	12.46 M	17.04 M	17.34 M
- Rx Rate (Fps)	22	17	0	2,928	2,040	1,667
- Flood Count (Frames)	60	65	59	39	31	41
P-0-4-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	644	530	1	87,843	61,310	50,571
- Rx Rate (L1) (Bit/s)	14.43 K	20.92 K	73.6	12.46 M	17.07 M	17.53 M
- Rx Rate (Fps)	21	18	0	2,928	2,044	1,686
- Flood Count (Frames)	57	58	57	37	31	40

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14.4 G
Tx Rate (Fps)	1,170,351
Rx Rate (Percent)	6.13 %
Rx Rate (L1) (Bit/s)	1.1 G
Rx Rate (Fps)	89.74 K
Loss Rate (Percent)	92.33 %
Loss (Frames)	32,418,382
P-0-0-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	2,425,711
- Rx Rate (L1) (Bit/s)	994.86 M
- Rx Rate (Fps)	80,857
- Flood Count (Frames)	21
P-0-0-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	13,245
- Rx Rate (L1) (Bit/s)	5.43 M

- Rx Rate (Fps)	442
- Flood Count (Frames)	27
P-0-0-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,863
- Rx Rate (L1) (Bit/s)	6.51 M
- Rx Rate (Fps)	529
- Flood Count (Frames)	28
P-0-0-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,710
- Rx Rate (L1) (Bit/s)	6.44 M
- Rx Rate (Fps)	524
- Flood Count (Frames)	28
P-0-0-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,780
- Rx Rate (L1) (Bit/s)	6.47 M
- Rx Rate (Fps)	526
- Flood Count (Frames)	25
P-0-0-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,821
- Rx Rate (L1) (Bit/s)	6.49 M
- Rx Rate (Fps)	527
- Flood Count (Frames)	16
P-0-2-0	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,925
- Rx Rate (L1) (Bit/s)	6.53 M
- Rx Rate (Fps)	531
- Flood Count (Frames)	29
P-0-2-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,754
- Rx Rate (L1) (Bit/s)	6.46 M
- Rx Rate (Fps)	525
- Flood Count (Frames)	27
P-0-2-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,729
- Rx Rate (L1) (Bit/s)	6.45 M
- Rx Rate (Fps)	524
- Flood Count (Frames)	22
P-0-2-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,849
- Rx Rate (L1) (Bit/s)	6.5 M
- Rx Rate (Fps)	528
- Flood Count (Frames)	30
P-0-2-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,880

- Rx Rate (L1) (Bit/s)	6.51 M
- Rx Rate (Fps)	529
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,851
- Rx Rate (L1) (Bit/s)	6.5 M
- Rx Rate (Fps)	528
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,752
- Rx Rate (L1) (Bit/s)	6.46 M
- Rx Rate (Fps)	525
- Flood Count (Frames)	26
P-0-4-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,733
- Rx Rate (L1) (Bit/s)	6.45 M
- Rx Rate (Fps)	524
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,904
- Rx Rate (L1) (Bit/s)	6.52 M
- Rx Rate (Fps)	530
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,945
- Rx Rate (L1) (Bit/s)	6.54 M
- Rx Rate (Fps)	532
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,867
- Rx Rate (L1) (Bit/s)	6.51 M
- Rx Rate (Fps)	529
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	15,824
- Rx Rate (L1) (Bit/s)	6.49 M
- Rx Rate (Fps)	527
- Flood Count (Frames)	23

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G
Tx Rate (Fps)	24,107,142	13,682,432	7,336,956	3,806,390	1,939,655	1,557,691
Rx Rate (Percent)	0 %	0.01 %	0.02 %	6.67 %	6.91 %	6.95 %
Rx Rate (L1) (Bit/s)	872.39 K	1.75 M	3.29 M	1.2 G	1.24 G	1.25 G
Rx Rate (Fps)	1.3 K	1.48 K	1.49 K	282.07 K	149.01 K	120.37 K
Loss Rate (Percent)	99.99 %	99.99 %	99.98 %	92.59 %	92.32 %	92.27 %
Loss (Frames)	723,175,326	410,428,496	220,063,952	105,729,478	53,719,361	43,119,573
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	22,884	35,523	38,891	7,009,069	3,584,907	2,880,678
- Rx Rate (L1) (Bit/s)	512.6 K	1.4 M	2.86 M	994.35 M	998.04 M	998.64 M
- Rx Rate (Fps)	763	1,184	1,296	233,636	119,497	96,023
- Flood Count (Frames)	64	61	64	21	18	19
P-0-0-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	680	486	85,946	52,163	48,645
- Rx Rate (L1) (Bit/s)	0	26.84 K	35.77 K	12.19 M	14.52 M	16.86 M
- Rx Rate (Fps)	0	23	16	2,865	1,739	1,622
- Flood Count (Frames)	1	60	61	35	38	40
P-0-0-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,199	596	0	85,017	52,038	48,436
- Rx Rate (L1) (Bit/s)	26.86 K	23.52 K	0	12.06 M	14.49 M	16.79 M
- Rx Rate (Fps)	40	20	0	2,834	1,735	1,615
- Flood Count (Frames)	61	64	1	34	42	42
P-0-0-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,044	517	447	85,637	52,128	0

- Rx Rate (L1) (Bit/s)	23.39 K	20.4 K	32.9 K	12.15 M	14.51 M	0
- Rx Rate (Fps)	35	17	15	2,855	1,738	0
- Flood Count (Frames)	61	61	63	35	39	1
P-0-0-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	997	517	444	85,740	52,146	48,231
- Rx Rate (L1) (Bit/s)	22.33 K	20.4 K	32.68 K	12.16 M	14.52 M	16.72 M
- Rx Rate (Fps)	33	17	15	2,858	1,738	1,608
- Flood Count (Frames)	64	63	64	34	39	43
P-0-0-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	973	534	397	85,210	52,035	0
- Rx Rate (L1) (Bit/s)	21.8 K	21.08 K	29.22 K	12.09 M	14.49 M	0
- Rx Rate (Fps)	32	18	13	2,840	1,735	0
- Flood Count (Frames)	33	27	29	10	16	1
P-0-2-0						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	985	479	385	85,190	52,120	46,628
- Rx Rate (L1) (Bit/s)	22.06 K	18.9 K	28.34 K	12.09 M	14.51 M	16.16 M
- Rx Rate (Fps)	33	16	13	2,840	1,737	1,554
- Flood Count (Frames)	62	64	61	32	33	45
P-0-2-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	988	494	383	85,298	52,127	50,304
- Rx Rate (L1) (Bit/s)	22.13 K	19.5 K	28.19 K	12.1 M	14.51 M	17.44 M
- Rx Rate (Fps)	33	16	13	2,843	1,738	1,677
- Flood Count (Frames)	61	62	59	37	39	43
P-0-2-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	988	562	364	85,247	51,900	46,839
- Rx Rate (L1) (Bit/s)	22.13 K	22.18 K	26.79 K	12.09 M	14.45 M	16.24 M
- Rx Rate (Fps)	33	19	12	2,842	1,730	1,561
- Flood Count (Frames)	64	61	64	35	37	38
P-0-2-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	982	531	376	85,412	52,236	49,404
- Rx Rate (L1) (Bit/s)	22 K	20.96 K	27.67 K	12.12 M	14.54 M	17.13 M
- Rx Rate (Fps)	33	18	13	2,847	1,741	1,647
- Flood Count (Frames)	62	62	64	35	43	35
P-0-2-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	977	511	0	85,363	52,027	48,899
- Rx Rate (L1) (Bit/s)	21.88 K	20.17 K	0	12.11 M	14.48 M	16.95 M
- Rx Rate (Fps)	33	17	0	2,845	1,734	1,630
- Flood Count (Frames)	62	61	0	36	36	36
P-0-2-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	987	518	360	85,226	52,189	48,945
- Rx Rate (L1) (Bit/s)	22.11 K	20.44 K	26.5 K	12.09 M	14.53 M	16.97 M
- Rx Rate (Fps)	33	17	12	2,841	1,740	1,632
- Flood Count (Frames)	64	64	61	27	37	45
P-0-4-0						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538


- Rx (Frames)	969	510	380	85,198	52,153	49,355
- Rx Rate (L1) (Bit/s)	21.71 K	20.13 K	27.97 K	12.09 M	14.52 M	17.11 M
- Rx Rate (Fps)	32	17	13	2,840	1,738	1,645
- Flood Count (Frames)	61	58	59	36	35	28
P-0-4-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	995	489	363	85,456	52,109	49,397
- Rx Rate (L1) (Bit/s)	22.29 K	19.3 K	26.72 K	12.12 M	14.51 M	17.12 M
- Rx Rate (Fps)	33	16	12	2,849	1,737	1,647
- Flood Count (Frames)	56	56	59	34	32	31
P-0-4-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	990	499	361	85,940	51,848	48,580
- Rx Rate (L1) (Bit/s)	22.18 K	19.69 K	26.57 K	12.19 M	14.43 M	16.84 M
- Rx Rate (Fps)	33	17	12	2,865	1,728	1,619
- Flood Count (Frames)	59	56	58	36	34	43
P-0-4-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	989	514	363	85,770	52,101	49,284
- Rx Rate (L1) (Bit/s)	22.15 K	20.29 K	26.72 K	12.17 M	14.5 M	17.09 M
- Rx Rate (Fps)	33	17	12	2,859	1,737	1,643
- Flood Count (Frames)	57	58	58	27	33	44
P-0-4-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	999	502	360	85,885	52,184	48,381
- Rx Rate (L1) (Bit/s)	22.38 K	19.81 K	26.5 K	12.18 M	14.53 M	16.77 M
- Rx Rate (Fps)	33	17	12	2,863	1,739	1,613
- Flood Count (Frames)	59	57	65	31	37	41
P-0-4-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,000	484	361	85,621	51,868	49,160
- Rx Rate (L1) (Bit/s)	22.4 K	19.1 K	26.57 K	12.15 M	14.44 M	17.04 M
- Rx Rate (Fps)	33	16	12	2,854	1,729	1,639
- Flood Count (Frames)	58	62	56	38	37	33

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16.2 G
Tx Rate (Fps)	1,316,644
Rx Rate (Percent)	6.07 %
Rx Rate (L1) (Bit/s)	1.09 G
Rx Rate (Fps)	88.82 K
Loss Rate (Percent)	93.25 %
Loss (Frames)	36,834,691
P-0-0-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,425,513
- Rx Rate (L1) (Bit/s)	994.78 M
- Rx Rate (Fps)	80,850
- Flood Count (Frames)	17
P-0-0-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,898
- Rx Rate (L1) (Bit/s)	6.52 M
- Rx Rate (Fps)	530
- Flood Count (Frames)	21
P-0-0-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,923
- Rx Rate (L1) (Bit/s)	6.53 M
- Rx Rate (Fps)	531
- Flood Count (Frames)	26
P-0-0-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,911
- Rx Rate (L1) (Bit/s)	6.53 M
- Rx Rate (Fps)	530
- Flood Count (Frames)	24
P-0-0-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-0	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,988
- Rx Rate (L1) (Bit/s)	6.56 M
- Rx Rate (Fps)	533
- Flood Count (Frames)	23
P-0-2-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,782
- Rx Rate (L1) (Bit/s)	6.47 M
- Rx Rate (Fps)	526
- Flood Count (Frames)	28
P-0-2-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,025
- Rx Rate (L1) (Bit/s)	6.57 M
- Rx Rate (Fps)	534
- Flood Count (Frames)	25
P-0-2-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,869
- Rx Rate (L1) (Bit/s)	6.51 M
- Rx Rate (Fps)	529
- Flood Count (Frames)	22
P-0-2-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,057

- Rx Rate (L1) (Bit/s)	6.59 M
- Rx Rate (Fps)	535
- Flood Count (Frames)	23
P-0-2-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,024
- Rx Rate (L1) (Bit/s)	6.57 M
- Rx Rate (Fps)	534
- Flood Count (Frames)	22
P-0-4-0	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,826
- Rx Rate (L1) (Bit/s)	6.49 M
- Rx Rate (Fps)	528
- Flood Count (Frames)	20
P-0-4-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,979
- Rx Rate (L1) (Bit/s)	6.55 M
- Rx Rate (Fps)	533
- Flood Count (Frames)	22
P-0-4-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,987
- Rx Rate (L1) (Bit/s)	6.56 M
- Rx Rate (Fps)	533
- Flood Count (Frames)	25
P-0-4-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,923
- Rx Rate (L1) (Bit/s)	6.53 M
- Rx Rate (Fps)	531
- Flood Count (Frames)	24
P-0-4-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	15,915
- Rx Rate (L1) (Bit/s)	6.53 M
- Rx Rate (Fps)	531
- Flood Count (Frames)	21
P-0-4-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	16,019
- Rx Rate (L1) (Bit/s)	6.57 M
- Rx Rate (Fps)	534
- Flood Count (Frames)	27

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
Rx Rate (Percent)	0 %	0 %	0.02 %	6.81 %	7.02 %	7 %
Rx Rate (L1) (Bit/s)	0	0	3.13 M	1.23 G	1.26 G	1.26 G
Rx Rate (Fps)	0	0	1.42 K	287.92 K	151.34 K	121.12 K
Loss Rate (Percent)	100 %	100 %	99.98 %	93.19 %	92.98 %	93 %
Loss (Frames)	803,571,419	456,081,066	244,522,631	118,242,038	60,114,831	48,289,395
P-0-0-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	37,919	7,008,915	3,585,664	2,879,984
- Rx Rate (L1) (Bit/s)	0	0	2.79 M	994.33 M	998.25 M	998.39 M
- Rx Rate (Fps)	0	0	1,264	233,631	119,522	95,999
- Flood Count (Frames)	1	0	63	22	23	17
P-0-0-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	460	95,934	58,198	54,200
- Rx Rate (L1) (Bit/s)	0	0	33.86 K	13.61 M	16.2 M	18.79 M
- Rx Rate (Fps)	0	0	15	3,198	1,940	1,807
- Flood Count (Frames)	77	59	64	34	30	40
P-0-0-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	0	96,096	61,394	53,457
- Rx Rate (L1) (Bit/s)	0	0	0	13.63 M	17.09 M	18.53 M
- Rx Rate (Fps)	0	0	0	3,203	2,046	1,782
- Flood Count (Frames)	1	64	1	37	40	40
P-0-0-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	345	95,021	58,308	54,040


- Rx Rate (L1) (Bit/s)	0	0	25.39 K	13.48 M	16.23 M	18.73 M
- Rx Rate (Fps)	0	0	12	3,167	1,944	1,801
- Flood Count (Frames)	61	61	64	30	34	48
P-0-0-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	360	95,516	59,322	0
- Rx Rate (L1) (Bit/s)	0	0	26.5 K	13.55 M	16.52 M	0
- Rx Rate (Fps)	0	0	12	3,184	1,977	0
- Flood Count (Frames)	61	64	63	27	31	1
P-0-0-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	315	95,981	59,212	54,028
- Rx Rate (L1) (Bit/s)	0	0	23.18 K	13.62 M	16.48 M	18.73 M
- Rx Rate (Fps)	0	0	11	3,199	1,974	1,801
- Flood Count (Frames)	36	26	31	18	15	13
P-0-2-0						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	0	95,164	61,415	54,074
- Rx Rate (L1) (Bit/s)	0	0	0	13.5 M	17.1 M	18.75 M
- Rx Rate (Fps)	0	0	0	3,172	2,047	1,802
- Flood Count (Frames)	61	61	0	31	31	40
P-0-2-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	332	95,593	60,137	0
- Rx Rate (L1) (Bit/s)	0	0	24.44 K	13.56 M	16.74 M	0
- Rx Rate (Fps)	0	0	11	3,186	2,005	0
- Flood Count (Frames)	61	1	59	35	44	1
P-0-2-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	340	95,927	57,891	52,840
- Rx Rate (L1) (Bit/s)	0	0	25.02 K	13.61 M	16.12 M	18.32 M
- Rx Rate (Fps)	0	0	11	3,198	1,930	1,761
- Flood Count (Frames)	2	59	61	28	34	40
P-0-2-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	0	95,102	60,420	0
- Rx Rate (L1) (Bit/s)	0	0	0	13.49 M	16.82 M	0
- Rx Rate (Fps)	0	0	0	3,170	2,014	0
- Flood Count (Frames)	60	61	1	29	34	2
P-0-2-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	316	96,123	58,821	53,554
- Rx Rate (L1) (Bit/s)	0	0	23.26 K	13.64 M	16.38 M	18.57 M
- Rx Rate (Fps)	0	0	11	3,204	1,961	1,785
- Flood Count (Frames)	63	61	81	28	28	42
P-0-2-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	327	95,681	0	54,337
- Rx Rate (L1) (Bit/s)	0	0	24.07 K	13.57 M	0	18.84 M
- Rx Rate (Fps)	0	0	11	3,189	0	1,811
- Flood Count (Frames)	61	60	61	35	1	41
P-0-4-0						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154

- Rx (Frames)	0	0	322	95,504	60,248	53,106
- Rx Rate (L1) (Bit/s)	0	0	23.7 K	13.55 M	16.77 M	18.41 M
- Rx Rate (Fps)	0	0	11	3,183	2,008	1,770
- Flood Count (Frames)	58	61	58	33	33	44
P-0-4-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	309	95,946	59,035	54,304
- Rx Rate (L1) (Bit/s)	0	0	22.74 K	13.61 M	16.44 M	18.83 M
- Rx Rate (Fps)	0	0	10	3,198	1,968	1,810
- Flood Count (Frames)	61	56	60	36	35	44
P-0-4-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	299	97,096	60,802	53,723
- Rx Rate (L1) (Bit/s)	0	0	22.01 K	13.77 M	16.93 M	18.62 M
- Rx Rate (Fps)	0	0	10	3,237	2,027	1,791
- Flood Count (Frames)	57	58	58	32	34	40
P-0-4-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	299	95,664	59,610	54,114
- Rx Rate (L1) (Bit/s)	0	0	22.01 K	13.57 M	16.6 M	18.76 M
- Rx Rate (Fps)	0	0	10	3,189	1,987	1,804
- Flood Count (Frames)	58	57	59	29	25	39
P-0-4-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	312	96,257	60,299	54,403
- Rx Rate (L1) (Bit/s)	0	0	22.96 K	13.66 M	16.79 M	18.86 M
- Rx Rate (Fps)	0	0	10	3,209	2,010	1,813
- Flood Count (Frames)	58	56	60	23	34	35
P-0-4-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	0	0	310	96,129	59,558	53,507
- Rx Rate (L1) (Bit/s)	0	0	22.82 K	13.64 M	16.58 M	18.55 M
- Rx Rate (Fps)	0	0	10	3,204	1,985	1,784
- Flood Count (Frames)	60	58	63	34	28	49

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1,462,938
Rx Rate (Percent)	6.02 %
Rx Rate (L1) (Bit/s)	1.08 G
Rx Rate (Fps)	88.12 K
Loss Rate (Percent)	93.98 %
Loss (Frames)	41,244,637
P-0-0-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,433,028
- Rx Rate (L1) (Bit/s)	997.87 M
- Rx Rate (Fps)	81,101
- Flood Count (Frames)	18
P-0-0-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-0-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,244
- Rx Rate (L1) (Bit/s)	6.66 M
- Rx Rate (Fps)	541
- Flood Count (Frames)	26
P-0-0-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,143
- Rx Rate (L1) (Bit/s)	6.62 M
- Rx Rate (Fps)	538
- Flood Count (Frames)	23
P-0-0-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	15,973
- Rx Rate (L1) (Bit/s)	6.55 M
- Rx Rate (Fps)	532
- Flood Count (Frames)	11
P-0-2-0	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,192
- Rx Rate (L1) (Bit/s)	6.64 M
- Rx Rate (Fps)	540
- Flood Count (Frames)	21
P-0-2-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,279
- Rx Rate (L1) (Bit/s)	6.68 M
- Rx Rate (Fps)	543
- Flood Count (Frames)	23
P-0-2-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-2-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,137

- Rx Rate (L1) (Bit/s)	6.62 M
- Rx Rate (Fps)	538
- Flood Count (Frames)	27
P-0-2-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,334
- Rx Rate (L1) (Bit/s)	6.7 M
- Rx Rate (Fps)	544
- Flood Count (Frames)	21
P-0-4-0	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,198
- Rx Rate (L1) (Bit/s)	6.64 M
- Rx Rate (Fps)	540
- Flood Count (Frames)	29
P-0-4-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	15,974
- Rx Rate (L1) (Bit/s)	6.55 M
- Rx Rate (Fps)	532
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,328
- Rx Rate (L1) (Bit/s)	6.7 M
- Rx Rate (Fps)	544
- Flood Count (Frames)	25
P-0-4-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,321
- Rx Rate (L1) (Bit/s)	6.69 M
- Rx Rate (Fps)	544
- Flood Count (Frames)	19
P-0-4-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,203
- Rx Rate (L1) (Bit/s)	6.65 M
- Rx Rate (Fps)	540
- Flood Count (Frames)	21
P-0-4-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	16,161
- Rx Rate (L1) (Bit/s)	6.63 M
- Rx Rate (Fps)	539
- Flood Count (Frames)	22



Rate Test: Part.Mesh, N->N Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Blocks
Direction: East-to-West

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	East
P-0-0-4	East
P-0-0-5	East
P-0-2-0	East
P-0-2-1	East
P-0-2-2	East
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899.99 M	899.99 M	899.99 M
Tx Rate (Fps)	1,339,284	760,134	407,608	211,464	107,757	86,538
Rx Rate (Percent)	9.9 %	9.14 %	9.32 %	9.74 %	9.71 %	9.68 %
Rx Rate (L1) (Bit/s)	891.19 M	822.28 M	839.15 M	876.45 M	874.19 M	871.36 M
Rx Rate (Fps)	1.33 M	694.49 K	380.05 K	205.93 K	104.67 K	83.78 K
Loss Rate (Percent)	0.98 %	8.64 %	6.76 %	2.62 %	2.87 %	3.18 %
Loss (Frames)	393,332	1,969,324	826,775	165,965	92,666	82,593
P-0-0-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	2,314,963	1,271,688	686,438	348,893	281,441
- Rx Rate (L1) (Bit/s)	100 M	91.36 M	93.6 M	97.38 M	97.13 M	97.57 M
- Rx Rate (Fps)	148,809	77,165	42,390	22,881	11,630	9,381
- Flood Count (Frames)	100	60	58	58	60	61
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,385,886	2,314,964	1,227,957	686,438	348,893	281,441
- Rx Rate (L1) (Bit/s)	98.24 M	91.36 M	90.38 M	97.38 M	97.13 M	97.57 M

- Rx Rate (Fps)	146,196	77,165	40,932	22,881	11,630	9,381
- Flood Count (Frames)	64	60	60	60	58	59
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,149,376	2,314,964	1,271,689	686,438	348,894	261,997
- Rx Rate (L1) (Bit/s)	92.95 M	91.36 M	93.6 M	97.38 M	97.13 M	90.83 M
- Rx Rate (Fps)	138,313	77,165	42,390	22,881	11,630	8,733
- Flood Count (Frames)	60	58	60	58	58	60
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	2,314,964	1,271,689	686,438	348,894	281,442
- Rx Rate (L1) (Bit/s)	100 M	91.36 M	93.6 M	97.38 M	97.13 M	97.57 M
- Rx Rate (Fps)	148,809	77,165	42,390	22,881	11,630	9,381
- Flood Count (Frames)	56	57	59	56	56	56
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	2,314,965	1,271,689	686,440	348,894	281,442
- Rx Rate (L1) (Bit/s)	100 M	91.36 M	93.6 M	97.38 M	97.13 M	97.57 M
- Rx Rate (Fps)	148,809	77,166	42,390	22,881	11,630	9,381
- Flood Count (Frames)	57	61	59	55	56	55
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,278	2,314,966	1,271,689	686,440	348,894	281,443
- Rx Rate (L1) (Bit/s)	100 M	91.36 M	93.6 M	97.38 M	97.13 M	97.57 M
- Rx Rate (Fps)	148,809	77,166	42,390	22,881	11,630	9,381
- Flood Count (Frames)	57	59	56	59	56	58
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	2,314,967	1,271,689	686,441	348,894	281,444
- Rx Rate (L1) (Bit/s)	100 M	91.36 M	93.6 M	97.38 M	97.13 M	97.57 M
- Rx Rate (Fps)	148,809	77,166	42,390	22,881	11,630	9,381
- Flood Count (Frames)	60	57	58	57	59	59
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,244	2,314,967	1,271,690	686,441	348,894	281,444
- Rx Rate (L1) (Bit/s)	100 M	91.36 M	93.6 M	97.38 M	97.13 M	97.57 M
- Rx Rate (Fps)	148,808	77,166	42,390	22,881	11,630	9,381
- Flood Count (Frames)	63	59	57	59	57	61
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	2,314,967	1,271,691	686,441	348,894	281,444
- Rx Rate (L1) (Bit/s)	100 M	91.36 M	93.6 M	97.38 M	97.13 M	97.57 M
- Rx Rate (Fps)	148,809	77,166	42,390	22,881	11,630	9,381
- Flood Count (Frames)	59	58	59	58	58	56


Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899.98 M
Tx Rate (Fps)	73,146
Rx Rate (Percent)	9.84 %
Rx Rate (L1) (Bit/s)	885.73 M
Rx Rate (Fps)	71.99 K
Loss Rate (Percent)	1.58 %
Loss (Frames)	34,747

P-0-0-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0

- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,693
- Rx Rate (L1) (Bit/s)	99.95 M
- Rx Rate (Fps)	8,123
- Flood Count (Frames)	59
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	210,075
- Rx Rate (L1) (Bit/s)	86.16 M
- Rx Rate (Fps)	7,003
- Flood Count (Frames)	59
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,693
- Rx Rate (L1) (Bit/s)	99.95 M
- Rx Rate (Fps)	8,123
- Flood Count (Frames)	59
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,693
- Rx Rate (L1) (Bit/s)	99.95 M
- Rx Rate (Fps)	8,123
- Flood Count (Frames)	60
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,694
- Rx Rate (L1) (Bit/s)	99.95 M
- Rx Rate (Fps)	8,123
- Flood Count (Frames)	60
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,694
- Rx Rate (L1) (Bit/s)	99.95 M
- Rx Rate (Fps)	8,123
- Flood Count (Frames)	59
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,694
- Rx Rate (L1) (Bit/s)	99.95 M
- Rx Rate (Fps)	8,123
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,694
- Rx Rate (L1) (Bit/s)	99.95 M
- Rx Rate (Fps)	8,123
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,694
- Rx Rate (L1) (Bit/s)	99.95 M

- Rx Rate (Fps)	8,123
- Flood Count (Frames)	56

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899.99 M	899.99 M	899.99 M
Tx Rate (Fps)	1,339,284	760,134	407,608	211,464	107,757	86,538
Rx Rate (Percent)	9.7 %	9.73 %	9.79 %	9.42 %	9.95 %	9.97 %
Rx Rate (L1) (Bit/s)	872.81 M	875.88 M	881.48 M	847.81 M	895.73 M	897.12 M
Rx Rate (Fps)	1.3 M	739.77 K	399.22 K	199.2 K	107.25 K	86.26 K
Loss Rate (Percent)	3.02 %	2.68 %	2.06 %	5.8 %	0.47 %	0.32 %
Loss (Frames)	1,213,863	611,011	251,642	367,836	15,285	8,283
P-0-0-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,410	2,489,253	1,330,732	691,895	357,491	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	100 M
- Rx Rate (Fps)	144,314	82,975	44,358	23,063	11,916	9,615
- Flood Count (Frames)	61	61	66	61	58	62
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,389	2,489,253	1,330,733	691,895	357,491	280,176
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	97.13 M
- Rx Rate (Fps)	144,313	82,975	44,358	23,063	11,916	9,339
- Flood Count (Frames)	61	61	63	61	60	62
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0


- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,411	2,278,970	1,330,733	440,913	357,491	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	89.94 M	97.94 M	62.55 M	99.53 M	100 M
- Rx Rate (Fps)	144,314	75,966	44,358	14,697	11,916	9,615
- Flood Count (Frames)	62	60	64	58	61	65
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,388	2,489,254	1,330,733	691,896	357,492	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	100 M
- Rx Rate (Fps)	144,313	82,975	44,358	23,063	11,916	9,615
- Flood Count (Frames)	54	57	61	59	59	58
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,413	2,489,254	1,330,734	691,897	357,492	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	100 M
- Rx Rate (Fps)	144,314	82,975	44,358	23,063	11,916	9,615
- Flood Count (Frames)	61	58	59	59	60	58
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,416	2,489,254	1,330,734	691,897	357,492	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	100 M
- Rx Rate (Fps)	144,314	82,975	44,358	23,063	11,916	9,615
- Flood Count (Frames)	55	57	55	61	58	60
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,400	2,489,254	1,330,735	691,897	357,492	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	100 M
- Rx Rate (Fps)	144,313	82,975	44,358	23,063	11,916	9,615
- Flood Count (Frames)	55	61	63	61	56	60
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,405	2,489,254	1,330,735	691,897	357,492	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	100 M
- Rx Rate (Fps)	144,314	82,975	44,358	23,063	11,916	9,615
- Flood Count (Frames)	55	56	59	60	60	57
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,329,416	2,489,254	1,330,735	691,897	357,492	288,459
- Rx Rate (L1) (Bit/s)	96.98 M	98.24 M	97.94 M	98.16 M	99.53 M	100 M
- Rx Rate (Fps)	144,314	82,975	44,358	23,063	11,916	9,615
- Flood Count (Frames)	58	59	58	59	59	58

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899.98 M
Tx Rate (Fps)	73,146
Rx Rate (Percent)	9.97 %
Rx Rate (L1) (Bit/s)	896.92 M
Rx Rate (Fps)	72.9 K
Loss Rate (Percent)	0.34 %
Loss (Frames)	7,483
P-0-0-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	61
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	61
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	236,336
- Rx Rate (L1) (Bit/s)	96.93 M
- Rx Rate (Fps)	7,878
- Flood Count (Frames)	60
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	61
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	59
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	62
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	60
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	58

Part.Mesh, N->N: Loss by Frame Size at 10.00% Rate



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,570	1,520,270	815,216	422,931	215,517	173,075
Rx Rate (Percent)	10.62 %	10.83 %	10.37 %	11.04 %	11.06 %	11.08 %
Rx Rate (L1) (Bit/s)	955.95 M	974.7 M	933.35 M	993.16 M	995.68 M	997.42 M
Rx Rate (Fps)	1.42 M	823.22 K	422.71 K	233.36 K	119.21 K	95.91 K
Loss Rate (Percent)	46.89 %	45.85 %	48.15 %	44.82 %	44.68 %	44.59 %
Loss (Frames)	37,680,605	20,911,372	11,775,068	5,687,244	2,889,082	2,315,093
P-0-0-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,734,302	2,747,425	1,275,974	777,621	396,943	319,590
- Rx Rate (L1) (Bit/s)	106.05 M	108.43 M	93.91 M	110.32 M	110.51 M	110.79 M
- Rx Rate (Fps)	157,810	91,581	42,532	25,921	13,231	10,653
- Flood Count (Frames)	35	36	35	34	40	40
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,726,727	2,753,960	984,761	777,620	397,324	319,284
- Rx Rate (L1) (Bit/s)	105.88 M	108.69 M	72.48 M	110.32 M	110.62 M	110.69 M
- Rx Rate (Fps)	157,558	91,799	32,825	25,921	13,244	10,643
- Flood Count (Frames)	37	40	37	35	40	40
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,747,556	2,755,658	1,490,587	777,619	397,156	320,092
- Rx Rate (L1) (Bit/s)	106.35 M	108.76 M	109.71 M	110.32 M	110.57 M	110.97 M
- Rx Rate (Fps)	158,252	91,855	49,686	25,921	13,239	10,670
- Flood Count (Frames)	35	45	40	37	48	44
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	4,746,970	2,745,925	1,489,924	777,425	397,295	320,018
- Rx Rate (L1) (Bit/s)	106.33 M	108.37 M	109.66 M	110.29 M	110.61 M	110.94 M
- Rx Rate (Fps)	158,232	91,531	49,664	25,914	13,243	10,667
- Flood Count (Frames)	33	36	26	40	37	40
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,741,818	2,732,979	1,488,913	777,882	397,562	319,981
- Rx Rate (L1) (Bit/s)	106.22 M	107.86 M	109.58 M	110.36 M	110.68 M	110.93 M
- Rx Rate (Fps)	158,061	91,099	49,630	25,929	13,252	10,666
- Flood Count (Frames)	38	41	38	37	39	35
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,732,274	2,736,702	1,489,421	778,198	397,986	319,477
- Rx Rate (L1) (Bit/s)	106 M	108.01 M	109.62 M	110.4 M	110.8 M	110.75 M
- Rx Rate (Fps)	157,742	91,223	49,647	25,940	13,266	10,649
- Flood Count (Frames)	43	43	40	36	36	30
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,739,729	2,737,573	1,487,385	777,927	397,629	319,471
- Rx Rate (L1) (Bit/s)	106.17 M	108.04 M	109.47 M	110.36 M	110.7 M	110.75 M
- Rx Rate (Fps)	157,991	91,252	49,580	25,931	13,254	10,649
- Flood Count (Frames)	38	30	40	36	31	48
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,745,315	2,746,124	1,487,342	778,355	397,274	319,648
- Rx Rate (L1) (Bit/s)	106.3 M	108.38 M	109.47 M	110.42 M	110.6 M	110.81 M
- Rx Rate (Fps)	158,177	91,537	49,578	25,945	13,242	10,655
- Flood Count (Frames)	29	29	32	37	33	35
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,761,807	2,740,385	1,487,117	778,030	397,250	319,608
- Rx Rate (L1) (Bit/s)	106.66 M	108.15 M	109.45 M	110.38 M	110.59 M	110.8 M
- Rx Rate (Fps)	158,727	91,346	49,571	25,934	13,242	10,654
- Flood Count (Frames)	39	33	43	44	39	36

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,291
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	997.83 M
Rx Rate (Fps)	81.1 K
Loss Rate (Percent)	44.56 %
Loss (Frames)	1,955,811
P-0-0-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,984
- Rx Rate (L1) (Bit/s)	110.73 M
- Rx Rate (Fps)	8,999
- Flood Count (Frames)	33
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,098

- Rx Rate (L1) (Bit/s)	110.78 M
- Rx Rate (Fps)	9,003
- Flood Count (Frames)	37
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,008
- Rx Rate (L1) (Bit/s)	110.74 M
- Rx Rate (Fps)	9,000
- Flood Count (Frames)	41
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,637
- Rx Rate (L1) (Bit/s)	111 M
- Rx Rate (Fps)	9,021
- Flood Count (Frames)	35
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,476
- Rx Rate (L1) (Bit/s)	110.93 M
- Rx Rate (Fps)	9,016
- Flood Count (Frames)	38
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,349
- Rx Rate (L1) (Bit/s)	110.88 M
- Rx Rate (Fps)	9,012
- Flood Count (Frames)	36
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,493
- Rx Rate (L1) (Bit/s)	110.94 M
- Rx Rate (Fps)	9,016
- Flood Count (Frames)	40
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,338
- Rx Rate (L1) (Bit/s)	110.87 M
- Rx Rate (Fps)	9,011
- Flood Count (Frames)	33
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,548
- Rx Rate (L1) (Bit/s)	110.96 M
- Rx Rate (Fps)	9,018
- Flood Count (Frames)	44

Part.Mesh, N->N: Loss by Frame Size at 20.00% Rate



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G
Tx Rate (Fps)	4,017,857	2,280,404	1,222,825	634,397	323,274	259,613
Rx Rate (Percent)	10.63 %	10.68 %	10.92 %	11.03 %	11.08 %	10.72 %
Rx Rate (L1) (Bit/s)	956.26 M	961.57 M	982.88 M	993.01 M	997.01 M	964.85 M
Rx Rate (Fps)	1.42 M	812.13 K	445.15 K	233.32 K	119.37 K	92.77 K
Loss Rate (Percent)	64.58 %	64.39 %	63.6 %	63.22 %	63.07 %	64.26 %
Loss (Frames)	77,845,692	44,048,125	23,330,352	12,032,353	6,117,009	5,005,176
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,732,828	2,416,538	1,483,028	779,998	400,450	295,599
- Rx Rate (L1) (Bit/s)	106.02 M	95.37 M	109.15 M	110.66 M	111.49 M	102.47 M
- Rx Rate (Fps)	157,761	80,551	49,434	26,000	13,348	9,853
- Flood Count (Frames)	31	28	34	32	26	19
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,739,741	2,760,413	1,482,579	777,517	398,838	318,399
- Rx Rate (L1) (Bit/s)	106.17 M	108.94 M	109.12 M	110.3 M	111.04 M	110.38 M
- Rx Rate (Fps)	157,991	92,014	49,419	25,917	13,295	10,613
- Flood Count (Frames)	31	35	34	32	26	29
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,744,794	2,748,832	1,430,908	777,934	397,662	249,598
- Rx Rate (L1) (Bit/s)	106.28 M	108.49 M	105.31 M	110.36 M	110.71 M	86.53 M
- Rx Rate (Fps)	158,160	91,628	47,697	25,931	13,255	8,320
- Flood Count (Frames)	34	34	31	30	25	31
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	4,754,230	2,740,916	1,489,766	777,830	397,367	320,083
- Rx Rate (L1) (Bit/s)	106.49 M	108.17 M	109.65 M	110.35 M	110.63 M	110.96 M
- Rx Rate (Fps)	158,474	91,364	49,659	25,928	13,246	10,669
- Flood Count (Frames)	34	23	28	28	27	31
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,744,493	2,738,633	1,489,969	776,224	395,536	319,039
- Rx Rate (L1) (Bit/s)	106.28 M	108.08 M	109.66 M	110.12 M	110.12 M	110.6 M
- Rx Rate (Fps)	158,150	91,288	49,666	25,874	13,185	10,635
- Flood Count (Frames)	32	32	24	30	23	34
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,737,971	2,745,384	1,490,103	777,211	395,736	320,319
- Rx Rate (L1) (Bit/s)	106.13 M	108.35 M	109.67 M	110.26 M	110.17 M	111.04 M
- Rx Rate (Fps)	157,932	91,513	49,670	25,907	13,191	10,677
- Flood Count (Frames)	29	28	27	28	29	36
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,742,106	2,742,745	1,496,508	777,868	397,955	320,069
- Rx Rate (L1) (Bit/s)	106.22 M	108.25 M	110.14 M	110.35 M	110.79 M	110.96 M
- Rx Rate (Fps)	158,070	91,425	49,884	25,929	13,265	10,669
- Flood Count (Frames)	28	32	32	29	28	24
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,744,738	2,732,906	1,496,785	776,409	397,908	319,786
- Rx Rate (L1) (Bit/s)	106.28 M	107.86 M	110.16 M	110.15 M	110.78 M	110.86 M
- Rx Rate (Fps)	158,158	91,097	49,893	25,880	13,264	10,660
- Flood Count (Frames)	28	28	29	30	26	30
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,749,102	2,737,622	1,494,740	778,578	399,750	320,325
- Rx Rate (L1) (Bit/s)	106.38 M	108.04 M	110.01 M	110.45 M	111.29 M	111.05 M
- Rx Rate (Fps)	158,303	91,254	49,825	25,953	13,325	10,678
- Flood Count (Frames)	29	29	30	22	25	25

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2.7 G
Tx Rate (Fps)	219,440
Rx Rate (Percent)	11.08 %
Rx Rate (L1) (Bit/s)	997.6 M
Rx Rate (Fps)	81.08 K
Loss Rate (Percent)	63.05 %
Loss (Frames)	4,150,818
P-0-0-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,701
- Rx Rate (L1) (Bit/s)	110.2 M
- Rx Rate (Fps)	8,957
- Flood Count (Frames)	33
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,703

- Rx Rate (L1) (Bit/s)	110.61 M
- Rx Rate (Fps)	8,990
- Flood Count (Frames)	29
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,177
- Rx Rate (L1) (Bit/s)	110.81 M
- Rx Rate (Fps)	9,006
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,572
- Rx Rate (L1) (Bit/s)	110.97 M
- Rx Rate (Fps)	9,019
- Flood Count (Frames)	33
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,395
- Rx Rate (L1) (Bit/s)	110.9 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	28
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,593
- Rx Rate (L1) (Bit/s)	110.98 M
- Rx Rate (Fps)	9,020
- Flood Count (Frames)	31
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,684
- Rx Rate (L1) (Bit/s)	111.02 M
- Rx Rate (Fps)	9,023
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,419
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	30
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,132
- Rx Rate (L1) (Bit/s)	111.2 M
- Rx Rate (Fps)	9,038
- Flood Count (Frames)	37

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,140	3,040,540	1,630,433	845,864	431,033	346,154
Rx Rate (Percent)	0.02 %	10.82 %	10.9 %	11.04 %	11.08 %	11.08 %
Rx Rate (L1) (Bit/s)	1.5 M	974.02 M	980.66 M	993.6 M	996.87 M	997.6 M
Rx Rate (Fps)	2.23 K	822.65 K	444.14 K	233.46 K	119.36 K	95.92 K
Loss Rate (Percent)	99.96 %	72.94 %	72.76 %	72.4 %	72.31 %	72.29 %
Loss (Frames)	160,647,397	66,536,752	35,588,747	18,372,194	9,350,304	7,506,927
P-0-0-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,839	2,722,432	1,488,897	781,576	397,853	324,171
- Rx Rate (L1) (Bit/s)	175.59 K	107.45 M	109.58 M	110.88 M	110.76 M	112.38 M
- Rx Rate (Fps)	261	90,748	49,630	26,053	13,262	10,806
- Flood Count (Frames)	59	30	29	25	29	27
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,871	2,729,406	1,490,089	780,541	397,975	325,413
- Rx Rate (L1) (Bit/s)	86.71 K	107.72 M	109.67 M	110.73 M	110.8 M	112.81 M
- Rx Rate (Fps)	129	90,980	49,670	26,018	13,266	10,847
- Flood Count (Frames)	61	26	28	28	22	32
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,855	2,751,182	1,415,316	779,999	398,199	321,639
- Rx Rate (L1) (Bit/s)	175.95 K	108.58 M	104.17 M	110.66 M	110.86 M	111.5 M
- Rx Rate (Fps)	262	91,706	47,177	26,000	13,273	10,721
- Flood Count (Frames)	60	30	23	27	29	27
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	7,849	2,746,945	1,486,629	777,431	398,063	315,815
- Rx Rate (L1) (Bit/s)	175.82 K	108.41 M	109.42 M	110.29 M	110.82 M	109.48 M
- Rx Rate (Fps)	262	91,565	49,554	25,914	13,269	10,527
- Flood Count (Frames)	55	28	28	29	27	26
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,830	2,750,136	1,488,863	778,912	397,998	315,766
- Rx Rate (L1) (Bit/s)	175.39 K	108.54 M	109.58 M	110.5 M	110.8 M	109.47 M
- Rx Rate (Fps)	261	91,671	49,629	25,964	13,267	10,526
- Flood Count (Frames)	59	24	29	29	28	29
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,893	2,752,668	1,487,297	777,930	396,571	317,572
- Rx Rate (L1) (Bit/s)	176.8 K	108.64 M	109.47 M	110.36 M	110.41 M	110.09 M
- Rx Rate (Fps)	263	91,756	49,577	25,931	13,219	10,586
- Flood Count (Frames)	57	27	27	25	24	23
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,896	2,745,475	1,491,057	775,979	397,141	320,039
- Rx Rate (L1) (Bit/s)	176.87 K	108.35 M	109.74 M	110.09 M	110.56 M	110.95 M
- Rx Rate (Fps)	263	91,516	49,702	25,866	13,238	10,668
- Flood Count (Frames)	56	27	26	29	29	21
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,887	2,749,189	1,490,251	775,387	398,518	318,227
- Rx Rate (L1) (Bit/s)	176.67 K	108.5 M	109.68 M	110 M	110.95 M	110.32 M
- Rx Rate (Fps)	263	91,640	49,675	25,846	13,284	10,608
- Flood Count (Frames)	56	30	26	31	27	35
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,889	2,732,021	1,485,838	775,974	398,380	319,036
- Rx Rate (L1) (Bit/s)	176.71 K	107.82 M	109.36 M	110.08 M	110.91 M	110.6 M
- Rx Rate (Fps)	263	91,067	49,528	25,866	13,279	10,635
- Flood Count (Frames)	59	27	26	22	25	27

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,586
Rx Rate (Percent)	11.1 %
Rx Rate (L1) (Bit/s)	998.56 M
Rx Rate (Fps)	81.16 K
Loss Rate (Percent)	72.26 %
Loss (Frames)	6,342,844
P-0-0-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,630
- Rx Rate (L1) (Bit/s)	110.99 M
- Rx Rate (Fps)	9,021
- Flood Count (Frames)	29
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,106

- Rx Rate (L1) (Bit/s)	110.78 M
- Rx Rate (Fps)	9,004
- Flood Count (Frames)	27
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,947
- Rx Rate (L1) (Bit/s)	110.71 M
- Rx Rate (Fps)	8,998
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,696
- Rx Rate (L1) (Bit/s)	111.02 M
- Rx Rate (Fps)	9,023
- Flood Count (Frames)	28
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,277
- Rx Rate (L1) (Bit/s)	110.85 M
- Rx Rate (Fps)	9,009
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,825
- Rx Rate (L1) (Bit/s)	111.07 M
- Rx Rate (Fps)	9,028
- Flood Count (Frames)	25
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,442
- Rx Rate (L1) (Bit/s)	110.92 M
- Rx Rate (Fps)	9,015
- Flood Count (Frames)	31
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,156
- Rx Rate (L1) (Bit/s)	111.21 M
- Rx Rate (Fps)	9,039
- Flood Count (Frames)	26
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,642
- Rx Rate (L1) (Bit/s)	111 M
- Rx Rate (Fps)	9,021
- Flood Count (Frames)	33

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G
Tx Rate (Fps)	6,696,427	3,800,674	2,038,041	1,057,331	538,793	432,691
Rx Rate (Percent)	0.59 %	10.67 %	10.81 %	11.04 %	11.08 %	11.09 %
Rx Rate (L1) (Bit/s)	52.85 M	960.65 M	973.01 M	993.18 M	997.06 M	997.85 M
Rx Rate (Fps)	78.65 K	811.36 K	440.67 K	233.36 K	119.38 K	95.95 K
Loss Rate (Percent)	98.83 %	78.65 %	78.38 %	77.93 %	77.84 %	77.83 %
Loss (Frames)	198,533,341	89,679,465	47,921,026	24,719,105	12,582,398	10,102,325
P-0-0-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	263,129	2,400,201	1,484,554	779,151	397,888	319,019
- Rx Rate (L1) (Bit/s)	5.89 M	94.73 M	109.26 M	110.54 M	110.77 M	110.59 M
- Rx Rate (Fps)	8,771	80,007	49,485	25,972	13,263	10,634
- Flood Count (Frames)	60	29	23	25	27	26
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	261,850	2,745,141	1,296,139	777,482	397,540	319,343
- Rx Rate (L1) (Bit/s)	5.87 M	108.34 M	95.4 M	110.3 M	110.68 M	110.71 M
- Rx Rate (Fps)	8,728	91,505	43,205	25,916	13,251	10,645
- Flood Count (Frames)	61	27	22	23	22	29
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	262,400	2,744,544	1,486,610	777,045	398,052	319,190
- Rx Rate (L1) (Bit/s)	5.88 M	108.32 M	109.41 M	110.24 M	110.82 M	110.65 M
- Rx Rate (Fps)	8,747	91,485	49,554	25,902	13,268	10,640
- Flood Count (Frames)	60	22	26	26	31	22
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	262,957	2,748,782	1,498,346	777,406	398,116	320,485
- Rx Rate (L1) (Bit/s)	5.89 M	108.49 M	110.28 M	110.29 M	110.84 M	111.1 M
- Rx Rate (Fps)	8,765	91,626	49,945	25,914	13,271	10,683
- Flood Count (Frames)	58	27	26	23	27	26
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	263,121	2,742,845	1,494,914	778,568	398,444	319,544
- Rx Rate (L1) (Bit/s)	5.89 M	108.25 M	110.03 M	110.45 M	110.93 M	110.78 M
- Rx Rate (Fps)	8,771	91,428	49,830	25,952	13,281	10,651
- Flood Count (Frames)	60	27	24	25	20	27
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	262,457	2,752,082	1,493,274	778,154	398,278	319,780
- Rx Rate (L1) (Bit/s)	5.88 M	108.62 M	109.9 M	110.39 M	110.88 M	110.86 M
- Rx Rate (Fps)	8,749	91,736	49,776	25,938	13,276	10,659
- Flood Count (Frames)	59	35	20	23	26	24
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	259,771	2,728,522	1,485,876	776,921	398,036	320,186
- Rx Rate (L1) (Bit/s)	5.82 M	107.69 M	109.36 M	110.22 M	110.81 M	111 M
- Rx Rate (Fps)	8,659	90,951	49,529	25,897	13,268	10,673
- Flood Count (Frames)	56	24	25	27	27	27
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	260,990	2,746,732	1,491,414	778,082	397,542	320,495
- Rx Rate (L1) (Bit/s)	5.85 M	108.4 M	109.77 M	110.38 M	110.68 M	111.1 M
- Rx Rate (Fps)	8,700	91,558	49,714	25,936	13,251	10,683
- Flood Count (Frames)	60	28	27	24	28	25
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	262,782	2,731,903	1,489,077	778,010	397,499	320,369
- Rx Rate (L1) (Bit/s)	5.89 M	107.82 M	109.6 M	110.37 M	110.66 M	111.06 M
- Rx Rate (Fps)	8,759	91,063	49,636	25,934	13,250	10,679
- Flood Count (Frames)	57	25	26	26	23	26

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4.5 G
Tx Rate (Fps)	365,734
Rx Rate (Percent)	11.07 %
Rx Rate (L1) (Bit/s)	996.36 M
Rx Rate (Fps)	80.98 K
Loss Rate (Percent)	77.86 %
Loss (Frames)	8,542,670
P-0-0-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,765
- Rx Rate (L1) (Bit/s)	110.64 M
- Rx Rate (Fps)	8,992
- Flood Count (Frames)	34
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	265,295

- Rx Rate (L1) (Bit/s)	108.81 M
- Rx Rate (Fps)	8,843
- Flood Count (Frames)	32
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,065
- Rx Rate (L1) (Bit/s)	110.76 M
- Rx Rate (Fps)	9,002
- Flood Count (Frames)	32
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,675
- Rx Rate (L1) (Bit/s)	111.01 M
- Rx Rate (Fps)	9,023
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	266,365
- Rx Rate (L1) (Bit/s)	109.25 M
- Rx Rate (Fps)	8,879
- Flood Count (Frames)	25
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	275,576
- Rx Rate (L1) (Bit/s)	113.02 M
- Rx Rate (Fps)	9,186
- Flood Count (Frames)	23
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,556
- Rx Rate (L1) (Bit/s)	110.96 M
- Rx Rate (Fps)	9,019
- Flood Count (Frames)	34
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	266,192
- Rx Rate (L1) (Bit/s)	109.17 M
- Rx Rate (Fps)	8,873
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	274,858
- Rx Rate (L1) (Bit/s)	112.73 M
- Rx Rate (Fps)	9,162
- Flood Count (Frames)	28

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,713	4,560,810	2,445,652	1,268,795	646,550	519,229
Rx Rate (Percent)	0.01 %	10.54 %	10.82 %	10.95 %	10.87 %	10.6 %
Rx Rate (L1) (Bit/s)	1.26 M	948.49 M	973.47 M	985.27 M	978.13 M	953.56 M
Rx Rate (Fps)	1.88 K	801.09 K	440.88 K	231.5 K	117.11 K	91.69 K
Loss Rate (Percent)	99.98 %	82.44 %	81.97 %	81.75 %	81.89 %	82.34 %
Loss (Frames)	241,015,104	112,791,620	60,143,058	31,118,803	15,883,107	12,826,226
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,301	2,090,631	1,494,743	779,318	327,662	318,816
- Rx Rate (L1) (Bit/s)	141.14 K	82.51 M	110.01 M	110.56 M	91.22 M	110.52 M
- Rx Rate (Fps)	210	69,688	49,825	25,977	10,922	10,627
- Flood Count (Frames)	62	22	28	28	24	23
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,248	2,732,009	1,305,511	718,035	398,802	190,872
- Rx Rate (L1) (Bit/s)	139.96 K	107.82 M	96.09 M	101.87 M	111.03 M	66.17 M
- Rx Rate (Fps)	208	91,067	43,517	23,935	13,293	6,362
- Flood Count (Frames)	61	26	27	19	32	28
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,250	2,739,222	1,492,873	779,007	397,982	319,369
- Rx Rate (L1) (Bit/s)	140 K	108.11 M	109.88 M	110.52 M	110.8 M	110.71 M
- Rx Rate (Fps)	208	91,307	49,762	25,967	13,266	10,646
- Flood Count (Frames)	60	27	22	21	27	30
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	6,189	2,740,075	1,486,469	778,225	397,950	319,579
- Rx Rate (L1) (Bit/s)	138.63 K	108.14 M	109.4 M	110.4 M	110.79 M	110.79 M
- Rx Rate (Fps)	206	91,336	49,549	25,941	13,265	10,653
- Flood Count (Frames)	57	25	23	23	22	24
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,255	2,754,836	1,486,289	779,251	397,961	320,014
- Rx Rate (L1) (Bit/s)	140.11 K	108.72 M	109.39 M	110.55 M	110.79 M	110.94 M
- Rx Rate (Fps)	209	91,828	49,543	25,975	13,265	10,667
- Flood Count (Frames)	58	19	31	24	27	27
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,242	2,760,223	1,486,007	778,226	398,407	320,971
- Rx Rate (L1) (Bit/s)	139.82 K	108.94 M	109.37 M	110.4 M	110.92 M	111.27 M
- Rx Rate (Fps)	208	92,007	49,534	25,941	13,280	10,699
- Flood Count (Frames)	57	23	23	23	22	25
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,227	2,731,931	1,488,309	777,656	398,209	320,759
- Rx Rate (L1) (Bit/s)	139.48 K	107.82 M	109.54 M	110.32 M	110.86 M	111.2 M
- Rx Rate (Fps)	208	91,064	49,610	25,922	13,274	10,692
- Flood Count (Frames)	58	25	23	17	23	22
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,252	2,745,127	1,493,587	777,722	398,108	320,097
- Rx Rate (L1) (Bit/s)	140.04 K	108.34 M	109.93 M	110.33 M	110.83 M	110.97 M
- Rx Rate (Fps)	208	91,504	49,786	25,924	13,270	10,670
- Flood Count (Frames)	63	26	22	24	27	26
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,322	2,738,635	1,492,711	777,601	398,315	320,164
- Rx Rate (L1) (Bit/s)	141.61 K	108.08 M	109.86 M	110.32 M	110.89 M	110.99 M
- Rx Rate (Fps)	211	91,288	49,757	25,920	13,277	10,672
- Flood Count (Frames)	60	29	24	24	27	31

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,880
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	997.96 M
Rx Rate (Fps)	81.11 K
Loss Rate (Percent)	81.52 %
Loss (Frames)	10,733,123
P-0-0-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,433
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	21
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,340

- Rx Rate (L1) (Bit/s)	110.47 M
- Rx Rate (Fps)	8,978
- Flood Count (Frames)	21
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,047
- Rx Rate (L1) (Bit/s)	110.76 M
- Rx Rate (Fps)	9,002
- Flood Count (Frames)	21
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,673
- Rx Rate (L1) (Bit/s)	111.01 M
- Rx Rate (Fps)	9,022
- Flood Count (Frames)	22
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,245
- Rx Rate (L1) (Bit/s)	111.25 M
- Rx Rate (Fps)	9,042
- Flood Count (Frames)	24
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,376
- Rx Rate (L1) (Bit/s)	110.89 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,486
- Rx Rate (L1) (Bit/s)	110.94 M
- Rx Rate (Fps)	9,016
- Flood Count (Frames)	24
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,769
- Rx Rate (L1) (Bit/s)	110.64 M
- Rx Rate (Fps)	8,992
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,896
- Rx Rate (L1) (Bit/s)	111.1 M
- Rx Rate (Fps)	9,030
- Flood Count (Frames)	26

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G
Tx Rate (Fps)	9,374,999	5,320,944	2,853,260	1,480,262	754,310	605,767
Rx Rate (Percent)	0.01 %	0.06 %	10.9 %	11.04 %	11.08 %	10.98 %
Rx Rate (L1) (Bit/s)	1.09 M	4.97 M	981.13 M	993.76 M	997.03 M	988.53 M
Rx Rate (Fps)	1.62 K	4.19 K	444.35 K	233.5 K	119.38 K	95.05 K
Loss Rate (Percent)	99.98 %	99.92 %	84.43 %	84.23 %	84.17 %	84.31 %
Loss (Frames)	281,201,308	159,502,503	72,267,170	37,402,968	19,047,991	15,321,469
P-0-0-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,240	12,886	1,494,717	777,555	397,647	321,895
- Rx Rate (L1) (Bit/s)	50.18 K	508.57 K	110.01 M	110.31 M	110.7 M	111.59 M
- Rx Rate (Fps)	75	430	49,824	25,919	13,255	10,730
- Flood Count (Frames)	60	61	22	22	26	25
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,311	13,551	1,411,646	779,019	397,641	319,621
- Rx Rate (L1) (Bit/s)	141.37 K	534.81 K	103.9 M	110.52 M	110.7 M	110.8 M
- Rx Rate (Fps)	210	452	47,055	25,967	13,255	10,654
- Flood Count (Frames)	60	63	26	25	26	27
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,294	15,149	1,492,019	778,930	397,883	293,966
- Rx Rate (L1) (Bit/s)	51.39 K	597.88 K	109.81 M	110.5 M	110.77 M	101.91 M
- Rx Rate (Fps)	76	505	49,734	25,964	13,263	9,799
- Flood Count (Frames)	58	61	26	25	25	23
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	6,333	15,558	1,487,260	782,982	397,283	318,521
- Rx Rate (L1) (Bit/s)	141.86 K	614.02 K	109.46 M	111.08 M	110.6 M	110.42 M
- Rx Rate (Fps)	211	519	49,575	26,099	13,243	10,617
- Flood Count (Frames)	57	60	21	23	20	21
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,354	15,258	1,485,584	778,924	398,073	319,822
- Rx Rate (L1) (Bit/s)	142.33 K	602.18 K	109.34 M	110.5 M	110.82 M	110.87 M
- Rx Rate (Fps)	212	509	49,519	25,964	13,269	10,661
- Flood Count (Frames)	58	59	25	20	25	19
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,214	14,319	1,490,338	779,341	397,956	320,397
- Rx Rate (L1) (Bit/s)	139.19 K	565.12 K	109.69 M	110.56 M	110.79 M	111.07 M
- Rx Rate (Fps)	207	477	49,678	25,978	13,265	10,680
- Flood Count (Frames)	58	59	27	25	28	25
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,262	13,641	1,488,378	774,290	398,530	318,650
- Rx Rate (L1) (Bit/s)	140.27 K	538.36 K	109.54 M	109.85 M	110.95 M	110.47 M
- Rx Rate (Fps)	209	455	49,613	25,810	13,284	10,622
- Flood Count (Frames)	58	57	20	23	26	22
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,331	12,968	1,491,577	777,258	398,303	319,954
- Rx Rate (L1) (Bit/s)	141.81 K	511.8 K	109.78 M	110.27 M	110.89 M	110.92 M
- Rx Rate (Fps)	211	432	49,719	25,909	13,277	10,665
- Flood Count (Frames)	58	61	22	25	23	23
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,335	12,487	1,489,114	776,578	397,987	318,703
- Rx Rate (L1) (Bit/s)	141.9 K	492.82 K	109.6 M	110.17 M	110.8 M	110.48 M
- Rx Rate (Fps)	211	416	49,637	25,886	13,266	10,623
- Flood Count (Frames)	58	55	24	22	22	22

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	6.3 G
Tx Rate (Fps)	512,028
Rx Rate (Percent)	11.08 %
Rx Rate (L1) (Bit/s)	997.48 M
Rx Rate (Fps)	81.07 K
Loss Rate (Percent)	84.17 %
Loss (Frames)	12,928,752
P-0-0-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,181
- Rx Rate (L1) (Bit/s)	110.81 M
- Rx Rate (Fps)	9,006
- Flood Count (Frames)	25
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	266,000

- Rx Rate (L1) (Bit/s)	109.1 M
- Rx Rate (Fps)	8,867
- Flood Count (Frames)	24
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,049
- Rx Rate (L1) (Bit/s)	110.76 M
- Rx Rate (Fps)	9,002
- Flood Count (Frames)	20
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,763
- Rx Rate (L1) (Bit/s)	111.05 M
- Rx Rate (Fps)	9,025
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,230
- Rx Rate (L1) (Bit/s)	111.24 M
- Rx Rate (Fps)	9,041
- Flood Count (Frames)	20
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,695
- Rx Rate (L1) (Bit/s)	111.43 M
- Rx Rate (Fps)	9,057
- Flood Count (Frames)	24
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,244
- Rx Rate (L1) (Bit/s)	110.84 M
- Rx Rate (Fps)	9,008
- Flood Count (Frames)	24
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,134
- Rx Rate (L1) (Bit/s)	111.2 M
- Rx Rate (Fps)	9,038
- Flood Count (Frames)	25
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,792
- Rx Rate (L1) (Bit/s)	111.06 M
- Rx Rate (Fps)	9,026
- Flood Count (Frames)	26

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,283	6,081,080	3,260,868	1,691,728	862,067	692,307
Rx Rate (Percent)	0.01 %	0.18 %	10.97 %	11.04 %	10.79 %	11.08 %
Rx Rate (L1) (Bit/s)	979.35 K	15.97 M	986.91 M	993.58 M	971.34 M	996.82 M
Rx Rate (Fps)	1.46 K	13.49 K	446.97 K	233.45 K	116.3 K	95.85 K
Loss Rate (Percent)	99.99 %	99.78 %	86.29 %	86.2 %	86.51 %	86.16 %
Loss (Frames)	321,384,772	182,027,731	84,416,923	43,748,231	22,372,993	17,893,771
P-0-0-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,859	17,657	1,495,868	779,566	385,023	319,107
- Rx Rate (L1) (Bit/s)	108.84 K	696.86 K	110.1 M	110.59 M	107.19 M	110.62 M
- Rx Rate (Fps)	162	589	49,862	25,986	12,834	10,637
- Flood Count (Frames)	61	62	21	22	24	20
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,830	48,352	1,497,017	781,280	397,131	315,752
- Rx Rate (L1) (Bit/s)	108.19 K	1.91 M	110.18 M	110.84 M	110.56 M	109.46 M
- Rx Rate (Fps)	161	1,612	49,901	26,043	13,238	10,525
- Flood Count (Frames)	64	62	26	24	25	24
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,879	51,276	1,492,888	778,656	314,052	318,685
- Rx Rate (L1) (Bit/s)	109.29 K	2.02 M	109.88 M	110.47 M	87.43 M	110.48 M
- Rx Rate (Fps)	163	1,709	49,763	25,955	10,468	10,623
- Flood Count (Frames)	61	63	24	27	25	29
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	4,936	51,419	1,490,062	774,614	398,210	320,568
- Rx Rate (L1) (Bit/s)	110.57 K	2.03 M	109.67 M	109.89 M	110.86 M	111.13 M
- Rx Rate (Fps)	165	1,714	49,669	25,820	13,274	10,686
- Flood Count (Frames)	57	58	24	24	21	25
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,926	51,243	1,483,534	774,025	399,995	320,114
- Rx Rate (L1) (Bit/s)	110.34 K	2.02 M	109.19 M	109.81 M	111.36 M	110.97 M
- Rx Rate (Fps)	164	1,708	49,451	25,801	13,333	10,670
- Flood Count (Frames)	57	61	22	24	22	22
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,875	48,329	1,485,863	778,538	399,415	320,515
- Rx Rate (L1) (Bit/s)	109.2 K	1.91 M	109.36 M	110.45 M	111.2 M	111.11 M
- Rx Rate (Fps)	163	1,611	49,529	25,951	13,314	10,684
- Flood Count (Frames)	58	58	22	23	21	26
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,812	46,639	1,484,158	780,146	399,502	320,297
- Rx Rate (L1) (Bit/s)	107.79 K	1.84 M	109.23 M	110.68 M	111.22 M	111.04 M
- Rx Rate (Fps)	160	1,555	49,472	26,005	13,317	10,677
- Flood Count (Frames)	60	59	24	25	25	22
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,820	45,499	1,487,839	778,837	397,529	321,151
- Rx Rate (L1) (Bit/s)	107.97 K	1.8 M	109.5 M	110.49 M	110.67 M	111.33 M
- Rx Rate (Fps)	161	1,517	49,595	25,961	13,251	10,705
- Flood Count (Frames)	58	58	19	21	23	20
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,784	44,267	1,491,897	777,953	398,154	319,250
- Rx Rate (L1) (Bit/s)	107.16 K	1.75 M	109.8 M	110.37 M	110.85 M	110.67 M
- Rx Rate (Fps)	159	1,476	49,730	25,932	13,272	10,642
- Flood Count (Frames)	58	56	20	22	23	24

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,174
Rx Rate (Percent)	11.05 %
Rx Rate (L1) (Bit/s)	994.93 M
Rx Rate (Fps)	80.86 K
Loss Rate (Percent)	86.18 %
Loss (Frames)	15,129,344
P-0-0-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	260,523
- Rx Rate (L1) (Bit/s)	106.85 M
- Rx Rate (Fps)	8,684
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,207

- Rx Rate (L1) (Bit/s)	110.82 M
- Rx Rate (Fps)	9,007
- Flood Count (Frames)	25
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,803
- Rx Rate (L1) (Bit/s)	110.66 M
- Rx Rate (Fps)	8,993
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,737
- Rx Rate (L1) (Bit/s)	111.04 M
- Rx Rate (Fps)	9,025
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,315
- Rx Rate (L1) (Bit/s)	111.28 M
- Rx Rate (Fps)	9,044
- Flood Count (Frames)	20
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,877
- Rx Rate (L1) (Bit/s)	111.1 M
- Rx Rate (Fps)	9,029
- Flood Count (Frames)	19
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,032
- Rx Rate (L1) (Bit/s)	110.75 M
- Rx Rate (Fps)	9,001
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,187
- Rx Rate (L1) (Bit/s)	111.22 M
- Rx Rate (Fps)	9,040
- Flood Count (Frames)	22
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,186
- Rx Rate (L1) (Bit/s)	111.22 M
- Rx Rate (Fps)	9,040
- Flood Count (Frames)	22

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G
Tx Rate (Fps)	12,053,570	6,841,214	3,668,477	1,903,195	969,827	778,845
Rx Rate (Percent)	0.01 %	0.02 %	10.97 %	10.96 %	11.06 %	11.09 %
Rx Rate (L1) (Bit/s)	913.16 K	1.55 M	987.14 M	986.78 M	995.24 M	997.96 M
Rx Rate (Fps)	1.36 K	1.31 K	447.08 K	231.86 K	119.16 K	95.96 K
Loss Rate (Percent)	99.99 %	99.98 %	87.81 %	87.82 %	87.71 %	87.68 %
Loss (Frames)	361,566,319	205,197,112	96,642,012	50,140,179	25,519,951	20,486,598
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,245	4,455	1,492,118	779,150	398,112	318,605
- Rx Rate (L1) (Bit/s)	50.29 K	175.82 K	109.82 M	110.54 M	110.83 M	110.45 M
- Rx Rate (Fps)	75	149	49,737	25,972	13,270	10,620
- Flood Count (Frames)	61	63	23	20	22	28
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,268	4,425	1,492,400	778,077	398,726	318,142
- Rx Rate (L1) (Bit/s)	118 K	174.64 K	109.84 M	110.38 M	111.01 M	110.29 M
- Rx Rate (Fps)	176	148	49,747	25,936	13,291	10,605
- Flood Count (Frames)	61	61	21	22	24	25
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,157	4,374	1,489,072	730,546	389,912	318,557
- Rx Rate (L1) (Bit/s)	48.32 K	172.63 K	109.6 M	103.64 M	108.55 M	110.43 M
- Rx Rate (Fps)	72	146	49,636	24,352	12,997	10,619
- Flood Count (Frames)	60	61	24	25	21	23
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	4,991	4,374	1,492,064	777,065	398,313	319,852
- Rx Rate (L1) (Bit/s)	111.8 K	172.63 K	109.82 M	110.24 M	110.89 M	110.88 M
- Rx Rate (Fps)	166	146	49,735	25,902	13,277	10,662
- Flood Count (Frames)	57	57	25	24	20	23
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,193	4,391	1,488,270	777,133	398,299	321,239
- Rx Rate (L1) (Bit/s)	116.32 K	173.3 K	109.54 M	110.25 M	110.89 M	111.36 M
- Rx Rate (Fps)	173	146	49,609	25,904	13,277	10,708
- Flood Count (Frames)	59	59	22	29	23	25
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,230	4,255	1,495,509	777,461	398,377	320,557
- Rx Rate (L1) (Bit/s)	117.15 K	167.93 K	110.07 M	110.3 M	110.91 M	111.13 M
- Rx Rate (Fps)	174	142	49,850	25,915	13,279	10,685
- Flood Count (Frames)	57	59	21	22	27	26
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,251	4,346	1,484,090	778,656	397,889	320,192
- Rx Rate (L1) (Bit/s)	117.62 K	171.52 K	109.23 M	110.47 M	110.77 M	111 M
- Rx Rate (Fps)	175	145	49,470	25,955	13,263	10,673
- Flood Count (Frames)	58	61	22	24	25	23
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,128	4,369	1,489,996	778,306	397,205	321,546
- Rx Rate (L1) (Bit/s)	114.87 K	172.43 K	109.66 M	110.42 M	110.58 M	111.47 M
- Rx Rate (Fps)	171	146	49,667	25,944	13,240	10,718
- Flood Count (Frames)	60	58	20	24	27	23
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,303	4,322	1,488,764	779,274	398,011	320,053
- Rx Rate (L1) (Bit/s)	118.79 K	170.57 K	109.57 M	110.55 M	110.81 M	110.95 M
- Rx Rate (Fps)	177	144	49,625	25,976	13,267	10,668
- Flood Count (Frames)	57	60	24	20	25	23

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	8.1 G
Tx Rate (Fps)	658,322
Rx Rate (Percent)	11.03 %
Rx Rate (L1) (Bit/s)	992.38 M
Rx Rate (Fps)	80.66 K
Loss Rate (Percent)	87.75 %
Loss (Frames)	17,330,005
P-0-0-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	277,108
- Rx Rate (L1) (Bit/s)	113.65 M
- Rx Rate (Fps)	9,237
- Flood Count (Frames)	19
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	262,737

- Rx Rate (L1) (Bit/s)	107.76 M
- Rx Rate (Fps)	8,758
- Flood Count (Frames)	23
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	256,382
- Rx Rate (L1) (Bit/s)	105.15 M
- Rx Rate (Fps)	8,546
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	278,963
- Rx Rate (L1) (Bit/s)	114.41 M
- Rx Rate (Fps)	9,299
- Flood Count (Frames)	21
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	278,557
- Rx Rate (L1) (Bit/s)	114.25 M
- Rx Rate (Fps)	9,285
- Flood Count (Frames)	23
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	256,246
- Rx Rate (L1) (Bit/s)	105.1 M
- Rx Rate (Fps)	8,542
- Flood Count (Frames)	22
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	277,053
- Rx Rate (L1) (Bit/s)	113.63 M
- Rx Rate (Fps)	9,235
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	276,945
- Rx Rate (L1) (Bit/s)	113.58 M
- Rx Rate (Fps)	9,232
- Flood Count (Frames)	26
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	255,667
- Rx Rate (L1) (Bit/s)	104.86 M
- Rx Rate (Fps)	8,522
- Flood Count (Frames)	23

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,856	7,601,351	4,076,085	2,114,662	1,077,586	865,382
Rx Rate (Percent)	0.01 %	0.02 %	10.97 %	10.74 %	11.08 %	10.94 %
Rx Rate (L1) (Bit/s)	726.23 K	1.36 M	987.24 M	966.28 M	997.26 M	984.79 M
Rx Rate (Fps)	1.08 K	1.14 K	447.12 K	227.04 K	119.4 K	94.69 K
Loss Rate (Percent)	99.99 %	99.98 %	89.03 %	89.26 %	88.92 %	89.06 %
Loss (Frames)	401,753,256	228,006,165	108,868,918	56,628,656	28,745,466	23,120,741
P-0-0-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0


- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,900	3,827	1,497,142	709,060	396,234	318,462
- Rx Rate (L1) (Bit/s)	87.36 K	151.04 K	110.19 M	100.59 M	110.31 M	110.4 M
- Rx Rate (Fps)	130	128	49,905	23,635	13,208	10,615
- Flood Count (Frames)	60	64	24	25	24	24
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1,876	3,779	1,490,422	649,239	399,363	317,723
- Rx Rate (L1) (Bit/s)	42.02 K	149.14 K	109.7 M	92.11 M	111.18 M	110.14 M
- Rx Rate (Fps)	63	126	49,681	21,641	13,312	10,591
- Flood Count (Frames)	58	64	20	27	22	23
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,918	3,813	1,488,018	776,919	398,819	278,495
- Rx Rate (L1) (Bit/s)	87.76 K	150.49 K	109.52 M	110.22 M	111.03 M	96.54 M
- Rx Rate (Fps)	131	127	49,601	25,897	13,294	9,283
- Flood Count (Frames)	60	63	22	25	29	20
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	3,780	3,848	1,488,071	779,477	400,574	321,940
- Rx Rate (L1) (Bit/s)	84.67 K	151.87 K	109.52 M	110.58 M	111.52 M	111.61 M
- Rx Rate (Fps)	126	128	49,602	25,983	13,352	10,731
- Flood Count (Frames)	59	61	24	23	22	24
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,786	3,860	1,490,704	780,394	396,977	320,575
- Rx Rate (L1) (Bit/s)	84.81 K	152.34 K	109.72 M	110.71 M	110.52 M	111.13 M
- Rx Rate (Fps)	126	129	49,690	26,013	13,233	10,686
- Flood Count (Frames)	60	55	23	23	20	20
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,712	3,784	1,495,039	780,104	395,440	321,871
- Rx Rate (L1) (Bit/s)	83.15 K	149.34 K	110.03 M	110.67 M	110.09 M	111.58 M
- Rx Rate (Fps)	124	126	49,835	26,003	13,181	10,729
- Flood Count (Frames)	60	56	21	24	24	22
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,861	3,837	1,486,593	777,463	397,372	320,664
- Rx Rate (L1) (Bit/s)	86.49 K	151.43 K	109.41 M	110.3 M	110.63 M	111.16 M
- Rx Rate (Fps)	129	128	49,553	25,915	13,246	10,689
- Flood Count (Frames)	60	58	26	22	21	27
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,723	3,818	1,489,283	778,562	398,134	320,724
- Rx Rate (L1) (Bit/s)	83.4 K	150.68 K	109.61 M	110.45 M	110.84 M	111.18 M
- Rx Rate (Fps)	124	127	49,643	25,952	13,271	10,691
- Flood Count (Frames)	56	58	24	22	25	21
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,865	3,784	1,488,351	779,974	399,207	320,277
- Rx Rate (L1) (Bit/s)	86.58 K	149.34 K	109.54 M	110.65 M	111.14 M	111.03 M
- Rx Rate (Fps)	129	126	49,612	25,999	13,307	10,676
- Flood Count (Frames)	58	58	22	22	25	22

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,468
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	998.47 M
Rx Rate (Fps)	81.15 K
Loss Rate (Percent)	88.91 %
Loss (Frames)	19,509,535
P-0-0-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,985
- Rx Rate (L1) (Bit/s)	111.55 M
- Rx Rate (Fps)	9,066
- Flood Count (Frames)	23
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,966

- Rx Rate (L1) (Bit/s)	110.31 M
- Rx Rate (Fps)	8,966
- Flood Count (Frames)	28
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,106
- Rx Rate (L1) (Bit/s)	111.19 M
- Rx Rate (Fps)	9,037
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,610
- Rx Rate (L1) (Bit/s)	111.4 M
- Rx Rate (Fps)	9,054
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,225
- Rx Rate (L1) (Bit/s)	110.42 M
- Rx Rate (Fps)	8,974
- Flood Count (Frames)	21
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,883
- Rx Rate (L1) (Bit/s)	111.1 M
- Rx Rate (Fps)	9,029
- Flood Count (Frames)	21
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,029
- Rx Rate (L1) (Bit/s)	111.16 M
- Rx Rate (Fps)	9,034
- Flood Count (Frames)	26
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,419
- Rx Rate (L1) (Bit/s)	110.5 M
- Rx Rate (Fps)	8,981
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,276
- Rx Rate (L1) (Bit/s)	110.85 M
- Rx Rate (Fps)	9,009
- Flood Count (Frames)	24



Congestion Control Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89,285,715	50,675,676	27,173,914	14,097,746	7,183,909	5,769,232
Uncongested Port: (P-0-4-4)						
- Tx (Frames)	22,321,429	12,668,919	6,793,479	3,524,437	1,795,978	1,442,308
- Rx (Frames)	22,321,429	12,668,919	6,793,479	3,524,437	1,795,978	1,442,308
- Loss (Frames)	0	0	0	0	0	0
- Loss (Percent)	0.00	0.00	0.00	0.00	0.00	0.00
Congested Port: (P-0-4-5)						
- Tx (Frames)	66,964,286	38,006,757	20,380,435	10,573,309	5,387,931	4,326,924
- Rx (Frames)	42,623,179	24,672,620	13,394,137	6,996,891	3,578,626	2,876,001
- Loss (Frames)	24,341,107	13,334,137	6,986,298	3,576,418	1,809,305	1,450,923
- Loss (Percent)	36.35	35.08	34.28	33.82	33.58	33.53

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4,876,464
Uncongested Port: (P-0-4-4)	
- Tx (Frames)	1,219,116
- Rx (Frames)	1,219,116
- Loss (Frames)	0
- Loss (Percent)	0.00
Congested Port: (P-0-4-5)	
- Tx (Frames)	3,657,348
- Rx (Frames)	2,432,157
- Loss (Frames)	1,225,191
- Loss (Percent)	33.50

Forward Pressure Results

Test Setup

Duration: 30 seconds
Iteration: 1
InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	45,180,722	25,510,204	13,636,363	7,062,146	3,595,397	2,886,836
Tx Rate (Fps)	1,506,024	850,340	454,545	235,405	119,847	96,228
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	101.205	100.680	100.364	100.188	100.096	100.077
Rx (Frames)	42,613,643	24,671,078	13,392,900	6,996,318	3,578,299	2,875,824
Rx Rate (Fps)	1,420,452	822,367	446,428	233,208	119,275	95,859
Rx Max. Util. (Percent)	95.454	97.368	98.571	99.253	99.618	99.693
Loss (Frames)	2,567,079	839,126	243,463	65,828	17,098	11,012
Loss (Percent)	5.68	3.29	1.79	0.93	0.48	0.38

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	2,439,817
Tx Rate (Fps)	81,327
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	100.065
Rx (Frames)	2,431,962
Rx Rate (Fps)	81,063
Rx Max. Util. (Percent)	99.740
Loss (Frames)	7,855
Loss (Percent)	0.32

Maximum Forwarding Rate Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	90 %	100 %
Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,232,758	2,884,615
Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	900 M	1000 M
Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	107,759	96,154
Rx (Frames)	42,613,752	24,671,148	13,392,930	6,996,334	3,232,758	2,875,830
Rx Rate (L1) (Bit/s)	954.55 M	973.69 M	985.72 M	992.55 M	900 M	996.95 M
Rx Rate (Fps)	1,420,458	822,372	446,431	233,211	107,759	95,861

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	2,438,231
Tx Rate (L1) (Bit/s)	1000 M
Tx Rate (Fps)	81,274
Rx (Frames)	2,431,968
Rx Rate (L1) (Bit/s)	997.43 M
Rx Rate (Fps)	81,066

Address Caching Capacity Results

Test Setup

Iteration: 1
Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC

Address Initial Count: 4,096
Address Maximum Count: 65,535
Address Minimum Count: 100
Address Resolution: 100

Learning Rate: 1,000 Fps
Toggle Port Sync State: Yes
Sync. State Off Duration: 1 seconds
Delay After Sync On: 0 seconds
Switch Test Ports: No
DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Duration (Seconds)	2	2	2	2	2	2
Address Count	162	162	162	162	162	162
TestPort Tx (Frames)	162	162	162	162	162	162
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	162	162	162	162	162	162
MonPort Rx (Frames)	162	162	162	162	162	162

Frame Size	1518
Result State	FAIL
Iter. #	1
Duration (Seconds)	2
Address Count	162
TestPort Tx (Frames)	162
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	162
MonPort Rx (Frames)	162

Note: One or more of the tests did not pass the test criteria!

Address Learning Rate Results

Test Setup

Iteration: 1
Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC
Only Use Max. Capacity: No
Set End = Max. Capacity: Yes

Base Learning Rate: 1,000 Fps
Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate : 10.00%
Resolution: 10.00%

Toggle Port Sync State: Yes
Sync. State Off Duration: 1 seconds
Delay After Sync On: 0 seconds
Switch Test Ports: No
DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port


Test Results

Results for 13,107 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	133	133	133	133	133	133
Address Count	13,107	13,107	13,107	13,107	13,107	13,107
TestPort Tx (Frames)	13,107	13,107	13,107	13,107	13,107	13,107
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	13,107	13,107	13,107	13,107	13,107	13,107
MonPort Rx (Frames)	11,079	12,065	12,065	12,065	12,065	12,065

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	133
Address Count	13,107
TestPort Tx (Frames)	13,107
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	13,107
MonPort Rx (Frames)	12,065

Note: One or more of the tests did not pass the test criteria!




Results for 26,214 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	264	264	264	264	264	264
Address Count	26,214	26,214	26,214	26,214	26,214	26,214
TestPort Tx (Frames)	26,214	26,214	26,214	26,214	26,214	26,214
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	26,214	26,214	26,214	26,214	26,214	26,214
MonPort Rx (Frames)	24,186	25,172	25,172	25,172	25,172	25,172

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	264
Address Count	26,214
TestPort Tx (Frames)	26,214
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	26,214
MonPort Rx (Frames)	25,172

Note: One or more of the tests did not pass the test criteria!




Results for 39,321 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	395	395	395	395	395	395
Address Count	39,321	39,321	39,321	39,321	39,321	39,321
TestPort Tx (Frames)	39,321	39,321	39,321	39,321	39,321	39,321
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	39,321	39,321	39,321	39,321	39,321	39,321
MonPort Rx (Frames)	38,316	38,316	38,316	38,316	38,316	38,316

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	395
Address Count	39,321
TestPort Tx (Frames)	39,321
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	39,321
MonPort Rx (Frames)	38,316

Note: One or more of the tests did not pass the test criteria!




Results for 52,428 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	526	526	526	526	526	526
Address Count	52,428	52,428	52,428	52,428	52,428	52,428
TestPort Tx (Frames)	52,428	52,428	52,428	52,428	52,428	52,428
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	52,428	52,428	52,428	52,428	52,428	52,428
MonPort Rx (Frames)	51,423	51,423	51,423	51,423	51,423	51,423

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	526
Address Count	52,428
TestPort Tx (Frames)	52,428
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	52,428
MonPort Rx (Frames)	51,423

Note: One or more of the tests did not pass the test criteria!




Results for 65,535 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	657	657	657	657	657	657
Address Count	65,535	65,535	65,535	65,535	65,535	65,535
TestPort Tx (Frames)	65,535	65,535	65,535	65,535	65,535	65,535
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	65,535	65,535	65,535	65,535	65,535	65,535
MonPort Rx (Frames)	64,530	64,530	64,530	64,530	64,530	64,530

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	657
Address Count	65,535
TestPort Tx (Frames)	65,535
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	65,535
MonPort Rx (Frames)	64,530

Note: One or more of the tests did not pass the test criteria!



Errored Frames Filtering Results

Test Setup

Duration: 30 seconds
Iteration: 1

Oversize Test Enabled: Yes
Max. Valid Frame Size: 1518 bytes
Min. Valid Frame Size: 64 bytes
Oversize Frame Span: 1 bytes
Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Tx Rate (Percent)	10 %	20 %	30 %	40 %	50 %	60 %
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (L1) (Bit/s)	100 M	200 M	300 M	400 M	500 M	600 M
Tx (Frames)	1,741,375	3,482,752	5,224,128	6,965,504	8,706,880	10,448,257
Rx (Frames)	1,740,724	3,473,043	5,144,635	6,647,903	8,198,996	9,538,592
Tx Valid (Frames)	154,130	308,261	462,392	616,522	770,653	924,784
Rx Valid (Frames)	154,130	308,261	462,392	616,522	770,653	924,784
Tx Oversize (Frames)	81,221	162,443	243,664	324,886	406,107	487,329
Rx Oversize (Frames)	81,221	162,443	243,664	324,886	406,107	487,329
Tx Undersize (Frames)	1,506,024	3,012,048	4,518,072	6,024,096	7,530,120	9,036,144
Rx Undersize (Frames)	1,505,373	3,002,339	4,438,579	5,706,495	7,022,236	8,126,479
Tx FCS Error (Frames)	58	58	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0	0	0

Tx Rate (Percent)	70 %	80 %	90 %	100 %
Result State	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1
Tx Rate (L1) (Bit/s)	700 M	800 M	900 M	1000 M
Tx (Frames)	12,189,633	13,931,009	15,672,386	17,413,762
Rx (Frames)	10,829,663	12,319,761	13,713,104	13,693,110
Tx Valid (Frames)	1,078,914	1,233,045	1,387,176	1,541,307
Rx Valid (Frames)	1,078,914	1,233,045	1,387,176	1,477,402
Tx Oversize (Frames)	568,551	649,772	730,994	812,215
Rx Oversize (Frames)	568,551	649,772	730,994	812,215
Tx Undersize (Frames)	10,542,168	12,048,192	13,554,216	15,060,240
Rx Undersize (Frames)	9,182,198	10,436,944	11,594,934	11,580,060
Tx FCS Error (Frames)	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0

Note: One or more of the tests did not pass the test criteria!

Broadcast Forwarding Results

Test Setup

Duration: 30 seconds
Iteration: 1
Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	66.294 %	77.852 %	83.125 %	91.563 %	94.375 %	94.375 %
Tx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
Tx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
Tx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-1						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	3.216	3.342	2.972	52.435	3.029	2.936
- Min Latency (micsec)	2.238	2.727	2.719	2.727	2.767	2.727
- Max Latency (micsec)	7.963	8.356	5.173	91.391	5.534	5.373
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	3.054	2.429	2.212	2.164	2.501	2.573
P-0-0-2						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	3.281	3.201	3.011	8.286	3.042	2.949
- Min Latency (micsec)	2.262	2.727	2.719	2.751	2.767	2.727
- Max Latency (micsec)	8.997	8.332	5.341	20.070	5.510	5.277
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.003	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.621	2.453	2.333	2.164	2.501	2.381
P-0-0-3						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	2.838	3.076	2.988	3.370	3.022	2.941

- Min Latency (micsec)	2.286	2.727	2.719	2.727	2.767	2.727
- Max Latency (micsec)	8.083	7.298	5.461	11.459	5.534	5.373
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.003	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.525	2.237	2.333	2.164	2.381	2.549
P-0-0-4						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	3.144	3.780	2.999	3.108	3.035	2.958
- Min Latency (micsec)	2.286	2.727	2.743	2.727	2.791	2.751
- Max Latency (micsec)	7.723	8.476	5.197	7.851	5.485	5.662
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.003	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.429	2.140	2.405	2.164	2.549	2.742
P-0-0-5						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	2.598	3.058	2.972	2.992	3.017	2.955
- Min Latency (micsec)	2.262	2.727	2.719	2.727	2.767	2.751
- Max Latency (micsec)	5.822	6.865	5.510	5.109	5.365	5.277
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.003	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.718	2.405	2.525	2.164	2.309	2.453
P-0-2-0						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	3.878	4.121	2.446	72.230	2.489	2.414
- Min Latency (micsec)	1.733	2.198	2.190	2.415	2.238	2.198
- Max Latency (micsec)	8.059	7.779	5.534	129.228	5.726	4.844
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.140	2.116	2.285	2.140	2.309	2.453
P-0-2-1						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	3.465	4.265	2.440	51.448	2.495	2.419
- Min Latency (micsec)	1.733	2.198	2.166	2.415	2.238	2.198
- Max Latency (micsec)	8.492	9.222	4.860	87.590	4.908	4.652
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.742	2.237	2.405	2.116	2.405	2.357
P-0-2-2						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	3.097	3.684	2.453	69.426	2.502	2.420
- Min Latency (micsec)	1.733	2.198	2.190	2.391	2.214	2.198
- Max Latency (micsec)	8.252	8.861	4.740	117.971	4.836	4.868
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.429	2.044	2.212	2.188	2.405	2.357
P-0-2-3						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	2.801	3.620	2.439	59.666	2.494	2.411
- Min Latency (micsec)	1.709	2.174	2.166	2.174	2.238	2.174
- Max Latency (micsec)	7.121	7.682	4.788	114.435	5.004	4.796
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.838	2.212	2.525	2.261	2.525	2.453
P-0-2-4						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	2.589	3.064	2.429	24.827	2.496	2.413
- Min Latency (micsec)	1.757	2.198	2.190	2.198	2.214	2.198

- Max Latency (micsec)	7.266	7.658	4.812	51.293	5.004	4.700
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.429	2.188	2.501	2.164	2.525	2.381
P-0-2-5						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	2.805	2.843	2.431	30.074	2.495	2.409
- Min Latency (micsec)	1.757	2.198	2.190	2.198	2.238	2.198
- Max Latency (micsec)	7.097	7.610	4.812	47.685	5.197	4.892
- Avg Jitter (micsec)	0.003	0.002	0.010	0.002	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.814	2.140	2.501	2.164	2.670	2.477
P-0-4-0						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	12.716	5.006	2.614	91.124	2.654	2.549
- Min Latency (micsec)	1.861	2.350	2.318	2.687	2.391	2.326
- Max Latency (micsec)	19.878	11.130	4.916	155.046	4.988	5.141
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.003	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.044	2.116	2.333	2.164	2.309	2.670
P-0-4-1						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	4.832	4.921	2.598	50.562	2.625	2.529
- Min Latency (micsec)	1.885	2.326	2.294	2.663	2.366	2.302
- Max Latency (micsec)	9.703	10.962	5.349	102.488	5.109	4.756
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.003	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.237	2.044	2.212	2.140	2.525	2.309
P-0-4-2						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	5.481	6.249	2.629	66.307	2.656	2.570
- Min Latency (micsec)	1.885	2.350	2.342	2.591	2.391	2.350
- Max Latency (micsec)	10.665	11.275	4.964	133.253	5.061	4.948
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.003	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.645	2.044	2.237	2.164	2.501	2.333
P-0-4-3						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	5.064	4.929	2.588	92.243	2.622	2.522
- Min Latency (micsec)	1.837	2.302	2.294	2.543	2.366	2.302
- Max Latency (micsec)	10.352	12.285	5.253	174.843	4.916	4.684
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.140	2.044	2.309	2.164	2.212	2.261
P-0-4-4						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	4.758	5.194	2.604	89.616	2.626	2.528
- Min Latency (micsec)	1.837	2.326	2.318	2.543	2.366	2.326
- Max Latency (micsec)	10.569	9.663	4.868	174.651	4.964	4.780
- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.212	2.092	2.212	2.140	2.429	2.285
P-0-4-5						
- Rx (Frames)	29,595,511	19,725,902	11,294,157	6,454,123	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	662.94 M	778.52 M	831.25 M	915.62 M	943.75 M	943.75 M
- Rx Rate (Fps)	986,517	657,530	376,472	215,137	112,997	90,745
- Avg Latency (micsec)	4.759	4.698	2.588	86.752	2.626	2.538
- Min Latency (micsec)	1.861	2.326	2.318	2.543	2.342	2.326
- Max Latency (micsec)	9.607	9.278	5.277	151.174	5.085	4.996

- Avg Jitter (micsec)	0.003	0.002	0.008	0.002	0.004	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.237	2.140	2.212	2.164	2.525	2.333

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94.375 %
Tx (Frames)	2,301,080
Tx Rate (L1) (Bit/s)	943.75 M
Tx Rate (Fps)	76,703
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.963
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.309
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.237
P-0-0-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.968
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.357
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.453
P-0-0-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.946
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.309
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.477
P-0-0-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.941
- Min Latency (micsec)	2.735
- Max Latency (micsec)	5.285
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.333
P-0-0-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.930
- Min Latency (micsec)	2.759
- Max Latency (micsec)	5.213
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188
P-0-2-0	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.437
- Min Latency (micsec)	2.182
- Max Latency (micsec)	4.708

- Avg Jitter (micsec)	0.004
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.212
P-0-2-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.445
- Min Latency (micsec)	2.182
- Max Latency (micsec)	4.660
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.140
P-0-2-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.444
- Min Latency (micsec)	2.182
- Max Latency (micsec)	4.612
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188
P-0-2-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.426
- Min Latency (micsec)	2.182
- Max Latency (micsec)	4.612
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188
P-0-2-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.443
- Min Latency (micsec)	2.182
- Max Latency (micsec)	4.684
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.285
P-0-2-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.454
- Min Latency (micsec)	2.206
- Max Latency (micsec)	4.756
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.429
P-0-4-0	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.526
- Min Latency (micsec)	2.358
- Max Latency (micsec)	4.884
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.285
P-0-4-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.503
- Min Latency (micsec)	2.334
- Max Latency (micsec)	4.644
- Avg Jitter (micsec)	0.003

- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188
P-0-4-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.540
- Min Latency (micsec)	2.383
- Max Latency (micsec)	4.668
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.188
P-0-4-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.494
- Min Latency (micsec)	2.310
- Max Latency (micsec)	4.908
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.285
P-0-4-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.525
- Min Latency (micsec)	2.334
- Max Latency (micsec)	5.053
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.405
P-0-4-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.539
- Min Latency (micsec)	2.334
- Max Latency (micsec)	4.908
- Avg Jitter (micsec)	0.004
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.309

