

Valkyrie2889 Test Report

Test Summary

Test company: Xena Networks
 Customer: GSI TOS
 Test Date and Time: 2021-07-29, 15:36
 Test Duration: 05:24:49 (h:m:s)
 Generated By: Valkyrie2889 v1.40, running on 'Microsoft Windows 8.1 Enterprise Evaluation'
 Comments: Test with 1 WRS
 - software: Valkyrie2889 v1.40
 - chassis: Xenabay (140.181.139.228)
 - configuration: https://github.com/GSI-CS-CO/network_testing
 - WRS: backplane v3.30, scb v3.4, gw v4.2, fw v4.2, Creotech

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh Enabled
 - Throughput Enabled
 - Forwarding Enabled

 Rate Test: Part.Mesh, 1:N Enabled
 - Throughput Enabled
 - Forwarding Enabled

 Rate Test: Part.Mesh, N->N Enabled
 - Throughput Enabled
 - Forwarding Enabled

 Congestion Control: Enabled
 Forward Pressure: Enabled
 Maximum Forwarding Rate: Enabled
 Address Caching Capacity: Enabled
 Address Learning Rate: Enabled
 Errored Frames Filtering: Enabled
 Broadcast Forwarding: Enabled

Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518
 Rate Type: Fraction
 Fraction per Port: 100.00%
 Latency Measurement Mode: Last-To-Last
 Toggle Port Sync States: Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Mesh
Direction: Bidirectional

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 0.50%

Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	53.638 %	89.805 %	49.727 %	55.176 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	9.65 G	16.16 G	8.95 G	9.93 G
Tx Rate (Fps)	2,678,571	1,520,269	4,372,638	3,798,123	1,071,683	954,965
Rx Rate (Percent)	9.99 %	10 %	53.64 %	89.8 %	49.73 %	55.18 %
Rx Rate (L1) (Bit/s)	1.8 G	1.8 G	9.65 G	16.16 G	8.95 G	9.93 G
Rx Rate (Fps)	2.68 M	1.52 M	4.37 M	3.8 M	1.07 M	954.96 K
Loss Rate (Percent)	0.09 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	70,151	73	0	0	0	0
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,460,752	2,533,773	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.92 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,692	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	92	89	92	92	92	90
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,460,978	2,533,777	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.93 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,699	84,459	242,924	211,007	59,538	53,054

- Flood Count (Frames)	92	91	88	94	91	93
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,461,159	2,533,781	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.93 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,705	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	94	93	95	92	93	90
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,461,406	2,533,777	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.94 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,714	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	98	92	92	89	91	90
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,460,433	2,533,769	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.91 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,681	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	93	92	90	94	90	95
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,459,722	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,657	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,459,700	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,657	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	94	91	93	90	91	92
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,459,829	2,533,778	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,661	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	94	95	93	94	90	92
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,460,504	2,533,781	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.92 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,683	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	93	92	94	94	93	95
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,460,808	2,533,776	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.92 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,694	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	94	91	92	92	92	94
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,461,504	2,533,769	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.94 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M

- Rx Rate (Fps)	148,717	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	94	91	93	92	93	93
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,461,448	2,533,779	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.94 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,715	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	95	92	93	92	93	94
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,460,758	2,533,781	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.92 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,692	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	94	96	93	92	93	92
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,460,194	2,533,774	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.91 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,673	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	93	94	88	95	93	94
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,459,399	2,533,781	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.89 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,647	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	92	91	92	90	94	91
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,459,220	2,533,779	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.89 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,641	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	92	94	93	93	91	92
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,459,301	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.89 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,643	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	91	90	91	92	88	90
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Tx Rate (L1) (Bit/s)	100 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Tx Rate (Fps)	148,810	84,459	242,924	211,007	59,538	53,054
- Rx (Frames)	4,459,864	2,533,782	7,287,730	6,330,205	1,786,139	1,591,608
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	536.38 M	898.05 M	497.26 M	551.76 M
- Rx Rate (Fps)	148,662	84,459	242,924	211,007	59,538	53,054
- Flood Count (Frames)	94	96	93	92	90	93


Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	27.93 %
Tx Rate (L1) (Bit/s)	5.03 G
Tx Rate (Fps)	408,592
Rx Rate (Percent)	27.93 %
Rx Rate (L1) (Bit/s)	5.03 G
Rx Rate (Fps)	408.59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700

- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	96
P-0-4-1	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M
- Rx Rate (Fps)	22,700
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	680,986
- Tx Rate (L1) (Bit/s)	279.3 M
- Tx Rate (Fps)	22,700
- Rx (Frames)	680,986
- Rx Rate (L1) (Bit/s)	279.3 M

- Rx Rate (Fps)	22,700
- Flood Count (Frames)	90

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,269	815,215	422,923	215,516	173,074
Rx Rate (Percent)	9.99 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Rx Rate (Fps)	2.68 M	1.52 M	815.21 K	422.92 K	215.52 K	173.07 K
Loss Rate (Percent)	0.1 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	83,176	404	0	0	0	0
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,635	2,533,778	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,655	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	90	91	91	92	90	94
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,460,177	2,533,778	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,673	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	91	90	90	93	92	90
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M


- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,460,136	2,533,782	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,671	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	91	93	90	90	95	90
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,460,380	2,533,728	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,679	84,458	45,290	23,496	11,973	9,615
- Flood Count (Frames)	89	92	93	90	93	93
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,460,612	2,533,776	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,687	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	90	92	92	90	91	91
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,752	2,533,782	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,658	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,171	2,533,691	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.89 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,639	84,456	45,290	23,496	11,973	9,615
- Flood Count (Frames)	92	93	94	94	93	93
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,458,997	2,533,772	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.88 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,633	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	93	91	92	95	93	92
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,515	2,533,746	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.89 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,651	84,458	45,290	23,496	11,973	9,615
- Flood Count (Frames)	93	93	92	92	92	92
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,839	2,533,779	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,661	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	92	93	95	96	92	93
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,460,414	2,533,782	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,680	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	90	92	95	94	93	94
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456

- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,460,136	2,533,782	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,671	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	93	94	90	90	94	95
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,984	2,533,723	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,666	84,457	45,290	23,496	11,973	9,615
- Flood Count (Frames)	92	90	91	92	88	90
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,835	2,533,773	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.9 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,661	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	93	93	90	87	91	92
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,459,346	2,533,781	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.89 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,645	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	91	89	92	97	90	90
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,458,568	2,533,765	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.87 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,619	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	92	92	90	89	94	91
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,458,660	2,533,693	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.87 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,622	84,456	45,290	23,496	11,973	9,615
- Flood Count (Frames)	95	93	96	91	94	90
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	4,458,797	2,533,761	1,358,691	704,871	359,193	288,456
- Rx Rate (L1) (Bit/s)	99.88 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,627	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	90	94	89	95	93	90

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,288
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	1.8 G
Rx Rate (Fps)	146.29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	94
P-0-0-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	95
P-0-2-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	94
P-0-2-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	95
P-0-4-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	243,814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	93



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,142	3,040,538	1,630,429	845,855	431,032	346,147
Rx Rate (Percent)	0.03 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	5.96 M	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Rx Rate (Fps)	8.88 K	3.04 M	1.63 M	845.86 K	431.03 K	346.15 K
Loss Rate (Percent)	99.83 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	160,447,972	1,560	0	0	0	0
P-0-0-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,570	5,067,502	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	326.37 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	486	168,917	90,579	46,992	23,946	19,230
- Flood Count (Frames)	94	93	91	93	91	89
P-0-0-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,745	5,067,447	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	330.29 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	492	168,915	90,579	46,992	23,946	19,230
- Flood Count (Frames)	92	92	91	92	90	92
P-0-0-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,824	5,067,375	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.06 K	199.99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,913	90,579	46,992	23,946	19,230
- Flood Count (Frames)	91	90	93	92	95	89
P-0-0-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,822	5,067,497	2,717,382	1,409,759	718,386	576,912


- Rx Rate (L1) (Bit/s)	332.01 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,917	90,579	46,992	23,946	19,230
- Flood Count (Frames)	90	90	92	93	93	93
P-0-0-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,823	5,067,543	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.04 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,918	90,579	46,992	23,946	19,230
- Flood Count (Frames)	92	95	92	90	92	93
P-0-0-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,827	5,067,507	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.12 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,917	90,579	46,992	23,946	19,230
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,821	5,067,499	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	331.99 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,917	90,579	46,992	23,946	19,230
- Flood Count (Frames)	92	93	92	93	93	92
P-0-2-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,828	5,067,388	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.15 K	199.99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,913	90,579	46,992	23,946	19,230
- Flood Count (Frames)	93	90	93	90	90	92
P-0-2-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,823	5,067,495	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.04 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,917	90,579	46,992	23,946	19,230
- Flood Count (Frames)	90	93	91	92	95	89
P-0-2-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,827	5,067,515	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.12 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,917	90,579	46,992	23,946	19,230
- Flood Count (Frames)	93	93	95	92	93	92
P-0-2-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,823	5,067,488	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.04 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,916	90,579	46,992	23,946	19,230
- Flood Count (Frames)	92	91	93	91	88	95
P-0-2-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,825	5,067,490	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	332.08 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,916	90,579	46,992	23,946	19,230
- Flood Count (Frames)	95	93	88	96	91	94
P-0-4-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230

- Rx (Frames)	14,821	5,067,440	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	331.99 K	199.99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,915	90,579	46,992	23,946	19,230
- Flood Count (Frames)	92	93	91	94	92	90
P-0-4-1						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,815	5,067,504	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	331.86 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,917	90,579	46,992	23,946	19,230
- Flood Count (Frames)	93	90	95	92	93	92
P-0-4-2						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,813	5,067,469	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	331.81 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,916	90,579	46,992	23,946	19,230
- Flood Count (Frames)	88	92	90	95	91	93
P-0-4-3						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,821	5,067,413	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	331.99 K	199.99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168,914	90,579	46,992	23,946	19,230
- Flood Count (Frames)	90	96	93	94	94	92
P-0-4-4						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,761	5,067,480	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	330.65 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	492	168,916	90,579	46,992	23,946	19,230
- Flood Count (Frames)	92	93	94	92	89	88
P-0-4-5						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	14,699	5,067,540	2,717,382	1,409,759	718,386	576,912
- Rx Rate (L1) (Bit/s)	329.26 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	490	168,918	90,579	46,992	23,946	19,230
- Flood Count (Frames)	93	93	91	94	92	91

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,587
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	3.6 G
Rx Rate (Fps)	292.59 K
Loss Rate (Percent)	0 %
Loss (Frames)	9
P-0-0-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,644
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	88
P-0-0-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M

- Rx Rate (Fps)	16,255
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	95
P-0-2-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,643
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645

- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	94
P-0-2-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,644
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,642
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,644
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	487,644
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	94



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,713	4,560,808	2,445,644	1,268,788	646,547	519,221
Rx Rate (Percent)	0.03 %	29.9 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	4.55 M	5.38 G	5.4 G	5.4 G	5.4 G	5.4 G
Rx Rate (Fps)	6.77 K	4.55 M	2.45 M	1.27 M	646.55 K	519.22 K
Loss Rate (Percent)	99.92 %	0.33 %	0 %	0 %	0 %	0 %
Loss (Frames)	240,868,173	454,837	0	0	0	0
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	10,685	7,576,771	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	239.34 K	299.03 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	356	252,559	135,869	70,488	35,919	28,846
- Flood Count (Frames)	94	90	92	93	96	93
P-0-0-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	10,825	7,573,976	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	242.48 K	298.92 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	361	252,466	135,869	70,488	35,919	28,846
- Flood Count (Frames)	92	92	92	96	93	90
P-0-0-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	10,933	7,574,460	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	244.9 K	298.94 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	364	252,482	135,869	70,488	35,919	28,846
- Flood Count (Frames)	88	96	92	90	94	93
P-0-0-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,048	7,575,596	4,076,073	2,114,647	1,077,579	865,368

- Rx Rate (L1) (Bit/s)	247.48 K	298.98 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	368	252,520	135,869	70,488	35,919	28,846
- Flood Count (Frames)	92	91	93	90	92	90
P-0-0-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,164	7,574,303	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	250.07 K	298.93 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	372	252,477	135,869	70,488	35,919	28,846
- Flood Count (Frames)	93	90	92	93	93	93
P-0-0-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,424	7,574,945	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	255.9 K	298.96 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	381	252,498	135,869	70,488	35,919	28,846
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,532	7,575,776	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	258.32 K	298.99 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	384	252,526	135,869	70,488	35,919	28,846
- Flood Count (Frames)	90	93	90	91	93	92
P-0-2-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,644	7,576,843	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	260.83 K	299.03 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	388	252,561	135,869	70,488	35,919	28,846
- Flood Count (Frames)	92	92	92	90	90	94
P-0-2-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,651	7,577,329	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	260.98 K	299.05 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	388	252,578	135,869	70,488	35,919	28,846
- Flood Count (Frames)	90	91	93	91	86	95
P-0-2-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,646	7,577,138	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	260.87 K	299.04 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	388	252,571	135,869	70,488	35,919	28,846
- Flood Count (Frames)	93	90	91	88	91	92
P-0-2-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,648	7,577,613	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	260.92 K	299.06 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	388	252,587	135,869	70,488	35,919	28,846
- Flood Count (Frames)	93	92	94	92	92	92
P-0-2-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,561	7,577,455	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	258.97 K	299.06 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	385	252,582	135,869	70,488	35,919	28,846
- Flood Count (Frames)	89	92	95	92	92	95
P-0-4-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846


- Rx (Frames)	11,468	7,577,416	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	256.88 K	299.06 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	382	252,581	135,869	70,488	35,919	28,846
- Flood Count (Frames)	93	93	92	93	89	96
P-0-4-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,376	7,575,515	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	254.82 K	298.98 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	379	252,517	135,869	70,488	35,919	28,846
- Flood Count (Frames)	92	92	90	95	92	90
P-0-4-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,289	7,576,096	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	252.87 K	299 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	376	252,537	135,869	70,488	35,919	28,846
- Flood Count (Frames)	91	94	92	89	90	91
P-0-4-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,199	7,575,922	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	250.86 K	299 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	373	252,531	135,869	70,488	35,919	28,846
- Flood Count (Frames)	89	95	90	93	92	93
P-0-4-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,107	7,576,298	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	248.8 K	299.01 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	370	252,543	135,869	70,488	35,919	28,846
- Flood Count (Frames)	92	97	91	91	90	96
P-0-4-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	11,017	7,575,939	4,076,073	2,114,647	1,077,579	865,368
- Rx Rate (L1) (Bit/s)	246.78 K	299 M	300 M	300 M	300 M	299.99 M
- Rx Rate (Fps)	367	252,531	135,869	70,488	35,919	28,846
- Flood Count (Frames)	94	94	90	90	92	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,875
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	5.4 G
Rx Rate (Fps)	438.88 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	94
P-0-0-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M

- Rx Rate (Fps)	24,382
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	92
P-0-2-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459

- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	731,459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	92

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,284	6,081,077	3,260,869	1,691,721	862,063	692,305
Rx Rate (Percent)	0.02 %	0.05 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	3.16 M	8.98 M	7.2 G	7.2 G	7.2 G	7.2 G
Rx Rate (Fps)	4.7 K	7.58 K	3.26 M	1.69 M	862.06 K	692.3 K
Loss Rate (Percent)	99.96 %	99.88 %	0 %	0 %	0 %	0 %
Loss (Frames)	321,287,566	182,204,847	0	0	0	1
P-0-0-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,097	12,323	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	158.97 K	486.35 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	237	411	181,159	93,985	47,892	38,461
- Flood Count (Frames)	92	89	92	91	93	94
P-0-0-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,307	12,413	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	163.68 K	489.9 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	244	414	181,159	93,985	47,892	38,461
- Flood Count (Frames)	93	93	91	91	93	91
P-0-0-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,453	12,523	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	166.95 K	494.24 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	248	417	181,159	93,985	47,892	38,461
- Flood Count (Frames)	93	90	93	92	91	95
P-0-0-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,640	12,642	5,434,781	2,819,535	1,436,772	1,153,841

- Rx Rate (L1) (Bit/s)	171.14 K	498.94 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	255	421	181,159	93,985	47,892	38,461
- Flood Count (Frames)	96	93	93	93	92	90
P-0-0-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,779	12,728	5,434,781	2,819,535	1,436,772	1,153,840
- Rx Rate (L1) (Bit/s)	174.25 K	502.33 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	259	424	181,159	93,985	47,892	38,461
- Flood Count (Frames)	90	89	93	90	91	91
P-0-0-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,946	12,737	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	177.99 K	502.69 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	265	425	181,159	93,985	47,892	38,461
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	8,076	12,753	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	180.9 K	503.32 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	269	425	181,159	93,985	47,892	38,461
- Flood Count (Frames)	90	91	92	90	94	92
P-0-2-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	8,207	12,748	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	183.84 K	503.12 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	274	425	181,159	93,985	47,892	38,461
- Flood Count (Frames)	91	93	91	93	94	93
P-0-2-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	8,320	12,744	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	186.37 K	502.96 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	277	425	181,159	93,985	47,892	38,461
- Flood Count (Frames)	92	93	90	92	93	90
P-0-2-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	8,330	12,752	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	186.59 K	503.28 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	278	425	181,159	93,985	47,892	38,461
- Flood Count (Frames)	94	96	93	92	93	91
P-0-2-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	8,308	12,761	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	186.1 K	503.63 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	277	425	181,159	93,985	47,892	38,461
- Flood Count (Frames)	92	90	91	95	94	89
P-0-2-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	8,169	12,728	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	182.99 K	502.33 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	272	424	181,159	93,985	47,892	38,461
- Flood Count (Frames)	92	93	93	94	92	90
P-0-4-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461


- Rx (Frames)	8,035	12,723	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	179.98 K	502.13 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	268	424	181,159	93,985	47,892	38,461
- Flood Count (Frames)	90	92	93	91	92	93
P-0-4-1						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,912	12,721	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	177.23 K	502.06 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	264	424	181,159	93,985	47,892	38,461
- Flood Count (Frames)	91	93	92	93	91	92
P-0-4-2						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,794	12,652	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	174.59 K	499.33 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	260	422	181,159	93,985	47,892	38,461
- Flood Count (Frames)	93	95	92	91	90	93
P-0-4-3						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,654	12,575	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	171.45 K	496.29 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	255	419	181,159	93,985	47,892	38,461
- Flood Count (Frames)	91	92	93	92	94	92
P-0-4-4						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,525	12,496	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	168.56 K	493.18 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	251	417	181,159	93,985	47,892	38,461
- Flood Count (Frames)	94	93	91	89	93	92
P-0-4-5						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	7,402	12,438	5,434,781	2,819,535	1,436,772	1,153,841
- Rx Rate (L1) (Bit/s)	165.8 K	490.89 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	247	415	181,159	93,985	47,892	38,461
- Flood Count (Frames)	93	91	92	91	88	95

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,174
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	7.2 G
Rx Rate (Fps)	585.17 K
Loss Rate (Percent)	0 %
Loss (Frames)	5
P-0-0-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	95
P-0-0-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M

- Rx Rate (Fps)	32,510
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	96
P-0-0-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	91
P-0-2-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	98
P-0-2-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	91
P-0-2-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	94
P-0-2-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290

- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	96
P-0-2-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	99
P-0-4-5	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	975,289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	91

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,855	7,601,346	4,076,083	2,114,654	1,077,579	865,378
Rx Rate (Percent)	0.01 %	0.04 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	2.63 M	7.36 M	9 G	9 G	9 G	9 G
Rx Rate (Fps)	3.91 K	6.22 K	4.08 M	2.11 M	1.08 M	865.38 K
Loss Rate (Percent)	99.97 %	99.92 %	0 %	0 %	0 %	0 %
Loss (Frames)	401,668,407	227,853,825	0	0	0	75
P-0-0-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,703	9,838	6,793,472	3,524,423	1,795,965	1,442,296
- Rx Rate (L1) (Bit/s)	127.75 K	388.27 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	190	328	226,449	117,481	59,866	48,077
- Flood Count (Frames)	92	92	92	90	92	90
P-0-0-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,940	10,000	6,793,472	3,524,423	1,795,965	1,442,296
- Rx Rate (L1) (Bit/s)	133.06 K	394.67 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	198	333	226,449	117,481	59,866	48,077
- Flood Count (Frames)	95	90	92	90	95	95
P-0-0-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,155	10,106	6,793,472	3,524,423	1,795,965	1,442,292
- Rx Rate (L1) (Bit/s)	137.87 K	398.85 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	205	337	226,449	117,481	59,866	48,076
- Flood Count (Frames)	91	92	92	90	93	94
P-0-0-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,356	10,214	6,793,472	3,524,423	1,795,965	1,442,293

- Rx Rate (L1) (Bit/s)	142.37 K	403.11 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	212	340	226,449	117,481	59,866	48,076
- Flood Count (Frames)	93	92	92	92	96	91
P-0-0-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,553	10,320	6,793,472	3,524,423	1,795,965	1,442,293
- Rx Rate (L1) (Bit/s)	146.79 K	407.3 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	218	344	226,449	117,481	59,866	48,076
- Flood Count (Frames)	89	90	91	91	92	93
P-0-0-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,744	10,422	6,793,472	3,524,423	1,795,965	1,442,297
- Rx Rate (L1) (Bit/s)	151.07 K	411.32 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	225	347	226,449	117,481	59,866	48,077
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,919	10,526	6,793,472	3,524,423	1,795,965	1,442,290
- Rx Rate (L1) (Bit/s)	154.99 K	415.43 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	231	351	226,449	117,481	59,866	48,076
- Flood Count (Frames)	90	92	92	91	91	90
P-0-2-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,925	10,628	6,793,472	3,524,423	1,795,965	1,442,290
- Rx Rate (L1) (Bit/s)	155.12 K	419.45 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	231	354	226,449	117,481	59,866	48,076
- Flood Count (Frames)	94	93	91	92	93	94
P-0-2-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,923	10,631	6,793,472	3,524,423	1,795,965	1,442,290
- Rx Rate (L1) (Bit/s)	155.08 K	419.57 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	231	354	226,449	117,481	59,866	48,076
- Flood Count (Frames)	92	89	90	95	91	93
P-0-2-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,922	10,629	6,793,472	3,524,423	1,795,965	1,442,291
- Rx Rate (L1) (Bit/s)	155.05 K	419.49 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	231	354	226,449	117,481	59,866	48,076
- Flood Count (Frames)	90	93	95	93	92	92
P-0-2-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,915	10,631	6,793,472	3,524,423	1,795,965	1,442,291
- Rx Rate (L1) (Bit/s)	154.9 K	419.57 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	231	354	226,449	117,481	59,866	48,076
- Flood Count (Frames)	91	93	89	95	93	93
P-0-2-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,912	10,629	6,793,472	3,524,423	1,795,965	1,442,293
- Rx Rate (L1) (Bit/s)	154.83 K	419.49 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	230	354	226,449	117,481	59,866	48,076
- Flood Count (Frames)	95	93	91	91	90	94
P-0-4-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077


- Rx (Frames)	6,774	10,544	6,793,472	3,524,423	1,795,965	1,442,293
- Rx Rate (L1) (Bit/s)	151.74 K	416.14 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	226	351	226,449	117,481	59,866	48,076
- Flood Count (Frames)	92	89	96	93	92	93
P-0-4-1						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,610	10,460	6,793,472	3,524,423	1,795,965	1,442,295
- Rx Rate (L1) (Bit/s)	148.06 K	412.82 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	220	349	226,449	117,481	59,866	48,077
- Flood Count (Frames)	92	93	92	93	93	93
P-0-4-2						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,464	10,372	6,793,472	3,524,423	1,795,965	1,442,294
- Rx Rate (L1) (Bit/s)	144.79 K	409.35 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	215	346	226,449	117,481	59,866	48,076
- Flood Count (Frames)	97	91	92	94	93	93
P-0-4-3						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,288	10,287	6,793,472	3,524,423	1,795,965	1,442,292
- Rx Rate (L1) (Bit/s)	140.85 K	405.99 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	210	343	226,449	117,481	59,866	48,076
- Flood Count (Frames)	93	94	91	93	94	95
P-0-4-4						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	6,160	10,200	6,793,472	3,524,423	1,795,965	1,442,290
- Rx Rate (L1) (Bit/s)	137.98 K	402.56 K	500 M	500 M	500 M	499.99 M
- Rx Rate (Fps)	205	340	226,449	117,481	59,866	48,076
- Flood Count (Frames)	92	91	94	92	90	92
P-0-4-5						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	5,980	10,118	6,793,472	3,524,423	1,795,965	1,442,295
- Rx Rate (L1) (Bit/s)	133.95 K	399.32 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	199	337	226,449	117,481	59,866	48,077
- Flood Count (Frames)	93	94	94	92	90	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,462
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	9 G
Rx Rate (Fps)	731.46 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	90
P-0-0-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M

- Rx Rate (Fps)	40,637
- Flood Count (Frames)	94
P-0-0-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104

- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	97
P-0-4-3	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	94
P-0-4-4	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	95
P-0-4-5	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	1,219,104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	92

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G
Tx Rate (Fps)	16,071,426	9,121,615	4,891,298	2,537,587	1,293,095	1,038,452
Rx Rate (Percent)	0.02 %	0.04 %	0.12 %	60 %	60 %	60 %
Rx Rate (L1) (Bit/s)	2.91 M	7.57 M	21.19 M	10.8 G	10.8 G	10.8 G
Rx Rate (Fps)	4.33 K	6.39 K	9.6 K	2.54 M	1.29 M	1.04 M
Loss Rate (Percent)	99.97 %	99.93 %	99.8 %	0 %	0 %	0 %
Loss (Frames)	482,012,992	273,456,739	146,451,039	0	5	5
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	6,046	9,856	15,912	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	135.43 K	388.98 K	1.17 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	202	329	530	140,977	71,839	57,692
- Flood Count (Frames)	88	91	96	96	93	92
P-0-0-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	6,407	10,032	15,994	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	143.52 K	395.93 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	214	334	533	140,977	71,839	57,692
- Flood Count (Frames)	91	91	90	92	95	90
P-0-0-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	6,633	10,169	15,987	4,229,311	2,155,157	1,730,751
- Rx Rate (L1) (Bit/s)	148.58 K	401.34 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	221	339	533	140,977	71,839	57,692
- Flood Count (Frames)	96	95	93	91	94	95
P-0-0-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	6,866	10,291	16,001	4,229,311	2,155,158	1,730,753

- Rx Rate (L1) (Bit/s)	153.8 K	406.15 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	229	343	533	140,977	71,839	57,692
- Flood Count (Frames)	90	91	88	95	92	92
P-0-0-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,108	10,434	16,005	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	159.22 K	411.8 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	237	348	534	140,977	71,839	57,692
- Flood Count (Frames)	94	90	90	90	90	93
P-0-0-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,643	10,754	15,996	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	171.2 K	424.42 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	358	533	140,977	71,839	57,692
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,645	10,891	16,003	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	171.25 K	429.83 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	363	533	140,977	71,839	57,692
- Flood Count (Frames)	92	91	93	95	93	94
P-0-2-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,647	11,035	16,012	4,229,311	2,155,157	1,730,753
- Rx Rate (L1) (Bit/s)	171.29 K	435.51 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	368	534	140,977	71,839	57,692
- Flood Count (Frames)	91	93	92	94	91	93
P-0-2-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,654	11,164	15,991	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	171.45 K	440.61 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	372	533	140,977	71,839	57,692
- Flood Count (Frames)	90	94	91	92	94	91
P-0-2-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,651	11,225	16,000	4,229,311	2,155,158	1,730,752
- Rx Rate (L1) (Bit/s)	171.38 K	443.01 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	374	533	140,977	71,839	57,692
- Flood Count (Frames)	92	93	92	93	90	92
P-0-2-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,648	11,108	16,011	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	171.32 K	438.4 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	370	534	140,977	71,839	57,692
- Flood Count (Frames)	91	90	92	89	91	91
P-0-2-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,652	11,023	16,012	4,229,311	2,155,157	1,730,752
- Rx Rate (L1) (Bit/s)	171.4 K	435.04 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	367	534	140,977	71,839	57,692
- Flood Count (Frames)	92	92	90	93	92	93
P-0-4-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692


- Rx (Frames)	7,637	10,894	16,024	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	171.07 K	429.95 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	255	363	534	140,977	71,839	57,692
- Flood Count (Frames)	90	93	93	93	93	92
P-0-4-1						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,468	10,780	15,994	4,229,311	2,155,157	1,730,752
- Rx Rate (L1) (Bit/s)	167.28 K	425.45 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	249	359	533	140,977	71,839	57,692
- Flood Count (Frames)	92	95	95	93	92	93
P-0-4-2						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,307	10,675	15,998	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	163.68 K	421.31 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	244	356	533	140,977	71,839	57,692
- Flood Count (Frames)	91	91	93	89	90	93
P-0-4-3						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	7,123	10,565	15,986	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	159.56 K	416.97 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	237	352	533	140,977	71,839	57,692
- Flood Count (Frames)	92	93	90	93	90	90
P-0-4-4						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	6,923	10,470	15,986	4,229,311	2,155,157	1,730,753
- Rx Rate (L1) (Bit/s)	155.08 K	413.22 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	231	349	533	140,977	71,839	57,692
- Flood Count (Frames)	93	90	95	92	92	97
P-0-4-5						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,756	271,739	140,977	71,839	57,692
- Rx (Frames)	6,730	10,351	15,983	4,229,311	2,155,158	1,730,753
- Rx Rate (L1) (Bit/s)	150.75 K	408.52 K	1.18 M	600 M	600 M	599.99 M
- Rx Rate (Fps)	224	345	533	140,977	71,839	57,692
- Flood Count (Frames)	93	94	93	93	95	90

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10.8 G
Tx Rate (Fps)	877,761
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	10.8 G
Rx Rate (Fps)	877.76 K
Loss Rate (Percent)	0 %
Loss (Frames)	10
P-0-0-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	90
P-0-0-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M

- Rx Rate (Fps)	48,765
- Flood Count (Frames)	98
P-0-0-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	88
P-0-0-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,931
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	94
P-0-2-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	96
P-0-2-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,933
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,934

- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	88
P-0-4-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	89
P-0-4-3	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	1,462,935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,765
- Flood Count (Frames)	92

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G
Tx Rate (Fps)	18,749,997	10,641,884	5,706,512	2,960,519	1,508,611	1,211,536
Rx Rate (Percent)	0.01 %	0.03 %	0.1 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	1.87 M	5.76 M	17.75 M	12.6 G	12.6 G	12.6 G
Rx Rate (Fps)	2.78 K	4.86 K	8.04 K	2.96 M	1.51 M	1.21 M
Loss Rate (Percent)	99.99 %	99.95 %	99.86 %	0 %	0 %	0 %
Loss (Frames)	562,416,592	319,110,665	170,954,162	0	30	23
P-0-0-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	3,747	7,194	13,160	4,934,199	2,514,351	2,019,225
- Rx Rate (L1) (Bit/s)	83.93 K	283.92 K	968.58 K	700 M	700 M	700 M
- Rx Rate (Fps)	125	240	439	164,473	83,812	67,308
- Flood Count (Frames)	95	90	91	93	93	93
P-0-0-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,092	7,577	13,287	4,934,199	2,514,350	2,019,226
- Rx Rate (L1) (Bit/s)	91.66 K	299.04 K	977.92 K	700 M	700 M	700 M
- Rx Rate (Fps)	136	253	443	164,473	83,812	67,308
- Flood Count (Frames)	92	94	91	91	92	92
P-0-0-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,365	7,725	13,369	4,934,199	2,514,351	2,019,226
- Rx Rate (L1) (Bit/s)	97.78 K	304.88 K	983.96 K	700 M	700 M	700 M
- Rx Rate (Fps)	146	258	446	164,473	83,812	67,308
- Flood Count (Frames)	93	94	91	91	92	90
P-0-0-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,636	7,892	13,451	4,934,199	2,514,349	2,019,226

- Rx Rate (L1) (Bit/s)	103.85 K	311.47 K	989.99 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	155	263	448	164,473	83,812	67,308
- Flood Count (Frames)	92	92	93	92	91	89
P-0-0-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,905	8,030	13,452	4,934,199	2,514,347	2,019,225
- Rx Rate (L1) (Bit/s)	109.87 K	316.92 K	990.07 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	164	268	448	164,473	83,812	67,308
- Flood Count (Frames)	92	94	93	93	92	92
P-0-0-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,905	8,199	13,451	4,934,199	2,514,351	2,019,226
- Rx Rate (L1) (Bit/s)	109.87 K	323.59 K	989.99 K	700 M	700 M	700 M
- Rx Rate (Fps)	164	273	448	164,473	83,812	67,308
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,902	8,334	13,452	4,934,199	2,514,349	2,019,220
- Rx Rate (L1) (Bit/s)	109.8 K	328.92 K	990.07 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	163	278	448	164,473	83,812	67,307
- Flood Count (Frames)	97	93	93	92	88	92
P-0-2-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,905	8,472	13,450	4,934,199	2,514,349	2,019,218
- Rx Rate (L1) (Bit/s)	109.87 K	334.36 K	989.92 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	164	282	448	164,473	83,812	67,307
- Flood Count (Frames)	90	93	94	92	90	94
P-0-2-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,905	8,605	13,452	4,934,199	2,514,351	2,019,226
- Rx Rate (L1) (Bit/s)	109.87 K	339.61 K	990.07 K	700 M	700 M	700 M
- Rx Rate (Fps)	164	287	448	164,473	83,812	67,308
- Flood Count (Frames)	89	92	93	90	93	93
P-0-2-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,903	8,610	13,451	4,934,199	2,514,350	2,019,225
- Rx Rate (L1) (Bit/s)	109.83 K	339.81 K	989.99 K	700 M	700 M	700 M
- Rx Rate (Fps)	163	287	448	164,473	83,812	67,308
- Flood Count (Frames)	93	92	93	94	92	91
P-0-2-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,903	8,606	13,454	4,934,199	2,514,351	2,019,225
- Rx Rate (L1) (Bit/s)	109.83 K	339.65 K	990.21 K	700 M	700 M	700 M
- Rx Rate (Fps)	163	287	448	164,473	83,812	67,308
- Flood Count (Frames)	90	90	92	93	90	95
P-0-2-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,903	8,486	13,453	4,934,199	2,514,344	2,019,224
- Rx Rate (L1) (Bit/s)	109.83 K	334.91 K	990.14 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	163	283	448	164,473	83,811	67,307
- Flood Count (Frames)	91	92	91	93	92	90
P-0-4-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308


- Rx (Frames)	4,903	8,354	13,456	4,934,199	2,514,349	2,019,224
- Rx Rate (L1) (Bit/s)	109.83 K	329.7 K	990.36 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	163	278	449	164,473	83,812	67,307
- Flood Count (Frames)	92	90	90	90	92	91
P-0-4-1						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,900	8,210	13,454	4,934,199	2,514,351	2,019,226
- Rx Rate (L1) (Bit/s)	109.76 K	324.02 K	990.21 K	700 M	700 M	700 M
- Rx Rate (Fps)	163	274	448	164,473	83,812	67,308
- Flood Count (Frames)	92	90	95	91	93	88
P-0-4-2						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,684	8,078	13,452	4,934,199	2,514,347	2,019,226
- Rx Rate (L1) (Bit/s)	104.92 K	318.81 K	990.07 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	156	269	448	164,473	83,812	67,308
- Flood Count (Frames)	93	91	90	96	93	97
P-0-4-3						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,468	7,952	13,386	4,934,199	2,514,350	2,019,226
- Rx Rate (L1) (Bit/s)	100.08 K	313.84 K	985.21 K	700 M	700 M	700 M
- Rx Rate (Fps)	149	265	446	164,473	83,812	67,308
- Flood Count (Frames)	94	94	90	95	95	95
P-0-4-4						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,254	7,835	13,322	4,934,199	2,514,349	2,019,226
- Rx Rate (L1) (Bit/s)	95.29 K	309.22 K	980.5 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	142	261	444	164,473	83,812	67,308
- Flood Count (Frames)	92	92	95	94	95	95
P-0-4-5						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	4,038	7,708	13,258	4,934,199	2,514,349	2,019,225
- Rx Rate (L1) (Bit/s)	90.45 K	304.21 K	975.79 K	700 M	699.99 M	700 M
- Rx Rate (Fps)	135	257	442	164,473	83,812	67,308
- Flood Count (Frames)	91	93	93	91	93	95

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12.6 G
Tx Rate (Fps)	1,024,049
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	12.6 G
Rx Rate (Fps)	1.02 M
Loss Rate (Percent)	0 %
Loss (Frames)	21
P-0-0-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748
- Rx Rate (L1) (Bit/s)	699.99 M

- Rx Rate (Fps)	56,892
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,747
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,746
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	96
P-0-0-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,749
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,745
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	97
P-0-2-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,747
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	94
P-0-2-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748

- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	94
P-0-2-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,747
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,749
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,749
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	90
P-0-4-3	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,749
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,748
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	89
P-0-4-5	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	1,706,749
- Rx Rate (L1) (Bit/s)	699.99 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	91

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G
Tx Rate (Fps)	21,428,568	12,162,154	6,521,737	3,383,452	1,724,137	1,384,609
Rx Rate (Percent)	0.01 %	0.03 %	0.09 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	1.73 M	5.77 M	16.36 M	14.4 G	14.4 G	14.4 G
Rx Rate (Fps)	2.58 K	4.88 K	7.41 K	3.38 M	1.72 M	1.38 M
Loss Rate (Percent)	99.99 %	99.96 %	99.89 %	0 %	0 %	0 %
Loss (Frames)	642,779,674	364,718,310	195,429,872	1	173	45
P-0-0-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,245	7,111	11,889	5,639,087	2,873,557	2,307,682
- Rx Rate (L1) (Bit/s)	72.69 K	280.65 K	875.03 K	800 M	800 M	800 M
- Rx Rate (Fps)	108	237	396	187,970	95,785	76,923
- Flood Count (Frames)	91	92	93	90	89	91
P-0-0-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,692	7,347	12,104	5,639,086	2,873,560	2,307,682
- Rx Rate (L1) (Bit/s)	82.7 K	289.96 K	890.85 K	800 M	800 M	800 M
- Rx Rate (Fps)	123	245	403	187,970	95,785	76,923
- Flood Count (Frames)	90	91	90	92	94	92
P-0-0-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,979	7,530	12,203	5,639,087	2,873,559	2,307,681
- Rx Rate (L1) (Bit/s)	89.13 K	297.18 K	898.14 K	800 M	800 M	800 M
- Rx Rate (Fps)	133	251	407	187,970	95,785	76,923
- Flood Count (Frames)	95	93	93	91	93	93
P-0-0-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,286	7,756	12,287	5,639,087	2,873,559	2,307,680

- Rx Rate (L1) (Bit/s)	96.01 K	306.1 K	904.32 K	800 M	800 M	800 M
- Rx Rate (Fps)	143	259	410	187,970	95,785	76,923
- Flood Count (Frames)	90	91	90	91	92	91
P-0-0-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,584	8,102	12,387	5,639,087	2,873,419	2,307,681
- Rx Rate (L1) (Bit/s)	102.68 K	319.76 K	911.68 K	800 M	799.96 M	800 M
- Rx Rate (Fps)	153	270	413	187,970	95,781	76,923
- Flood Count (Frames)	91	92	91	90	92	93
P-0-0-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,562	8,334	12,497	5,639,087	2,873,560	2,307,682
- Rx Rate (L1) (Bit/s)	102.19 K	328.92 K	919.78 K	800 M	800 M	800 M
- Rx Rate (Fps)	152	278	417	187,970	95,785	76,923
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,569	8,449	12,469	5,639,087	2,873,559	2,307,679
- Rx Rate (L1) (Bit/s)	102.35 K	333.45 K	917.72 K	800 M	800 M	800 M
- Rx Rate (Fps)	152	282	416	187,970	95,785	76,923
- Flood Count (Frames)	92	94	92	95	91	95
P-0-2-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,551	8,625	12,459	5,639,087	2,873,558	2,307,682
- Rx Rate (L1) (Bit/s)	101.94 K	340.4 K	916.98 K	800 M	800 M	800 M
- Rx Rate (Fps)	152	288	415	187,970	95,785	76,923
- Flood Count (Frames)	93	91	94	91	93	91
P-0-2-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,570	8,630	12,492	5,639,087	2,873,558	2,307,680
- Rx Rate (L1) (Bit/s)	102.37 K	340.6 K	919.41 K	800 M	800 M	800 M
- Rx Rate (Fps)	152	288	416	187,970	95,785	76,923
- Flood Count (Frames)	93	91	93	92	92	91
P-0-2-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,576	8,631	12,499	5,639,087	2,873,559	2,307,676
- Rx Rate (L1) (Bit/s)	102.5 K	340.64 K	919.93 K	800 M	800 M	799.99 M
- Rx Rate (Fps)	153	288	417	187,970	95,785	76,923
- Flood Count (Frames)	90	95	94	91	95	93
P-0-2-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,580	8,636	12,472	5,639,087	2,873,561	2,307,682
- Rx Rate (L1) (Bit/s)	102.59 K	340.83 K	917.94 K	800 M	800 M	800 M
- Rx Rate (Fps)	153	288	416	187,970	95,785	76,923
- Flood Count (Frames)	92	91	91	95	92	92
P-0-2-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,557	8,635	12,494	5,639,087	2,873,561	2,307,680
- Rx Rate (L1) (Bit/s)	102.08 K	340.79 K	919.56 K	800 M	800 M	800 M
- Rx Rate (Fps)	152	288	416	187,970	95,785	76,923
- Flood Count (Frames)	92	92	88	93	93	93
P-0-4-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923


- Rx (Frames)	4,525	8,476	12,466	5,639,087	2,873,559	2,307,675
- Rx Rate (L1) (Bit/s)	101.36 K	334.52 K	917.5 K	800 M	800 M	799.99 M
- Rx Rate (Fps)	151	283	416	187,970	95,785	76,923
- Flood Count (Frames)	93	93	93	90	90	93
P-0-4-1						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,502	8,336	12,451	5,639,087	2,873,558	2,307,678
- Rx Rate (L1) (Bit/s)	100.84 K	328.99 K	916.39 K	800 M	800 M	800 M
- Rx Rate (Fps)	150	278	415	187,970	95,785	76,923
- Flood Count (Frames)	93	93	93	91	93	91
P-0-4-2						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,524	8,205	12,378	5,639,087	2,873,561	2,307,678
- Rx Rate (L1) (Bit/s)	101.34 K	323.82 K	911.02 K	800 M	800 M	800 M
- Rx Rate (Fps)	151	274	413	187,970	95,785	76,923
- Flood Count (Frames)	93	93	91	94	92	91
P-0-4-3						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	4,328	8,031	12,309	5,639,087	2,873,560	2,307,674
- Rx Rate (L1) (Bit/s)	96.95 K	316.96 K	905.94 K	800 M	800 M	799.99 M
- Rx Rate (Fps)	144	268	410	187,970	95,785	76,922
- Flood Count (Frames)	93	92	91	93	95	93
P-0-4-4						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,997	7,787	12,234	5,639,087	2,873,558	2,307,682
- Rx Rate (L1) (Bit/s)	89.53 K	307.33 K	900.42 K	800 M	800 M	800 M
- Rx Rate (Fps)	133	260	408	187,970	95,785	76,923
- Flood Count (Frames)	92	89	93	95	92	91
P-0-4-5						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	3,739	7,677	12,154	5,639,087	2,873,559	2,307,677
- Rx Rate (L1) (Bit/s)	83.75 K	302.99 K	894.53 K	800 M	800 M	799.99 M
- Rx Rate (Fps)	125	256	405	187,970	95,785	76,923
- Flood Count (Frames)	92	93	93	90	92	91

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14.4 G
Tx Rate (Fps)	1,170,348
Rx Rate (Percent)	79.72 %
Rx Rate (L1) (Bit/s)	14.35 G
Rx Rate (Fps)	1.17 M
Loss Rate (Percent)	0.34 %
Loss (Frames)	120,698
P-0-0-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,943,943
- Rx Rate (L1) (Bit/s)	797.28 M
- Rx Rate (Fps)	64,798
- Flood Count (Frames)	90
P-0-0-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,943,218
- Rx Rate (L1) (Bit/s)	796.98 M

- Rx Rate (Fps)	64,774
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,946,000
- Rx Rate (L1) (Bit/s)	798.12 M
- Rx Rate (Fps)	64,867
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,946,066
- Rx Rate (L1) (Bit/s)	798.15 M
- Rx Rate (Fps)	64,869
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,945,871
- Rx Rate (L1) (Bit/s)	798.07 M
- Rx Rate (Fps)	64,862
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,943,704
- Rx Rate (L1) (Bit/s)	797.18 M
- Rx Rate (Fps)	64,790
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,944,181
- Rx Rate (L1) (Bit/s)	797.37 M
- Rx Rate (Fps)	64,806
- Flood Count (Frames)	92
P-0-2-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,945,832
- Rx Rate (L1) (Bit/s)	798.05 M
- Rx Rate (Fps)	64,861
- Flood Count (Frames)	89
P-0-2-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,943,804
- Rx Rate (L1) (Bit/s)	797.22 M
- Rx Rate (Fps)	64,793
- Flood Count (Frames)	91
P-0-2-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,942,252
- Rx Rate (L1) (Bit/s)	796.58 M
- Rx Rate (Fps)	64,742
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,944,933

- Rx Rate (L1) (Bit/s)	797.68 M
- Rx Rate (Fps)	64,831
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,944,131
- Rx Rate (L1) (Bit/s)	797.35 M
- Rx Rate (Fps)	64,804
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,944,428
- Rx Rate (L1) (Bit/s)	797.47 M
- Rx Rate (Fps)	64,814
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,942,193
- Rx Rate (L1) (Bit/s)	796.56 M
- Rx Rate (Fps)	64,740
- Flood Count (Frames)	89
P-0-4-2	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,941,695
- Rx Rate (L1) (Bit/s)	796.35 M
- Rx Rate (Fps)	64,723
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,940,357
- Rx Rate (L1) (Bit/s)	795.81 M
- Rx Rate (Fps)	64,679
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,944,333
- Rx Rate (L1) (Bit/s)	797.44 M
- Rx Rate (Fps)	64,811
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	1,942,801
- Rx Rate (L1) (Bit/s)	796.81 M
- Rx Rate (Fps)	64,760
- Flood Count (Frames)	95

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G
Tx Rate (Fps)	24,107,139	13,682,423	7,336,952	3,806,385	1,939,652	1,557,683
Rx Rate (Percent)	0.01 %	0.03 %	0.11 %	90 %	90 %	89.99 %
Rx Rate (L1) (Bit/s)	1.45 M	4.51 M	20.26 M	16.2 G	16.2 G	16.2 G
Rx Rate (Fps)	2.16 K	3.81 K	9.18 K	3.81 M	1.94 M	1.56 M
Loss Rate (Percent)	99.99 %	99.97 %	99.87 %	0 %	0 %	0.01 %
Loss (Frames)	723,149,253	410,358,399	219,833,227	3	3	3,466
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,686	5,287	14,859	6,343,975	3,232,754	2,595,956
- Rx Rate (L1) (Bit/s)	60.17 K	208.66 K	1.09 M	900 M	900 M	899.93 M
- Rx Rate (Fps)	90	176	495	211,466	107,758	86,532
- Flood Count (Frames)	92	88	93	93	92	93
P-0-0-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,127	5,739	14,992	6,343,975	3,232,753	2,595,900
- Rx Rate (L1) (Bit/s)	70.04 K	226.5 K	1.1 M	900 M	900 M	899.91 M
- Rx Rate (Fps)	104	191	500	211,466	107,758	86,530
- Flood Count (Frames)	95	90	93	91	90	90
P-0-0-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,475	5,937	15,096	6,343,975	3,232,754	2,596,085
- Rx Rate (L1) (Bit/s)	77.84 K	234.31 K	1.11 M	900 M	900 M	899.98 M
- Rx Rate (Fps)	116	198	503	211,466	107,758	86,536
- Flood Count (Frames)	95	95	92	91	93	91
P-0-0-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,820	6,133	15,205	6,343,975	3,232,754	2,595,902

- Rx Rate (L1) (Bit/s)	85.57 K	242.05 K	1.12 M	900 M	900 M	899.91 M
- Rx Rate (Fps)	127	204	507	211,466	107,758	86,530
- Flood Count (Frames)	93	90	92	90	91	93
P-0-0-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,821	6,330	15,311	6,343,975	3,232,754	2,595,826
- Rx Rate (L1) (Bit/s)	85.59 K	249.82 K	1.13 M	900 M	900 M	899.89 M
- Rx Rate (Fps)	127	211	510	211,466	107,758	86,528
- Flood Count (Frames)	92	92	91	91	92	92
P-0-0-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,819	6,528	15,416	6,343,975	3,232,754	2,596,137
- Rx Rate (L1) (Bit/s)	85.55 K	257.64 K	1.13 M	900 M	900 M	899.99 M
- Rx Rate (Fps)	127	218	514	211,466	107,758	86,538
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,819	6,725	15,515	6,343,975	3,232,753	2,595,880
- Rx Rate (L1) (Bit/s)	85.55 K	265.41 K	1.14 M	900 M	900 M	899.91 M
- Rx Rate (Fps)	127	224	517	211,466	107,758	86,529
- Flood Count (Frames)	96	91	92	95	91	92
P-0-2-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,819	6,724	15,521	6,343,975	3,232,754	2,595,865
- Rx Rate (L1) (Bit/s)	85.55 K	265.37 K	1.14 M	900 M	900 M	899.9 M
- Rx Rate (Fps)	127	224	517	211,466	107,758	86,529
- Flood Count (Frames)	90	91	93	91	90	90
P-0-2-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,818	6,724	15,518	6,343,975	3,232,753	2,596,129
- Rx Rate (L1) (Bit/s)	85.52 K	265.37 K	1.14 M	900 M	900 M	899.99 M
- Rx Rate (Fps)	127	224	517	211,466	107,758	86,538
- Flood Count (Frames)	88	95	97	93	93	95
P-0-2-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,819	6,724	15,515	6,343,973	3,232,754	2,595,803
- Rx Rate (L1) (Bit/s)	85.55 K	265.37 K	1.14 M	900 M	900 M	899.88 M
- Rx Rate (Fps)	127	224	517	211,466	107,758	86,527
- Flood Count (Frames)	91	93	92	92	92	95
P-0-2-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,819	6,725	15,516	6,343,974	3,232,754	2,595,880
- Rx Rate (L1) (Bit/s)	85.55 K	265.41 K	1.14 M	900 M	900 M	899.91 M
- Rx Rate (Fps)	127	224	517	211,466	107,758	86,529
- Flood Count (Frames)	90	92	94	93	95	90
P-0-2-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,819	6,726	15,517	6,343,975	3,232,754	2,596,078
- Rx Rate (L1) (Bit/s)	85.55 K	265.45 K	1.14 M	900 M	900 M	899.97 M
- Rx Rate (Fps)	127	224	517	211,466	107,758	86,536
- Flood Count (Frames)	90	92	93	90	94	90
P-0-4-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538


- Rx (Frames)	3,819	6,724	15,436	6,343,975	3,232,754	2,595,988
- Rx Rate (L1) (Bit/s)	85.55 K	265.37 K	1.14 M	900 M	900 M	899.94 M
- Rx Rate (Fps)	127	224	515	211,466	107,758	86,533
- Flood Count (Frames)	93	91	90	91	94	91
P-0-4-1						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,819	6,566	15,350	6,343,975	3,232,754	2,595,878
- Rx Rate (L1) (Bit/s)	85.55 K	259.14 K	1.13 M	900 M	900 M	899.9 M
- Rx Rate (Fps)	127	219	512	211,466	107,758	86,529
- Flood Count (Frames)	91	95	89	93	93	93
P-0-4-2						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,818	6,408	15,269	6,343,975	3,232,754	2,595,858
- Rx Rate (L1) (Bit/s)	85.52 K	252.9 K	1.12 M	900 M	900 M	899.9 M
- Rx Rate (Fps)	127	214	509	211,466	107,758	86,529
- Flood Count (Frames)	93	93	92	90	93	93
P-0-4-3						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,543	6,252	15,182	6,343,975	3,232,754	2,596,005
- Rx Rate (L1) (Bit/s)	79.36 K	246.75 K	1.12 M	900 M	900 M	899.95 M
- Rx Rate (Fps)	118	208	506	211,466	107,758	86,534
- Flood Count (Frames)	90	90	94	92	91	92
P-0-4-4						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	3,266	6,094	15,095	6,343,975	3,232,754	2,595,971
- Rx Rate (L1) (Bit/s)	73.16 K	240.51 K	1.11 M	900 M	900 M	899.94 M
- Rx Rate (Fps)	109	203	503	211,466	107,758	86,532
- Flood Count (Frames)	92	94	91	90	92	94
P-0-4-5						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	2,991	5,939	15,014	6,343,975	3,232,754	2,595,877
- Rx Rate (L1) (Bit/s)	67 K	234.39 K	1.11 M	900 M	900 M	899.9 M
- Rx Rate (Fps)	100	198	500	211,466	107,758	86,529
- Flood Count (Frames)	92	92	96	92	91	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16.2 G
Tx Rate (Fps)	1,316,636
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	16.2 G
Rx Rate (Fps)	1.32 M
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	94
P-0-0-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M

- Rx Rate (Fps)	73,146
- Flood Count (Frames)	89
P-0-0-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	94
P-0-2-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394

- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,194,394
- Rx Rate (L1) (Bit/s)	899.99 M
- Rx Rate (Fps)	73,146
- Flood Count (Frames)	92

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26,785,710	15,202,702	8,152,166	4,229,318	2,155,168	1,730,767
Rx Rate (Percent)	0.01 %	0.02 %	0.12 %	99.13 %	99.5 %	99.56 %
Rx Rate (L1) (Bit/s)	1.53 M	4.26 M	21.08 M	17.84 G	17.91 G	17.92 G
Rx Rate (Fps)	2.27 K	3.6 K	9.55 K	4.19 M	2.14 M	1.72 M
Loss Rate (Percent)	99.99 %	99.98 %	99.88 %	0.87 %	0.5 %	0.44 %
Loss (Frames)	803,503,156	455,973,188	244,278,640	1,106,789	321,393	228,154
P-0-0-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	2,345	4,896	15,349	6,984,496	3,573,148	2,871,083
- Rx Rate (L1) (Bit/s)	52.53 K	193.23 K	1.13 M	990.87 M	994.76 M	995.31 M
- Rx Rate (Fps)	78	163	512	232,817	119,105	95,703
- Flood Count (Frames)	91	94	95	93	93	92
P-0-0-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	3,281	5,426	15,533	6,989,699	3,575,113	2,871,558
- Rx Rate (L1) (Bit/s)	73.49 K	214.15 K	1.14 M	991.61 M	995.31 M	995.47 M
- Rx Rate (Fps)	109	181	518	232,990	119,170	95,719
- Flood Count (Frames)	92	95	95	92	93	91
P-0-0-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	3,665	5,642	15,662	6,990,460	3,575,016	2,872,110
- Rx Rate (L1) (Bit/s)	82.1 K	222.67 K	1.15 M	991.71 M	995.28 M	995.66 M
- Rx Rate (Fps)	122	188	522	233,015	119,167	95,737
- Flood Count (Frames)	94	92	90	94	89	94
P-0-0-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,044	5,857	15,788	6,987,725	3,575,139	2,871,470


- Rx Rate (L1) (Bit/s)	90.59 K	231.16 K	1.16 M	991.33 M	995.32 M	995.44 M
- Rx Rate (Fps)	135	195	526	232,924	119,171	95,716
- Flood Count (Frames)	93	96	91	90	91	90
P-0-0-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,045	6,132	15,906	6,986,517	3,574,536	2,871,761
- Rx Rate (L1) (Bit/s)	90.61 K	242.01 K	1.17 M	991.15 M	995.15 M	995.54 M
- Rx Rate (Fps)	135	204	530	232,884	119,151	95,725
- Flood Count (Frames)	91	92	93	90	92	90
P-0-0-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,046	6,347	16,010	6,985,808	3,575,846	2,874,097
- Rx Rate (L1) (Bit/s)	90.63 K	250.49 K	1.18 M	991.05 M	995.52 M	996.35 M
- Rx Rate (Fps)	135	212	534	232,860	119,195	95,803
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,046	6,349	16,125	6,988,474	3,573,073	2,872,249
- Rx Rate (L1) (Bit/s)	90.63 K	250.57 K	1.19 M	991.43 M	994.74 M	995.71 M
- Rx Rate (Fps)	135	212	538	232,949	119,102	95,742
- Flood Count (Frames)	92	90	91	90	91	90
P-0-2-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,045	6,350	16,245	6,988,476	3,573,602	2,871,806
- Rx Rate (L1) (Bit/s)	90.61 K	250.61 K	1.2 M	991.43 M	994.89 M	995.56 M
- Rx Rate (Fps)	135	212	542	232,949	119,120	95,727
- Flood Count (Frames)	92	90	95	89	91	92
P-0-2-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,045	6,349	16,290	6,986,517	3,573,856	2,871,351
- Rx Rate (L1) (Bit/s)	90.61 K	250.57 K	1.2 M	991.15 M	994.96 M	995.4 M
- Rx Rate (Fps)	135	212	543	232,884	119,129	95,712
- Flood Count (Frames)	94	92	91	90	89	93
P-0-2-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,045	6,350	16,220	6,988,399	3,573,767	2,871,646
- Rx Rate (L1) (Bit/s)	90.61 K	250.61 K	1.19 M	991.42 M	994.94 M	995.5 M
- Rx Rate (Fps)	135	212	541	232,947	119,126	95,722
- Flood Count (Frames)	90	90	93	93	90	95
P-0-2-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,044	6,349	16,223	6,987,080	3,573,963	2,872,192
- Rx Rate (L1) (Bit/s)	90.59 K	250.57 K	1.19 M	991.23 M	994.99 M	995.69 M
- Rx Rate (Fps)	135	212	541	232,903	119,132	95,740
- Flood Count (Frames)	91	92	93	92	92	90
P-0-2-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,044	6,349	16,235	6,986,174	3,574,317	2,872,021
- Rx Rate (L1) (Bit/s)	90.59 K	250.57 K	1.19 M	991.11 M	995.09 M	995.63 M
- Rx Rate (Fps)	135	212	541	232,872	119,144	95,734
- Flood Count (Frames)	93	93	93	93	92	90
P-0-4-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154

- Rx (Frames)	4,044	6,346	16,022	6,987,514	3,573,855	2,871,833
- Rx Rate (L1) (Bit/s)	90.59 K	250.46 K	1.18 M	991.3 M	994.96 M	995.57 M
- Rx Rate (Fps)	135	212	534	232,917	119,129	95,728
- Flood Count (Frames)	88	94	92	94	92	92
P-0-4-1						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,044	6,173	15,923	6,987,846	3,573,557	2,872,000
- Rx Rate (L1) (Bit/s)	90.59 K	243.63 K	1.17 M	991.34 M	994.88 M	995.63 M
- Rx Rate (Fps)	135	206	531	232,928	119,119	95,733
- Flood Count (Frames)	94	90	92	88	89	95
P-0-4-2						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	4,043	6,000	15,823	6,984,296	3,574,403	2,872,580
- Rx Rate (L1) (Bit/s)	90.56 K	236.8 K	1.16 M	990.84 M	995.11 M	995.83 M
- Rx Rate (Fps)	135	200	527	232,810	119,147	95,753
- Flood Count (Frames)	92	95	92	92	91	88
P-0-4-3						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	3,742	5,827	15,766	6,987,590	3,574,357	2,871,975
- Rx Rate (L1) (Bit/s)	83.82 K	229.97 K	1.16 M	991.31 M	995.1 M	995.62 M
- Rx Rate (Fps)	125	194	526	232,920	119,145	95,733
- Flood Count (Frames)	92	90	91	92	91	89
P-0-4-4						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	3,439	5,654	15,684	6,987,008	3,573,183	2,871,660
- Rx Rate (L1) (Bit/s)	77.03 K	223.14 K	1.15 M	991.22 M	994.77 M	995.51 M
- Rx Rate (Fps)	115	188	523	232,900	119,106	95,722
- Flood Count (Frames)	92	92	91	93	85	90
P-0-4-5						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	3,137	5,482	15,548	6,988,666	3,572,922	2,871,452
- Rx Rate (L1) (Bit/s)	70.27 K	216.36 K	1.14 M	991.46 M	994.7 M	995.44 M
- Rx Rate (Fps)	105	183	518	232,956	119,097	95,715
- Flood Count (Frames)	94	92	92	90	92	94

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1,462,935
Rx Rate (Percent)	99.56 %
Rx Rate (L1) (Bit/s)	17.92 G
Rx Rate (Fps)	1.46 M
Loss Rate (Percent)	0.44 %
Loss (Frames)	191,096
P-0-0-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,426,689
- Rx Rate (L1) (Bit/s)	995.27 M
- Rx Rate (Fps)	80,890
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,426,311
- Rx Rate (L1) (Bit/s)	995.11 M

- Rx Rate (Fps)	80,877
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,412
- Rx Rate (L1) (Bit/s)	995.56 M
- Rx Rate (Fps)	80,914
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,297
- Rx Rate (L1) (Bit/s)	995.52 M
- Rx Rate (Fps)	80,910
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,751
- Rx Rate (L1) (Bit/s)	995.7 M
- Rx Rate (Fps)	80,925
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,430,331
- Rx Rate (L1) (Bit/s)	996.76 M
- Rx Rate (Fps)	81,011
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,990
- Rx Rate (L1) (Bit/s)	995.8 M
- Rx Rate (Fps)	80,933
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,686
- Rx Rate (L1) (Bit/s)	995.67 M
- Rx Rate (Fps)	80,923
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,436
- Rx Rate (L1) (Bit/s)	995.57 M
- Rx Rate (Fps)	80,915
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,271
- Rx Rate (L1) (Bit/s)	995.5 M
- Rx Rate (Fps)	80,909
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,418

- Rx Rate (L1) (Bit/s)	995.57 M
- Rx Rate (Fps)	80,914
- Flood Count (Frames)	89
P-0-2-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,632
- Rx Rate (L1) (Bit/s)	995.65 M
- Rx Rate (Fps)	80,921
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,769
- Rx Rate (L1) (Bit/s)	995.71 M
- Rx Rate (Fps)	80,926
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,428,107
- Rx Rate (L1) (Bit/s)	995.85 M
- Rx Rate (Fps)	80,937
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,428,131
- Rx Rate (L1) (Bit/s)	995.86 M
- Rx Rate (Fps)	80,938
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,324
- Rx Rate (L1) (Bit/s)	995.53 M
- Rx Rate (Fps)	80,911
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,128
- Rx Rate (L1) (Bit/s)	995.45 M
- Rx Rate (Fps)	80,904
- Flood Count (Frames)	89
P-0-4-5	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,427,271
- Rx Rate (L1) (Bit/s)	995.5 M
- Rx Rate (Fps)	80,909
- Flood Count (Frames)	92



Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Blocks
Direction: Bidirectional

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,270	815,217	422,932	215,517	173,076
Rx Rate (Percent)	5.87 %	5.97 %	6.04 %	6.07 %	6.09 %	6.1 %
Rx Rate (L1) (Bit/s)	1.06 G	1.07 G	1.09 G	1.09 G	1.1 G	1.1 G
Rx Rate (Fps)	1.57 M	907.47 K	492.11 K	256.88 K	131.34 K	105.55 K
Loss Rate (Percent)	41.34 %	40.31 %	39.63 %	39.26 %	39.06 %	39.02 %
Loss (Frames)	33,220,133	18,383,895	9,693,103	4,981,480	2,525,386	2,025,846
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	42,674,098	24,690,416	13,404,712	7,001,599	3,580,929	2,877,991
- Rx Rate (L1) (Bit/s)	955.9 M	974.45 M	986.59 M	993.29 M	996.93 M	997.7 M
- Rx Rate (Fps)	1,422,470	823,014	446,824	233,387	119,364	95,933
- Flood Count (Frames)	54	56	45	39	46	47
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,590	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,753	4,968	2,664	1,382	704	566

- Flood Count (Frames)	94	89	93	92	90	91
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,566	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,752	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	93	95	90	92	94
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,554	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,752	4,968	2,664	1,382	704	566
- Flood Count (Frames)	96	93	92	94	92	91
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,535	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	93	94	92	93	93
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,528	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,520	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	91	92	91	92	92	93
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,515	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	90	91	89	92	93	92
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,527	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	90	91	93	90	90	94
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,504	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,750	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	91	90	93	90	92
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,520	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M

- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	91	90	90	93	93	95
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,535	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	93	94	94	90	90	91
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,517	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,751	4,968	2,664	1,382	704	566
- Flood Count (Frames)	88	93	91	94	90	92
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,506	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,750	4,968	2,664	1,382	704	566
- Flood Count (Frames)	94	93	94	94	94	90
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,507	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,750	4,968	2,664	1,382	704	566
- Flood Count (Frames)	91	91	91	92	91	91
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,494	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,750	4,968	2,664	1,382	704	566
- Flood Count (Frames)	93	92	95	92	94	95
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,493	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,750	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	93	93	91	93	91
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,488	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,750	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	94	91	93	95	96


Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,294
Rx Rate (Percent)	6.1 %
Rx Rate (L1) (Bit/s)	1.1 G
Rx Rate (Fps)	89.27 K
Loss Rate (Percent)	38.98 %
Loss (Frames)	1,710,838

P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	2,434,153
- Rx Rate (L1) (Bit/s)	998.33 M
- Rx Rate (Fps)	81,138
- Flood Count (Frames)	52
P-0-0-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	88
P-0-0-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-0-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	91
P-0-2-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478

- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	97
P-0-4-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M

- Rx Rate (Fps)	478
- Flood Count (Frames)	94

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,571	1,520,270	815,217	422,932	215,517	173,076
Rx Rate (Percent)	5.87 %	5.97 %	6.04 %	6.07 %	6.09 %	6.1 %
Rx Rate (L1) (Bit/s)	1.06 G	1.07 G	1.09 G	1.09 G	1.1 G	1.1 G
Rx Rate (Fps)	1.57 M	907.59 K	492.13 K	256.89 K	131.34 K	105.56 K
Loss Rate (Percent)	41.34 %	40.3 %	39.63 %	39.26 %	39.06 %	39.01 %
Loss (Frames)	33,217,480	18,380,309	9,692,731	4,981,341	2,525,291	2,025,425
P-0-0-0						
- Tx (Frames)	4,464,285	2,533,782	1,358,691	704,871	359,193	288,456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	42,678,491	24,694,002	13,405,084	7,001,738	3,581,024	2,878,412
- Rx Rate (L1) (Bit/s)	956 M	974.59 M	986.61 M	993.31 M	996.96 M	997.85 M
- Rx Rate (Fps)	1,422,616	823,133	446,836	233,391	119,367	95,947
- Flood Count (Frames)	40	50	47	53	43	44
P-0-0-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,559	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,752	4,968	2,664	1,382	704	566
- Flood Count (Frames)	90	90	94	93	92	93
P-0-0-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M


- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,509	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,750	4,968	2,664	1,382	704	566
- Flood Count (Frames)	93	95	92	92	93	92
P-0-0-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,475	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,749	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	96	95	88	92	96
P-0-0-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,436	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,748	4,968	2,664	1,382	704	566
- Flood Count (Frames)	94	92	90	94	93	95
P-0-0-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,412	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,416	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	95	90	95	97	93
P-0-2-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,406	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	93	93	90	93	93	88
P-0-2-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,400	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	95	92	91	92	95	93
P-0-2-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,406	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	93	93	88	92	92	95
P-0-2-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,423	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	94	91	93	92	92
P-0-2-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461

- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,400	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	91	92	93	92	92	92
P-0-4-0						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,400	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	93	93	91	95	92	93
P-0-4-1						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,403	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,747	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	93	92	91	90	92
P-0-4-2						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,384	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,746	4,968	2,664	1,382	704	566
- Flood Count (Frames)	90	91	92	94	91	94
P-0-4-3						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,373	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,746	4,968	2,664	1,382	704	566
- Flood Count (Frames)	92	94	92	90	93	91
P-0-4-4						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,384	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,746	4,968	2,664	1,382	704	566
- Flood Count (Frames)	90	91	92	93	91	92
P-0-4-5						
- Tx (Frames)	4,464,285	2,533,783	1,358,695	704,887	359,195	288,461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,810	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	262,373	149,046	79,923	41,463	21,129	16,968
- Rx Rate (L1) (Bit/s)	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M	5.88 M
- Rx Rate (Fps)	8,746	4,968	2,664	1,382	704	566
- Flood Count (Frames)	93	92	90	94	93	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,294
Rx Rate (Percent)	6.1 %
Rx Rate (L1) (Bit/s)	1.1 G
Rx Rate (Fps)	89.25 K
Loss Rate (Percent)	38.99 %
Loss (Frames)	1,711,244
P-0-0-0	
- Tx (Frames)	243,814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	2,433,747
- Rx Rate (L1) (Bit/s)	998.16 M
- Rx Rate (Fps)	81,125
- Flood Count (Frames)	52
P-0-0-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	88
P-0-0-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	91
P-0-2-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M

- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-2-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	243,823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	14,342
- Rx Rate (L1) (Bit/s)	5.88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	90



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,143	3,040,540	1,630,434	845,864	431,034	346,153
Rx Rate (Percent)	0.02 %	6.53 %	6.6 %	6.63 %	6.65 %	6.66 %
Rx Rate (L1) (Bit/s)	3.05 M	1.17 G	1.19 G	1.19 G	1.2 G	1.2 G
Rx Rate (Fps)	4.54 K	992.39 K	537.78 K	280.51 K	143.37 K	115.22 K
Loss Rate (Percent)	99.92 %	67.36 %	67.02 %	66.84 %	66.74 %	66.71 %
Loss (Frames)	160,578,189	61,444,629	32,779,564	16,960,499	8,629,786	6,928,046
P-0-0-0						
- Tx (Frames)	8,928,570	5,067,564	2,717,382	1,409,759	718,386	576,912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,579	46,992	23,946	19,230
- Rx (Frames)	120,259	24,704,018	13,416,083	7,005,659	3,582,844	2,879,645
- Rx Rate (L1) (Bit/s)	2.69 M	974.99 M	987.42 M	993.87 M	997.46 M	998.28 M
- Rx Rate (Fps)	4,009	823,467	447,203	233,522	119,428	95,988
- Flood Count (Frames)	90	28	31	32	28	28
P-0-0-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	933	298,091	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.9 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	93	90	93	92	90	92
P-0-0-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	931	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.85 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	92	87	91	94	93	93
P-0-0-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	933	298,092	159,846	82,927	42,258	33,936


- Rx Rate (L1) (Bit/s)	20.9 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	93	90	92	92	91	92
P-0-0-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	930	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.83 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	92	95	91	94	92	92
P-0-0-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	931	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.85 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	933	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.9 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	90	92	90	95	92	90
P-0-2-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	933	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.9 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	89	92	90	93	93	93
P-0-2-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	932	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.88 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	93	93	95	93	93	93
P-0-2-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	930	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.83 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	92	93	91	95	95	92
P-0-2-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	932	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.88 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	94	90	90	91	95	91
P-0-2-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	933	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.9 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	94	91	94	91	92	92
P-0-4-0						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231

- Rx (Frames)	932	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.88 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	92	95	91	92	93	91
P-0-4-1						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	929	298,092	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.81 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	91	94	93	91	92	93
P-0-4-2						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	929	298,090	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.81 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	91	93	95	91	95	92
P-0-4-3						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	929	298,089	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.81 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	88	91	94	91	95	90
P-0-4-4						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	929	298,091	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.81 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	91	91	94	92	95	92
P-0-4-5						
- Tx (Frames)	8,928,571	5,067,567	2,717,391	1,409,774	718,390	576,923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	930	298,091	159,846	82,927	42,258	33,936
- Rx Rate (L1) (Bit/s)	20.83 K	11.76 M	11.76 M	11.76 M	11.76 M	11.76 M
- Rx Rate (Fps)	31	9,936	5,328	2,764	1,409	1,131
- Flood Count (Frames)	92	91	92	94	92	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,588
Rx Rate (Percent)	6.66 %
Rx Rate (L1) (Bit/s)	1.2 G
Rx Rate (Fps)	97.43 K
Loss Rate (Percent)	66.7 %
Loss (Frames)	5,854,754
P-0-0-0	
- Tx (Frames)	487,645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	2,435,228
- Rx Rate (L1) (Bit/s)	998.77 M
- Rx Rate (Fps)	81,174
- Flood Count (Frames)	36
P-0-0-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M

- Rx Rate (Fps)	956
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	91
P-0-2-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	94
P-0-2-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	95
P-0-2-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685

- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	88
P-0-4-3	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	94
P-0-4-4	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	88
P-0-4-5	
- Tx (Frames)	487,646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	28,685
- Rx Rate (L1) (Bit/s)	11.76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,714	4,560,810	2,445,651	1,268,796	646,551	519,230
Rx Rate (Percent)	0.01 %	6.71 %	7.15 %	7.19 %	7.21 %	7.21 %
Rx Rate (L1) (Bit/s)	2.45 M	1.21 G	1.29 G	1.29 G	1.3 G	1.3 G
Rx Rate (Fps)	3.64 K	1.02 M	583.05 K	304.06 K	155.37 K	124.85 K
Loss Rate (Percent)	99.95 %	77.63 %	76.16 %	76.04 %	75.97 %	75.96 %
Loss (Frames)	240,962,168	106,217,717	55,878,108	28,942,039	14,735,411	11,831,496
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,073	2,114,647	1,077,579	865,368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299.99 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,488	35,919	28,846
- Rx (Frames)	91,433	24,717,509	13,415,354	7,007,198	3,583,551	2,880,032
- Rx Rate (L1) (Bit/s)	2.05 M	975.52 M	987.37 M	994.09 M	997.66 M	998.41 M
- Rx Rate (Fps)	3,048	823,917	447,178	233,573	119,452	96,001
- Flood Count (Frames)	94	28	33	32	30	28
P-0-0-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,050	348,458	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.52 K	13.75 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,615	7,992	4,146	2,113	1,697
- Flood Count (Frames)	92	70	92	90	91	94
P-0-0-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,049	347,197	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.5 K	13.7 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,573	7,992	4,146	2,113	1,697
- Flood Count (Frames)	92	68	92	91	93	89
P-0-0-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,049	346,588	239,769	124,391	63,387	50,904

- Rx Rate (L1) (Bit/s)	23.5 K	13.68 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,553	7,992	4,146	2,113	1,697
- Flood Count (Frames)	94	83	93	93	91	96
P-0-0-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,049	346,981	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.5 K	13.69 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,566	7,992	4,146	2,113	1,697
- Flood Count (Frames)	92	79	95	93	97	92
P-0-0-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,049	346,785	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.5 K	13.69 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,560	7,992	4,146	2,113	1,697
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,049	346,600	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.5 K	13.68 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,553	7,992	4,146	2,113	1,697
- Flood Count (Frames)	93	71	95	91	93	92
P-0-2-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,047	346,745	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.45 K	13.68 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,558	7,992	4,146	2,113	1,697
- Flood Count (Frames)	91	79	92	92	90	91
P-0-2-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,048	346,385	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.48 K	13.67 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,546	7,992	4,146	2,113	1,697
- Flood Count (Frames)	91	74	89	95	91	94
P-0-2-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,047	346,734	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.45 K	13.68 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,558	7,992	4,146	2,113	1,697
- Flood Count (Frames)	95	76	92	93	91	91
P-0-2-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,048	346,242	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.48 K	13.67 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,541	7,992	4,146	2,113	1,697
- Flood Count (Frames)	93	65	92	95	91	93
P-0-2-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,049	346,115	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.5 K	13.66 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,537	7,992	4,146	2,113	1,697
- Flood Count (Frames)	90	76	91	90	90	90
P-0-4-0						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846


- Rx (Frames)	1,048	345,933	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.48 K	13.65 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,531	7,992	4,146	2,113	1,697
- Flood Count (Frames)	92	81	93	91	92	93
P-0-4-1						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,048	345,752	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.48 K	13.65 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,525	7,992	4,146	2,113	1,697
- Flood Count (Frames)	93	75	95	93	92	95
P-0-4-2						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,048	345,105	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.48 K	13.62 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,504	7,992	4,146	2,113	1,697
- Flood Count (Frames)	91	80	93	94	91	94
P-0-4-3						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,048	345,621	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.48 K	13.64 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,521	7,992	4,146	2,113	1,697
- Flood Count (Frames)	92	78	88	91	91	92
P-0-4-4						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,048	345,939	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.48 K	13.65 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,531	7,992	4,146	2,113	1,697
- Flood Count (Frames)	92	75	92	87	91	92
P-0-4-5						
- Tx (Frames)	13,392,857	7,601,351	4,076,086	2,114,661	1,077,586	865,384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,870	70,489	35,920	28,846
- Rx (Frames)	1,049	345,907	239,769	124,391	63,387	50,904
- Rx Rate (L1) (Bit/s)	23.5 K	13.65 M	17.65 M	17.65 M	17.65 M	17.65 M
- Rx Rate (Fps)	35	11,530	7,992	4,146	2,113	1,697
- Flood Count (Frames)	93	74	94	90	93	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,881
Rx Rate (Percent)	7.22 %
Rx Rate (L1) (Bit/s)	1.3 G
Rx Rate (Fps)	105.59 K
Loss Rate (Percent)	75.94 %
Loss (Frames)	9,998,853
P-0-0-0	
- Tx (Frames)	731,459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	2,436,120
- Rx Rate (L1) (Bit/s)	999.13 M
- Rx Rate (Fps)	81,204
- Flood Count (Frames)	26
P-0-0-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M

- Rx Rate (Fps)	1,434
- Flood Count (Frames)	89
P-0-0-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	95
P-0-0-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	91
P-0-2-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027

- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	96
P-0-4-1	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	731,469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	43,027
- Rx Rate (L1) (Bit/s)	17.65 M
- Rx Rate (Fps)	1,434
- Flood Count (Frames)	93

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,285	6,081,081	3,260,869	1,691,728	862,068	692,307
Rx Rate (Percent)	0.01 %	0.02 %	7.35 %	7.75 %	7.77 %	7.77 %
Rx Rate (L1) (Bit/s)	1.71 M	3.55 M	1.32 G	1.39 G	1.4 G	1.4 G
Rx Rate (Fps)	2.54 K	2.99 K	599.03 K	327.64 K	167.36 K	134.47 K
Loss Rate (Percent)	99.98 %	99.95 %	81.63 %	80.63 %	80.59 %	80.58 %
Loss (Frames)	321,352,215	182,342,585	79,855,095	40,922,555	20,841,316	16,735,041
P-0-0-0						
- Tx (Frames)	17,857,140	10,135,128	5,434,781	2,819,535	1,436,772	1,153,841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,892	38,461
- Rx (Frames)	58,902	71,754	13,416,696	7,009,761	3,583,961	2,880,341
- Rx Rate (L1) (Bit/s)	1.32 M	2.83 M	987.47 M	994.45 M	997.77 M	998.52 M
- Rx Rate (Fps)	1,963	2,392	447,223	233,659	119,465	96,011
- Flood Count (Frames)	91	94	25	23	26	23
P-0-0-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,063	268,014	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	41.95 K	19.73 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,934	5,529	2,817	2,262
- Flood Count (Frames)	92	95	76	92	93	92
P-0-0-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,069	267,990	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	42.19 K	19.72 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	36	8,933	5,529	2,817	2,262
- Flood Count (Frames)	93	93	83	91	93	91
P-0-0-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,067	268,075	165,855	84,516	67,873

- Rx Rate (L1) (Bit/s)	22.98 K	42.11 K	19.73 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	36	8,936	5,529	2,817	2,262
- Flood Count (Frames)	88	90	79	92	90	90
P-0-0-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,067	267,883	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	42.11 K	19.72 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	36	8,929	5,529	2,817	2,262
- Flood Count (Frames)	90	90	85	92	92	93
P-0-0-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,062	267,529	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	41.91 K	19.69 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,918	5,529	2,817	2,262
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,065	267,761	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	42.03 K	19.71 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	36	8,925	5,529	2,817	2,262
- Flood Count (Frames)	91	93	74	89	90	90
P-0-2-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,064	267,767	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	41.99 K	19.71 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,926	5,529	2,817	2,262
- Flood Count (Frames)	93	93	82	95	94	93
P-0-2-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,069	267,816	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	42.19 K	19.71 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	36	8,927	5,529	2,817	2,262
- Flood Count (Frames)	93	91	81	90	92	93
P-0-2-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,063	268,088	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	41.95 K	19.73 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,936	5,529	2,817	2,262
- Flood Count (Frames)	91	93	85	89	94	93
P-0-2-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,062	267,798	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	41.91 K	19.71 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,927	5,529	2,817	2,262
- Flood Count (Frames)	92	91	79	91	91	92
P-0-2-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,026	1,061	267,854	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	41.87 K	19.71 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,928	5,529	2,817	2,262
- Flood Count (Frames)	90	90	80	93	96	92
P-0-4-0						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462


- Rx (Frames)	1,026	1,061	268,201	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.98 K	41.87 K	19.74 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,940	5,529	2,817	2,262
- Flood Count (Frames)	94	93	80	93	90	90
P-0-4-1						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,025	1,064	268,340	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.96 K	41.99 K	19.75 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,945	5,529	2,817	2,262
- Flood Count (Frames)	91	89	81	92	91	94
P-0-4-2						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,025	1,063	268,104	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.96 K	41.95 K	19.73 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,937	5,529	2,817	2,262
- Flood Count (Frames)	92	91	85	93	93	91
P-0-4-3						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,025	1,062	267,664	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.96 K	41.91 K	19.7 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,922	5,529	2,817	2,262
- Flood Count (Frames)	93	92	83	94	91	93
P-0-4-4						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,025	1,059	267,629	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.96 K	41.8 K	19.7 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,921	5,529	2,817	2,262
- Flood Count (Frames)	94	90	73	92	90	94
P-0-4-5						
- Tx (Frames)	17,857,142	10,135,135	5,434,782	2,819,548	1,436,781	1,153,846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	1,025	1,063	267,771	165,855	84,516	67,873
- Rx Rate (L1) (Bit/s)	22.96 K	41.95 K	19.71 M	23.53 M	23.53 M	23.53 M
- Rx Rate (Fps)	34	35	8,926	5,529	2,817	2,262
- Flood Count (Frames)	95	91	87	88	92	90

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,175
Rx Rate (Percent)	7.77 %
Rx Rate (L1) (Bit/s)	1.4 G
Rx Rate (Fps)	113.7 K
Loss Rate (Percent)	80.57 %
Loss (Frames)	14,144,142
P-0-0-0	
- Tx (Frames)	975,290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	2,435,822
- Rx Rate (L1) (Bit/s)	999.01 M
- Rx Rate (Fps)	81,194
- Flood Count (Frames)	20
P-0-0-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M

- Rx Rate (Fps)	1,912
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370

- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	96
P-0-4-1	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	975,292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	57,370
- Rx Rate (L1) (Bit/s)	23.53 M
- Rx Rate (Fps)	1,912
- Flood Count (Frames)	95

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,857	7,601,351	4,076,087	2,114,661	1,077,586	865,384
Rx Rate (Percent)	0.01 %	0.02 %	7.62 %	7.87 %	8.09 %	8.01 %
Rx Rate (L1) (Bit/s)	1.65 M	2.87 M	1.37 G	1.42 G	1.46 G	1.44 G
Rx Rate (Fps)	2.46 K	2.42 K	621.3 K	332.85 K	174.45 K	138.61 K
Loss Rate (Percent)	99.98 %	99.97 %	84.76 %	84.26 %	83.81 %	83.98 %
Loss (Frames)	401,711,956	227,967,870	103,643,647	53,454,381	27,093,932	21,803,091
P-0-0-0						
- Tx (Frames)	22,321,425	12,668,910	6,793,472	3,524,423	1,795,965	1,442,297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	57,090	54,563	13,418,037	7,008,193	3,584,111	2,880,446
- Rx Rate (L1) (Bit/s)	1.28 M	2.15 M	987.57 M	994.23 M	997.82 M	998.55 M
- Rx Rate (Fps)	1,903	1,819	447,268	233,606	119,470	96,015
- Flood Count (Frames)	94	93	21	21	25	24
P-0-0-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,061	307,491	174,943	96,924	75,089
- Rx Rate (L1) (Bit/s)	21.95 K	41.87 K	22.63 M	24.82 M	26.98 M	26.03 M
- Rx Rate (Fps)	33	35	10,250	5,831	3,231	2,503
- Flood Count (Frames)	95	93	68	70	79	88
P-0-0-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,064	307,459	174,906	96,883	75,123
- Rx Rate (L1) (Bit/s)	21.95 K	41.99 K	22.63 M	24.81 M	26.97 M	26.04 M
- Rx Rate (Fps)	33	35	10,249	5,830	3,229	2,504
- Flood Count (Frames)	93	93	66	81	90	79
P-0-0-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,062	307,598	174,915	96,983	75,181

- Rx Rate (L1) (Bit/s)	21.95 K	41.91 K	22.64 M	24.81 M	27 M	26.06 M
- Rx Rate (Fps)	33	35	10,253	5,831	3,233	2,506
- Flood Count (Frames)	93	94	62	69	89	77
P-0-0-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,060	307,252	174,822	97,058	75,049
- Rx Rate (L1) (Bit/s)	21.95 K	41.83 K	22.61 M	24.8 M	27.02 M	26.02 M
- Rx Rate (Fps)	33	35	10,242	5,827	3,235	2,502
- Flood Count (Frames)	93	93	60	78	72	82
P-0-0-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,062	307,296	174,966	96,924	75,238
- Rx Rate (L1) (Bit/s)	21.95 K	41.91 K	22.62 M	24.82 M	26.98 M	26.08 M
- Rx Rate (Fps)	33	35	10,243	5,832	3,231	2,508
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,064	307,002	174,720	96,994	75,197
- Rx Rate (L1) (Bit/s)	21.95 K	41.99 K	22.6 M	24.79 M	27 M	26.07 M
- Rx Rate (Fps)	33	35	10,233	5,824	3,233	2,507
- Flood Count (Frames)	92	91	61	78	82	91
P-0-2-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,064	307,529	175,052	97,002	75,122
- Rx Rate (L1) (Bit/s)	21.95 K	41.99 K	22.63 M	24.83 M	27.01 M	26.04 M
- Rx Rate (Fps)	33	35	10,251	5,835	3,233	2,504
- Flood Count (Frames)	94	92	65	74	86	86
P-0-2-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,067	307,468	174,968	96,841	75,186
- Rx Rate (L1) (Bit/s)	21.95 K	42.11 K	22.63 M	24.82 M	26.96 M	26.06 M
- Rx Rate (Fps)	33	36	10,249	5,832	3,228	2,506
- Flood Count (Frames)	95	90	71	69	86	81
P-0-2-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,068	307,634	175,010	97,053	75,094
- Rx Rate (L1) (Bit/s)	21.95 K	42.15 K	22.64 M	24.83 M	27.02 M	26.03 M
- Rx Rate (Fps)	33	36	10,254	5,834	3,235	2,503
- Flood Count (Frames)	95	91	66	76	87	77
P-0-2-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,068	307,279	174,936	96,914	75,173
- Rx Rate (L1) (Bit/s)	21.95 K	42.15 K	22.62 M	24.82 M	26.98 M	26.06 M
- Rx Rate (Fps)	33	36	10,243	5,831	3,230	2,506
- Flood Count (Frames)	93	90	50	76	86	82
P-0-2-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,064	307,646	175,034	96,954	75,175
- Rx Rate (L1) (Bit/s)	21.95 K	41.99 K	22.64 M	24.83 M	26.99 M	26.06 M
- Rx Rate (Fps)	33	35	10,255	5,834	3,232	2,506
- Flood Count (Frames)	90	93	64	75	88	80
P-0-4-0						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077


- Rx (Frames)	979	1,064	306,938	175,465	97,202	75,277
- Rx Rate (L1) (Bit/s)	21.93 K	41.99 K	22.59 M	24.89 M	27.06 M	26.1 M
- Rx Rate (Fps)	33	35	10,231	5,849	3,240	2,509
- Flood Count (Frames)	90	86	46	67	83	82
P-0-4-1						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	979	1,066	306,855	175,486	97,099	75,158
- Rx Rate (L1) (Bit/s)	21.93 K	42.07 K	22.58 M	24.9 M	27.03 M	26.05 M
- Rx Rate (Fps)	33	36	10,229	5,850	3,237	2,505
- Flood Count (Frames)	92	93	72	75	77	82
P-0-4-2						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	979	1,061	306,300	175,520	97,041	75,268
- Rx Rate (L1) (Bit/s)	21.93 K	41.87 K	22.54 M	24.9 M	27.02 M	26.09 M
- Rx Rate (Fps)	33	35	10,210	5,851	3,235	2,509
- Flood Count (Frames)	89	90	56	65	80	86
P-0-4-3						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	979	1,061	306,534	175,506	97,280	75,117
- Rx Rate (L1) (Bit/s)	21.93 K	41.87 K	22.56 M	24.9 M	27.08 M	26.04 M
- Rx Rate (Fps)	33	35	10,218	5,850	3,243	2,504
- Flood Count (Frames)	92	93	73	80	84	74
P-0-4-4						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	979	1,063	306,218	175,593	97,226	75,298
- Rx Rate (L1) (Bit/s)	21.93 K	41.95 K	22.54 M	24.91 M	27.07 M	26.1 M
- Rx Rate (Fps)	33	35	10,207	5,853	3,241	2,510
- Flood Count (Frames)	88	92	53	69	82	86
P-0-4-5						
- Tx (Frames)	22,321,428	12,668,918	6,793,478	3,524,436	1,795,977	1,442,307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,048	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	980	1,064	306,415	175,419	97,153	75,234
- Rx Rate (L1) (Bit/s)	21.95 K	41.99 K	22.55 M	24.89 M	27.05 M	26.08 M
- Rx Rate (Fps)	33	35	10,214	5,847	3,238	2,508
- Flood Count (Frames)	92	92	66	70	92	79

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,469
Rx Rate (Percent)	8.33 %
Rx Rate (L1) (Bit/s)	1.5 G
Rx Rate (Fps)	121.84 K
Loss Rate (Percent)	83.34 %
Loss (Frames)	18,288,926
P-0-0-0	
- Tx (Frames)	1,219,104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	2,436,029
- Rx Rate (L1) (Bit/s)	999.1 M
- Rx Rate (Fps)	81,201
- Flood Count (Frames)	19
P-0-0-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M

- Rx Rate (Fps)	2,390
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	89
P-0-2-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712

- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	1,219,115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	71,712
- Rx Rate (L1) (Bit/s)	29.41 M
- Rx Rate (Fps)	2,390
- Flood Count (Frames)	88

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G	10.8 G
Tx Rate (Fps)	16,071,428	9,121,621	4,891,303	2,537,593	1,293,103	1,038,461
Rx Rate (Percent)	0.01 %	0.02 %	0.03 %	8.14 %	8.22 %	8.09 %
Rx Rate (L1) (Bit/s)	1.24 M	2.73 M	4.6 M	1.47 G	1.48 G	1.46 G
Rx Rate (Fps)	1.85 K	2.31 K	2.08 K	344.43 K	177.06 K	140.1 K
Loss Rate (Percent)	99.99 %	99.97 %	99.96 %	86.43 %	86.31 %	86.51 %
Loss (Frames)	482,087,303	273,579,400	146,676,646	65,795,010	33,481,316	26,950,902
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,692	8,152,163	4,229,311	2,155,158	1,730,753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599.99 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	38,707	49,989	47,566	7,008,529	3,584,719	2,880,697
- Rx Rate (L1) (Bit/s)	867.04 K	1.97 M	3.5 M	994.28 M	997.99 M	998.64 M
- Rx Rate (Fps)	1,290	1,666	1,586	233,618	119,491	96,023
- Flood Count (Frames)	92	90	92	23	23	21
P-0-0-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,129	879	195,662	101,692	77,875
- Rx Rate (L1) (Bit/s)	22.2 K	44.56 K	64.69 K	27.76 M	28.31 M	27 M
- Rx Rate (Fps)	33	38	29	6,522	3,390	2,596
- Flood Count (Frames)	91	94	93	56	71	58
P-0-0-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,129	878	195,019	101,518	77,636
- Rx Rate (L1) (Bit/s)	22.18 K	44.56 K	64.62 K	27.67 M	28.26 M	26.91 M
- Rx Rate (Fps)	33	38	29	6,501	3,384	2,588
- Flood Count (Frames)	89	95	91	53	75	66
P-0-0-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,131	875	195,635	101,699	77,688

- Rx Rate (L1) (Bit/s)	22.2 K	44.64 K	64.4 K	27.75 M	28.31 M	26.93 M
- Rx Rate (Fps)	33	38	29	6,521	3,390	2,590
- Flood Count (Frames)	92	93	91	56	68	64
P-0-0-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,129	873	195,261	101,473	77,774
- Rx Rate (L1) (Bit/s)	22.2 K	44.56 K	64.25 K	27.7 M	28.25 M	26.96 M
- Rx Rate (Fps)	33	38	29	6,509	3,382	2,592
- Flood Count (Frames)	91	92	93	51	65	63
P-0-0-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,130	871	195,668	101,616	77,671
- Rx Rate (L1) (Bit/s)	22.2 K	44.6 K	64.11 K	27.76 M	28.29 M	26.93 M
- Rx Rate (Fps)	33	38	29	6,522	3,387	2,589
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,134	872	195,237	101,624	77,563
- Rx Rate (L1) (Bit/s)	22.2 K	44.76 K	64.18 K	27.7 M	28.29 M	26.89 M
- Rx Rate (Fps)	33	38	29	6,508	3,387	2,585
- Flood Count (Frames)	93	92	90	52	70	60
P-0-2-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,137	872	195,591	101,611	77,787
- Rx Rate (L1) (Bit/s)	22.2 K	44.87 K	64.18 K	27.75 M	28.29 M	26.97 M
- Rx Rate (Fps)	33	38	29	6,520	3,387	2,593
- Flood Count (Frames)	93	93	94	50	67	65
P-0-2-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,131	873	195,243	101,603	77,735
- Rx Rate (L1) (Bit/s)	22.18 K	44.64 K	64.25 K	27.7 M	28.29 M	26.95 M
- Rx Rate (Fps)	33	38	29	6,508	3,387	2,591
- Flood Count (Frames)	92	92	93	56	68	66
P-0-2-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,133	875	195,656	101,447	77,808
- Rx Rate (L1) (Bit/s)	22.18 K	44.72 K	64.4 K	27.76 M	28.24 M	26.97 M
- Rx Rate (Fps)	33	38	29	6,522	3,382	2,594
- Flood Count (Frames)	93	91	93	51	63	72
P-0-2-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,130	875	195,356	101,482	77,767
- Rx Rate (L1) (Bit/s)	22.2 K	44.6 K	64.4 K	27.71 M	28.25 M	26.96 M
- Rx Rate (Fps)	33	38	29	6,512	3,383	2,592
- Flood Count (Frames)	94	91	94	63	69	70
P-0-2-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,134	875	195,559	101,567	77,701
- Rx Rate (L1) (Bit/s)	22.18 K	44.76 K	64.4 K	27.74 M	28.28 M	26.94 M
- Rx Rate (Fps)	33	38	29	6,519	3,386	2,590
- Flood Count (Frames)	92	89	90	46	70	74
P-0-4-0						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692


- Rx (Frames)	990	1,128	878	195,435	101,642	77,760
- Rx Rate (L1) (Bit/s)	22.18 K	44.52 K	64.62 K	27.73 M	28.3 M	26.96 M
- Rx Rate (Fps)	33	38	29	6,515	3,388	2,592
- Flood Count (Frames)	92	93	92	65	75	67
P-0-4-1						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,132	876	195,830	101,614	77,921
- Rx Rate (L1) (Bit/s)	22.18 K	44.68 K	64.47 K	27.78 M	28.29 M	27.01 M
- Rx Rate (Fps)	33	38	29	6,528	3,387	2,597
- Flood Count (Frames)	92	93	89	54	70	68
P-0-4-2						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,132	878	195,557	101,633	77,952
- Rx Rate (L1) (Bit/s)	22.18 K	44.68 K	64.62 K	27.74 M	28.29 M	27.02 M
- Rx Rate (Fps)	33	38	29	6,519	3,388	2,598
- Flood Count (Frames)	93	93	95	61	60	65
P-0-4-3						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,132	881	195,820	101,661	77,915
- Rx Rate (L1) (Bit/s)	22.18 K	44.68 K	64.84 K	27.78 M	28.3 M	27.01 M
- Rx Rate (Fps)	33	38	29	6,527	3,389	2,597
- Flood Count (Frames)	94	89	92	65	71	64
P-0-4-4						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	990	1,130	881	195,787	101,623	77,981
- Rx Rate (L1) (Bit/s)	22.18 K	44.6 K	64.84 K	27.78 M	28.29 M	27.03 M
- Rx Rate (Fps)	33	38	29	6,526	3,387	2,599
- Flood Count (Frames)	92	92	97	61	62	73
P-0-4-5						
- Tx (Frames)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	991	1,136	880	195,947	101,542	77,693
- Rx Rate (L1) (Bit/s)	22.2 K	44.83 K	64.77 K	27.8 M	28.27 M	26.93 M
- Rx Rate (Fps)	33	38	29	6,532	3,385	2,590
- Flood Count (Frames)	94	90	95	58	64	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10.8 G
Tx Rate (Fps)	877,763
Rx Rate (Percent)	8.53 %
Rx Rate (L1) (Bit/s)	1.54 G
Rx Rate (Fps)	124.76 K
Loss Rate (Percent)	85.79 %
Loss (Frames)	22,590,145
P-0-0-0	
- Tx (Frames)	1,462,935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	2,436,718
- Rx Rate (L1) (Bit/s)	999.38 M
- Rx Rate (Fps)	81,224
- Flood Count (Frames)	23
P-0-0-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,779
- Rx Rate (L1) (Bit/s)	31.49 M

- Rx Rate (Fps)	2,559
- Flood Count (Frames)	83
P-0-0-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,745
- Rx Rate (L1) (Bit/s)	31.48 M
- Rx Rate (Fps)	2,558
- Flood Count (Frames)	73
P-0-0-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,913
- Rx Rate (L1) (Bit/s)	31.54 M
- Rx Rate (Fps)	2,564
- Flood Count (Frames)	75
P-0-0-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,813
- Rx Rate (L1) (Bit/s)	31.5 M
- Rx Rate (Fps)	2,560
- Flood Count (Frames)	79
P-0-0-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,800
- Rx Rate (L1) (Bit/s)	31.5 M
- Rx Rate (Fps)	2,560
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,780
- Rx Rate (L1) (Bit/s)	31.49 M
- Rx Rate (Fps)	2,559
- Flood Count (Frames)	79
P-0-2-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,908
- Rx Rate (L1) (Bit/s)	31.54 M
- Rx Rate (Fps)	2,564
- Flood Count (Frames)	69
P-0-2-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,878
- Rx Rate (L1) (Bit/s)	31.53 M
- Rx Rate (Fps)	2,563
- Flood Count (Frames)	74
P-0-2-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,791
- Rx Rate (L1) (Bit/s)	31.49 M
- Rx Rate (Fps)	2,560
- Flood Count (Frames)	84
P-0-2-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,689

- Rx Rate (L1) (Bit/s)	31.45 M
- Rx Rate (Fps)	2,556
- Flood Count (Frames)	75
P-0-2-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,771
- Rx Rate (L1) (Bit/s)	31.49 M
- Rx Rate (Fps)	2,559
- Flood Count (Frames)	79
P-0-4-0	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,867
- Rx Rate (L1) (Bit/s)	31.53 M
- Rx Rate (Fps)	2,562
- Flood Count (Frames)	70
P-0-4-1	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,831
- Rx Rate (L1) (Bit/s)	31.51 M
- Rx Rate (Fps)	2,561
- Flood Count (Frames)	76
P-0-4-2	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,876
- Rx Rate (L1) (Bit/s)	31.53 M
- Rx Rate (Fps)	2,563
- Flood Count (Frames)	76
P-0-4-3	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,797
- Rx Rate (L1) (Bit/s)	31.5 M
- Rx Rate (Fps)	2,560
- Flood Count (Frames)	74
P-0-4-4	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,964
- Rx Rate (L1) (Bit/s)	31.57 M
- Rx Rate (Fps)	2,565
- Flood Count (Frames)	82
P-0-4-5	
- Tx (Frames)	1,462,938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,765
- Rx (Frames)	76,816
- Rx Rate (L1) (Bit/s)	31.5 M
- Rx Rate (Fps)	2,561
- Flood Count (Frames)	80

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G	12.6 G
Tx Rate (Fps)	18,750,000	10,641,891	5,706,521	2,960,526	1,508,620	1,211,538
Rx Rate (Percent)	0.01 %	0.01 %	0.02 %	8.66 %	8.14 %	8.77 %
Rx Rate (L1) (Bit/s)	1.22 M	2.19 M	4.49 M	1.56 G	1.46 G	1.58 G
Rx Rate (Fps)	1.82 K	1.85 K	2.03 K	366.24 K	175.38 K	151.86 K
Loss Rate (Percent)	99.99 %	99.98 %	99.96 %	87.63 %	88.37 %	87.47 %
Loss (Frames)	562,445,424	319,201,315	171,134,627	77,828,668	39,997,159	31,790,458
P-0-0-0						
- Tx (Frames)	31,249,995	17,736,474	9,510,854	4,934,199	2,514,351	2,019,226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,028	164,473	83,812	67,308
- Rx (Frames)	31,983	35,940	43,901	7,008,379	3,584,374	2,880,530
- Rx Rate (L1) (Bit/s)	716.42 K	1.42 M	3.23 M	994.26 M	997.89 M	998.58 M
- Rx Rate (Fps)	1,066	1,198	1,463	233,613	119,479	96,018
- Flood Count (Frames)	93	91	93	27	22	25
P-0-0-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,150	1,005	234,487	98,666	98,562
- Rx Rate (L1) (Bit/s)	29.77 K	45.39 K	73.97 K	33.27 M	27.47 M	34.17 M
- Rx Rate (Fps)	44	38	34	7,816	3,289	3,285
- Flood Count (Frames)	91	91	90	52	55	63
P-0-0-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,147	1,000	233,554	98,409	98,411
- Rx Rate (L1) (Bit/s)	29.77 K	45.27 K	73.6 K	33.13 M	27.4 M	34.12 M
- Rx Rate (Fps)	44	38	33	7,785	3,280	3,280
- Flood Count (Frames)	93	95	94	58	59	51
P-0-0-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,155	1,004	233,881	98,412	98,599

- Rx Rate (L1) (Bit/s)	29.77 K	45.58 K	73.89 K	33.18 M	27.4 M	34.18 M
- Rx Rate (Fps)	44	39	33	7,796	3,280	3,287
- Flood Count (Frames)	92	90	90	54	57	60
P-0-0-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,143	997	233,447	98,407	98,337
- Rx Rate (L1) (Bit/s)	29.77 K	45.11 K	73.38 K	33.12 M	27.4 M	34.09 M
- Rx Rate (Fps)	44	38	33	7,782	3,280	3,278
- Flood Count (Frames)	94	92	94	53	55	59
P-0-0-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,150	1,013	233,963	98,469	98,288
- Rx Rate (L1) (Bit/s)	29.77 K	45.39 K	74.56 K	33.19 M	27.41 M	34.07 M
- Rx Rate (Fps)	44	38	34	7,799	3,282	3,276
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,144	1,005	233,763	98,544	98,349
- Rx Rate (L1) (Bit/s)	29.77 K	45.15 K	73.97 K	33.16 M	27.43 M	34.09 M
- Rx Rate (Fps)	44	38	34	7,792	3,285	3,278
- Flood Count (Frames)	92	91	91	58	60	64
P-0-2-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,144	1,001	234,113	98,784	98,528
- Rx Rate (L1) (Bit/s)	29.77 K	45.15 K	73.67 K	33.21 M	27.5 M	34.16 M
- Rx Rate (Fps)	44	38	33	7,804	3,293	3,284
- Flood Count (Frames)	90	95	93	56	64	52
P-0-2-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,144	1,002	233,684	98,664	98,455
- Rx Rate (L1) (Bit/s)	29.77 K	45.15 K	73.75 K	33.15 M	27.47 M	34.13 M
- Rx Rate (Fps)	44	38	33	7,789	3,289	3,282
- Flood Count (Frames)	92	92	95	51	52	61
P-0-2-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,149	1,004	233,433	98,718	98,461
- Rx Rate (L1) (Bit/s)	29.77 K	45.35 K	73.89 K	33.12 M	27.48 M	34.13 M
- Rx Rate (Fps)	44	38	33	7,781	3,291	3,282
- Flood Count (Frames)	95	90	90	56	51	62
P-0-2-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,147	1,001	233,334	98,715	98,620
- Rx Rate (L1) (Bit/s)	29.77 K	45.27 K	73.67 K	33.1 M	27.48 M	34.19 M
- Rx Rate (Fps)	44	38	33	7,778	3,291	3,287
- Flood Count (Frames)	91	88	90	61	62	66
P-0-2-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,143	1,017	233,536	98,709	98,570
- Rx Rate (L1) (Bit/s)	29.77 K	45.11 K	74.85 K	33.13 M	27.48 M	34.17 M
- Rx Rate (Fps)	44	38	34	7,785	3,290	3,286
- Flood Count (Frames)	93	92	92	59	46	58
P-0-4-0						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308


- Rx (Frames)	1,328	1,141	1,009	234,279	98,592	98,642
- Rx Rate (L1) (Bit/s)	29.75 K	45.03 K	74.26 K	33.24 M	27.45 M	34.2 M
- Rx Rate (Fps)	44	38	34	7,809	3,286	3,288
- Flood Count (Frames)	91	93	90	54	58	60
P-0-4-1						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,328	1,145	1,012	234,526	98,872	98,850
- Rx Rate (L1) (Bit/s)	29.75 K	45.19 K	74.48 K	33.27 M	27.53 M	34.27 M
- Rx Rate (Fps)	44	38	34	7,818	3,296	3,295
- Flood Count (Frames)	91	93	93	62	59	54
P-0-4-2						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,328	1,144	999	234,450	98,894	98,562
- Rx Rate (L1) (Bit/s)	29.75 K	45.15 K	73.53 K	33.26 M	27.53 M	34.17 M
- Rx Rate (Fps)	44	38	33	7,815	3,296	3,285
- Flood Count (Frames)	92	90	89	50	59	54
P-0-4-3						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,328	1,151	1,009	234,657	98,678	98,661
- Rx Rate (L1) (Bit/s)	29.75 K	45.43 K	74.26 K	33.29 M	27.47 M	34.2 M
- Rx Rate (Fps)	44	38	34	7,822	3,289	3,289
- Flood Count (Frames)	94	93	95	47	69	58
P-0-4-4						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,328	1,145	1,010	234,641	98,719	98,657
- Rx Rate (L1) (Bit/s)	29.75 K	45.19 K	74.34 K	33.29 M	27.48 M	34.2 M
- Rx Rate (Fps)	44	38	34	7,821	3,291	3,289
- Flood Count (Frames)	93	95	89	47	57	52
P-0-4-5						
- Tx (Frames)	31,250,000	17,736,486	9,510,869	4,934,210	2,514,367	2,019,230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,308
- Rx (Frames)	1,329	1,139	1,011	234,974	98,805	98,596
- Rx Rate (L1) (Bit/s)	29.77 K	44.95 K	74.41 K	33.33 M	27.51 M	34.18 M
- Rx Rate (Fps)	44	38	34	7,832	3,294	3,287
- Flood Count (Frames)	95	90	91	53	51	65

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12.6 G
Tx Rate (Fps)	1,024,057
Rx Rate (Percent)	9 %
Rx Rate (L1) (Bit/s)	1.62 G
Rx Rate (Fps)	131.66 K
Loss Rate (Percent)	87.14 %
Loss (Frames)	26,771,756
P-0-0-0	
- Tx (Frames)	1,706,749
- Tx Rate (L1) (Bit/s)	699.99 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	2,436,122
- Rx Rate (L1) (Bit/s)	999.13 M
- Rx Rate (Fps)	81,204
- Flood Count (Frames)	19
P-0-0-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,008
- Rx Rate (L1) (Bit/s)	36.51 M

- Rx Rate (Fps)	2,967
- Flood Count (Frames)	65
P-0-0-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	88,951
- Rx Rate (L1) (Bit/s)	36.48 M
- Rx Rate (Fps)	2,965
- Flood Count (Frames)	69
P-0-0-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,064
- Rx Rate (L1) (Bit/s)	36.53 M
- Rx Rate (Fps)	2,969
- Flood Count (Frames)	68
P-0-0-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	88,954
- Rx Rate (L1) (Bit/s)	36.48 M
- Rx Rate (Fps)	2,965
- Flood Count (Frames)	66
P-0-0-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,059
- Rx Rate (L1) (Bit/s)	36.53 M
- Rx Rate (Fps)	2,969
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	88,984
- Rx Rate (L1) (Bit/s)	36.5 M
- Rx Rate (Fps)	2,966
- Flood Count (Frames)	73
P-0-2-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,049
- Rx Rate (L1) (Bit/s)	36.52 M
- Rx Rate (Fps)	2,968
- Flood Count (Frames)	69
P-0-2-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	88,814
- Rx Rate (L1) (Bit/s)	36.43 M
- Rx Rate (Fps)	2,960
- Flood Count (Frames)	73
P-0-2-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	88,925
- Rx Rate (L1) (Bit/s)	36.47 M
- Rx Rate (Fps)	2,964
- Flood Count (Frames)	65
P-0-2-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,012

- Rx Rate (L1) (Bit/s)	36.51 M
- Rx Rate (Fps)	2,967
- Flood Count (Frames)	68
P-0-2-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,138
- Rx Rate (L1) (Bit/s)	36.56 M
- Rx Rate (Fps)	2,971
- Flood Count (Frames)	62
P-0-4-0	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,084
- Rx Rate (L1) (Bit/s)	36.54 M
- Rx Rate (Fps)	2,969
- Flood Count (Frames)	72
P-0-4-1	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,074
- Rx Rate (L1) (Bit/s)	36.53 M
- Rx Rate (Fps)	2,969
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,086
- Rx Rate (L1) (Bit/s)	36.54 M
- Rx Rate (Fps)	2,970
- Flood Count (Frames)	68
P-0-4-3	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,226
- Rx Rate (L1) (Bit/s)	36.59 M
- Rx Rate (Fps)	2,974
- Flood Count (Frames)	63
P-0-4-4	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,206
- Rx Rate (L1) (Bit/s)	36.59 M
- Rx Rate (Fps)	2,974
- Flood Count (Frames)	65
P-0-4-5	
- Tx (Frames)	1,706,762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	89,191
- Rx Rate (L1) (Bit/s)	36.58 M
- Rx Rate (Fps)	2,973
- Flood Count (Frames)	69

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G	14.4 G
Tx Rate (Fps)	21,428,571	12,162,162	6,521,739	3,383,458	1,724,138	1,384,615
Rx Rate (Percent)	0.01 %	0.01 %	0.02 %	7.56 %	8.56 %	8.73 %
Rx Rate (L1) (Bit/s)	1.15 M	1.95 M	3.72 M	1.36 G	1.54 G	1.57 G
Rx Rate (Fps)	1.71 K	1.64 K	1.69 K	319.69 K	184.42 K	151.02 K
Loss Rate (Percent)	99.99 %	99.99 %	99.97 %	90.55 %	89.3 %	89.09 %
Loss (Frames)	642,805,884	364,815,497	195,601,585	91,912,952	46,191,672	37,007,926
P-0-0-0						
- Tx (Frames)	35,714,280	20,270,256	10,869,562	5,639,087	2,873,561	2,307,682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,675	362,319	187,970	95,785	76,923
- Rx (Frames)	26,945	31,894	35,701	7,009,330	3,584,457	2,879,352
- Rx Rate (L1) (Bit/s)	603.57 K	1.26 M	2.63 M	994.39 M	997.91 M	998.18 M
- Rx Rate (Fps)	898	1,063	1,190	233,644	119,482	95,978
- Flood Count (Frames)	92	92	92	20	20	19
P-0-0-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,430	1,030	885	152,323	114,338	97,050
- Rx Rate (L1) (Bit/s)	32.03 K	40.65 K	65.14 K	21.61 M	31.83 M	33.64 M
- Rx Rate (Fps)	48	34	30	5,077	3,811	3,235
- Flood Count (Frames)	92	90	92	44	54	49
P-0-0-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,430	1,029	890	151,775	114,536	96,971
- Rx Rate (L1) (Bit/s)	32.03 K	40.61 K	65.5 K	21.53 M	31.89 M	33.62 M
- Rx Rate (Fps)	48	34	30	5,059	3,818	3,232
- Flood Count (Frames)	93	93	92	47	61	52
P-0-0-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,031	872	152,053	114,559	96,966


- Rx Rate (L1) (Bit/s)	32.01 K	40.69 K	64.18 K	21.57 M	31.89 M	33.61 M
- Rx Rate (Fps)	48	34	29	5,068	3,819	3,232
- Flood Count (Frames)	96	90	93	49	53	51
P-0-0-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,430	1,030	871	151,846	114,652	96,781
- Rx Rate (L1) (Bit/s)	32.03 K	40.65 K	64.11 K	21.54 M	31.92 M	33.55 M
- Rx Rate (Fps)	48	34	29	5,062	3,822	3,226
- Flood Count (Frames)	94	90	90	48	49	56
P-0-0-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,430	1,029	874	151,289	114,867	96,983
- Rx Rate (L1) (Bit/s)	32.03 K	40.61 K	64.33 K	21.46 M	31.98 M	33.62 M
- Rx Rate (Fps)	48	34	29	5,043	3,829	3,233
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,428	1,028	883	151,771	114,585	97,016
- Rx Rate (L1) (Bit/s)	31.99 K	40.57 K	64.99 K	21.53 M	31.9 M	33.63 M
- Rx Rate (Fps)	48	34	29	5,059	3,820	3,234
- Flood Count (Frames)	93	93	90	59	59	49
P-0-2-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,428	1,027	884	151,995	114,481	97,226
- Rx Rate (L1) (Bit/s)	31.99 K	40.53 K	65.06 K	21.56 M	31.87 M	33.71 M
- Rx Rate (Fps)	48	34	29	5,067	3,816	3,241
- Flood Count (Frames)	93	91	93	51	60	57
P-0-2-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,028	891	150,850	114,448	97,331
- Rx Rate (L1) (Bit/s)	32.01 K	40.57 K	65.58 K	21.4 M	31.86 M	33.74 M
- Rx Rate (Fps)	48	34	30	5,028	3,815	3,244
- Flood Count (Frames)	92	93	91	52	53	52
P-0-2-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,027	859	151,624	114,634	97,173
- Rx Rate (L1) (Bit/s)	32.01 K	40.53 K	63.22 K	21.51 M	31.91 M	33.69 M
- Rx Rate (Fps)	48	34	29	5,054	3,821	3,239
- Flood Count (Frames)	91	94	93	51	55	49
P-0-2-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,028	877	152,630	114,201	96,984
- Rx Rate (L1) (Bit/s)	32.01 K	40.57 K	64.55 K	21.65 M	31.79 M	33.62 M
- Rx Rate (Fps)	48	34	29	5,088	3,807	3,233
- Flood Count (Frames)	95	93	93	41	55	53
P-0-2-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,027	873	151,771	114,447	97,179
- Rx Rate (L1) (Bit/s)	32.01 K	40.53 K	64.25 K	21.53 M	31.86 M	33.69 M
- Rx Rate (Fps)	48	34	29	5,059	3,815	3,239
- Flood Count (Frames)	91	90	93	51	42	58
P-0-4-0						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923

- Rx (Frames)	1,429	1,026	868	151,525	114,903	97,039
- Rx Rate (L1) (Bit/s)	32.01 K	40.49 K	63.88 K	21.5 M	31.99 M	33.64 M
- Rx Rate (Fps)	48	34	29	5,051	3,830	3,235
- Flood Count (Frames)	93	93	89	45	47	63
P-0-4-1						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,024	872	152,376	114,657	97,363
- Rx Rate (L1) (Bit/s)	32.01 K	40.41 K	64.18 K	21.62 M	31.92 M	33.75 M
- Rx Rate (Fps)	48	34	29	5,079	3,822	3,245
- Flood Count (Frames)	89	92	92	44	50	55
P-0-4-2						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,023	868	152,527	114,584	97,535
- Rx Rate (L1) (Bit/s)	32.01 K	40.37 K	63.88 K	21.64 M	31.9 M	33.81 M
- Rx Rate (Fps)	48	34	29	5,084	3,819	3,251
- Flood Count (Frames)	93	93	88	48	54	50
P-0-4-3						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,023	880	151,497	115,120	97,299
- Rx Rate (L1) (Bit/s)	32.01 K	40.37 K	64.77 K	21.49 M	32.05 M	33.73 M
- Rx Rate (Fps)	48	34	29	5,050	3,837	3,243
- Flood Count (Frames)	92	94	90	46	59	48
P-0-4-4						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,429	1,023	871	151,428	114,604	97,084
- Rx Rate (L1) (Bit/s)	32.01 K	40.37 K	64.11 K	21.48 M	31.91 M	33.66 M
- Rx Rate (Fps)	48	34	29	5,048	3,820	3,236
- Flood Count (Frames)	91	91	93	55	53	55
P-0-4-5						
- Tx (Frames)	35,714,285	20,270,270	10,869,565	5,639,097	2,873,563	2,307,692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	1,430	1,022	863	152,174	114,387	97,188
- Rx Rate (L1) (Bit/s)	32.03 K	40.33 K	63.52 K	21.59 M	31.85 M	33.69 M
- Rx Rate (Fps)	48	34	29	5,072	3,813	3,240
- Flood Count (Frames)	92	92	92	45	61	60

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14.4 G
Tx Rate (Fps)	1,170,351
Rx Rate (Percent)	9.16 %
Rx Rate (L1) (Bit/s)	1.65 G
Rx Rate (Fps)	134.05 K
Loss Rate (Percent)	88.55 %
Loss (Frames)	31,089,022
P-0-0-0	
- Tx (Frames)	1,950,580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	2,435,971
- Rx Rate (L1) (Bit/s)	999.07 M
- Rx Rate (Fps)	81,199
- Flood Count (Frames)	18
P-0-0-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,306
- Rx Rate (L1) (Bit/s)	38.27 M

- Rx Rate (Fps)	3,110
- Flood Count (Frames)	69
P-0-0-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,259
- Rx Rate (L1) (Bit/s)	38.25 M
- Rx Rate (Fps)	3,109
- Flood Count (Frames)	58
P-0-0-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,188
- Rx Rate (L1) (Bit/s)	38.22 M
- Rx Rate (Fps)	3,106
- Flood Count (Frames)	49
P-0-0-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,450
- Rx Rate (L1) (Bit/s)	38.33 M
- Rx Rate (Fps)	3,115
- Flood Count (Frames)	57
P-0-0-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,205
- Rx Rate (L1) (Bit/s)	38.23 M
- Rx Rate (Fps)	3,107
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	92,985
- Rx Rate (L1) (Bit/s)	38.14 M
- Rx Rate (Fps)	3,100
- Flood Count (Frames)	53
P-0-2-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,061
- Rx Rate (L1) (Bit/s)	38.17 M
- Rx Rate (Fps)	3,102
- Flood Count (Frames)	56
P-0-2-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,291
- Rx Rate (L1) (Bit/s)	38.26 M
- Rx Rate (Fps)	3,110
- Flood Count (Frames)	64
P-0-2-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,147
- Rx Rate (L1) (Bit/s)	38.2 M
- Rx Rate (Fps)	3,105
- Flood Count (Frames)	54
P-0-2-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,140

- Rx Rate (L1) (Bit/s)	38.2 M
- Rx Rate (Fps)	3,105
- Flood Count (Frames)	56
P-0-2-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,226
- Rx Rate (L1) (Bit/s)	38.24 M
- Rx Rate (Fps)	3,108
- Flood Count (Frames)	68
P-0-4-0	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,328
- Rx Rate (L1) (Bit/s)	38.28 M
- Rx Rate (Fps)	3,111
- Flood Count (Frames)	66
P-0-4-1	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,393
- Rx Rate (L1) (Bit/s)	38.3 M
- Rx Rate (Fps)	3,113
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,409
- Rx Rate (L1) (Bit/s)	38.31 M
- Rx Rate (Fps)	3,114
- Flood Count (Frames)	55
P-0-4-3	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,381
- Rx Rate (L1) (Bit/s)	38.3 M
- Rx Rate (Fps)	3,113
- Flood Count (Frames)	59
P-0-4-4	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,540
- Rx Rate (L1) (Bit/s)	38.36 M
- Rx Rate (Fps)	3,118
- Flood Count (Frames)	54
P-0-4-5	
- Tx (Frames)	1,950,585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,020
- Rx (Frames)	93,223
- Rx Rate (L1) (Bit/s)	38.23 M
- Rx Rate (Fps)	3,107
- Flood Count (Frames)	53



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G	16.2 G
Tx Rate (Fps)	24,107,142	13,682,432	7,336,956	3,806,390	1,939,655	1,557,691
Rx Rate (Percent)	0.01 %	0.01 %	0.02 %	7.54 %	7.96 %	7.77 %
Rx Rate (L1) (Bit/s)	938.65 K	1.76 M	3.38 M	1.36 G	1.43 G	1.4 G
Rx Rate (Fps)	1.4 K	1.49 K	1.53 K	318.97 K	171.65 K	134.45 K
Loss Rate (Percent)	99.99 %	99.99 %	99.98 %	91.62 %	91.15 %	91.37 %
Loss (Frames)	723,172,368	410,428,267	220,062,814	104,622,549	53,040,003	42,697,157
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,038	12,228,253	6,343,975	3,232,754	2,596,138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899.99 M
- Tx Rate (Fps)	1,339,286	760,135	407,608	211,466	107,758	86,538
- Rx (Frames)	22,972	27,741	29,666	7,009,747	3,584,601	2,727,065
- Rx Rate (L1) (Bit/s)	514.57 K	1.09 M	2.18 M	994.45 M	997.95 M	945.38 M
- Rx Rate (Fps)	766	925	989	233,658	119,487	90,902
- Flood Count (Frames)	94	88	92	24	27	21
P-0-0-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	995	953	149,823	91,846	76,649
- Rx Rate (L1) (Bit/s)	24.95 K	39.27 K	70.14 K	21.25 M	25.57 M	26.57 M
- Rx Rate (Fps)	37	33	32	4,994	3,062	2,555
- Flood Count (Frames)	92	92	95	49	49	54
P-0-0-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	999	959	150,755	92,073	76,925
- Rx Rate (L1) (Bit/s)	24.95 K	39.43 K	70.58 K	21.39 M	25.63 M	26.67 M
- Rx Rate (Fps)	37	33	32	5,025	3,069	2,564
- Flood Count (Frames)	90	92	93	45	56	51
P-0-0-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	997	953	151,198	92,118	76,685

- Rx Rate (L1) (Bit/s)	24.95 K	39.35 K	70.14 K	21.45 M	25.65 M	26.58 M
- Rx Rate (Fps)	37	33	32	5,040	3,071	2,556
- Flood Count (Frames)	88	93	91	53	41	52
P-0-0-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	998	950	150,483	91,427	77,110
- Rx Rate (L1) (Bit/s)	24.95 K	39.39 K	69.92 K	21.35 M	25.45 M	26.73 M
- Rx Rate (Fps)	37	33	32	5,016	3,048	2,570
- Flood Count (Frames)	92	91	96	55	53	62
P-0-0-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	997	945	150,368	92,692	76,559
- Rx Rate (L1) (Bit/s)	24.95 K	39.35 K	69.55 K	21.33 M	25.81 M	26.54 M
- Rx Rate (Fps)	37	33	32	5,012	3,090	2,552
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,113	996	949	151,057	91,641	76,621
- Rx Rate (L1) (Bit/s)	24.93 K	39.31 K	69.85 K	21.43 M	25.51 M	26.56 M
- Rx Rate (Fps)	37	33	32	5,035	3,055	2,554
- Flood Count (Frames)	95	90	94	42	51	52
P-0-2-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	997	947	150,877	92,044	77,000
- Rx Rate (L1) (Bit/s)	24.95 K	39.35 K	69.7 K	21.4 M	25.63 M	26.69 M
- Rx Rate (Fps)	37	33	32	5,029	3,068	2,567
- Flood Count (Frames)	91	92	92	39	49	50
P-0-2-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	995	952	150,218	92,426	76,759
- Rx Rate (L1) (Bit/s)	24.95 K	39.27 K	70.07 K	21.31 M	25.73 M	26.61 M
- Rx Rate (Fps)	37	33	32	5,007	3,081	2,559
- Flood Count (Frames)	91	94	94	47	54	60
P-0-2-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,113	999	948	150,873	91,738	77,068
- Rx Rate (L1) (Bit/s)	24.93 K	39.43 K	69.77 K	21.4 M	25.54 M	26.72 M
- Rx Rate (Fps)	37	33	32	5,029	3,058	2,569
- Flood Count (Frames)	95	92	96	47	52	60
P-0-2-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,113	995	960	150,663	92,241	76,686
- Rx Rate (L1) (Bit/s)	24.93 K	39.27 K	70.66 K	21.37 M	25.68 M	26.58 M
- Rx Rate (Fps)	37	33	32	5,022	3,075	2,556
- Flood Count (Frames)	90	90	91	52	62	54
P-0-2-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,113	998	946	150,541	92,152	76,941
- Rx Rate (L1) (Bit/s)	24.93 K	39.39 K	69.63 K	21.36 M	25.66 M	26.67 M
- Rx Rate (Fps)	37	33	32	5,018	3,072	2,565
- Flood Count (Frames)	92	94	90	46	52	45
P-0-4-0						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538


- Rx (Frames)	1,114	997	949	150,287	92,071	76,855
- Rx Rate (L1) (Bit/s)	24.95 K	39.35 K	69.85 K	21.32 M	25.63 M	26.64 M
- Rx Rate (Fps)	37	33	32	5,010	3,069	2,562
- Flood Count (Frames)	93	95	93	47	50	54
P-0-4-1						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	998	958	150,357	92,469	76,613
- Rx Rate (L1) (Bit/s)	24.95 K	39.39 K	70.51 K	21.33 M	25.74 M	26.56 M
- Rx Rate (Fps)	37	33	32	5,012	3,082	2,554
- Flood Count (Frames)	93	91	94	48	52	47
P-0-4-2						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	997	948	150,321	91,758	77,196
- Rx Rate (L1) (Bit/s)	24.95 K	39.35 K	69.77 K	21.33 M	25.55 M	26.76 M
- Rx Rate (Fps)	37	33	32	5,011	3,059	2,573
- Flood Count (Frames)	95	93	92	46	48	41
P-0-4-3						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,113	1,000	960	150,464	92,237	77,042
- Rx Rate (L1) (Bit/s)	24.93 K	39.47 K	70.66 K	21.35 M	25.68 M	26.71 M
- Rx Rate (Fps)	37	33	32	5,015	3,075	2,568
- Flood Count (Frames)	92	97	93	51	50	55
P-0-4-4						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,113	991	951	151,223	91,918	76,926
- Rx Rate (L1) (Bit/s)	24.93 K	39.11 K	69.99 K	21.45 M	25.59 M	26.67 M
- Rx Rate (Fps)	37	33	32	5,041	3,064	2,564
- Flood Count (Frames)	93	93	91	50	56	56
P-0-4-5						
- Tx (Frames)	40,178,571	22,804,054	12,228,260	6,343,984	3,232,758	2,596,153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	1,114	999	965	149,899	92,185	76,882
- Rx Rate (L1) (Bit/s)	24.95 K	39.43 K	71.02 K	21.27 M	25.66 M	26.65 M
- Rx Rate (Fps)	37	33	32	4,997	3,073	2,563
- Flood Count (Frames)	91	94	91	38	48	49

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16.2 G
Tx Rate (Fps)	1,316,644
Rx Rate (Percent)	8.21 %
Rx Rate (L1) (Bit/s)	1.48 G
Rx Rate (Fps)	120.16 K
Loss Rate (Percent)	90.87 %
Loss (Frames)	35,894,383
P-0-0-0	
- Tx (Frames)	2,194,394
- Tx Rate (L1) (Bit/s)	899.99 M
- Tx Rate (Fps)	73,146
- Rx (Frames)	2,381,102
- Rx Rate (L1) (Bit/s)	976.57 M
- Rx Rate (Fps)	79,370
- Flood Count (Frames)	20
P-0-0-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,795
- Rx Rate (L1) (Bit/s)	29.45 M

- Rx Rate (Fps)	2,393
- Flood Count (Frames)	52
P-0-0-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,885
- Rx Rate (L1) (Bit/s)	29.48 M
- Rx Rate (Fps)	2,396
- Flood Count (Frames)	43
P-0-0-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,903
- Rx Rate (L1) (Bit/s)	29.49 M
- Rx Rate (Fps)	2,397
- Flood Count (Frames)	55
P-0-0-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,962
- Rx Rate (L1) (Bit/s)	29.51 M
- Rx Rate (Fps)	2,399
- Flood Count (Frames)	63
P-0-0-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,907
- Rx Rate (L1) (Bit/s)	29.49 M
- Rx Rate (Fps)	2,397
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,808
- Rx Rate (L1) (Bit/s)	29.45 M
- Rx Rate (Fps)	2,394
- Flood Count (Frames)	61
P-0-2-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	72,053
- Rx Rate (L1) (Bit/s)	29.55 M
- Rx Rate (Fps)	2,402
- Flood Count (Frames)	68
P-0-2-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,819
- Rx Rate (L1) (Bit/s)	29.46 M
- Rx Rate (Fps)	2,394
- Flood Count (Frames)	56
P-0-2-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	72,024
- Rx Rate (L1) (Bit/s)	29.54 M
- Rx Rate (Fps)	2,401
- Flood Count (Frames)	45
P-0-2-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,866

- Rx Rate (L1) (Bit/s)	29.47 M
- Rx Rate (Fps)	2,396
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,841
- Rx Rate (L1) (Bit/s)	29.46 M
- Rx Rate (Fps)	2,395
- Flood Count (Frames)	48
P-0-4-0	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	72,341
- Rx Rate (L1) (Bit/s)	29.67 M
- Rx Rate (Fps)	2,411
- Flood Count (Frames)	51
P-0-4-1	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	71,906
- Rx Rate (L1) (Bit/s)	29.49 M
- Rx Rate (Fps)	2,397
- Flood Count (Frames)	57
P-0-4-2	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	72,099
- Rx Rate (L1) (Bit/s)	29.57 M
- Rx Rate (Fps)	2,403
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	72,340
- Rx Rate (L1) (Bit/s)	29.67 M
- Rx Rate (Fps)	2,411
- Flood Count (Frames)	58
P-0-4-4	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	72,060
- Rx Rate (L1) (Bit/s)	29.55 M
- Rx Rate (Fps)	2,402
- Flood Count (Frames)	51
P-0-4-5	
- Tx (Frames)	2,194,408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	72,236
- Rx Rate (L1) (Bit/s)	29.63 M
- Rx Rate (Fps)	2,408
- Flood Count (Frames)	47

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26,785,714	15,202,702	8,152,173	4,229,323	2,155,172	1,730,769
Rx Rate (Percent)	0.01 %	0.01 %	0.02 %	7.75 %	8.05 %	7.3 %
Rx Rate (L1) (Bit/s)	973.59 K	1.91 M	3.34 M	1.4 G	1.45 G	1.31 G
Rx Rate (Fps)	1.45 K	1.62 K	1.51 K	327.89 K	173.38 K	126.36 K
Loss Rate (Percent)	99.99 %	99.99 %	99.98 %	92.25 %	91.95 %	92.7 %
Loss (Frames)	803,527,955	456,032,580	244,519,800	117,043,088	59,453,629	48,132,188
P-0-0-0						
- Tx (Frames)	44,642,850	25,337,837	13,586,944	7,048,863	3,591,947	2,884,611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	22,356	26,227	29,571	7,008,906	3,507,154	2,527,892
- Rx Rate (L1) (Bit/s)	500.77 K	1.04 M	2.18 M	994.33 M	976.39 M	876.34 M
- Rx Rate (Fps)	745	874	986	233,630	116,905	84,263
- Flood Count (Frames)	93	92	92	19	23	21
P-0-0-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,310	884	166,359	99,618	74,689
- Rx Rate (L1) (Bit/s)	27.82 K	51.7 K	65.06 K	23.6 M	27.73 M	25.89 M
- Rx Rate (Fps)	41	44	29	5,545	3,321	2,490
- Flood Count (Frames)	94	92	95	45	44	44
P-0-0-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,310	894	166,537	99,766	74,083
- Rx Rate (L1) (Bit/s)	27.82 K	51.7 K	65.8 K	23.63 M	27.77 M	25.68 M
- Rx Rate (Fps)	41	44	30	5,551	3,326	2,469
- Flood Count (Frames)	95	95	91	52	39	48
P-0-0-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,310	968	165,855	99,455	74,434


- Rx Rate (L1) (Bit/s)	27.82 K	51.7 K	71.24 K	23.53 M	27.69 M	25.8 M
- Rx Rate (Fps)	41	44	32	5,529	3,315	2,481
- Flood Count (Frames)	95	89	92	38	54	44
P-0-0-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,310	977	166,843	100,005	74,245
- Rx Rate (L1) (Bit/s)	27.82 K	51.7 K	71.91 K	23.67 M	27.84 M	25.74 M
- Rx Rate (Fps)	41	44	33	5,561	3,334	2,475
- Flood Count (Frames)	90	94	92	41	44	43
P-0-0-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,310	892	166,093	99,482	74,223
- Rx Rate (L1) (Bit/s)	27.82 K	51.7 K	65.65 K	23.56 M	27.7 M	25.73 M
- Rx Rate (Fps)	41	44	30	5,536	3,316	2,474
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,309	902	166,317	99,787	74,411
- Rx Rate (L1) (Bit/s)	27.82 K	51.66 K	66.39 K	23.59 M	27.78 M	25.8 M
- Rx Rate (Fps)	41	44	30	5,544	3,326	2,480
- Flood Count (Frames)	94	92	92	40	53	43
P-0-2-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,309	891	166,156	99,461	74,128
- Rx Rate (L1) (Bit/s)	27.82 K	51.66 K	65.58 K	23.57 M	27.69 M	25.7 M
- Rx Rate (Fps)	41	44	30	5,539	3,315	2,471
- Flood Count (Frames)	92	91	89	49	44	50
P-0-2-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,309	952	166,507	99,949	74,596
- Rx Rate (L1) (Bit/s)	27.82 K	51.66 K	70.07 K	23.62 M	27.83 M	25.86 M
- Rx Rate (Fps)	41	44	32	5,550	3,332	2,487
- Flood Count (Frames)	92	88	92	46	43	45
P-0-2-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,309	896	166,595	99,322	74,242
- Rx Rate (L1) (Bit/s)	27.82 K	51.66 K	65.95 K	23.63 M	27.65 M	25.74 M
- Rx Rate (Fps)	41	44	30	5,553	3,311	2,475
- Flood Count (Frames)	92	90	91	45	41	43
P-0-2-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,309	975	166,530	99,967	74,438
- Rx Rate (L1) (Bit/s)	27.82 K	51.66 K	71.76 K	23.63 M	27.83 M	25.81 M
- Rx Rate (Fps)	41	44	33	5,551	3,332	2,481
- Flood Count (Frames)	93	91	94	45	42	40
P-0-2-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,241	1,309	977	166,574	99,472	74,309
- Rx Rate (L1) (Bit/s)	27.8 K	51.66 K	71.91 K	23.63 M	27.69 M	25.76 M
- Rx Rate (Fps)	41	44	33	5,552	3,316	2,477
- Flood Count (Frames)	89	92	88	48	40	41
P-0-4-0						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154

- Rx (Frames)	1,241	1,309	907	165,642	99,758	74,260
- Rx Rate (L1) (Bit/s)	27.8 K	51.66 K	66.76 K	23.5 M	27.77 M	25.74 M
- Rx Rate (Fps)	41	44	30	5,521	3,325	2,475
- Flood Count (Frames)	90	94	93	35	40	44
P-0-4-1						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,241	1,309	938	166,606	99,640	74,080
- Rx Rate (L1) (Bit/s)	27.8 K	51.66 K	69.04 K	23.64 M	27.74 M	25.68 M
- Rx Rate (Fps)	41	44	31	5,554	3,321	2,469
- Flood Count (Frames)	92	94	92	44	39	33
P-0-4-2						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,241	1,309	900	166,400	99,672	74,352
- Rx Rate (L1) (Bit/s)	27.8 K	51.66 K	66.24 K	23.61 M	27.75 M	25.78 M
- Rx Rate (Fps)	41	44	30	5,547	3,322	2,478
- Flood Count (Frames)	92	93	93	44	50	51
P-0-4-3						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,241	1,309	983	165,570	99,812	74,213
- Rx Rate (L1) (Bit/s)	27.8 K	51.66 K	72.35 K	23.49 M	27.79 M	25.73 M
- Rx Rate (Fps)	41	44	33	5,519	3,327	2,474
- Flood Count (Frames)	91	94	93	37	37	41
P-0-4-4						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,241	1,309	973	166,755	99,522	74,144
- Rx Rate (L1) (Bit/s)	27.8 K	51.66 K	71.61 K	23.66 M	27.71 M	25.7 M
- Rx Rate (Fps)	41	44	32	5,559	3,317	2,471
- Flood Count (Frames)	91	93	92	53	45	41
P-0-4-5						
- Tx (Frames)	44,642,857	25,337,837	13,586,956	7,048,872	3,591,954	2,884,615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,899	234,962	119,732	96,154
- Rx (Frames)	1,242	1,310	916	166,354	99,694	74,139
- Rx Rate (L1) (Bit/s)	27.82 K	51.7 K	67.42 K	23.6 M	27.75 M	25.7 M
- Rx Rate (Fps)	41	44	31	5,545	3,323	2,471
- Flood Count (Frames)	94	94	91	41	52	49

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1,462,938
Rx Rate (Percent)	7.15 %
Rx Rate (L1) (Bit/s)	1.29 G
Rx Rate (Fps)	104.66 K
Loss Rate (Percent)	92.85 %
Loss (Frames)	40,748,397
P-0-0-0	
- Tx (Frames)	2,438,225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	2,116,728
- Rx Rate (L1) (Bit/s)	868.14 M
- Rx Rate (Fps)	70,558
- Flood Count (Frames)	21
P-0-0-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,321
- Rx Rate (L1) (Bit/s)	24.74 M

- Rx Rate (Fps)	2,011
- Flood Count (Frames)	51
P-0-0-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,175
- Rx Rate (L1) (Bit/s)	24.68 M
- Rx Rate (Fps)	2,006
- Flood Count (Frames)	55
P-0-0-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,061
- Rx Rate (L1) (Bit/s)	24.63 M
- Rx Rate (Fps)	2,002
- Flood Count (Frames)	61
P-0-0-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,049
- Rx Rate (L1) (Bit/s)	24.63 M
- Rx Rate (Fps)	2,002
- Flood Count (Frames)	46
P-0-0-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,212
- Rx Rate (L1) (Bit/s)	24.69 M
- Rx Rate (Fps)	2,007
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,088
- Rx Rate (L1) (Bit/s)	24.64 M
- Rx Rate (Fps)	2,003
- Flood Count (Frames)	45
P-0-2-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,252
- Rx Rate (L1) (Bit/s)	24.71 M
- Rx Rate (Fps)	2,008
- Flood Count (Frames)	51
P-0-2-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,372
- Rx Rate (L1) (Bit/s)	24.76 M
- Rx Rate (Fps)	2,012
- Flood Count (Frames)	45
P-0-2-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,073
- Rx Rate (L1) (Bit/s)	24.64 M
- Rx Rate (Fps)	2,002
- Flood Count (Frames)	47
P-0-2-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,027

- Rx Rate (L1) (Bit/s)	24.62 M
- Rx Rate (Fps)	2,001
- Flood Count (Frames)	54
P-0-2-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,427
- Rx Rate (L1) (Bit/s)	24.78 M
- Rx Rate (Fps)	2,014
- Flood Count (Frames)	42
P-0-4-0	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,173
- Rx Rate (L1) (Bit/s)	24.68 M
- Rx Rate (Fps)	2,006
- Flood Count (Frames)	47
P-0-4-1	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,123
- Rx Rate (L1) (Bit/s)	24.66 M
- Rx Rate (Fps)	2,004
- Flood Count (Frames)	49
P-0-4-2	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,430
- Rx Rate (L1) (Bit/s)	24.78 M
- Rx Rate (Fps)	2,014
- Flood Count (Frames)	46
P-0-4-3	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,046
- Rx Rate (L1) (Bit/s)	24.63 M
- Rx Rate (Fps)	2,002
- Flood Count (Frames)	46
P-0-4-4	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,124
- Rx Rate (L1) (Bit/s)	24.66 M
- Rx Rate (Fps)	2,004
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	2,438,231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	60,074
- Rx Rate (L1) (Bit/s)	24.64 M
- Rx Rate (Fps)	2,002
- Flood Count (Frames)	56



Rate Test: Part.Mesh, N->N Results

Test Setup

Duration: 30 seconds
Iteration: 1
Topology: Blocks
Direction: East-to-West

Throughput Options

Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	East
P-0-0-4	East
P-0-0-5	East
P-0-2-0	East
P-0-2-1	East
P-0-2-2	East
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	55 %	94.375 %	94.375 %	94.375 %	94.375 %
Tx Rate (L1) (Bit/s)	900 M	4.95 G	8.49 G	8.49 G	8.49 G	8.49 G
Tx Rate (Fps)	1,339,284	4,180,769	3,846,806	1,995,710	1,016,971	816,704
Rx Rate (Percent)	10 %	55 %	94.38 %	94.38 %	94.38 %	94.38 %
Rx Rate (L1) (Bit/s)	900 M	4.95 G	8.49 G	8.49 G	8.49 G	8.49 G
Rx Rate (Fps)	1.34 M	4.18 M	3.85 M	2 M	1.02 M	816.7 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	100	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Tx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Tx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	92	93	91	95	91	90
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M

- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	92	88	93	91	92	93
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	95	93	95	95	91	91
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	93	95	90	92	93	92
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,186	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,806	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	93	90	92	92	91	91
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,272	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	92	91	93	92	89	95
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	92	92	96	93	93	90
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	95	93	92	90	94	94
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	13,935,897	12,822,687	6,652,368	3,389,904	2,722,347
- Rx Rate (L1) (Bit/s)	100 M	550 M	943.75 M	943.75 M	943.75 M	943.75 M
- Rx Rate (Fps)	148,809	464,530	427,423	221,746	112,997	90,745
- Flood Count (Frames)	92	90	92	87	92	90


Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94.375 %
Tx Rate (L1) (Bit/s)	8.49 G
Tx Rate (Fps)	690,323
Rx Rate (Percent)	94.38 %
Rx Rate (L1) (Bit/s)	8.49 G
Rx Rate (Fps)	690.32 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,301,075
- Tx Rate (L1) (Bit/s)	943.75 M
- Tx Rate (Fps)	76,703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0

- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,301,075
- Rx Rate (L1) (Bit/s)	943.75 M

- Rx Rate (Fps)	76,703
- Flood Count (Frames)	90

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899.99 M	899.99 M	899.99 M
Tx Rate (Fps)	1,339,284	760,134	407,608	211,464	107,757	86,538
Rx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	899.99 M	900 M	900 M	899.99 M	899.99 M	899.99 M
Rx Rate (Fps)	1.34 M	760.13 K	407.61 K	211.46 K	107.76 K	86.54 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	349	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M


- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,269	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	93	92	91	92	95	92
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,248	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,808	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	90	91	93	92	92	95
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	90	91	93	90	93	91
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,271	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	91	89	92	93	91	91
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,115	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,804	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	93	93	90	92	89	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,193	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,806	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	93	90	93	91	95	91
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,245	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,808	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	95	90	90	89	93	91
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,273	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	89	94	95	90	92	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,464,269	2,533,779	1,358,694	704,880	359,190	288,459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Flood Count (Frames)	90	93	92	93	95	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899.98 M
Tx Rate (Fps)	73,146
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	899.98 M
Rx Rate (Fps)	73.15 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	92



Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,570	1,520,270	815,216	422,931	215,517	173,075
Rx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Rx Rate (Fps)	2.68 M	1.52 M	815.22 K	422.93 K	215.52 K	173.08 K
Loss Rate (Percent)	0.01 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	5,131	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0


- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,928,212	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,607	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	90	93	93	94	91	94
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,928,153	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,605	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	90	88	93	96	92	91
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,928,084	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,603	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	92	92	94	93	93	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	8,928,040	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,601	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	92	92	91	93	93	92
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,928,181	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,606	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	93	93	90	92	93	88
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,927,727	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.98 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,591	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	92	92	94	93	92	90
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,927,801	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.98 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,593	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	92	93	95	92	91	93
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,927,881	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.98 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,596	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	90	91	91	89	94	91
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,927,893	5,067,567	2,717,388	1,409,769	718,389	576,918
- Rx Rate (L1) (Bit/s)	199.98 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297,596	168,919	90,580	46,992	23,946	19,231
- Flood Count (Frames)	94	95	93	93	90	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,291
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	1.8 G
Rx Rate (Fps)	146.29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638

- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487,638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16,255
- Flood Count (Frames)	91



Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G
Tx Rate (Fps)	4,017,857	2,280,404	1,222,825	634,397	323,274	259,613
Rx Rate (Percent)	29.98 %	30 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G
Rx Rate (Fps)	4.02 M	2.28 M	1.22 M	634.4 K	323.27 K	259.61 K
Loss Rate (Percent)	0.05 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	60,674	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,391,125	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.96 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,371	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	91	94	91	92	92	90
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,389,950	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.93 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,332	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	90	90	95	92	92	93
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,387,295	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.88 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,243	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	92	90	94	88	93	95
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	13,387,523	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.88 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,251	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	92	92	92	92	95	91
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,385,811	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.84 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,194	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	90	91	88	95	89	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,384,058	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.8 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,135	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	95	92	92	92	93	92
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,383,129	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.78 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,104	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	88	95	91	92	93	90
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,383,200	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.78 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,107	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	90	91	91	93	93	91
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,382,930	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Rx Rate (L1) (Bit/s)	299.78 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446,098	253,378	135,869	70,489	35,919	28,846
- Flood Count (Frames)	89	90	88	92	91	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2.7 G
Tx Rate (Fps)	219,440
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	2.7 G
Rx Rate (Fps)	219.44 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466

- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	95
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	97
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731,466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24,382
- Flood Count (Frames)	90

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate



Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,140	3,040,540	1,630,433	845,864	431,033	346,154
Rx Rate (Percent)	0.03 %	40 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	2.47 M	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Rx Rate (Fps)	3.67 K	3.04 M	1.63 M	845.86 K	431.03 K	346.15 K
Loss Rate (Percent)	99.93 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	160,603,976	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,250	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.4 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	91	90	92	90	92	91
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,249	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.38 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	92	93	91	92	92	93
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,248	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.36 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	90	92	90	90	90	90
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	12,249	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.38 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	90	92	97	92	91	91
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,247	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.33 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	86	93	90	90	89	92
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,247	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.33 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	94	95	92	93	93	92
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,247	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.33 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	98	92	89	95	95	93
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,244	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.27 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	92	91	94	93	93	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12,249	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Rx Rate (L1) (Bit/s)	274.38 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	408	337,838	181,159	93,985	47,893	38,462
- Flood Count (Frames)	90	93	90	90	92	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,586
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	3.6 G
Rx Rate (Fps)	292.59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285

- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975,285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32,510
- Flood Count (Frames)	93

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate



Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G
Tx Rate (Fps)	6,696,427	3,800,674	2,038,041	1,057,331	538,793	432,691
Rx Rate (Percent)	0.03 %	50 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	2.68 M	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G
Rx Rate (Fps)	3.98 K	3.8 M	2.04 M	1.06 M	538.79 K	432.69 K
Loss Rate (Percent)	99.94 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	200,773,312	4	0	0	0	0
P-0-0-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,277	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.4 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	92	93	92	92	93	90
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,277	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.4 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	93	91	92	95	90	95
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,277	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.4 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	93	93	92	89	95	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	13,277	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.4 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	96	88	91	90	93	92
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,275	12,668,912	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.36 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	92	89	93	93	90	90
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,277	12,668,912	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.4 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	95	90	94	93	89	94
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,275	12,668,912	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.36 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	91	90	91	93	88	91
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,274	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.34 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	442	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	95	91	91	92	90	90
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,277	12,668,912	6,793,470	3,524,436	1,795,977	1,442,304
- Rx Rate (L1) (Bit/s)	297.4 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	443	422,297	226,449	117,481	59,866	48,077
- Flood Count (Frames)	95	93	91	93	90	94

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4.5 G
Tx Rate (Fps)	365,734
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	4.5 G
Rx Rate (Fps)	365.73 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113

- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	96
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	89
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,219,113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40,637
- Flood Count (Frames)	92

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate



Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,713	4,560,810	2,445,652	1,268,795	646,550	519,229
Rx Rate (Percent)	0.03 %	59.98 %	60 %	60 %	60 %	60 %
Rx Rate (L1) (Bit/s)	2.35 M	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Rx Rate (Fps)	3.5 K	4.56 M	2.45 M	1.27 M	646.55 K	519.23 K
Loss Rate (Percent)	99.96 %	0.04 %	0 %	0 %	0 %	0 %
Loss (Frames)	240,966,270	51,191	0	0	0	0
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,679	15,197,616	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.61 K	599.8 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,587	271,739	140,977	71,839	57,692
- Flood Count (Frames)	93	89	91	93	91	93
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,681	15,198,603	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.65 K	599.84 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,620	271,739	140,977	71,839	57,692
- Flood Count (Frames)	94	91	90	92	89	95
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,683	15,198,715	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.7 K	599.84 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,624	271,739	140,977	71,839	57,692
- Flood Count (Frames)	90	94	95	91	88	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	11,683	15,198,811	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.7 K	599.85 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,627	271,739	140,977	71,839	57,692
- Flood Count (Frames)	93	92	93	93	93	92
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,680	15,198,615	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.63 K	599.84 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,621	271,739	140,977	71,839	57,692
- Flood Count (Frames)	91	93	91	94	94	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,678	15,197,256	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.59 K	599.79 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,575	271,739	140,977	71,839	57,692
- Flood Count (Frames)	90	93	93	93	92	93
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,677	15,196,827	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.56 K	599.77 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,561	271,739	140,977	71,839	57,692
- Flood Count (Frames)	89	93	92	89	89	92
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,677	15,194,626	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.56 K	599.68 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,488	271,739	140,977	71,839	57,692
- Flood Count (Frames)	92	92	93	90	92	91
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11,682	15,192,049	8,152,173	4,229,316	2,155,167	1,730,763
- Rx Rate (L1) (Bit/s)	261.68 K	599.58 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	389	506,402	271,739	140,977	71,839	57,692
- Flood Count (Frames)	93	93	91	91	92	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,880
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	5.4 G
Rx Rate (Fps)	438.88 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932

- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	98
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,462,932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48,764
- Flood Count (Frames)	94

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate



Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G
Tx Rate (Fps)	9,374,999	5,320,944	2,853,260	1,480,262	754,310	605,767
Rx Rate (Percent)	0.02 %	0.06 %	70 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	1.87 M	5.32 M	6.3 G	6.3 G	6.3 G	6.3 G
Rx Rate (Fps)	2.78 K	4.49 K	2.85 M	1.48 M	754.31 K	605.77 K
Loss Rate (Percent)	99.97 %	99.92 %	0 %	0 %	0 %	0 %
Loss (Frames)	281,166,686	159,493,583	0	0	0	0
P-0-0-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0


- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,255	14,962	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.31 K	590.5 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	309	499	317,029	164,474	83,812	67,307
- Flood Count (Frames)	91	91	93	94	97	93
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,258	14,960	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.38 K	590.42 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	309	499	317,029	164,474	83,812	67,307
- Flood Count (Frames)	90	94	92	94	93	93
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,256	14,989	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.33 K	591.57 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	309	500	317,029	164,474	83,812	67,307
- Flood Count (Frames)	95	89	92	95	94	90
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	9,255	15,001	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.31 K	592.04 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	309	500	317,029	164,474	83,812	67,307
- Flood Count (Frames)	92	91	93	92	93	90
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,254	15,003	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.29 K	592.12 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	308	500	317,029	164,474	83,812	67,307
- Flood Count (Frames)	92	90	96	92	91	95
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,254	14,968	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.29 K	590.74 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	308	499	317,029	164,474	83,812	67,307
- Flood Count (Frames)	93	89	90	92	93	92
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,253	14,954	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.27 K	590.18 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	308	498	317,029	164,474	83,812	67,307
- Flood Count (Frames)	92	92	90	92	94	91
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,252	14,952	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.24 K	590.11 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	308	498	317,029	164,474	83,812	67,307
- Flood Count (Frames)	93	90	91	93	94	92
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9,259	14,948	9,510,867	4,934,205	2,514,366	2,019,222
- Rx Rate (L1) (Bit/s)	207.4 K	589.95 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	309	498	317,029	164,474	83,812	67,307
- Flood Count (Frames)	92	94	93	95	92	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	6.3 G
Tx Rate (Fps)	512,028
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	6.3 G
Rx Rate (Fps)	512.03 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760

- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	88
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	95
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,706,760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56,892
- Flood Count (Frames)	92



Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,283	6,081,080	3,260,868	1,691,728	862,067	692,307
Rx Rate (Percent)	0.02 %	0.05 %	80 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	1.69 M	4.79 M	7.2 G	7.2 G	7.2 G	7.2 G
Rx Rate (Fps)	2.51 K	4.05 K	3.26 M	1.69 M	862.07 K	692.31 K
Loss Rate (Percent)	99.98 %	99.93 %	0 %	0 %	0 %	0 %
Loss (Frames)	321,353,188	182,311,062	0	0	0	0
P-0-0-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,263	13,485	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	185.09 K	532.21 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	275	450	362,319	187,970	95,785	76,923
- Flood Count (Frames)	90	91	95	92	90	95
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,323	13,463	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	186.44 K	531.34 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	277	449	362,319	187,970	95,785	76,923
- Flood Count (Frames)	95	93	91	90	95	94
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,415	13,481	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	188.5 K	532.05 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	281	449	362,319	187,970	95,785	76,923
- Flood Count (Frames)	93	94	95	91	90	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	8,444	13,490	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	189.15 K	532.41 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	281	450	362,319	187,970	95,785	76,923
- Flood Count (Frames)	90	90	95	92	93	91
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,487	13,501	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	190.11 K	532.84 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	283	450	362,319	187,970	95,785	76,923
- Flood Count (Frames)	92	91	89	91	93	95
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,420	13,489	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	188.61 K	532.37 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	281	450	362,319	187,970	95,785	76,923
- Flood Count (Frames)	88	90	93	92	90	92
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,378	13,489	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	187.67 K	532.37 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	279	450	362,319	187,970	95,785	76,923
- Flood Count (Frames)	95	93	91	93	91	92
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,315	13,470	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	186.26 K	531.62 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	277	449	362,319	187,970	95,785	76,923
- Flood Count (Frames)	93	91	95	93	94	90
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8,260	13,482	10,869,561	5,639,094	2,873,556	2,307,690
- Rx Rate (L1) (Bit/s)	185.02 K	532.09 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	275	449	362,319	187,970	95,785	76,923
- Flood Count (Frames)	90	90	93	91	92	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,174
Rx Rate (Percent)	80 %
Rx Rate (L1) (Bit/s)	7.2 G
Rx Rate (Fps)	585.17 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579

- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	95
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	89
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1,950,579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65,019
- Flood Count (Frames)	94

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate



Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G
Tx Rate (Fps)	12,053,570	6,841,214	3,668,477	1,903,195	969,827	778,845
Rx Rate (Percent)	0.02 %	0.05 %	90 %	90 %	90 %	90 %
Rx Rate (L1) (Bit/s)	1.47 M	4.94 M	8.1 G	8.1 G	8.1 G	8.1 G
Rx Rate (Fps)	2.18 K	4.18 K	3.67 M	1.9 M	969.83 K	778.84 K
Loss Rate (Percent)	99.98 %	99.94 %	0 %	0 %	0 %	0 %
Loss (Frames)	361,541,650	205,111,128	0	0	0	0
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,271	13,923	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.87 K	549.49 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	92	96	90	93	90	93
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,270	13,922	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.85 K	549.45 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	94	90	93	95	95	88
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,271	13,920	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.87 K	549.38 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	92	90	91	92	90	91
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	7,270	13,922	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.85 K	549.45 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	93	89	92	91	90	94
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,269	13,921	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.83 K	549.42 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	89	92	94	93	93	95
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,269	13,922	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.83 K	549.45 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	90	93	93	90	91	93
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,269	13,921	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.83 K	549.42 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	90	92	88	90	94	95
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,270	13,921	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.85 K	549.42 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	242	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	93	89	93	93	93	94
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,276	13,923	12,228,255	6,343,983	3,232,755	2,596,149
- Rx Rate (L1) (Bit/s)	162.98 K	549.49 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	243	464	407,609	211,466	107,759	86,538
- Flood Count (Frames)	94	91	90	91	90	91

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	8.1 G
Tx Rate (Fps)	658,322
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	8.1 G
Rx Rate (Fps)	658.32 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407

- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,194,407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73,147
- Flood Count (Frames)	92

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate



Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,856	7,601,351	4,076,085	2,114,662	1,077,586	865,382
Rx Rate (Percent)	0.02 %	0.05 %	98.49 %	99.17 %	99.46 %	99.54 %
Rx Rate (L1) (Bit/s)	1.57 M	4.05 M	8.86 G	8.93 G	8.95 G	8.96 G
Rx Rate (Fps)	2.33 K	3.42 K	4.01 M	2.1 M	1.07 M	861.4 K
Loss Rate (Percent)	99.98 %	99.95 %	1.51 %	0.83 %	0.54 %	0.46 %
Loss (Frames)	401,715,669	227,937,895	1,844,606	527,945	174,766	119,582
P-0-0-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0


- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,779	11,401	13,351,768	6,971,692	3,568,727	2,869,413
- Rx Rate (L1) (Bit/s)	174.25 K	449.96 K	982.69 M	989.05 M	993.53 M	994.73 M
- Rx Rate (Fps)	259	380	445,059	232,390	118,958	95,647
- Flood Count (Frames)	90	93	90	91	94	90
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,778	11,400	13,389,923	6,990,013	3,574,685	2,871,337
- Rx Rate (L1) (Bit/s)	174.23 K	449.92 K	985.5 M	991.65 M	995.19 M	995.4 M
- Rx Rate (Fps)	259	380	446,331	233,000	119,156	95,711
- Flood Count (Frames)	90	93	91	89	93	89
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,777	11,402	13,386,829	6,990,387	3,575,496	2,871,738
- Rx Rate (L1) (Bit/s)	174.2 K	450 K	985.27 M	991.7 M	995.42 M	995.54 M
- Rx Rate (Fps)	259	380	446,228	233,013	119,183	95,725
- Flood Count (Frames)	90	93	90	91	89	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	7,777	11,402	13,387,388	6,996,323	3,574,842	2,872,814
- Rx Rate (L1) (Bit/s)	174.2 K	450 K	985.31 M	992.55 M	995.24 M	995.91 M
- Rx Rate (Fps)	259	380	446,246	233,211	119,161	95,760
- Flood Count (Frames)	93	92	92	93	91	93
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,777	11,403	13,378,380	6,995,152	3,573,502	2,872,126
- Rx Rate (L1) (Bit/s)	174.2 K	450.04 K	984.65 M	992.38 M	994.86 M	995.67 M
- Rx Rate (Fps)	259	380	445,946	233,172	119,117	95,738
- Flood Count (Frames)	95	93	85	93	93	95
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,779	11,403	13,389,178	6,988,908	3,572,090	2,871,153
- Rx Rate (L1) (Bit/s)	174.25 K	450.04 K	985.44 M	991.49 M	994.47 M	995.33 M
- Rx Rate (Fps)	259	380	446,306	232,964	119,070	95,705
- Flood Count (Frames)	93	89	90	89	84	90
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,779	11,403	13,386,225	6,993,004	3,571,494	2,871,119
- Rx Rate (L1) (Bit/s)	174.25 K	450.04 K	985.23 M	992.07 M	994.3 M	995.32 M
- Rx Rate (Fps)	259	380	446,208	233,100	119,050	95,704
- Flood Count (Frames)	91	90	95	89	89	88
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,778	11,402	13,388,305	6,990,424	3,571,368	2,871,011
- Rx Rate (L1) (Bit/s)	174.23 K	450 K	985.38 M	991.71 M	994.27 M	995.28 M
- Rx Rate (Fps)	259	380	446,277	233,014	119,046	95,700
- Flood Count (Frames)	94	91	84	87	92	86
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7,784	11,404	13,379,939	6,996,000	3,570,616	2,871,179
- Rx Rate (L1) (Bit/s)	174.36 K	450.08 K	984.76 M	992.5 M	994.06 M	995.34 M
- Rx Rate (Fps)	259	380	445,998	233,200	119,021	95,706
- Flood Count (Frames)	93	94	90	86	89	91

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,468
Rx Rate (Percent)	99.61 %
Rx Rate (L1) (Bit/s)	8.97 G
Rx Rate (Fps)	728.63 K
Loss Rate (Percent)	0.39 %
Loss (Frames)	85,030
P-0-0-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,427,817
- Rx Rate (L1) (Bit/s)	995.73 M
- Rx Rate (Fps)	80,927
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,428,787

- Rx Rate (L1) (Bit/s)	996.13 M
- Rx Rate (Fps)	80,960
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,428,806
- Rx Rate (L1) (Bit/s)	996.13 M
- Rx Rate (Fps)	80,960
- Flood Count (Frames)	88
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,429,281
- Rx Rate (L1) (Bit/s)	996.33 M
- Rx Rate (Fps)	80,976
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,428,849
- Rx Rate (L1) (Bit/s)	996.15 M
- Rx Rate (Fps)	80,962
- Flood Count (Frames)	89
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,428,846
- Rx Rate (L1) (Bit/s)	996.15 M
- Rx Rate (Fps)	80,962
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,428,865
- Rx Rate (L1) (Bit/s)	996.16 M
- Rx Rate (Fps)	80,962
- Flood Count (Frames)	97
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,428,968
- Rx Rate (L1) (Bit/s)	996.2 M
- Rx Rate (Fps)	80,966
- Flood Count (Frames)	97
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2,428,785
- Rx Rate (L1) (Bit/s)	996.13 M
- Rx Rate (Fps)	80,960
- Flood Count (Frames)	85



Congestion Control Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89,285,716	50,675,678	27,173,914	14,097,746	7,183,909	5,769,232
Uncongested Port: (P-0-4-4)						
- Tx (Frames)	22,321,429	12,668,920	6,793,479	3,524,437	1,795,978	1,442,308
- Rx (Frames)	22,321,429	12,668,920	6,793,479	3,524,437	1,795,978	1,442,308
- Loss (Frames)	0	0	0	0	0	0
- Loss (Percent)	0.00	0.00	0.00	0.00	0.00	0.00
Congested Port: (P-0-4-5)						
- Tx (Frames)	66,964,287	38,006,758	20,380,435	10,573,309	5,387,931	4,326,924
- Rx (Frames)	42,622,414	24,672,643	13,393,731	6,996,753	3,578,520	2,876,004
- Loss (Frames)	24,341,873	13,334,115	6,986,704	3,576,556	1,809,411	1,450,920
- Loss (Percent)	36.35	35.08	34.28	33.83	33.58	33.53

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4,876,464
Uncongested Port: (P-0-4-4)	
- Tx (Frames)	1,219,116
- Rx (Frames)	1,219,116
- Loss (Frames)	0
- Loss (Percent)	0.00
Congested Port: (P-0-4-5)	
- Tx (Frames)	3,657,348
- Rx (Frames)	2,432,115
- Loss (Frames)	1,225,233
- Loss (Percent)	33.50

Forward Pressure Results

Test Setup

Duration: 30 seconds
Iteration: 1
InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	45,180,722	25,510,204	13,636,363	7,062,146	3,595,397	2,886,836
Tx Rate (Fps)	1,506,024	850,340	454,545	235,405	119,847	96,228
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	101.205	100.680	100.364	100.188	100.096	100.077
Rx (Frames)	42,613,667	24,671,089	13,392,906	6,996,321	3,578,301	2,875,826
Rx Rate (Fps)	1,420,452	822,367	446,428	233,208	119,275	95,859
Rx Max. Util. (Percent)	95.454	97.368	98.571	99.253	99.618	99.693
Loss (Frames)	2,567,055	839,115	243,457	65,825	17,096	11,010
Loss (Percent)	5.68	3.29	1.79	0.93	0.48	0.38

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	2,439,817
Tx Rate (Fps)	81,327
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	100.065
Rx (Frames)	2,431,965
Rx Rate (Fps)	81,063
Rx Max. Util. (Percent)	99.740
Loss (Frames)	7,852
Loss (Percent)	0.32

Maximum Forwarding Rate Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	99.805 %	100 %	100 %
Tx (Frames)	44,642,857	25,337,837	13,586,956	7,035,104	3,591,954	2,884,615
Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	998.05 M	1000 M	1000 M
Tx Rate (Fps)	1,488,095	844,595	452,899	234,503	119,732	96,154
Rx (Frames)	42,613,685	24,671,117	13,392,910	6,996,324	3,578,302	2,875,826
Rx Rate (L1) (Bit/s)	954.55 M	973.69 M	985.72 M	992.55 M	996.2 M	996.95 M
Rx Rate (Fps)	1,420,456	822,371	446,430	233,211	119,277	95,861

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	2,438,231
Tx Rate (L1) (Bit/s)	1000 M
Tx Rate (Fps)	81,274
Rx (Frames)	2,431,965
Rx Rate (L1) (Bit/s)	997.43 M
Rx Rate (Fps)	81,066

Address Caching Capacity Results

Test Setup

Iteration: 1
Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC

Address Initial Count: 4,096
Address Maximum Count: 65,535
Address Minimum Count: 100
Address Resolution: 100

Learning Rate: 1,000 Fps
Toggle Port Sync State: Yes
Sync. State Off Duration: 1 seconds
Delay After Sync On: 0 seconds
Switch Test Ports: No
DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Duration (Seconds)	3	3	3	3	3	3
Address Count	1,504	1,504	1,504	1,504	1,504	1,504
TestPort Tx (Frames)	1,504	1,504	1,504	1,504	1,504	1,504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1,504	1,504	1,504	1,504	1,504	1,504
MonPort Rx (Frames)	0	0	0	0	0	0

Frame Size	1518
Result State	FAIL
Iter. #	1
Duration (Seconds)	2
Address Count	162
TestPort Tx (Frames)	162
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	162
MonPort Rx (Frames)	162

Note: One or more of the tests did not pass the test criteria!

Address Learning Rate Results

Test Setup

Iteration: 1
Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC
Only Use Max. Capacity: No
Set End = Max. Capacity: Yes

Base Learning Rate: 1,000 Fps
Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate : 10.00%
Resolution: 10.00%

Toggle Port Sync State: Yes
Sync. State Off Duration: 1 seconds
Delay After Sync On: 0 seconds
Switch Test Ports: No
DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-4	Learning Port
P-0-4-5	Monitoring Port


Test Results

Results for 1,504 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Learning Rate (Fps)	100	100	100	100	100	100
Duration (Seconds)	17	17	17	17	17	17
Address Count	1,504	1,504	1,504	1,504	1,504	1,504
TestPort Tx (Frames)	1,504	1,504	1,504	1,504	1,504	1,504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1,504	1,504	1,504	1,504	1,504	1,504
MonPort Rx (Frames)	1,483	1,483	1,483	1,427	1,427	1,426

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	10 %
Learning Rate (Fps)	100
Duration (Seconds)	17
Address Count	1,504
TestPort Tx (Frames)	1,504
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1,504
MonPort Rx (Frames)	1,426

Note: One or more of the tests did not pass the test criteria!



Errored Frames Filtering Results

Test Setup

Duration: 30 seconds
Iteration: 1

Oversize Test Enabled: Yes
Max. Valid Frame Size: 1518 bytes
Min. Valid Frame Size: 64 bytes
Oversize Frame Span: 1 bytes
Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Tx Rate (Percent)	10 %	20 %	30 %	40 %	50 %	60 %
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (L1) (Bit/s)	100 M	200 M	300 M	400 M	500 M	600 M
Tx (Frames)	1,741,375	3,482,752	5,224,128	6,965,504	8,706,880	10,448,257
Rx (Frames)	1,741,034	3,482,028	5,223,088	6,964,105	8,705,218	10,446,278
Tx Valid (Frames)	154,130	308,261	462,392	616,522	770,653	924,784
Rx Valid (Frames)	154,130	308,261	462,392	616,522	770,653	924,784
Tx Oversize (Frames)	81,221	162,443	243,664	324,886	406,107	487,329
Rx Oversize (Frames)	81,221	162,443	243,664	324,886	406,107	487,329
Tx Undersize (Frames)	1,506,024	3,012,048	4,518,072	6,024,096	7,530,120	9,036,144
Rx Undersize (Frames)	1,505,683	3,011,324	4,517,032	6,022,697	7,528,458	9,034,165
Tx FCS Error (Frames)	58	58	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0	0	0

Tx Rate (Percent)	70 %	80 %	90 %	100 %
Result State	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1
Tx Rate (L1) (Bit/s)	700 M	800 M	900 M	1000 M
Tx (Frames)	12,189,633	13,931,009	15,672,386	17,413,762
Rx (Frames)	12,187,361	13,927,994	15,669,105	13,696,932
Tx Valid (Frames)	1,078,914	1,233,045	1,387,176	1,541,307
Rx Valid (Frames)	1,078,914	1,233,045	1,387,176	1,476,849
Tx Oversize (Frames)	568,551	649,772	730,994	812,215
Rx Oversize (Frames)	568,551	649,772	730,994	812,215
Tx Undersize (Frames)	10,542,168	12,048,192	13,554,216	15,060,240
Rx Undersize (Frames)	10,539,896	12,045,177	13,550,935	11,583,218
Tx FCS Error (Frames)	58	58	58	58
Rx FCS Error (Frames)	0	0	0	0

Note: One or more of the tests did not pass the test criteria!

Broadcast Forwarding Results

Test Setup

Duration: 30 seconds
Iteration: 1
Initial Rate: 10.00%
Maximum Rate: 100.00%
Minimum Rate: 10.00%
Resolution: 10.00%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60.625 %	71.875 %	80.313 %	89.453 %	94.375 %	94.375 %
Tx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
Tx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
Tx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-1						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.360	2.851	2.840	2.859	2.852	2.853
- Min Latency (micsec)	2.166	2.655	2.671	2.655	2.671	2.679
- Max Latency (micsec)	4.571	4.555	4.547	4.267	4.451	4.195
- Avg Jitter (micsec)	0.027	0.015	0.010	0.005	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.333	1.876	1.683	1.467	1.707	1.443
P-0-0-2						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.352	2.856	2.844	2.867	2.877	2.880
- Min Latency (micsec)	2.190	2.679	2.671	2.679	2.671	2.679
- Max Latency (micsec)	4.475	4.844	4.523	4.700	4.523	4.195
- Avg Jitter (micsec)	0.026	0.016	0.009	0.005	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.164	2.044	1.659	1.707	1.563	1.419
P-0-0-3						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.334	2.842	2.822	2.841	2.863	2.870

- Min Latency (micsec)	2.166	2.655	2.647	2.655	2.671	2.679
- Max Latency (micsec)	4.451	4.363	4.595	4.291	4.331	4.507
- Avg Jitter (micsec)	0.025	0.019	0.009	0.005	0.005	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.044	1.563	1.659	1.563	1.563	1.515
P-0-0-4						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.370	2.853	2.830	2.860	2.883	2.868
- Min Latency (micsec)	2.190	2.679	2.671	2.679	2.671	2.703
- Max Latency (micsec)	4.668	4.700	4.764	4.195	4.235	4.195
- Avg Jitter (micsec)	0.028	0.014	0.009	0.005	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.285	1.876	1.900	1.419	1.515	1.395
P-0-0-5						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.394	2.842	2.833	2.876	2.889	2.861
- Min Latency (micsec)	2.190	2.679	2.671	2.679	2.671	2.679
- Max Latency (micsec)	2.575	3.064	3.056	3.064	3.080	3.088
- Avg Jitter (micsec)	0.032	0.017	0.011	0.006	0.005	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	0.336	0.360	0.360	0.336	0.360	0.384
P-0-2-0						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.865	2.335	2.322	2.334	2.322	2.332
- Min Latency (micsec)	1.661	2.126	2.118	2.126	2.142	2.150
- Max Latency (micsec)	3.874	4.002	3.946	3.834	3.802	3.906
- Avg Jitter (micsec)	0.025	0.019	0.009	0.009	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.116	1.563	1.635	1.539	1.419	1.659
P-0-2-1						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.858	2.343	2.333	2.338	2.319	2.348
- Min Latency (micsec)	1.637	2.126	2.142	2.126	2.142	2.150
- Max Latency (micsec)	3.994	4.074	3.898	3.834	3.754	4.050
- Avg Jitter (micsec)	0.026	0.016	0.010	0.006	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.116	1.828	1.731	1.539	1.563	1.852
P-0-2-2						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.839	2.333	2.365	2.340	2.330	2.376
- Min Latency (micsec)	1.661	2.126	2.118	2.126	2.118	2.150
- Max Latency (micsec)	3.826	3.978	3.754	3.762	3.826	3.810
- Avg Jitter (micsec)	0.030	0.019	0.006	0.005	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.044	1.563	1.347	1.443	1.467	1.491
P-0-2-3						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.828	2.309	2.348	2.318	2.331	2.346
- Min Latency (micsec)	1.637	2.126	2.118	2.126	2.142	2.126
- Max Latency (micsec)	4.211	4.098	3.778	3.762	4.114	3.641
- Avg Jitter (micsec)	0.027	0.021	0.007	0.006	0.004	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.357	1.683	1.419	1.491	1.924	1.395
P-0-2-4						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.845	2.336	2.359	2.335	2.344	2.347
- Min Latency (micsec)	1.661	2.150	2.142	2.150	2.142	2.150

- Max Latency (micsec)	3.970	3.834	4.018	4.074	3.802	3.665
- Avg Jitter (micsec)	0.021	0.015	0.007	0.005	0.004	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.116	1.659	1.683	1.852	1.443	1.467
P-0-2-5						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.837	2.342	2.348	2.342	2.345	2.353
- Min Latency (micsec)	1.637	2.150	2.142	2.150	2.142	2.150
- Max Latency (micsec)	3.994	4.074	3.874	3.714	3.778	3.665
- Avg Jitter (micsec)	0.029	0.015	0.007	0.005	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.188	1.780	1.515	1.419	1.539	1.347
P-0-4-0						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.033	2.465	2.452	2.505	2.508	2.506
- Min Latency (micsec)	1.813	2.278	2.294	2.302	2.294	2.302
- Max Latency (micsec)	4.171	4.347	3.858	3.962	4.291	3.794
- Avg Jitter (micsec)	0.029	0.020	0.008	0.008	0.005	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.212	1.924	1.491	1.491	1.659	1.371
P-0-4-1						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.977	2.410	2.446	2.452	2.462	2.495
- Min Latency (micsec)	1.789	2.230	2.246	2.254	2.246	2.254
- Max Latency (micsec)	3.906	4.010	4.002	3.818	3.882	3.794
- Avg Jitter (micsec)	0.035	0.023	0.015	0.007	0.004	0.003
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	1.900	1.539	1.611	1.491	1.467	1.322
P-0-4-2						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.010	2.502	2.507	2.494	2.507	2.536
- Min Latency (micsec)	1.813	2.278	2.294	2.302	2.318	2.326
- Max Latency (micsec)	4.195	4.467	4.050	3.986	3.906	4.275
- Avg Jitter (micsec)	0.036	0.023	0.009	0.007	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.140	1.948	1.683	1.539	1.467	1.804
P-0-4-3						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.972	2.479	2.464	2.452	2.478	2.489
- Min Latency (micsec)	1.765	2.254	2.270	2.254	2.270	2.278
- Max Latency (micsec)	4.195	4.299	4.363	3.866	3.858	4.227
- Avg Jitter (micsec)	0.039	0.025	0.007	0.009	0.005	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.261	1.876	1.828	1.491	1.419	1.755
P-0-4-4						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	1.987	2.482	2.465	2.469	2.469	2.483
- Min Latency (micsec)	1.789	2.254	2.270	2.254	2.270	2.302
- Max Latency (micsec)	4.195	4.227	3.834	4.058	4.146	3.770
- Avg Jitter (micsec)	0.031	0.024	0.007	0.008	0.004	0.005
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.164	1.659	1.419	1.467	1.707	1.395
P-0-4-5						
- Rx (Frames)	27,064,732	18,211,570	10,912,024	6,305,436	3,389,906	2,722,355
- Rx Rate (L1) (Bit/s)	606.25 M	718.75 M	803.12 M	894.53 M	943.75 M	943.75 M
- Rx Rate (Fps)	902,158	607,052	363,734	210,181	112,997	90,745
- Avg Latency (micsec)	2.088	2.578	2.566	2.618	2.740	2.509
- Min Latency (micsec)	1.837	2.278	2.294	2.326	2.391	2.302
- Max Latency (micsec)	4.411	4.756	4.916	4.996	7.033	4.828

- Avg Jitter (micsec)	0.019	0.016	0.007	0.005	0.003	0.004
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.237	2.116	2.212	2.309	2.309	2.261

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94.375 %
Tx (Frames)	2,301,080
Tx Rate (L1) (Bit/s)	943.75 M
Tx Rate (Fps)	76,703
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.866
- Min Latency (micsec)	2.687
- Max Latency (micsec)	4.082
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.250
P-0-0-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.894
- Min Latency (micsec)	2.687
- Max Latency (micsec)	4.082
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.322
P-0-0-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.883
- Min Latency (micsec)	2.687
- Max Latency (micsec)	4.082
- Avg Jitter (micsec)	0.004
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.250
P-0-0-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.874
- Min Latency (micsec)	2.711
- Max Latency (micsec)	4.058
- Avg Jitter (micsec)	0.004
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.250
P-0-0-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.873
- Min Latency (micsec)	2.687
- Max Latency (micsec)	3.120
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	0.408
P-0-2-0	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.347
- Min Latency (micsec)	2.134
- Max Latency (micsec)	3.818

- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.395
P-0-2-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.367
- Min Latency (micsec)	2.158
- Max Latency (micsec)	3.890
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.659
P-0-2-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.388
- Min Latency (micsec)	2.158
- Max Latency (micsec)	3.553
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.178
P-0-2-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.367
- Min Latency (micsec)	2.134
- Max Latency (micsec)	4.106
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.731
P-0-2-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.372
- Min Latency (micsec)	2.158
- Max Latency (micsec)	3.962
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.635
P-0-2-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.365
- Min Latency (micsec)	2.182
- Max Latency (micsec)	3.746
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.347
P-0-4-0	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.492
- Min Latency (micsec)	2.334
- Max Latency (micsec)	3.802
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.347
P-0-4-1	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.458
- Min Latency (micsec)	2.262
- Max Latency (micsec)	4.066
- Avg Jitter (micsec)	0.003

- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.611
P-0-4-2	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.516
- Min Latency (micsec)	2.310
- Max Latency (micsec)	3.705
- Avg Jitter (micsec)	0.002
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.274
P-0-4-3	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.500
- Min Latency (micsec)	2.310
- Max Latency (micsec)	3.705
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.298
P-0-4-4	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.484
- Min Latency (micsec)	2.310
- Max Latency (micsec)	3.657
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	1.250
P-0-4-5	
- Rx (Frames)	2,301,080
- Rx Rate (L1) (Bit/s)	943.75 M
- Rx Rate (Fps)	76,703
- Avg Latency (micsec)	2.500
- Min Latency (micsec)	2.286
- Max Latency (micsec)	4.668
- Avg Jitter (micsec)	0.003
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	2.164

