KEY_Practice18_LineGraph_ScatterPlot

July 19, 2019

1 Practice: Line Graph and Scatter Plot

1.0.1 Line Graph

Good news! Again, we are going to use line graphs to get insight into publicly traded stocks. But this time, we want to check out that investment in which of Google or Amazon would be more profitable over long or short run!

First, import matplotlib, pandas, and seaborn packages

```
[0]: # load packages
  import matplotlib.pyplot as plt
  import pandas as pd
  import seaborn as sns

[0]: # mount Google Drive
  from google.colab import drive
  drive.mount('/content/gdrive')
  path = '/content/gdrive/My Drive/SummerExperience-master/'
```

Drive already mounted at /content/gdrive; to attempt to forcibly remount, call drive.mount("/content/gdrive", force_remount=True).

```
[12]: filename = path + 'SampleData/stock_price_15years.csv'

# load stock_price_15years dataset and assign it to a variable called_

stock_price

stock_price = pd.read_csv(filename)

# print stock_price to get a better sence of data

print(stock_price)
```

	year	Amazon	Google
0	2005	39.90	139.31
1	2006	35.91	206.23
2	2007	67.23	270.21
3	2008	69.88	233.15
4	2009	87.28	220.52
5	2010	139.14	268.64

```
6
                   2011
                          196.67
                                   285.37
7
                   2012
                          220.30
                                   322.40
8
                   2013
                          298.03
                                  443.49
9
                   2014
                          332.55
                                   568.43
                   2015
                          478.14
                                   619.98
10
11
                   2016
                          699.52
                                   763.21
12
                   2017
                          968.17
                                   939.77
                         1641.73 1122.04
13
                   2018
   2019 (as of May 21)
                         1742.07 1157.05
```

This dataset contains the avergae stock price of Google (Alphabet Inc.) and Amazon Inc. from 2005 to 2019 on a yearly basis.

```
[0]: # make a line graph that shows year on the x-axis and the corresponding Google_□

stock price on the y-axis

# add labels/title/markers

# rotate the x-axis text by 45 degrees

plt.plot(stock_price["year"], stock_price["Google"], marker='s')


plt.xticks(rotation=45)

plt.title("Google Stock Price since 2005")

plt.xlabel("Year")

plt.ylabel("Stock Price ($)")
```


[0]: Text(0, 0.5, 'Stock Price (\$)')



Now, let's compare the average annual stock price between Amazon and Google. For that, overlay the two corresponding line graphs on the same plot.

```
[0]: # first, plot the Google's stock price
    # second, plot the Amazon's stock price
    # rotate the x-axis text by 45 degrees
    # don't forget to add labels/title/marker/legends to the plot
    plt.plot(stock_price["year"], stock_price["Google"], marker='s', label='Google')
    plt.plot(stock_price["year"], stock_price["Amazon"], marker='s', label='Amazon')
    plt.legend()
    plt.title("Amazon and Google Stock Price since 2005")
    plt.xlabel("Year")
    plt.ylabel("Stock Price ($)")
    plt.xticks(rotation=45)
```





Are you excited to interpret the plot?

In which year did the Amazon stock price surpass Google's stock price?

In 2005 person A invested \$1000 in Google's stock while person B invested the same amount of money in Amazon's stock. If both sell their stocks after 14 years (in 2019), which one would make more profit?

How about the short-term investment? If both buy their stock in 2005 and sell them in 2006, which one would make more profit?

1.0.2 Scatter Plot

From the lesson, we learned how to generate a scatter plot which shows the relation between two variables in multiple observations. Now, we want to use this type of plot to see the relationship between flowers' petal width and sepal width.


```
[0]: # load "iris" dataset from seaborn package and assign it to a variable called ⇒iris

# take a look at data
iris = sns.load_dataset("iris")
iris.head(10)
iris.tail(10)
```

```
[0]:
          sepal_length sepal_width petal_length petal_width
                                                                        species
    140
                    6.7
                                  3.1
                                                  5.6
                                                                2.4
                                                                     virginica
    141
                    6.9
                                  3.1
                                                  5.1
                                                                2.3
                                                                      virginica
    142
                    5.8
                                  2.7
                                                  5.1
                                                                1.9
                                                                      virginica
    143
                    6.8
                                  3.2
                                                  5.9
                                                                2.3
                                                                      virginica
    144
                    6.7
                                  3.3
                                                  5.7
                                                                2.5
                                                                      virginica
    145
                    6.7
                                  3.0
                                                  5.2
                                                                2.3
                                                                      virginica
    146
                    6.3
                                  2.5
                                                  5.0
                                                                1.9
                                                                      virginica
    147
                    6.5
                                  3.0
                                                  5.2
                                                                2.0
                                                                     virginica
    148
                   6.2
                                  3.4
                                                  5.4
                                                                2.3
                                                                      virginica
    149
                   5.9
                                  3.0
                                                  5.1
                                                                      virginica
                                                                1.8
```

```
[0]: # generate a scatter plot that shows the petal width variable along the x-axis # and the spetal width variable along the y-axis # add labels/title
plt.scatter(iris["sepal_length"], iris["sepal_width"])
plt.title("Relationship between Sepal Length and Sepal Width")
plt.xlabel("Sepal Length (cm)")
plt.ylabel("Sepal Width (cm)")
```

[0]: Text(0, 0.5, 'Sepal Width (cm)')




By looking at the above plot, what conclusion can you make? Is there a positive or negative correlation between sepal length and width?

One way to better understand our data would be to seperate the observations base on species. There are three flower species included in this study: 1) setosa, 2) versicolor, and 3) virginica. We can do this by overlaying plots, as we did in the above line graph.

```
[0]: # generate three dataframes:
   # 1) iris_setosa dataframe that only includes observations corresponding to the
    ⇔setosa species
   # 2) iris_versicolor dataframe that only includes observations corresponding to
    → the versicolor species
   # 3) iris\_virginica dataframe that only includes observations corresponding to \square
    → the virginica species
   iris_setosa = iris[iris['species'] == "setosa"]
   iris_versicolor = iris[iris['species'] == "versicolor"]
   iris_virginica = iris[iris['species'] == "virginica"]
[0]: # overlay three dataframes' scatter plot in one panel by:
   # 1) plotting sepal width vs. length for iris_setosa
   # 2) plotting sepal width vs. length for iris_versicolor
   # 3) plotting sepal width vs. length for iris_virginica
   # don't forget to add labels/title/legends
   plt.scatter(iris_setosa["sepal_length"], iris_setosa["sepal_width"],
     →label='Setosa')
   plt.scatter(iris versicolor["sepal length"], iris versicolor["sepal width"],
     →label='Versicolor')
   plt.scatter(iris_virginica["sepal_length"], iris_virginica["sepal_width"],
    →label='Virginica')
   plt.legend()
   plt.title("Relationship between Sepal Length and Sepal Width")
   plt.xlabel("Sepal Length (cm)")
   plt.ylabel("Sepal Width (cm)")
```

[0]: Text(0, 0.5, 'Sepal Width (cm)')



Now what do you notice about the relationship between these variables? Is this relationship the same for all species?

You just practiced: * creating high quality line graphs * creating high quality scatter plots * overlaying multiple dataframes in one plot, which separates them by colors

[0]: