Courseware Updates & News Calendar Wiki Discussion Progress

## L3 PROBLEM 8 (5/5 points)

Consider the following code:

```
x = 25
epsilon = 0.01
step = 0.1
guess = 0.0
while guess <= x:
    if abs(guess**2 -x) < epsilon:
        break
    else:
        guess += step

if abs(guess**2 - x) >= epsilon:
    print 'failed'
else:
    print 'succeeded: ' + str(guess)
```

If this code is executed, it will print succeeded: 5.0

Now suppose we try the following:

```
x = 25
epsilon = 0.01
step = 0.1
quess = 0.0
while guess <= x:
   if abs(quess**2 -x) >= epsilon:
       quess += step
if abs(quess**2 - x) >= epsilon:
   print 'failed'
else:
   print 'succeeded: ' + str(guess)
```

Select the answer that best describes what occurs when the above code is executed:

- Script successfully completes, and prints out succeeded: 5.0
- Script successfully completes, but prints out failed
- Script successfully completes, but prints out Succeeded: followed by some number not equal to 5.0
- $\odot$ Script enters an infinite loop and never terminates



Now suppose we try

```
x = 25
epsilon = 0.01
step = 0.1
guess = 0.0
while abs(guess**2-x) >= epsilon:
    if guess <= x:
        guess += step
    else:
        break

if abs(guess**2 - x) >= epsilon:
    print 'failed'
else:
    print 'succeeded: ' + str(guess)
```

Select the answer that best describes what occurs when the above code is executed:

- Script successfully completes, and prints out succeeded: 5.0
- O Script successfully completes, but prints out failed
- O Script successfully completes, but prints out Succeeded: followed by some number not equal to 5.0
- O Script enters an infinite loop and never terminates

Finally, let's use the same code as immediately above, but change the first line to x = 23. Note that the square root of 23 is roughly 4.7958.

Select the answer that best describes what occurs when the modified code is executed:

- O Script successfully completes, and prints out succeeded: 5.0
- Script successfully completes, but prints out failed

	0	Script succe	essfully completes, but prints out [succeeded: followed by some number not ed	qual to 5.0
	0	Script enter	rs an infinite loop and never terminates	
<b>Hint:</b> If any of the above answers confuse you, try running the code on your own machine and inserting print statements to print out intermediate values of variables so you can examine what happens to certain variables - for example, <code>guess</code> - as the program is executed.				
Chec	ck	Hide Answer		
	Show I	Discussion		☑ New Post



About edX

About

Follow Us



EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2015 edX, some rights reserved

Terms of Service and Honor Code

Privacy Policy (Revised 4/16/2014)

News

Contact

FAQ

edX Blog

Donate to edX

Jobs at edX

Facebook

Meetup

in LinkedIn

S+ Google+