

Test Document

Project: LIBERTY

Document Version Number: *TEST - 1.0*

Date: 29/10/2017

Author: Edward Son

Edit History: N/A



McGill

TABLE OF CONTENTS

TABLE OF CONTENTS	2
1. TESTS	3
1.1 Wifi data receiver test	3
2. Source Code used	6
3. Hardware used	7

1. TESTS

1.1 Wifi data receiver test

Test 1: Junit wifi test

Date: 29/10/2017

Tester: Edward Son

Author: Edward Son

- 1) This test will validate the functionality of the one way wifi communication, in order to confirm that the brick can receive data over wifi from a server.
- 2) This test should print to the console all the data transmitted from the server and the server GUI should output a success message after transmission.
- 3) The main class in the project instantiates the wifi class using “WifiConnection conn = new WifiConnection(SERVER_IP, TEAM_NUMBER, ENABLE_DEBUG_WIFI_PRINT);”. Then, in a try/catch method, the data is assigned to a map called “data”, using “data = conn.getData();”. Finally, a print statement is used to print this data to the brick: “System.out.println(“Map:\n”, data);”. To run the server that transmits the data, we call “java -jar "DPM Server Fall 2017.jar" where the server jar file is located. Then, we input the test data as desired and click “start”. The console in the GUI should then print the status of the operation.
- 4) The brick should print out a line that includes all the data sent to it, showing the variables and the value. The server GUI should display a success message. The brick’s console should display the same data inputted from the server GUI.
- 5)




Figure 1: Console output from the brick






Figure 2: Server GUI output and data input

- 6) The brick successfully prints out the same data that was passed to it using the wifi class. The server GUI prints out a success message “Successfully transmitted to team 1” which indicates it succeeded in passing the data to our brick.
- 7) The one way wifi communication class works as needed, as it is able to receive data and manipulate as it needs to be for the final design project.

2. Source Code used

See github group repository at commit: 625beeea9869238d5f9ba3f398188be2df3ae12e

3. Hardware used



See *HARDWARE - 2.0*.