


Width vs. Fresh Weight

Entire Dataset, All Accessions




Width

$y_0 = 2.813$, $m = 1.349$, $R^2 = 0.52$, $N = 389$

Height vs. Fresh Weight

Entire Dataset, All Accessions




Height

$$y_0 = 1.463, m = 1.468, R^2 = 0.383, N = 389$$

Diameter vs. Fresh Weight

Entire Dataset, All Accessions




Diameter

$y_0 = 0.487$, $m = 1.396$, $R^2 = 0.408$, $N = 389$

Thickness vs. Fresh Weight

Entire Dataset, All Accessions




Thickness

$y_0 = 2.688$, $m = 1.333$, $R^2 = 0.411$, $N = 389$


Diameter / Width vs. Fresh Weight

Entire Dataset, All Accessions



Width vs. Height


Entire Dataset, All Accessions



$y_0 = 3.202$, $m = 0.121$, $R^2 = 0.024$, $N = 389$

Width vs. Diameter

Entire Dataset, All Accessions




Width

$y_0 = 3.578$, $m = 0.298$, $R^2 = 0.121$, $N = 389$

Width vs. Thickness

Entire Dataset, All Accessions




Width

$y_0 = 2.288$, $m = 0.245$, $R^2 = 0.074$, $N = 389$

Height vs. Diameter

Entire Dataset, All Accessions




Height

$y_0 = 1.85$, $m = 0.728$, $R^2 = 0.45$, $N = 389$

Height vs. Thickness

Entire Dataset, All Accessions




Height

$y_0 = 1.937$, $m = 0.296$, $R^2 = 0.067$, $N = 389$

Diameter vs. Thickness


Entire Dataset, All Accessions



Diameter

$y_0 = 1.706$, $m = 0.289$, $R^2 = 0.076$, $N = 389$


Width vs. Fresh Weight Entire Dataset, 242



Width

$y_0 = 3.797, m = 0.905, R^2 = 0.343, N = 32$


Height vs. Fresh Weight Entire Dataset, 242




Height

$y_0 = -1.017$, $m = 1.972$, $R^2 = 0.538$, $N = 32$


Diameter vs. Fresh Weight Entire Dataset, 242



Thickness vs. Fresh Weight Entire Dataset, 242




Diameter / Width vs. Fresh Weight
Entire Dataset, 242



Diameter / Width
 $y_0 = 6.529$, $m = -0.29$, $R^2 = 0.033$, $N = 32$

Width vs. Height

Entire Dataset, 242




Width

$y_0 = 3.109$, $m = 0.179$, $R^2 = 0.097$, $N = 32$

Width vs. Diameter

Entire Dataset, 242




Width

$y_0 = 3.996$, $m = 0.15$, $R^2 = 0.097$, $N = 32$

Width vs. Thickness

Entire Dataset, 242




Width

$y_0 = 2.175$, $m = 0.231$, $R^2 = 0.173$, $N = 32$


Height vs. Diameter

Entire Dataset, 242



Height vs. Thickness


Entire Dataset, 242




Height

$y_0 = 1.989$, $m = 0.208$, $R^2 = 0.047$, $N = 32$

Diameter vs. Thickness
Entire Dataset, 242




Width vs. Fresh Weight
Entire Dataset, 246



Width
 $y_0 = 2.53$, $m = 1.315$, $R^2 = 0.518$, $N = 32$

Height vs. Fresh Weight Entire Dataset, 246



Height
 $y_0 = 1.341$, $m = 1.402$, $R^2 = 0.371$, $N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 246




Diameter

$y_0 = -2.825$, $m = 2.088$, $R^2 = 0.643$, $N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 246




Thickness

$y_0 = 4.323$, $m = 0.66$, $R^2 = 0.101$, $N = 32$

Diameter / Width vs. Fresh Weight

Entire Dataset, 246




Diameter / Width

$y_0 = 6.641$, $m = -0.343$, $R^2 = 0.03$, $N = 32$

Width vs. Height

Entire Dataset, 246




Width

$y_0 = 2.917$, $m = 0.178$, $R^2 = 0.05$, $N = 32$

Width vs. Diameter

Entire Dataset, 246




Width

$y_0 = 3.387$, $m = 0.328$, $R^2 = 0.218$, $N = 32$


Width vs. Thickness

Entire Dataset, 246




Height vs. Diameter

Entire Dataset, 246



Height vs. Thickness

Entire Dataset, 246



Height

$y_0 = 2.952$, $m = -0.073$, $R^2 = 0.004$, $N = 32$

Diameter vs. Thickness


Entire Dataset, 246



Diameter

$y_0 = 2.765$, $m = -0.014$, $R^2 = 0$, $N = 32$


Width vs. Fresh Weight Entire Dataset, 319



Width


$y_0 = 3.071, m = 1.412, R^2 = 0.589, N = 32$

Height vs. Fresh Weight Entire Dataset, 319




Height
 $y_0 = 5.499$, $m = 0.388$, $R^2 = 0.125$, $N = 32$

Diameter vs. Fresh Weight Entire Dataset, 319



$y_0 = 7.043$, $m = -0.015$, $R^2 = 0.001$, $N = 32$


Thickness vs. Fresh Weight Entire Dataset, 319



Thickness


$y_0 = 5.051, m = 0.611, R^2 = 0.094, N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 319



Width vs. Height

Entire Dataset, 319




Width

$y_0 = 3.299$, $m = 0.18$, $R^2 = 0.012$, $N = 32$

Width vs. Diameter

Entire Dataset, 319




Width

$y_0 = 5.197$, $m = -0.228$, $R^2 = 0.007$, $N = 32$

Width vs. Thickness

Entire Dataset, 319




Width

$y_0 = 3.063$, $m = 0.03$, $R^2 = 0.001$, $N = 32$

Height vs. Diameter


Entire Dataset, 319



Height
 $y_0 = 4.387$, $m = 0.047$, $R^2 = 0.001$, $N = 32$

Height vs. Thickness


Entire Dataset, 319




Height

$y_0 = 3.149$, $m = -0.001$, $R^2 = 0$, $N = 32$

Diameter vs. Thickness
Entire Dataset, 319



Width vs. Fresh Weight
Entire Dataset, 325




Width

$y_0 = 1.99$, $m = 1.679$, $R^2 = 0.593$, $N = 24$

Height vs. Fresh Weight


Entire Dataset, 325



Height

$y_0 = 0.48$, $m = 1.822$, $R^2 = 0.574$, $N = 24$

Diameter vs. Fresh Weight Entire Dataset, 325




Diameter

$y_0 = -3.792$, $m = 2.398$, $R^2 = 0.859$, $N = 24$

Thickness vs. Fresh Weight

Entire Dataset, 325




Thickness

$y_0 = 4.36$, $m = 0.921$, $R^2 = 0.311$, $N = 24$

Diameter / Width vs. Fresh Weight


Entire Dataset, 325



Diameter / Width
 $y_0 = 7.182$, $m = 0.039$, $R^2 = 0$, $N = 24$

Width vs. Height

Entire Dataset, 325




Width

$y_0 = 2.696$, $m = 0.324$, $R^2 = 0.128$, $N = 24$

Width vs. Diameter

Entire Dataset, 325




Width

$y_0 = 2.849$, $m = 0.56$, $R^2 = 0.442$, $N = 24$

Width vs. Thickness

Entire Dataset, 325




Width

$y_0 = 2.334$, $m = 0.254$, $R^2 = 0.037$, $N = 24$


Height vs. Diameter

Entire Dataset, 325



Height vs. Thickness


Entire Dataset, 325



Height
 $y_0 = 0.869$, $m = 0.609$, $R^2 = 0.175$, $N = 24$

Diameter vs. Thickness


Entire Dataset, 325




Diameter

$y_0 = 0.235, m = 0.629, R^2 = 0.161, N = 24$

Width vs. Fresh Weight Entire Dataset, 326



Height vs. Fresh Weight Entire Dataset, 326




Height

$y_0 = -0.127$, $m = 2.003$, $R^2 = 0.711$, $N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 326



Thickness vs. Fresh Weight


Entire Dataset, 326



Thickness

$y_0 = 4.571$, $m = 0.69$, $R^2 = 0.196$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 326



Diameter / Width
 $y_0 = 6.351$, $m = 0.288$, $R^2 = 0.005$, $N = 32$

Width vs. Height

Entire Dataset, 326




Width

$y_0 = 1.5$, $m = 0.684$, $R^2 = 0.429$, $N = 32$

Width vs. Diameter


Entire Dataset, 326



Width

$y_0 = 2.166$, $m = 0.766$, $R^2 = 0.644$, $N = 32$

Width vs. Thickness
Entire Dataset, 326




Width

$y_0 = 0.971, m = 0.782, R^2 = 0.242, N = 32$

Height vs. Diameter

Entire Dataset, 326




Height

$y_0 = 1.386, m = 0.859, R^2 = 0.882, N = 32$

Height vs. Thickness

Entire Dataset, 326




Height


$y_0 = 2.496$, $m = 0.205$, $R^2 = 0.018$, $N = 32$

Diameter vs. Thickness


Entire Dataset, 326



Width vs. Fresh Weight Entire Dataset, 390




Height vs. Fresh Weight Entire Dataset, 390



Height

$y_0 = 0.051, m = 2.038, R^2 = 0.651, N = 29$


Diameter vs. Fresh Weight Entire Dataset, 390



Diameter

$y_0 = -1.886, m = 2.009, R^2 = 0.638, N = 29$

Thickness vs. Fresh Weight Entire Dataset, 390




Thickness

$y_0 = 2.952, m = 1.334, R^2 = 0.536, N = 29$

Diameter / Width vs. Fresh Weight


Entire Dataset, 390



Diameter / Width
 $y_0 = 7.159$, $m = -0.002$, $R^2 = 0$, $N = 29$

Width vs. Height

Entire Dataset, 390




Width

$y_0 = 1.518, m = 0.613, R^2 = 0.361, N = 29$

Width vs. Diameter

Entire Dataset, 390




Width

$y_0 = 2.214$, $m = 0.712$, $R^2 = 0.483$, $N = 29$

Width vs. Thickness

Entire Dataset, 390




Width

$y_0 = 1.4, m = 0.545, R^2 = 0.149, N = 29$

Height vs. Diameter

Entire Dataset, 390




Height

$y_0 = 1.501$, $m = 0.86$, $R^2 = 0.734$, $N = 29$

Height vs. Thickness

Entire Dataset, 390




Height

$y_0 = 1.165$, $m = 0.57$, $R^2 = 0.169$, $N = 29$

Diameter vs. Thickness


Entire Dataset, 390



Diameter

$y_0 = 1.047, m = 0.468, R^2 = 0.115, N = 29$


Width vs. Fresh Weight Entire Dataset, 572



Width

$y_0 = 1.664$, $m = 1.728$, $R^2 = 0.647$, $N = 24$


Height vs. Fresh Weight Entire Dataset, 572




Height

$y_0 = 0.767, m = 1.663, R^2 = 0.686, N = 24$

Diameter vs. Fresh Weight Entire Dataset, 572




Thickness vs. Fresh Weight Entire Dataset, 572



Thickness
 $y_0 = 5.397$, $m = 0.453$, $R^2 = 0.104$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572



Diameter / Width
 $y_0 = 6.602$, $m = 0.086$, $R^2 = 0$, $N = 24$

Width vs. Height

Entire Dataset, 572




Width

$y_0 = 0.963$, $m = 0.894$, $R^2 = 0.699$, $N = 24$

Width vs. Diameter

Entire Dataset, 572




Width

$y_0 = 2.165$, $m = 0.78$, $R^2 = 0.725$, $N = 24$

Width vs. Thickness

Entire Dataset, 572




Width

$y_0 = 2.673$, $m = 0.094$, $R^2 = 0.004$, $N = 24$


Height vs. Diameter

Entire Dataset, 572



Height vs. Thickness

Entire Dataset, 572




Height

$y_0 = 2.742$, $m = 0.058$, $R^2 = 0.002$, $N = 24$

Diameter vs. Thickness


Entire Dataset, 572



Diameter

$y_0 = 2.814, m = 0.03, R^2 = 0, N = 24$


Width vs. Fresh Weight Entire Dataset, 580



Width


$y_0 = 3.282, m = 1.276, R^2 = 0.449, N = 24$

Height vs. Fresh Weight Entire Dataset, 580




Height
 $y_0 = 3.88$, $m = 0.774$, $R^2 = 0.12$, $N = 24$

Diameter vs. Fresh Weight Entire Dataset, 580




$y_0 = 3.951$, $m = 0.616$, $R^2 = 0.251$, $N = 24$

Thickness vs. Fresh Weight Entire Dataset, 580




Thickness
 $y_0 = 4.972$, $m = 0.588$, $R^2 = 0.227$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 580



Width vs. Height

Entire Dataset, 580




Width

$y_0 = 3.644$, $m = 0.03$, $R^2 = 0.001$, $N = 24$

Width vs. Diameter

Entire Dataset, 580




Width

$y_0 = 3.338$, $m = 0.448$, $R^2 = 0.084$, $N = 24$

Width vs. Thickness

Entire Dataset, 580




Width

$y_0 = 3.163$, $m = -0.043$, $R^2 = 0.001$, $N = 24$


Height vs. Diameter

Entire Dataset, 580



Height vs. Thickness


Entire Dataset, 580



Height

$y_0 = 3.644$, $m = -0.16$, $R^2 = 0.008$, $N = 24$


Diameter vs. Thickness
Entire Dataset, 580




Diameter

$y_0 = 3.84, m = -0.174, R^2 = 0.03, N = 24$

Width vs. Fresh Weight Entire Dataset, 582




Height vs. Fresh Weight Entire Dataset, 582



Height

$y_0 = 0.499$, $m = 1.69$, $R^2 = 0.451$, $N = 32$

Diameter vs. Fresh Weight Entire Dataset, 582




Diameter

$y_0 = -2.442$, $m = 2.028$, $R^2 = 0.716$, $N = 32$

Thickness vs. Fresh Weight


Entire Dataset, 582



Thickness

$y_0 = 3.082$, $m = 1.215$, $R^2 = 0.322$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 582



Diameter / Width
 $y_0 = 7.699, m = -0.474, R^2 = 0.04, N = 32$

Width vs. Height

Entire Dataset, 582




Width

$$y_0 = 2.883, m = 0.315, R^2 = 0.176, N = 32$$


Width vs. Diameter

Entire Dataset, 582




Width vs. Thickness

Entire Dataset, 582



Height vs. Diameter

Entire Dataset, 582




Height

$y_0 = 1.216, m = 0.896, R^2 = 0.727, N = 32$

Height vs. Thickness


Entire Dataset, 582



Height


$y_0 = 1.782, m = 0.348, R^2 = 0.088, N = 32$

Diameter vs. Thickness
Entire Dataset, 582




Diameter
 $y_0 = 1.111, m = 0.432, R^2 = 0.149, N = 32$

Width vs. Fresh Weight Entire Dataset, 584



Height vs. Fresh Weight


Entire Dataset, 584



Height

$y_0 = 0.677, m = 1.777, R^2 = 0.759, N = 24$

Diameter vs. Fresh Weight Entire Dataset, 584




Diameter

$y_0 = 2.455, m = 1.009, R^2 = 0.497, N = 24$

Thickness vs. Fresh Weight


Entire Dataset, 584



Thickness


$y_0 = 4.237$, $m = 0.868$, $R^2 = 0.14$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584



Width vs. Height

Entire Dataset, 584




Width

$y_0 = 1.371$, $m = 0.74$, $R^2 = 0.458$, $N = 24$

Width vs. Diameter

Entire Dataset, 584




Width

$y_0 = 1.579$, $m = 0.989$, $R^2 = 0.403$, $N = 24$


Width vs. Thickness

Entire Dataset, 584



Height vs. Diameter

Entire Dataset, 584




Height

$y_0 = 1.383$, $m = 0.876$, $R^2 = 0.377$, $N = 24$

Height vs. Thickness


Entire Dataset, 584




Height

$y_0 = 2.741$, $m = 0.12$, $R^2 = 0.019$, $N = 24$


Diameter vs. Thickness
Entire Dataset, 584




Width vs. Fresh Weight Entire Dataset, 585



Width
 $y_0 = 1.06$, $m = 1.919$, $R^2 = 0.482$, $N = 24$

$$y_0 = 0.802, m = 1.667, R^2 = 0.595, N = 24$$



Diameter vs. Fresh Weight Entire Dataset, 585



Diameter
 $y_0 = 4.349$, $m = 0.515$, $R^2 = 0.201$, $N = 24$

Thickness vs. Fresh Weight

Entire Dataset, 585




Thickness

$y_0 = 2.841, m = 1.228, R^2 = 0.403, N = 24$

Diameter / Width vs. Fresh Weight


Entire Dataset, 585



Diameter / Width

$y_0 = 6.191$, $m = 0.257$, $R^2 = 0.036$, $N = 24$


Width vs. Height Entire Dataset, 585



Width
 $y_0 = 0.846$, $m = 0.91$, $R^2 = 0.506$, $N = 24$

Width vs. Diameter

Entire Dataset, 585




Width

$y_0 = 0.466$, $m = 1.334$, $R^2 = 0.308$, $N = 24$


Width vs. Thickness

Entire Dataset, 585




Height vs. Diameter

Entire Dataset, 585



Height vs. Thickness


Entire Dataset, 585




Height

$y_0 = 2.367, m = 0.191, R^2 = 0.029, N = 24$

$y_0 = 3.062$, $m = -0.009$, $R^2 = 0$, $N = 24$



Width vs. Fresh Weight Entire Dataset, 839




Width

$y_0 = 2.566, m = 1.326, R^2 = 0.512, N = 24$


Height vs. Fresh Weight

Entire Dataset, 839



Diameter vs. Fresh Weight

Entire Dataset, 839




Diameter

$y_0 = -4.437$, $m = 2.486$, $R^2 = 0.86$, $N = 24$

Thickness vs. Fresh Weight


Entire Dataset, 839



Thickness

$y_0 = 5.661$, $m = 0.407$, $R^2 = 0.069$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 839



Diameter / Width
 $y_0 = 7.202$, $m = -0.308$, $R^2 = 0.012$, $N = 24$

Width vs. Height

Entire Dataset, 839




Width

$y_0 = 2.227$, $m = 0.41$, $R^2 = 0.279$, $N = 24$

Width vs. Diameter

Entire Dataset, 839




Width

$y_0 = 2.871, m = 0.516, R^2 = 0.558, N = 24$

Width vs. Thickness

Entire Dataset, 839




Width

$y_0 = 3.133, m = -0.11, R^2 = 0.009, N = 24$


Height vs. Diameter

Entire Dataset, 839



Height vs. Thickness


Entire Dataset, 839



Height
 $y_0 = 4.56$, $m = -0.504$, $R^2 = 0.106$, $N = 24$

Diameter vs. Thickness


Entire Dataset, 839



Diameter

$y_0 = 3.209, m = -0.095, R^2 = 0.003, N = 24$


Width vs. Fresh Weight Entire Dataset, 845



Width

$y_0 = 0.057$, $m = 2.187$, $R^2 = 0.715$, $N = 32$

Height vs. Fresh Weight Entire Dataset, 845




Height


$y_0 = -0.198$, $m = 1.977$, $R^2 = 0.757$, $N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 845




Thickness vs. Fresh Weight Entire Dataset, 845



Thickness
 $y_0 = 4.267$, $m = 0.827$, $R^2 = 0.159$, $N = 32$

Diameter / Width vs. Fresh Weight

Entire Dataset, 845




Diameter / Width

$y_0 = 5.058, m = 1.126, R^2 = 0.066, N = 32$

Width vs. Height

Entire Dataset, 845




Width

$y_0 = 0.899$, $m = 0.85$, $R^2 = 0.557$, $N = 32$

Width vs. Diameter

Entire Dataset, 845




Width

$y_0 = 1.711, m = 0.894, R^2 = 0.703, N = 32$


Width vs. Thickness

Entire Dataset, 845



Height vs. Diameter

Entire Dataset, 845




Height

$y_0 = 1.282, m = 0.902, R^2 = 0.929, N = 32$

Height vs. Thickness

Entire Dataset, 845




Height


$y_0 = 2.213, m = 0.185, R^2 = 0.029, N = 32$

Diameter vs. Thickness


Entire Dataset, 845



Width vs. Fresh Weight Entire Dataset, 854




Height vs. Fresh Weight Entire Dataset, 854



Height
 $y_0 = 2.774, m = 1.012, R^2 = 0.244, N = 24$

Diameter vs. Fresh Weight Entire Dataset, 854




Diameter

$y_0 = 4.155, m = 0.459, R^2 = 0.113, N = 24$

Thickness vs. Fresh Weight


Entire Dataset, 854



Thickness

$y_0 = 4.267$, $m = 0.614$, $R^2 = 0.196$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854



Diameter / Width
 $y_0 = 6.581$, $m = -0.391$, $R^2 = 0.062$, $N = 24$

Width vs. Height

Entire Dataset, 854




Width

$y_0 = 1.831$, $m = 0.511$, $R^2 = 0.26$, $N = 24$

Width vs. Diameter

Entire Dataset, 854




Width

$y_0 = 1.998, m = 0.772, R^2 = 0.265, N = 24$

Width vs. Thickness

Entire Dataset, 854




Width

$y_0 = 2.188$, $m = 0.258$, $R^2 = 0.03$, $N = 24$


Height vs. Diameter

Entire Dataset, 854



Height vs. Thickness

Entire Dataset, 854




Height

$y_0 = 4.235$, $m = -0.415$, $R^2 = 0.079$, $N = 24$

Diameter vs. Thickness

Entire Dataset, 854



Diameter

$y_0 = 2.804$, $m = 0.022$, $R^2 = 0$, $N = 24$