



Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.367, m = 1.496, R^2 = 0.389, N = 346$$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height


$$y_0 = -322.143, m = 34.116, R^2 = 0.354, N = 346$$

Diameter vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log



Diameter vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter

$y_0 = -1047.388$, $m = 22.491$, $R^2 = 0.66$, $N = 346$

Thickness vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Thickness


$y_0 = 2.408$, $m = 1.425$, $R^2 = 0.432$, $N = 346$

Thickness vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log



Diameter / Width


$y_0 = 7.425$, $m = -0.479$, $R^2 = 0.046$, $N = 346$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Height

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 3.04, m = 0.177, R^2 = 0.045, N = 346$


Width vs. Height

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Width

$y_0 = 3.427$, $m = 0.353$, $R^2 = 0.249$, $N = 346$


Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear



Width
 $y_0 = 55.426$, $m = 1.693$, $R^2 = 0.257$, $N = 346$

Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 2.145$, $m = 0.296$, $R^2 = 0.103$, $N = 346$


Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Height
 $y_0 = 1.783$, $m = 0.749$, $R^2 = 0.775$, $N = 346$


Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Thickness


Entire Dataset, All AccessionsMode – Double Log



Height
 $y_0 = 1.944$, $m = 0.295$, $R^2 = 0.071$, $N = 346$


Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Diameter

$y_0 = 0.883$, $m = 0.475$, $R^2 = 0.133$, $N = 346$

Diameter vs. Thickness


Entire Dataset, All AccessionsMode – Double Linear



Diameter

$y_0 = 11.04$, $m = 0.11$, $R^2 = 0.125$, $N = 346$

Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log




Width

$y_0 = 1.721, m = 1.745, R^2 = 0.785, N = 31$


Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Height

$y_0 = -1.01, m = 1.971, R^2 = 0.528, N = 31$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = -531.992$, $m = 27.691$, $R^2 = 0.497$, $N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Diameter

$$y_0 = -6.181, m = 2.789, R^2 = 0.725, N = 31$$


Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Thickness vs. Fresh Weight


Entire Dataset, 242Mode – Double Linear



Diameter / Width vs. Fresh Weight Entire Dataset, 242Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Linear



Width vs. Height

Entire Dataset, 242Mode – Double Log




Width


$y_0 = 2.521$, $m = 0.417$, $R^2 = 0.33$, $N = 31$

Width vs. Height

Entire Dataset, 242Mode – Double Linear




Width vs. Diameter
Entire Dataset, 242Mode – Double Log




Width vs. Diameter

Entire Dataset, 242Mode – Double Linear




Width vs. Thickness
Entire Dataset, 242Mode – Double Log



Width
 $y_0 = 2.124$, $m = 0.251$, $R^2 = 0.13$, $N = 31$

Width vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 10.379$, $m = 0.449$, $R^2 = 0.209$, $N = 31$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log



Height vs. Diameter

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = 14.094$, $m = 1.851$, $R^2 = 0.884$, $N = 31$

Height vs. Thickness

Entire Dataset, 242Mode – Double Log




Height

$y_0 = 1.806, m = 0.262, R^2 = 0.075, N = 31$


Height vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 242Mode – Double Log




Diameter

$y_0 = 0.583, m = 0.494, R^2 = 0.182, N = 31$


Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 1.306, m = 1.764, R^2 = 0.713, N = 27$

Width vs. Fresh Weight


Entire Dataset, 246Mode – Double Linear



$y_0 = -409.95$, $m = 57.264$, $R^2 = 0.742$, $N = 27$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 0.326, m = 1.715, R^2 = 0.505, N = 27$

Height vs. Fresh Weight


Entire Dataset, 246Mode – Double Linear



Height

$y_0 = -382.815, m = 29.098, R^2 = 0.507, N = 27$

Diameter vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Diameter

$y_0 = -3.313, m = 2.21, R^2 = 0.714, N = 27$


Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 7.13$, $m = -0.648$, $R^2 = 0.052$, $N = 27$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear




Diameter / Width

$y_0 = 823.323$, $m = -72.398$, $R^2 = 0.061$, $N = 27$


Width vs. Height

Entire Dataset, 246Mode – Double Log



Width vs. Height


Entire Dataset, 246Mode – Double Linear



Width

$y_0 = 16.682, m = 0.84, R^2 = 0.266, N = 27$


Width vs. Diameter
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 2.779$, $m = 0.547$, $R^2 = 0.468$, $N = 27$

Width vs. Diameter


Entire Dataset, 246Mode – Double Linear



Width

$y_0 = 31.656$, $m = 2.609$, $R^2 = 0.503$, $N = 27$


Width vs. Thickness
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 2.692$, $m = 0.006$, $R^2 = 0$, $N = 27$


Width vs. Thickness

Entire Dataset, 246Mode – Double Linear



Height vs. Diameter

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 1.279, m = 0.885, R^2 = 0.918, N = 27$

Height vs. Diameter

Entire Dataset, 246Mode – Double Linear




Height

$y_0 = 7.889$, $m = 2.165$, $R^2 = 0.916$, $N = 27$

Height vs. Thickness

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 2.997$, $m = -0.085$, $R^2 = 0.005$, $N = 27$

Height vs. Thickness

Entire Dataset, 246Mode – Double Linear




Height

$y_0 = 16.64, m = -0.049, R^2 = 0.007, N = 27$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log




Diameter


$y_0 = 2.889$, $m = -0.042$, $R^2 = 0.001$, $N = 27$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 2.332, m = 1.67, R^2 = 0.663, N = 29$


Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.566$, $m = 0.37$, $R^2 = 0.119$, $N = 29$


Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log



Diameter / Width
 $y_0 = 7.139$, $m = -0.094$, $R^2 = 0.002$, $N = 29$


Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Linear



Diameter / Width
 $y_0 = 1066.137$, $m = 4.172$, $R^2 = 0$, $N = 29$


Width vs. Height

Entire Dataset, 319Mode – Double Log



Width vs. Height


Entire Dataset, 319Mode – Double Linear



Width

$y_0 = 31.137$, $m = 0.865$, $R^2 = 0.042$, $N = 29$


Width vs. Diameter
Entire Dataset, 319Mode – Double Log




Width
 $y_0 = 3.111$, $m = 0.549$, $R^2 = 0.364$, $N = 29$

Width vs. Diameter

Entire Dataset, 319Mode – Double Linear




Width vs. Thickness
Entire Dataset, 319Mode – Double Log



Width
 $y_0 = 2.552$, $m = 0.212$, $R^2 = 0.051$, $N = 29$

Width vs. Thickness


Entire Dataset, 319Mode – Double Linear



Width
 $y_0 = 18.595$, $m = 0.292$, $R^2 = 0.04$, $N = 29$

Height vs. Diameter

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.733, m = 0.238, R^2 = 0.251, N = 29$


Height vs. Diameter

Entire Dataset, 319Mode – Double Linear



Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.123, m = 0.005, R^2 = 0, N = 29$

Height vs. Thickness

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 22.083, m = 0.027, R^2 = 0.006, N = 29$


Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log



Diameter vs. Thickness


Entire Dataset, 319Mode – Double Linear



Diameter

$y_0 = 17.201$, $m = 0.059$, $R^2 = 0.057$, $N = 29$

Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.593$, $m = 1.489$, $R^2 = 0.622$, $N = 21$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = -729.908, m = 94.687, R^2 = 0.6, N = 21$


Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Height


$y_0 = -908.813, m = 58.566, R^2 = 0.466, N = 21$

Diameter vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Diameter

$y_0 = -2066.445, m = 35.241, R^2 = 0.769, N = 21$

Thickness vs. Fresh Weight


Entire Dataset, 325Mode – Double Log



Thickness

$y_0 = 5.551$, $m = 0.552$, $R^2 = 0.161$, $N = 21$


Thickness vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear



Thickness

$y_0 = 804.681, m = 29.58, R^2 = 0.143, N = 21$


Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width

$y_0 = 8.238$, $m = -0.648$, $R^2 = 0.059$, $N = 21$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear




Diameter / Width

$y_0 = 2419.694$, $m = -210.4$, $R^2 = 0.052$, $N = 21$


Width vs. Height

Entire Dataset, 325Mode – Double Log




Width vs. Height

Entire Dataset, 325Mode – Double Linear




Width vs. Diameter
Entire Dataset, 325Mode – Double Log



Width vs. Diameter


Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 49.932$, $m = 2.179$, $R^2 = 0.513$, $N = 21$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 3.463$, $m = -0.098$, $R^2 = 0.005$, $N = 21$

Width vs. Thickness

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 26.631$, $m = -0.118$, $R^2 = 0.006$, $N = 21$


Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height vs. Diameter

Entire Dataset, 325Mode – Double Linear



Height vs. Thickness


Entire Dataset, 325Mode – Double Log



Height
 $y_0 = 1.103, m = 0.552, R^2 = 0.111, N = 21$


Height vs. Thickness

Entire Dataset, 325Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log




Width

$y_0 = -0.324, m = 2.487, R^2 = 0.857, N = 26$

Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Width

$$y_0 = -1211.841, m = 121.244, R^2 = 0.819, N = 26$$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Height

$y_0 = -0.535, m = 2.117, R^2 = 0.734, N = 26$


Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Diameter

$y_0 = -3.815, m = 2.435, R^2 = 0.865, N = 26$


Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Thickness


$y_0 = 3.669$, $m = 0.965$, $R^2 = 0.229$, $N = 26$

Thickness vs. Fresh Weight


Entire Dataset, 326Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = 337.166$, $m = 125.796$, $R^2 = 0.01$, $N = 26$


Width vs. Height

Entire Dataset, 326Mode – Double Log




Width vs. Height

Entire Dataset, 326Mode – Double Linear




Width vs. Diameter
Entire Dataset, 326Mode – Double Log



Width vs. Diameter

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 3.865, m = 4.236, R^2 = 0.841, N = 26$

Width vs. Thickness

Entire Dataset, 326Mode – Double Log




Width

$y_0 = 2.072, m = 0.4, R^2 = 0.09, N = 26$


Width vs. Thickness

Entire Dataset, 326Mode – Double Linear



Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.279$, $m = 0.889$, $R^2 = 0.889$, $N = 26$


Height vs. Diameter

Entire Dataset, 326Mode – Double Linear



Height vs. Thickness

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 2.479$, $m = 0.213$, $R^2 = 0.03$, $N = 26$


Height vs. Thickness

Entire Dataset, 326Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log




Diameter

$y_0 = 2.181, m = 0.237, R^2 = 0.033, N = 26$


Diameter vs. Thickness

Entire Dataset, 326Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 0.012, m = 2.222, R^2 = 0.733, N = 27$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Width

$y_0 = -1196.582, m = 101.708, R^2 = 0.697, N = 27$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Height

$y_0 = -0.497$, $m = 2.198$, $R^2 = 0.675$, $N = 27$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Height

$$y_0 = -1322.631, m = 81.8, R^2 = 0.618, N = 27$$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Diameter

$$y_0 = -5.1, m = 2.716, R^2 = 0.797, N = 27$$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter

$y_0 = -1886.443$, $m = 35.416$, $R^2 = 0.745$, $N = 27$


Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 390Mode – Double Linear



Thickness


$y_0 = -157.596, m = 64.336, R^2 = 0.456, N = 27$

Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width
 $y_0 = 8.664$, $m = -1.161$, $R^2 = 0.042$, $N = 27$


Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 3027.115, m = -453.294, R^2 = 0.06, N = 27$

Width vs. Height

Entire Dataset, 390Mode – Double Log




Width


$y_0 = 1.253, m = 0.694, R^2 = 0.511, N = 27$

Width vs. Height

Entire Dataset, 390Mode – Double Linear



Width vs. Diameter
Entire Dataset, 390Mode – Double Log




Width

$y_0 = 2.076, m = 0.758, R^2 = 0.789, N = 27$


Width vs. Diameter

Entire Dataset, 390Mode – Double Linear




Width vs. Thickness

Entire Dataset, 390Mode – Double Log



Width vs. Thickness

Entire Dataset, 390Mode – Double Linear




Width

$y_0 = 13.191, m = 0.417, R^2 = 0.106, N = 27$

Height vs. Diameter

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 1.648, m = 0.822, R^2 = 0.876, N = 27$


Height vs. Diameter

Entire Dataset, 390Mode – Double Linear




Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 10.2, m = 0.41, R^2 = 0.141, N = 27$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log




Diameter

$$y_0 = -0.147, m = 0.729, R^2 = 0.19, N = 27$$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Linear




Diameter

$y_0 = 9.093, m = 0.159, R^2 = 0.136, N = 27$

Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 0.805, m = 2.009, R^2 = 0.816, N = 20$

Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = -929.484, m = 93.389, R^2 = 0.804, N = 20$


Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Height

$y_0 = -650.992, m = 40.847, R^2 = 0.74, N = 20$


Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness vs. Fresh Weight


Entire Dataset, 572Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 929.759$, $m = -16.948$, $R^2 = 0$, $N = 20$

Width vs. Height

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 0.646$, $m = 1.003$, $R^2 = 0.818$, $N = 20$

Width vs. Height


Entire Dataset, 572Mode – Double Linear



Width

$$y_0 = -1.168, m = 1.99, R^2 = 0.822, N = 20$$


Width vs. Diameter
Entire Dataset, 572Mode – Double Log



Width
 $y_0 = 1.877$, $m = 0.878$, $R^2 = 0.835$, $N = 20$


Width vs. Diameter

Entire Dataset, 572Mode – Double Linear



Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.161$, $m = 0.253$, $R^2 = 0.032$, $N = 20$

Width vs. Thickness

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = 14.029, m = 0.233, R^2 = 0.028, N = 20$


Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 2.065, m = 0.233, R^2 = 0.033, N = 20$

Height vs. Thickness

Entire Dataset, 572Mode – Double Linear




Height

$$y_0 = 14.534, m = 0.107, R^2 = 0.029, N = 20$$


Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log



Diameter vs. Thickness


Entire Dataset, 572Mode – Double Linear



Diameter

$y_0 = 16.813, m = 0.019, R^2 = 0.004, N = 20$

Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.193, m = 1.305, R^2 = 0.369, N = 22$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = -268.223, m = 74.187, R^2 = 0.386, N = 22$


Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear



Height

$y_0 = 122.461$, $m = 18.306$, $R^2 = 0.151$, $N = 22$

Diameter vs. Fresh Weight
Entire Dataset, 580Mode – Double Log




Diameter

$y_0 = 1.053, m = 1.259, R^2 = 0.287, N = 22$

Diameter vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear



$y_0 = -194.715$, $m = 11.496$, $R^2 = 0.279$, $N = 22$

Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Thickness

$y_0 = 4.246, m = 0.825, R^2 = 0.487, N = 22$

Thickness vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear



Thickness


$y_0 = 174.068$, $m = 32.921$, $R^2 = 0.476$, $N = 22$

Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 7.066$, $m = -0.171$, $R^2 = 0.009$, $N = 22$


Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 1008.56$, $m = -21.895$, $R^2 = 0.008$, $N = 22$

Width vs. Height

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.395, m = 0.117, R^2 = 0.015, N = 22$


Width vs. Height

Entire Dataset, 580Mode – Double Linear



Width
 $y_0 = 36.261$, $m = 0.316$, $R^2 = 0.016$, $N = 22$

Width vs. Diameter
Entire Dataset, 580Mode – Double Log




Width

$y_0 = 4.034$, $m = 0.182$, $R^2 = 0.04$, $N = 22$

Width vs. Diameter


Entire Dataset, 580Mode – Double Linear



Width

$y_0 = 76.846$, $m = 1.054$, $R^2 = 0.037$, $N = 22$


Width vs. Thickness
Entire Dataset, 580Mode – Double Log



Width

$y_0 = 2.151, m = 0.328, R^2 = 0.033, N = 22$


Width vs. Thickness
Entire Dataset, 580Mode – Double Linear



Width
 $y_0 = 14.113, m = 0.467, R^2 = 0.035, N = 22$

Height vs. Diameter

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 1.32$, $m = 0.864$, $R^2 = 0.813$, $N = 22$


Height vs. Diameter

Entire Dataset, 580Mode – Double Linear



Height vs. Thickness

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 3.543$, $m = -0.133$, $R^2 = 0.005$, $N = 22$

Height vs. Thickness

Entire Dataset, 580Mode – Double Linear




Height

$y_0 = 24.45$, $m = -0.076$, $R^2 = 0.006$, $N = 22$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter

$y_0 = 2.42$, $m = 0.139$, $R^2 = 0.005$, $N = 22$


Diameter vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Width

$y_0 = -648.412, m = 101.052, R^2 = 0.777, N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Height

$y_0 = -0.325$, $m = 1.913$, $R^2 = 0.498$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = -728.551, m = 39.625, R^2 = 0.438, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = -2.845, m = 2.118, R^2 = 0.741, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter

$y_0 = -1028.727, m = 20.406, R^2 = 0.669, N = 30$


Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Thickness vs. Fresh Weight


Entire Dataset, 582Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 1937.443$, $m = -161.404$, $R^2 = 0.137$, $N = 30$


Width vs. Height

Entire Dataset, 582Mode – Double Log




Width vs. Height

Entire Dataset, 582Mode – Double Linear




Width vs. Diameter

Entire Dataset, 582Mode – Double Log




Width vs. Diameter

Entire Dataset, 582Mode – Double Linear



Width vs. Thickness

Entire Dataset, 582Mode – Double Log




Width

$y_0 = 2.051$, $m = 0.375$, $R^2 = 0.167$, $N = 30$


Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.082, m = 0.932, R^2 = 0.716, N = 30$


Height vs. Diameter

Entire Dataset, 582Mode – Double Linear



Height vs. Thickness

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.911$, $m = 0.313$, $R^2 = 0.062$, $N = 30$

Height vs. Thickness


Entire Dataset, 582Mode – Double Linear



Height
 $y_0 = 14.57$, $m = 0.174$, $R^2 = 0.066$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = 1.215, m = 0.409, R^2 = 0.128, N = 30$

Diameter vs. Thickness


Entire Dataset, 582Mode – Double Linear



Diameter


$y_0 = 11.828, m = 0.104, R^2 = 0.137, N = 30$

Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = -1050.838, m = 114.159, R^2 = 0.733, N = 23$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log




Height

$$y_0 = 0.713, m = 1.764, R^2 = 0.771, N = 23$$

Height vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Height

$y_0 = -958.462, m = 59.362, R^2 = 0.729, N = 23$

Diameter vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter

$y_0 = -2.783, m = 2.191, R^2 = 0.89, N = 23$


Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Log




Thickness

$y_0 = 4.385$, $m = 0.819$, $R^2 = 0.124$, $N = 23$

Thickness vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Thickness


$y_0 = 361.518$, $m = 32.512$, $R^2 = 0.081$, $N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 6.484$, $m = 0.324$, $R^2 = 0.008$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 848.337$, $m = 63.497$, $R^2 = 0.005$, $N = 23$

Width vs. Height

Entire Dataset, 584Mode – Double Log




Width

$$y_0 = 1.308, m = 0.762, R^2 = 0.466, N = 23$$

Width vs. Height


Entire Dataset, 584Mode – Double Linear



Width


$$y_0 = 10.068, m = 1.317, R^2 = 0.471, N = 23$$

Width vs. Diameter
Entire Dataset, 584Mode – Double Log




Width vs. Diameter

Entire Dataset, 584Mode – Double Linear



Width vs. Thickness

Entire Dataset, 584Mode – Double Log




Width

$y_0 = 2.945, m = 0.074, R^2 = 0.006, N = 23$

Width vs. Thickness

Entire Dataset, 584Mode – Double Linear




Width

$$y_0 = 23.109, m = 0.04, R^2 = 0.001, N = 23$$

Height vs. Diameter

Entire Dataset, 584Mode – Double Log




Height

$$y_0 = 1.523, m = 0.826, R^2 = 0.911, N = 23$$


Height vs. Diameter

Entire Dataset, 584Mode – Double Linear



Height vs. Thickness


Entire Dataset, 584Mode – Double Log



Height
 $y_0 = 2.761$, $m = 0.113$, $R^2 = 0.017$, $N = 23$

Height vs. Thickness

Entire Dataset, 584Mode – Double Linear




Height

$y_0 = 21.343$, $m = 0.072$, $R^2 = 0.014$, $N = 23$

Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log




Diameter

$y_0 = 2.631$, $m = 0.119$, $R^2 = 0.014$, $N = 23$

Diameter vs. Thickness


Entire Dataset, 584Mode – Double Linear



Diameter

$y_0 = 21.469$, $m = 0.028$, $R^2 = 0.01$, $N = 23$


Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width
 $y_0 = 0.4$, $m = 2.141$, $R^2 = 0.532$, $N = 22$

Width vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



$y_0 = -753.334$, $m = 83.676$, $R^2 = 0.539$, $N = 22$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 0.679, m = 1.703, R^2 = 0.603, N = 22$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = -551.355, m = 40.502, R^2 = 0.659, N = 22$


Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log



Diameter vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



Diameter

$y_0 = -847.49, m = 20.69, R^2 = 0.811, N = 22$

Thickness vs. Fresh Weight
Entire Dataset, 585Mode – Double Log




Thickness

$y_0 = 2.637, m = 1.299, R^2 = 0.434, N = 22$

Thickness vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



Thickness


$y_0 = -118.795, m = 41.47, R^2 = 0.363, N = 22$

Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width
 $y_0 = 4.378, m = 1.497, R^2 = 0.156, N = 22$


Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = -320.788, m = 246.388, R^2 = 0.161, N = 22$


Width vs. Height

Entire Dataset, 585Mode – Double Log




Width vs. Height

Entire Dataset, 585Mode – Double Linear



Width vs. Diameter

Entire Dataset, 585Mode – Double Log




Width

$y_0 = 1.751$, $m = 0.898$, $R^2 = 0.577$, $N = 22$

Width vs. Diameter

Entire Dataset, 585Mode – Double Linear




Width

$y_0 = 11.103$, $m = 3.677$, $R^2 = 0.549$, $N = 22$

Width vs. Thickness

Entire Dataset, 585Mode – Double Log




Width

$y_0 = 1.934, m = 0.377, R^2 = 0.064, N = 22$

Width vs. Thickness

Entire Dataset, 585Mode – Double Linear




Width

$y_0 = 13.691, m = 0.393, R^2 = 0.056, N = 22$

Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 1.472, m = 0.829, R^2 = 0.882, N = 22$

Height vs. Diameter

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 11.745$, $m = 2.038$, $R^2 = 0.88$, $N = 22$


Height vs. Thickness

Entire Dataset, 585Mode – Double Log



Height vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 15.173$, $m = 0.174$, $R^2 = 0.057$, $N = 22$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter

$y_0 = 1.076, m = 0.448, R^2 = 0.127, N = 22$


Diameter vs. Thickness

Entire Dataset, 585Mode – Double Linear




Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = -1052.009, m = 84.706, R^2 = 0.796, N = 20$


Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Height

$y_0 = -741.649$, $m = 49.039$, $R^2 = 0.574$, $N = 20$

Diameter vs. Fresh Weight


Entire Dataset, 839Mode – Double Log



Diameter


$y_0 = -4.674, m = 2.54, R^2 = 0.874, N = 20$

Diameter vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 839Mode – Double Linear



Thickness


$y_0 = 682.962$, $m = 14.908$, $R^2 = 0.034$, $N = 20$

Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width
 $y_0 = 8.157$, $m = -1.016$, $R^2 = 0.018$, $N = 20$


Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 1487.211$, $m = -140.388$, $R^2 = 0.007$, $N = 20$

Width vs. Height

Entire Dataset, 839Mode – Double Log




Width


$y_0 = 1.264, m = 0.718, R^2 = 0.544, N = 20$

Width vs. Height

Entire Dataset, 839Mode – Double Linear



Width vs. Diameter
Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.815, m = 0.856, R^2 = 0.898, N = 20$

Width vs. Diameter


Entire Dataset, 839Mode – Double Linear



Width

$y_0 = 9.457, m = 3.496, R^2 = 0.902, N = 20$


Width vs. Thickness
Entire Dataset, 839Mode – Double Log



$y_0 = 2.793$, $m = 0.006$, $R^2 = 0$, $N = 20$


Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear



Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 4.252$, $m = -0.409$, $R^2 = 0.07$, $N = 20$


Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = 2.711$, $m = 0.022$, $R^2 = 0$, $N = 20$


Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = -902.854, m = 53.794, R^2 = 0.805, N = 26$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Diameter

$$y_0 = -3.353, m = 2.271, R^2 = 0.884, N = 26$$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter

$y_0 = -1077.895, m = 23.086, R^2 = 0.887, N = 26$


Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 845Mode – Double Linear



Thickness


$y_0 = 196.546$, $m = 34.898$, $R^2 = 0.11$, $N = 26$

Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 4.44$, $m = 1.566$, $R^2 = 0.041$, $N = 26$


Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -935.06$, $m = 431.945$, $R^2 = 0.072$, $N = 26$


Width vs. Height

Entire Dataset, 845Mode – Double Log




Width vs. Height

Entire Dataset, 845Mode – Double Linear




Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter

Entire Dataset, 845Mode – Double Linear




Width vs. Thickness
Entire Dataset, 845Mode – Double Log



Width
 $y_0 = 2.291$, $m = 0.196$, $R^2 = 0.029$, $N = 26$


Width vs. Thickness

Entire Dataset, 845Mode – Double Linear



Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 1.229, m = 0.917, R^2 = 0.928, N = 26$


Height vs. Diameter

Entire Dataset, 845Mode – Double Linear



Height vs. Thickness

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 2.513, m = 0.105, R^2 = 0.011, N = 26$

Height vs. Thickness

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = 16.208$, $m = 0.056$, $R^2 = 0.01$, $N = 26$

Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = 2.376$, $m = 0.114$, $R^2 = 0.011$, $N = 26$

Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter

$y_0 = 15.882$, $m = 0.026$, $R^2 = 0.012$, $N = 26$


Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Width
 $y_0 = 1.141$, $m = 1.782$, $R^2 = 0.716$, $N = 22$

Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Width

$$y_0 = -310.357, m = 47.219, R^2 = 0.695, N = 22$$


Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 8.011$, $m = -1.41$, $R^2 = 0.166$, $N = 22$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 1031.693, m = -147.542, R^2 = 0.16, N = 22$

Width vs. Height

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 1.567$, $m = 0.601$, $R^2 = 0.392$, $N = 22$

Width vs. Height

Entire Dataset, 854Mode – Double Linear




Width

$$y_0 = 10.342, m = 0.943, R^2 = 0.391, N = 22$$


Width vs. Diameter

Entire Dataset, 854Mode – Double Log




Width vs. Diameter

Entire Dataset, 854Mode – Double Linear




Width vs. Thickness
Entire Dataset, 854Mode – Double Log



Width
 $y_0 = 2.314$, $m = 0.214$, $R^2 = 0.02$, $N = 22$

Width vs. Thickness


Entire Dataset, 854Mode – Double Linear



Width
 $y_0 = 15.134$, $m = 0.214$, $R^2 = 0.016$, $N = 22$

Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 1.475, m = 0.829, R^2 = 0.851, N = 22$


Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 4.166, m = -0.392, R^2 = 0.062, N = 22$


Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log



Diameter

$y_0 = 3.915, m = -0.244, R^2 = 0.02, N = 22$

Diameter vs. Thickness

Entire Dataset, 854Mode – Double Linear

