

Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.494$, m = 1.457, $R^2 = 0.554$, N = 448

Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -305.614$, m = 65.714, $R^2 = 0.527$, N = 448

Height vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




y_0 = 1.291, m = 1.521, R^2 = 0.405, N = 448

Height vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -361.289$, m = 35.524, $R^2 = 0.368$, N = 448

Diameter vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 0.127$, m = 1.48, $R^2 = 0.437$, N = 448

Diameter vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




y_0 = 2.736, m = 1.321, R^2 = 0.396, N = 448

Thickness vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -186.049$, m = 53.134, $R^2 = 0.351$, N = 448

Diameter / Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 7.162$, m = -0.304, $R^2 = 0.026$, N = 448

Diameter / Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 1156.057$, m = -52.025, $R^2 = 0.026$, N = 448

Width vs. Height Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 3.069$, m = 0.167, $R^2 = 0.041$, N = 448

Width vs. Height Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 30.428$, m = 0.278, $R^2 = 0.032$, N = 448

Width vs. Diameter Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 3.431$, m = 0.349, $R^2 = 0.159$, N = 448

Width vs. Diameter Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 56.248$, m = 1.634, $R^2 = 0.184$, N = 448

Width vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.344$, m = 0.225, $R^2 = 0.058$, N = 448

Width vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 16.665$, m = 0.207, $R^2 = 0.042$, N = 448

Height vs. Diameter
Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.815$, m = 0.738, $R^2 = 0.478$, N = 448

Height vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear




Height vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.989$, m = 0.283, $R^2 = 0.062$, N = 448

Height vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 14.58$, m = 0.165, $R^2 = 0.064$, N = 448

Diameter vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.71$, m = 0.289, $R^2 = 0.074$, N = 448

Diameter vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 13.778$, m = 0.077, $R^2 = 0.086$, N = 448

Diameter / Width vs. Dry Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 3.762$, m = -0.266, $R^2 = 0.023$, N = 448

Diameter / Width vs. Dry Weight Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width $y_0 = 41.039$, m = -1.862, $R^2 = 0.02$, N = 448

Width vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 1.702$, m = 1.754, $R^2 = 0.789$, N = 32

Width vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -422.729$, m = 73.458, $R^2 = 0.763$, N = 32

Height vs. Fresh Weight Entire Dataset, 242Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -522.688$, m = 27.378, $R^2 = 0.501$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = -5.962$, m = 2.737, $R^2 = 0.727$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -807.795$, m = 15.741, $R^2 = 0.655$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 1.759$, m = 1.541, $R^2 = 0.306$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -441.757$, m = 56.372, $R^2 = 0.446$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 8.252$, m = -1.189, $R^2 = 0.219$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = 985.42$, m = -79.548, $R^2 = 0.189$, N = 32

Width vs. Height Entire Dataset, 242Mode – Double Log




Width vs. Height Entire Dataset, 242Mode – Double Linear




 $y_0 = 20.735$, m = 1.212, $R^2 = 0.311$, N = 32

Width vs. Diameter Entire Dataset, 242Mode – Double Log




 $y_0 = 3.415$, m = 0.387, $R^2 = 0.397$, N = 32

Width vs. Diameter Entire Dataset, 242Mode – Double Linear




 $y_0 = 47.065$, m = 2.72, $R^2 = 0.396$, N = 32

Width vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 2.177$, m = 0.226, $R^2 = 0.102$, N = 32

Width vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 10.606$, m = 0.419, $R^2 = 0.177$, N = 32

Height vs. Diameter Entire Dataset, 242Mode – Double Log




 $y_0 = 1.679$, m = 0.757, $R^2 = 0.816$, N = 32

Height vs. Diameter Entire Dataset, 242Mode – Double Linear




 $y_0 = 13.4$, m = 1.875, $R^2 = 0.887$, N = 32

Height vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 1.989$, m = 0.208, $R^2 = 0.047$, N = 32

Height vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 11.289$, m = 0.12, $R^2 = 0.069$, N = 32

Diameter vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 0.986$, m = 0.399, $R^2 = 0.12$, N = 32

Diameter vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 8.799$, m = 0.085, $R^2 = 0.135$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 5.525$, m = -1.189, $R^2 = 0.219$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = 64.477$, m = -5.205, $R^2 = 0.189$, N = 32

Width vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 2.53$, m = 1.315, $R^2 = 0.518$, N = 32

Width vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -192.5$, m = 43.089, $R^2 = 0.543$, N = 32

Height vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 1.341$, m = 1.402, $R^2 = 0.371$, N = 32

Height vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -222.61$, m = 22.907, $R^2 = 0.354$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = -2.825$, m = 2.088, $R^2 = 0.643$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -570.288$, m = 14.336, $R^2 = 0.635$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 4.323$, m = 0.66, $R^2 = 0.101$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 214.263$, m = 16.929, $R^2 = 0.064$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 6.641$, m = -0.343, $R^2 = 0.03$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 685.507$, m = -44.949, $R^2 = 0.048$, N = 32

Width vs. Height Entire Dataset, 246Mode – Double Log




 $y_0 = 2.917$, m = 0.178, $R^2 = 0.05$, N = 32

Width vs. Height Entire Dataset, 246Mode – Double Linear




 $y_0 = 24.757$, m = 0.355, $R^2 = 0.055$, N = 32

Width vs. Diameter Entire Dataset, 246Mode – Double Log




 $y_0 = 3.387$, m = 0.328, $R^2 = 0.218$, N = 32

Width vs. Diameter Entire Dataset, 246Mode – Double Linear




 $y_0 = 48.063$, m = 1.592, $R^2 = 0.24$, N = 32

Width vs. Thickness Entire Dataset, 246Mode – Double Log




Width vs. Thickness Entire Dataset, 246Mode – Double Linear




 $y_0 = 15.65$, m = -0.037, $R^2 = 0.002$, N = 32

Height vs. Diameter Entire Dataset, 246Mode – Double Log




 $y_0 = 1.455$, m = 0.83, $R^2 = 0.884$, N = 32

Height vs. Diameter Entire Dataset, 246Mode – Double Linear




 $y_0 = 12.013$, m = 2.003, $R^2 = 0.874$, N = 32

Height vs. Thickness Entire Dataset, 246Mode – Double Log




 $y_0 = 2.952$, m = -0.073, $R^2 = 0.004$, N = 32


Height vs. Thickness Entire Dataset, 246Mode – Double Linear



Diameter vs. Thickness Entire Dataset, 246Mode – Double Log




Diameter vs. Thickness Entire Dataset, 246Mode – Double Linear




 $y_0 = 15.735$, m = -0.009, $R^2 = 0.001$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 3.13$, m = -0.014, $R^2 = 0$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 21.246$, m = 0.75, $R^2 = 0.002$, N = 32

Width vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 3.071$, m = 1.412, $R^2 = 0.589$, N = 32

Width vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 5.499$, m = 0.388, $R^2 = 0.125$, N = 32


Height vs. Fresh Weight Entire Dataset, 319Mode – Double Linear



Diameter vs. Fresh Weight Entire Dataset, 319Mode – Double Log




Diameter vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 863.165$, m = 2.374, $R^2 = 0.031$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 5.051$, m = 0.611, $R^2 = 0.094$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 570.068$, m = 22.706, $R^2 = 0.078$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 7.287$, m = -0.174, $R^2 = 0.078$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 1465.437$, m = -56.781, $R^2 = 0.084$, N = 32

Width vs. Height Entire Dataset, 319Mode – Double Log




Width vs. Height Entire Dataset, 319Mode – Double Linear




 $y_0 = 35.701$, m = 0.616, $R^2 = 0.027$, N = 32

Width vs. Diameter Entire Dataset, 319Mode – Double Log




Width vs. Diameter Entire Dataset, 319Mode – Double Linear




 $y_0 = 93.512$, m = 0.446, $R^2 = 0.003$, N = 32

Width vs. Thickness Entire Dataset, 319Mode – Double Log




 $y_0 = 3.063$, m = 0.03, $R^2 = 0.001$, N = 32

Width vs. Thickness Entire Dataset, 319Mode – Double Linear




 $y_0 = 23.481$, m = -0.003, $R^2 = 0$, N = 32


Height vs. Diameter Entire Dataset, 319Mode – Double Log




Height vs. Diameter Entire Dataset, 319Mode – Double Linear



Height vs. Thickness Entire Dataset, 319Mode – Double Log




Height vs. Thickness Entire Dataset, 319Mode – Double Linear




 $y_0 = 22.526$, m = 0.02, $R^2 = 0.003$, N = 32

Diameter vs. Thickness Entire Dataset, 319Mode – Double Log




 $y_0 = 2.784$, m = 0.079, $R^2 = 0.053$, N = 32

Diameter vs. Thickness Entire Dataset, 319Mode – Double Linear




 $y_0 = 19.25$, m = 0.042, $R^2 = 0.063$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 319Mode – Double Log




Diameter / Width vs. Dry Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 30.724$, m = -0.182, $R^2 = 0$, N = 32

Width vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 2.063$, m = 1.669, $R^2 = 0.616$, N = 32

Width vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 0.271$, m = 1.887, $R^2 = 0.561$, N = 32

Height vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = -1038.244$, m = 61.83, $R^2 = 0.486$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = -4.004$, m = 2.446, $R^2 = 0.848$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = -1951.294$, m = 34.203, $R^2 = 0.779$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 4.466$, m = 0.902, $R^2 = 0.267$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = 537.835$, m = 42.976, $R^2 = 0.198$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 7.574$, m = -0.181, $R^2 = 0.004$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




Width vs. Height Entire Dataset, 325Mode – Double Log




 $y_0 = 2.692$, m = 0.33, $R^2 = 0.153$, N = 32

Width vs. Height Entire Dataset, 325Mode – Double Linear




Width vs. Diameter Entire Dataset, 325Mode – Double Log




 $y_0 = 2.942$, m = 0.535, $R^2 = 0.448$, N = 32

Width vs. Diameter Entire Dataset, 325Mode – Double Linear




Width vs. Thickness Entire Dataset, 325Mode – Double Log




 $y_0 = 2.546$, m = 0.191, $R^2 = 0.025$, N = 32

Width vs. Thickness Entire Dataset, 325Mode – Double Linear




Height vs. Diameter Entire Dataset, 325Mode – Double Log




 $y_0 = 1.412$, m = 0.861, $R^2 = 0.826$, N = 32

Height vs. Diameter Entire Dataset, 325Mode – Double Linear




 $y_0 = 15.905$, m = 2.065, $R^2 = 0.815$, N = 32

Height vs. Thickness Entire Dataset, 325Mode – Double Log




 $y_0 = 1.15$, m = 0.535, $R^2 = 0.138$, N = 32

Height vs. Thickness Entire Dataset, 325Mode – Double Linear




 $y_0 = 12.14$, m = 0.274, $R^2 = 0.089$, N = 32

Diameter vs. Thickness Entire Dataset, 325Mode – Double Log




 $y_0 = 0.607$, m = 0.549, $R^2 = 0.13$, N = 32

Diameter vs. Thickness Entire Dataset, 325Mode – Double Linear




 $y_0 = 11.843$, m = 0.115, $R^2 = 0.082$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 4.076$, m = -0.559, $R^2 = 0.019$, N = 32


Diameter / Width vs. Dry Weight Entire Dataset, 325Mode – Double Linear




Width vs. Fresh Weight Entire Dataset, 326Mode – Double Log



Width vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = -0.127$, m = 2.003, $R^2 = 0.711$, N = 32

Height vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = -864.6$, m = 56.049, $R^2 = 0.7$, N = 32


Diameter vs. Fresh Weight Entire Dataset, 326Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 4.571$, m = 0.69, $R^2 = 0.196$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




y_0 = 181.589, m = 29.301, R^2 = 0.24, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 6.351$, m = 0.288, $R^2 = 0.005$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = 619.715$, m = 65.029, $R^2 = 0.007$, N = 32

Width vs. Height Entire Dataset, 326Mode – Double Log




 $y_0 = 1.5$, m = 0.684, $R^2 = 0.429$, N = 32

Width vs. Height Entire Dataset, 326Mode – Double Linear




 $y_0 = 9.975$, m = 1.247, $R^2 = 0.426$, N = 32

Width vs. Diameter Entire Dataset, 326Mode – Double Log




 $y_0 = 2.166$, m = 0.766, $R^2 = 0.644$, N = 32

Width vs. Diameter Entire Dataset, 326Mode – Double Linear




 $y_0 = 17.286$, m = 3.476, $R^2 = 0.642$, N = 32

Width vs. Thickness Entire Dataset, 326Mode – Double Log




 $y_0 = 0.971$, m = 0.782, $R^2 = 0.242$, N = 32

Width vs. Thickness Entire Dataset, 326Mode – Double Linear




Height vs. Diameter Entire Dataset, 326Mode – Double Log




 $y_0 = 1.386$, m = 0.859, $R^2 = 0.882$, N = 32

Height vs. Diameter Entire Dataset, 326Mode – Double Linear




 $y_0 = 10.258$, m = 2.131, $R^2 = 0.882$, N = 32

Height vs. Thickness Entire Dataset, 326Mode – Double Log




 $y_0 = 2.496$, m = 0.205, $R^2 = 0.018$, N = 32


Height vs. Thickness Entire Dataset, 326Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 326Mode – Double Log



Diameter vs. Thickness Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 3.223$, m = 0.181, $R^2 = 0.001$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 326Mode – Double Linear




y_0 = 27.043, m = 2.13, R^2 =0.001, N = 32


Width vs. Fresh Weight Entire Dataset, 390Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight Entire Dataset, 390Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = -1071.671$, m = 73.489, $R^2 = 0.569$, N = 32


Diameter vs. Fresh Weight Entire Dataset, 390Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 2.965$, m = 1.335, $R^2 = 0.529$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = -148.814$, m = 64.018, $R^2 = 0.436$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 7.162$, m = 0.005, $R^2 = 0$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = 1513.674$, m = -38.744, $R^2 = 0.001$, N = 32


Width vs. Height Entire Dataset, 390Mode – Double Log



Width vs. Height Entire Dataset, 390Mode – Double Linear




Width vs. Diameter Entire Dataset, 390Mode – Double Log




 $y_0 = 2.247$, m = 0.703, $R^2 = 0.48$, N = 32

Width vs. Diameter Entire Dataset, 390Mode – Double Linear




 $y_0 = 29.832$, m = 2.457, $R^2 = 0.528$, N = 32

Width vs. Thickness Entire Dataset, 390Mode – Double Log




 $y_0 = 1.427$, m = 0.536, $R^2 = 0.148$, N = 32

Width vs. Thickness Entire Dataset, 390Mode – Double Linear




Height vs. Diameter Entire Dataset, 390Mode – Double Log




 $y_0 = 1.505$, m = 0.859, $R^2 = 0.736$, N = 32

Height vs. Diameter Entire Dataset, 390Mode – Double Linear




 $y_0 = 12.619$, m = 2.372, $R^2 = 0.762$, N = 32

Height vs. Thickness Entire Dataset, 390Mode – Double Log




 $y_0 = 1.25$, m = 0.544, $R^2 = 0.156$, N = 32

Height vs. Thickness Entire Dataset, 390Mode – Double Linear




 $y_0 = 11.877$, m = 0.357, $R^2 = 0.126$, N = 32


Diameter vs. Thickness Entire Dataset, 390Mode – Double Log



Diameter vs. Thickness Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 2.094$, m = 1.069, $R^2 = 0.068$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = -12.746$, m = 13.278, $R^2 = 0.071$, N = 32

Width vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 2.052$, m = 1.591, $R^2 = 0.573$, N = 32

Width vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -521.912$, m = 72.705, $R^2 = 0.524$, N = 32

Height vs. Fresh Weight Entire Dataset, 572Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -479.344$, m = 36.811, $R^2 = 0.575$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = -2.277$, m = 2.02, $R^2 = 0.723$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -875.607$, m = 20.02, $R^2 = 0.711$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 5.31$, m = 0.485, $R^2 = 0.125$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = 447.087$, m = 21.853, $R^2 = 0.116$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 6.779$, m = -0.031, $R^2 = 0$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = 675.137$, m = 41.248, $R^2 = 0.003$, N = 32

Width vs. Height Entire Dataset, 572Mode – Double Log




 $y_0 = 1.254$, m = 0.794, $R^2 = 0.585$, N = 32

Width vs. Height Entire Dataset, 572Mode – Double Linear




 $y_0 = 6.945$, m = 1.55, $R^2 = 0.561$, N = 32

Width vs. Diameter Entire Dataset, 572Mode – Double Log




 $y_0 = 2.307$, m = 0.732, $R^2 = 0.684$, N = 32

Width vs. Diameter Entire Dataset, 572Mode – Double Linear




 $y_0 = 21.778$, m = 3.416, $R^2 = 0.652$, N = 32

Width vs. Thickness Entire Dataset, 572Mode – Double Log




 $y_0 = 3.078$, m = -0.049, $R^2 = 0.001$, N = 32

Width vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 20.325$, m = -0.066, $R^2 = 0.002$, N = 32

Height vs. Diameter Entire Dataset, 572Mode – Double Log




Height vs. Diameter Entire Dataset, 572Mode – Double Linear




 $y_0 = 16.645$, m = 1.925, $R^2 = 0.887$, N = 32

Height vs. Thickness Entire Dataset, 572Mode – Double Log




Height vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 20.262$, m = -0.033, $R^2 = 0.002$, N = 32

Diameter vs. Thickness Entire Dataset, 572Mode – Double Log




 $y_0 = 3.207$, m = -0.061, $R^2 = 0.001$, N = 32

Diameter vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 20.716$, m = -0.019, $R^2 = 0.003$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 3.424$, m = -0.155, $R^2 = 0.001$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = 22.44$, m = 0.988, $R^2 = 0$, N = 32


Width vs. Fresh Weight Entire Dataset, 580Mode – Double Log



Width vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 3.305$, m = 0.928, $R^2 = 0.252$, N = 32

Height vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 27.071$, m = 20.497, $R^2 = 0.258$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 580Mode – Double Log




Diameter vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 481.717$, m = 4.034, $R^2 = 0.167$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 5.1$, m = 0.536, $R^2 = 0.148$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 368.954$, m = 22.919, $R^2 = 0.169$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 6.848$, m = -0.06, $R^2 = 0.002$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 843.007$, m = 3.161, $R^2 = 0$, N = 32

Width vs. Height Entire Dataset, 580Mode – Double Log




 $y_0 = 3.166$, m = 0.197, $R^2 = 0.035$, N = 32

Width vs. Height Entire Dataset, 580Mode – Double Linear




 $y_0 = 32.321$, m = 0.557, $R^2 = 0.039$, N = 32

Width vs. Diameter Entire Dataset, 580Mode – Double Log




 $y_0 = 3.278$, m = 0.463, $R^2 = 0.099$, N = 32

Width vs. Diameter Entire Dataset, 580Mode – Double Linear




 $y_0 = 39.11$, m = 3.647, $R^2 = 0.101$, N = 32

Width vs. Thickness Entire Dataset, 580Mode – Double Log




Width vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 20.799$, m = 0.049, $R^2 = 0.001$, N = 32

Height vs. Diameter Entire Dataset, 580Mode – Double Log




y_0 = 1.633, m = 0.784, R^2 = 0.315, N = 32

Height vs. Diameter Entire Dataset, 580Mode – Double Linear




 $y_0 = 6.511$, m = 2.157, $R^2 = 0.279$, N = 32

Height vs. Thickness Entire Dataset, 580Mode – Double Log




Height $y_0 = 4.034$, m = -0.263, $R^2 = 0.039$, N = 32

Height vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 26.958$, m = -0.133, $R^2 = 0.034$, N = 32

Diameter vs. Thickness Entire Dataset, 580Mode – Double Log




 $y_0 = 4.079$, m = -0.225, $R^2 = 0.056$, N = 32

Diameter vs. Thickness Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 4.951$, m = -0.883, $R^2 = 0.098$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 55.05$, m = -3.773, $R^2 = 0.064$, N = 32

Width vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 2.552$, m = 1.56, $R^2 = 0.683$, N = 32

Width vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 0.499$, m = 1.69, $R^2 = 0.451$, N = 32


Height vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 582Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 3.082$, m = 1.215, $R^2 = 0.322$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = -187.76$, m = 51.452, $R^2 = 0.341$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 7.699$, m = -0.474, $R^2 = 0.04$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = 1424.014$, m = -76.785, $R^2 = 0.057$, N = 32

Width vs. Height Entire Dataset, 582Mode – Double Log




 $y_0 = 2.883$, m = 0.315, $R^2 = 0.176$, N = 32

Width vs. Height Entire Dataset, 582Mode – Double Linear




 $y_0 = 30.565$, m = 0.766, $R^2 = 0.146$, N = 32

Width vs. Diameter Entire Dataset, 582Mode – Double Log




 $y_0 = 3.223$, m = 0.492, $R^2 = 0.39$, N = 32

Width vs. Diameter Entire Dataset, 582Mode – Double Linear




 $y_0 = 54.367$, m = 2.738, $R^2 = 0.361$, N = 32

Width vs. Thickness Entire Dataset, 582Mode – Double Log




 $y_0 = 2.301$, m = 0.286, $R^2 = 0.105$, N = 32


Width vs. Thickness Entire Dataset, 582Mode – Double Linear



Height vs. Diameter Entire Dataset, 582Mode – Double Log




Height vs. Diameter Entire Dataset, 582Mode – Double Linear




 $y_0 = 15.618$, m = 1.917, $R^2 = 0.712$, N = 32

Height vs. Thickness Entire Dataset, 582Mode – Double Log




 $y_0 = 1.782$, m = 0.348, $R^2 = 0.088$, N = 32

Height vs. Thickness Entire Dataset, 582Mode – Double Linear




 $y_0 = 13.943$, m = 0.189, $R^2 = 0.093$, N = 32


Diameter vs. Thickness Entire Dataset, 582Mode – Double Log



Diameter vs. Thickness Entire Dataset, 582Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 5.469$, m = -1.183, $R^2 = 0.052$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = 74.34$, m = -7.05, $R^2 = 0.064$, N = 32

Width vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 1.227$, m = 1.944, $R^2 = 0.7$, N = 32

Width vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = -1051.003$, m = 112.689, $R^2 = 0.748$, N = 32

Height vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 0.57$, m = 1.805, $R^2 = 0.768$, N = 32

Height vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 1.58$, m = 1.202, $R^2 = 0.554$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 349.084$, m = 8.61, $R^2 = 0.332$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 4.306$, m = 0.839, $R^2 = 0.103$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 460.211$, m = 28.002, $R^2 = 0.053$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 6.251$, m = 0.467, $R^2 = 0.047$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 821.953$, m = 66.202, $R^2 = 0.029$, N = 32

Width vs. Height Entire Dataset, 584Mode – Double Log




 $y_0 = 1.246$, m = 0.778, $R^2 = 0.475$, N = 32

Width vs. Height Entire Dataset, 584Mode – Double Linear




 $y_0 = 9.103$, m = 1.341, $R^2 = 0.482$, N = 32

Width vs. Diameter Entire Dataset, 584Mode – Double Log




 $y_0 = 1.671$, m = 0.952, $R^2 = 0.437$, N = 32

Width vs. Diameter Entire Dataset, 584Mode – Double Linear




 $y_0 = 1.464$, m = 4.621, $R^2 = 0.281$, N = 32

Width vs. Thickness Entire Dataset, 584Mode – Double Log




 $y_0 = 3.065$, m = 0.035, $R^2 = 0.002$, N = 32

Width vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 24.122$, m = -0.005, $R^2 = 0$, N = 32

Height vs. Diameter Entire Dataset, 584Mode – Double Log




 $y_0 = 1.403$, m = 0.868, $R^2 = 0.464$, N = 32

Height vs. Diameter Entire Dataset, 584Mode – Double Linear




Height vs. Thickness Entire Dataset, 584Mode – Double Log




 $y_0 = 2.992$, m = 0.05, $R^2 = 0.004$, N = 32

Height vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 23.396$, m = 0.018, $R^2 = 0.001$, N = 32

Diameter vs. Thickness Entire Dataset, 584Mode – Double Log




 $y_0 = 2.7$, m = 0.105, $R^2 = 0.029$, N = 32

Diameter vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 22.225$, m = 0.02, $R^2 = 0.026$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 2.868$, m = 0.263, $R^2 = 0.011$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 22.066$, m = 1.527, $R^2 = 0.012$, N = 32

Width vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 1.071$, m = 1.911, $R^2 = 0.554$, N = 32

Width vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -593.512$, m = 75.03, $R^2 = 0.567$, N = 32

Height vs. Fresh Weight Entire Dataset, 585Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -507.106$, m = 39.452, $R^2 = 0.548$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 3.967$, m = 0.612, $R^2 = 0.22$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -58.359$, m = 10.866, $R^2 = 0.411$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 2.762$, m = 1.267, $R^2 = 0.458$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -93.285$, m = 41.226, $R^2 = 0.388$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 6.36$, m = 0.176, $R^2 = 0.012$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = 575.643$, m = 47.956, $R^2 = 0.017$, N = 32

Width vs. Height Entire Dataset, 585Mode – Double Log




Width vs. Height Entire Dataset, 585Mode – Double Linear




 $y_0 = 8.75$, m = 1.303, $R^2 = 0.486$, N = 32

Width vs. Diameter Entire Dataset, 585Mode – Double Log




 $y_0 = 1.053$, m = 1.128, $R^2 = 0.328$, N = 32

Width vs. Diameter Entire Dataset, 585Mode – Double Linear




 $y_0 = 6.808$, m = 3.838, $R^2 = 0.426$, N = 32

Width vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 2.027$, m = 0.349, $R^2 = 0.065$, N = 32

Width vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 14.807$, m = 0.346, $R^2 = 0.053$, N = 32

Height vs. Diameter Entire Dataset, 585Mode – Double Log




 $y_0 = 0.714$, m = 1.038, $R^2 = 0.339$, N = 32

Height vs. Diameter Entire Dataset, 585Mode – Double Linear




 $y_0 = 0.715$, m = 2.341, $R^2 = 0.554$, N = 32

Height vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 2.454$, m = 0.168, $R^2 = 0.018$, N = 32

Height vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 17.269$, m = 0.118, $R^2 = 0.022$, N = 32

Diameter vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 2.953$, m = 0.02, $R^2 = 0.001$, N = 32

Diameter vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 19.016$, m = 0.027, $R^2 = 0.011$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 3.318$, m = -0.011, $R^2 = 0$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = 34.143$, m = -0.94, $R^2 = 0.001$, N = 32

Width vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 2.674$, m = 1.299, $R^2 = 0.491$, N = 32

Width vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = 65.011$, m = 36.163, $R^2 = 0.345$, N = 32

Height vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 1.672$, m = 1.45, $R^2 = 0.408$, N = 32

Height vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = -329.956$, m = 36.646, $R^2 = 0.41$, N = 32


Diameter vs. Fresh Weight Entire Dataset, 839Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 5.713$, m = 0.394, $R^2 = 0.08$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = 717.371$, m = 14.17, $R^2 = 0.042$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 7.223$, m = -0.305, $R^2 = 0.013$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = 1170.506$, m = -56.279, $R^2 = 0.007$, N = 32

Width vs. Height Entire Dataset, 839Mode – Double Log




Width vs. Height Entire Dataset, 839Mode – Double Linear




 $y_0 = 24.216$, m = 0.441, $R^2 = 0.168$, N = 32

Width vs. Diameter Entire Dataset, 839Mode – Double Log




 $y_0 = 2.917$, m = 0.504, $R^2 = 0.531$, N = 32

Width vs. Diameter Entire Dataset, 839Mode – Double Linear




 $y_0 = 55.216$, m = 1.524, $R^2 = 0.399$, N = 32

Width vs. Thickness Entire Dataset, 839Mode – Double Log




 $y_0 = 3.283$, m = -0.153, $R^2 = 0.013$, N = 32

Width vs. Thickness Entire Dataset, 839Mode – Double Linear




 $y_0 = 20.8$, m = -0.163, $R^2 = 0.034$, N = 32

Height vs. Diameter Entire Dataset, 839Mode – Double Log




 $y_0 = 2.005$, m = 0.71, $R^2 = 0.704$, N = 32

Height vs. Diameter Entire Dataset, 839Mode – Double Linear




 $y_0 = 26.296$, m = 1.894, $R^2 = 0.712$, N = 32

Height vs. Thickness Entire Dataset, 839Mode – Double Log




 $y_0 = 4.677$, m = -0.53, $R^2 = 0.106$, N = 32


Height vs. Thickness Entire Dataset, 839Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 839Mode – Double Log



Diameter vs. Thickness Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 2.706$, m = 0.573, $R^2 = 0.024$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = 22.203$, m = 3.545, $R^2 = 0.006$, N = 32

Width vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 0.057$, m = 2.187, $R^2 = 0.715$, N = 32

Width vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -977.161$, m = 87.825, $R^2 = 0.691$, N = 32

Height vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = -0.198$, m = 1.977, $R^2 = 0.757$, N = 32

Height vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -835.643$, m = 51.488, $R^2 = 0.777$, N = 32


Diameter vs. Fresh Weight Entire Dataset, 845Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 4.267$, m = 0.827, $R^2 = 0.159$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = 177.943$, m = 35.928, $R^2 = 0.134$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 5.058$, m = 1.126, $R^2 = 0.066$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -152.027$, m = 238.481, $R^2 = 0.07$, N = 32

Width vs. Height Entire Dataset, 845Mode – Double Log




 $y_0 = 0.899$, m = 0.85, $R^2 = 0.557$, N = 32

Width vs. Height Entire Dataset, 845Mode – Double Linear




Width vs. Diameter Entire Dataset, 845Mode – Double Log




 $y_0 = 1.711$, m = 0.894, $R^2 = 0.703$, N = 32

Width vs. Diameter Entire Dataset, 845Mode – Double Linear




 $y_0 = 7.476$, m = 3.663, $R^2 = 0.705$, N = 32

Width vs. Thickness Entire Dataset, 845Mode – Double Log




 $y_0 = 2.473$, m = 0.126, $R^2 = 0.01$, N = 32

Width vs. Thickness Entire Dataset, 845Mode – Double Linear




Height vs. Diameter Entire Dataset, 845Mode – Double Log




 $y_0 = 1.282$, m = 0.902, $R^2 = 0.929$, N = 32

Height vs. Diameter Entire Dataset, 845Mode – Double Linear




 $y_0 = 7.229$, m = 2.34, $R^2 = 0.94$, N = 32

Height vs. Thickness Entire Dataset, 845Mode – Double Log




 $y_0 = 2.213$, m = 0.185, $R^2 = 0.029$, N = 32

Height vs. Thickness Entire Dataset, 845Mode – Double Linear




 $y_0 = 14.985$, m = 0.083, $R^2 = 0.019$, N = 32

Diameter vs. Thickness Entire Dataset, 845Mode – Double Log




 $y_0 = 1.967$, m = 0.202, $R^2 = 0.03$, N = 32

Diameter vs. Thickness Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 1.537$, m = 1.474, $R^2 = 0.085$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -6.837$, m = 11.654, $R^2 = 0.039$, N = 32

Width vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 1.571$, m = 1.625, $R^2 = 0.64$, N = 32

Width vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = -252.257$, m = 43.329, $R^2 = 0.623$, N = 32

Height vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 3.432$, m = 0.807, $R^2 = 0.212$, N = 32

Height vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 106.579$, m = 12.654, $R^2 = 0.181$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 4.064$, m = 0.479, $R^2 = 0.124$, N = 32

Diameter vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 116.88$, m = 4.999, $R^2 = 0.201$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 4.599$, m = 0.502, $R^2 = 0.164$, N = 32

Thickness vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 211.965$, m = 12.128, $R^2 = 0.157$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 6.509$, m = -0.339, $R^2 = 0.046$, N = 32

Diameter / Width vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 619.487$, m = -47.31, $R^2 = 0.054$, N = 32

Width vs. Height Entire Dataset, 854Mode – Double Log




 $y_0 = 1.632$, m = 0.583, $R^2 = 0.253$, N = 32


Width vs. Height Entire Dataset, 854Mode – Double Linear



Width vs. Diameter Entire Dataset, 854Mode – Double Log




Width vs. Diameter Entire Dataset, 854Mode – Double Linear




 $y_0 = 14.795$, m = 3.043, $R^2 = 0.382$, N = 32

Width vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 2.598$, m = 0.101, $R^2 = 0.004$, N = 32

Width vs. Thickness Entire Dataset, 854Mode – Double Linear




Height vs. Diameter Entire Dataset, 854Mode – Double Log




 $y_0 = 2.92$, m = 0.373, $R^2 = 0.084$, N = 32

Height vs. Diameter Entire Dataset, 854Mode – Double Linear




 $y_0 = 35.36$, m = 1.07, $R^2 = 0.161$, N = 32

Height vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 4.582$, m = -0.527, $R^2 = 0.138$, N = 32

Height vs. Thickness Entire Dataset, 854Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 3.154$, m = -0.067, $R^2 = 0.004$, N = 32

Diameter vs. Thickness Entire Dataset, 854Mode – Double Linear




 $y_0 = 19.785$, m = -0.028, $R^2 = 0.006$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 854Mode – Double Log



 $y_0 = 3.732$, m = -0.125, $R^2 = 0.001$, N = 32

Diameter / Width vs. Dry Weight Entire Dataset, 854Mode – Double Linear



 $y_0 = 43.906$, m = -1.204, $R^2 = 0.001$, N = 32