


Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 2.337$, $m = 1.513$, $R^2 = 0.591$, $N = 364$


Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Log



Height
 $y_0 = 1.403$, $m = 1.485$, $R^2 = 0.384$, $N = 364$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = -314.327$, $m = 33.81$, $R^2 = 0.351$, $N = 364$

Diameter vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Log



Diameter

$y_0 = -3.702$, $m = 2.337$, $R^2 = 0.687$, $N = 364$

Diameter vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter

$y_0 = -1040.602, m = 22.389, R^2 = 0.658, N = 364$

Thickness vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Log




Thickness

$$y_0 = 2.602, m = 1.36, R^2 = 0.415, N = 364$$

Thickness vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log




Diameter / Width
 $y_0 = 7.404$, $m = -0.467$, $R^2 = 0.045$, $N = 364$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Height

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 3.079$, $m = 0.163$, $R^2 = 0.04$, $N = 364$


Width vs. Height

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Width


$$y_0 = 3.457, m = 0.343, R^2 = 0.241, N = 364$$

Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear




Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Width vs. Thickness
Entire Dataset, All AccessionsMode – Double Linear



Height vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Height
 $y_0 = 1.783$, $m = 0.749$, $R^2 = 0.776$, $N = 364$


Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.931, m = 0.299, R^2 = 0.069, N = 364$$


Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Diameter

$y_0 = 0.894$, $m = 0.472$, $R^2 = 0.125$, $N = 364$


Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Width

$y_0 = 1.721, m = 1.745, R^2 = 0.785, N = 31$

Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = -422.442$, $m = 73.421$, $R^2 = 0.761$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Height

$y_0 = -1.01, m = 1.971, R^2 = 0.528, N = 31$

Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = -531.992, m = 27.691, R^2 = 0.497, N = 31$


Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Thickness vs. Fresh Weight


Entire Dataset, 242Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Linear



Diameter / Width
 $y_0 = 983.037$, $m = -79.837$, $R^2 = 0.193$, $N = 31$

Width vs. Height

Entire Dataset, 242Mode – Double Log




Width


$y_0 = 2.521, m = 0.417, R^2 = 0.33, N = 31$

Width vs. Height

Entire Dataset, 242Mode – Double Linear




Width vs. Diameter
Entire Dataset, 242Mode – Double Log




Width
 $y_0 = 3.443, m = 0.374, R^2 = 0.387, N = 31$

Width vs. Diameter

Entire Dataset, 242Mode – Double Linear




Width vs. Thickness
Entire Dataset, 242Mode – Double Log



Width
 $y_0 = 2.124$, $m = 0.251$, $R^2 = 0.13$, $N = 31$

Width vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 10.379$, $m = 0.449$, $R^2 = 0.209$, $N = 31$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log




Height vs. Diameter

Entire Dataset, 242Mode – Double Linear



Height vs. Thickness

Entire Dataset, 242Mode – Double Log




Height

$y_0 = 1.806, m = 0.262, R^2 = 0.075, N = 31$


Height vs. Thickness

Entire Dataset, 242Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 242Mode – Double Log




Diameter

$y_0 = 0.583$, $m = 0.494$, $R^2 = 0.182$, $N = 31$


Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 1.831, m = 1.579, R^2 = 0.665, N = 30$

Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Width

$y_0 = -326.31, m = 52.46, R^2 = 0.709, N = 30$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Height


$y_0 = 1.091$, $m = 1.48$, $R^2 = 0.411$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Diameter vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Diameter

$y_0 = -3.056, m = 2.145, R^2 = 0.679, N = 30$

Diameter vs. Fresh Weight


Entire Dataset, 246Mode – Double Linear



$y_0 = -592.264$, $m = 14.729$, $R^2 = 0.671$, $N = 30$

Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Thickness

$y_0 = 4.387$, $m = 0.641$, $R^2 = 0.098$, $N = 30$

Thickness vs. Fresh Weight


Entire Dataset, 246Mode – Double Linear



Thickness


$y_0 = 232.759, m = 16.162, R^2 = 0.06, N = 30$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 7.046$, $m = -0.592$, $R^2 = 0.062$, $N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear



Diameter / Width
 $y_0 = 796.433$, $m = -66.46$, $R^2 = 0.076$, $N = 30$

Width vs. Height

Entire Dataset, 246Mode – Double Log




Width

$y_0 = 2.634, m = 0.281, R^2 = 0.112, N = 30$

Width vs. Height


Entire Dataset, 246Mode – Double Linear



Width

$y_0 = 21.469$, $m = 0.568$, $R^2 = 0.125$, $N = 30$


Width vs. Diameter
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 3.067$, $m = 0.446$, $R^2 = 0.359$, $N = 30$


Width vs. Diameter

Entire Dataset, 246Mode – Double Linear




Width vs. Thickness

Entire Dataset, 246Mode – Double Log




Width vs. Thickness

Entire Dataset, 246Mode – Double Linear



Height vs. Diameter

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 1.444$, $m = 0.834$, $R^2 = 0.884$, $N = 30$


Height vs. Diameter

Entire Dataset, 246Mode – Double Linear




Height vs. Thickness

Entire Dataset, 246Mode – Double Log



Height vs. Thickness

Entire Dataset, 246Mode – Double Linear




Height

$y_0 = 16.87, m = -0.058, R^2 = 0.01, N = 30$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log




Diameter


$y_0 = 2.897$, $m = -0.045$, $R^2 = 0.001$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 2.81, m = 1.502, R^2 = 0.605, N = 30$


Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 5.576$, $m = 0.366$, $R^2 = 0.118$, $N = 30$


Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Thickness

$y_0 = 4.653, m = 0.733, R^2 = 0.14, N = 30$

Thickness vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear



Thickness

$y_0 = 429.086$, $m = 27.999$, $R^2 = 0.128$, $N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log



Diameter / Width
 $y_0 = 7.171$, $m = -0.112$, $R^2 = 0.003$, $N = 30$

Diameter / Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter / Width

$y_0 = 1122.991, m = -5.059, R^2 = 0, N = 30$


Width vs. Height

Entire Dataset, 319Mode – Double Log



Width vs. Height


Entire Dataset, 319Mode – Double Linear



Width

$y_0 = 33.853$, $m = 0.707$, $R^2 = 0.031$, $N = 30$


Width vs. Diameter
Entire Dataset, 319Mode – Double Log



Width
 $y_0 = 3.281$, $m = 0.488$, $R^2 = 0.326$, $N = 30$

Width vs. Diameter

Entire Dataset, 319Mode – Double Linear




Width

$y_0 = 56.597$, $m = 2.921$, $R^2 = 0.275$, $N = 30$

Width vs. Thickness

Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.041$, $m = 0.04$, $R^2 = 0.002$, $N = 30$


Width vs. Thickness

Entire Dataset, 319Mode – Double Linear



Height vs. Diameter

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.736$, $m = 0.237$, $R^2 = 0.25$, $N = 30$

Height vs. Diameter

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 59.835, m = 0.964, R^2 = 0.478, N = 30$

Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.084, m = 0.018, R^2 = 0.001, N = 30$


Height vs. Thickness

Entire Dataset, 319Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log




Diameter

$y_0 = 2.059$, $m = 0.236$, $R^2 = 0.042$, $N = 30$


Diameter vs. Thickness

Entire Dataset, 319Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 1.565, m = 1.811, R^2 = 0.619, N = 23$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = -898.51, m = 101.65, R^2 = 0.63, N = 23$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 0.16, m = 1.912, R^2 = 0.621, N = 23$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Height

$y_0 = -1008.233, m = 60.374, R^2 = 0.559, N = 23$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Diameter

$$y_0 = -3.804, m = 2.402, R^2 = 0.869, N = 23$$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Diameter

$y_0 = -1751.928, m = 32.127, R^2 = 0.811, N = 23$

Thickness vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Thickness

$y_0 = 4.279$, $m = 0.946$, $R^2 = 0.308$, $N = 23$

Thickness vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Thickness


$y_0 = 510.206, m = 40.697, R^2 = 0.228, N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 6.952$, $m = 0.201$, $R^2 = 0.004$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear



Diameter / Width
 $y_0 = 1563.408$, $m = -22.571$, $R^2 = 0.001$, $N = 23$


Width vs. Height

Entire Dataset, 325Mode – Double Log



Width vs. Height


Entire Dataset, 325Mode – Double Linear



Width

$y_0 = 25.24, m = 0.677, R^2 = 0.182, N = 23$


Width vs. Diameter
Entire Dataset, 325Mode – Double Log



Width
 $y_0 = 2.61$, $m = 0.634$, $R^2 = 0.504$, $N = 23$

Width vs. Diameter

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 40.426, m = 2.568, R^2 = 0.512, N = 23$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.654$, $m = 0.154$, $R^2 = 0.013$, $N = 23$

Width vs. Thickness


Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 21.242$, $m = 0.096$, $R^2 = 0.004$, $N = 23$

Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 1.405, m = 0.862, R^2 = 0.838, N = 23$

Height vs. Diameter

Entire Dataset, 325Mode – Double Linear




Height

$y_0 = 15.693, m = 2.061, R^2 = 0.829, N = 23$

Height vs. Thickness

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 0.576, m = 0.692, R^2 = 0.236, N = 23$


Height vs. Thickness

Entire Dataset, 325Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter


$y_0 = 0.218, m = 0.635, R^2 = 0.176, N = 23$

Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log




Width

$y_0 = -0.539, m = 2.561, R^2 = 0.833, N = 29$


Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Height

$y_0 = -0.35, m = 2.067, R^2 = 0.758, N = 29$

Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = -920.898, m = 57.858, R^2 = 0.749, N = 29$


Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Thickness


$y_0 = 3.143, m = 1.129, R^2 = 0.286, N = 29$

Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log



Diameter / Width
 $y_0 = 4.939$, $m = 1.236$, $R^2 = 0.048$, $N = 29$


Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Diameter / Width
 $y_0 = -410.381$, $m = 297.994$, $R^2 = 0.073$, $N = 29$

Width vs. Height

Entire Dataset, 326Mode – Double Log




Width

$y_0 = 0.74$, $m = 0.948$, $R^2 = 0.643$, $N = 29$

Width vs. Height


Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 1.839, m = 1.705, R^2 = 0.628, N = 29$

Width vs. Diameter
Entire Dataset, 326Mode – Double Log




Width

$y_0 = 1.585, m = 0.967, R^2 = 0.791, N = 29$

Width vs. Diameter

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 2.002, m = 4.331, R^2 = 0.776, N = 29$

Width vs. Thickness

Entire Dataset, 326Mode – Double Log




Width

$y_0 = 1.791$, $m = 0.501$, $R^2 = 0.142$, $N = 29$

Width vs. Thickness

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 12.525, m = 0.731, R^2 = 0.132, N = 29$

Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.331, m = 0.875, R^2 = 0.904, N = 29$

Height vs. Diameter

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = 9.021, m = 2.171, R^2 = 0.904, N = 29$

Height vs. Thickness

Entire Dataset, 326Mode - Double Log




Height

$y_0 = 2.249, m = 0.283, R^2 = 0.063, N = 29$

Height vs. Thickness

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = 18.009, m = 0.231, R^2 = 0.061, N = 29$

Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log




Diameter

$y_0 = 1.768$, $m = 0.335$, $R^2 = 0.075$, $N = 29$

Diameter vs. Thickness

Entire Dataset, 326Mode – Double Linear




Diameter

$y_0 = 16.97$, $m = 0.107$, $R^2 = 0.069$, $N = 29$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 0.012, m = 2.222, R^2 = 0.733, N = 27$

Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Width

$$y_0 = -1196.582, m = 101.708, R^2 = 0.697, N = 27$$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Height

$y_0 = -0.497$, $m = 2.198$, $R^2 = 0.675$, $N = 27$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Height

$$y_0 = -1322.631, m = 81.8, R^2 = 0.618, N = 27$$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Diameter

$y_0 = -5.1, m = 2.716, R^2 = 0.797, N = 27$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter

$y_0 = -1886.443$, $m = 35.416$, $R^2 = 0.745$, $N = 27$


Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width
 $y_0 = 8.664$, $m = -1.161$, $R^2 = 0.042$, $N = 27$


Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 3027.115$, $m = -453.294$, $R^2 = 0.06$, $N = 27$

Width vs. Height

Entire Dataset, 390Mode – Double Log




Width


$y_0 = 1.253, m = 0.694, R^2 = 0.511, N = 27$

Width vs. Height

Entire Dataset, 390Mode – Double Linear



Width vs. Diameter
Entire Dataset, 390Mode – Double Log




Width


$y_0 = 2.076, m = 0.758, R^2 = 0.789, N = 27$

Width vs. Diameter

Entire Dataset, 390Mode – Double Linear




Width vs. Thickness
Entire Dataset, 390Mode – Double Log



Width
 $y_0 = 1.22$, $m = 0.598$, $R^2 = 0.176$, $N = 27$

Width vs. Thickness

Entire Dataset, 390Mode – Double Linear




Width

$y_0 = 13.191, m = 0.417, R^2 = 0.106, N = 27$

Height vs. Diameter

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 1.648, m = 0.822, R^2 = 0.876, N = 27$


Height vs. Diameter

Entire Dataset, 390Mode – Double Linear




Height vs. Thickness

Entire Dataset, 390Mode – Double Log



Height vs. Thickness

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 10.2, m = 0.41, R^2 = 0.141, N = 27$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log




Diameter

$$y_0 = -0.147, m = 0.729, R^2 = 0.19, N = 27$$

Diameter vs. Thickness


Entire Dataset, 390Mode – Double Linear



Diameter

$y_0 = 9.093, m = 0.159, R^2 = 0.136, N = 27$

Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 0.806, m = 2.009, R^2 = 0.817, N = 21$

Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Width

$y_0 = -927.297$, $m = 93.228$, $R^2 = 0.804$, $N = 21$

Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 0.564, m = 1.713, R^2 = 0.734, N = 21$

Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Height

$y_0 = -609.414$, $m = 39.909$, $R^2 = 0.716$, $N = 21$

Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = -2.624$, $m = 2.096$, $R^2 = 0.82$, $N = 21$


Diameter vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 7.32$, $m = -0.395$, $R^2 = 0.006$, $N = 21$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 1000.829, m = -32.124, R^2 = 0.001, N = 21$


Width vs. Height

Entire Dataset, 572Mode – Double Log



Width vs. Height


Entire Dataset, 572Mode – Double Linear



Width

$y_0 = -0.702, m = 1.956, R^2 = 0.787, N = 21$


Width vs. Diameter
Entire Dataset, 572Mode – Double Log



Width
 $y_0 = 1.911$, $m = 0.865$, $R^2 = 0.812$, $N = 21$


Width vs. Diameter

Entire Dataset, 572Mode – Double Linear



Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.019, m = 0.306, R^2 = 0.039, N = 21$


Width vs. Thickness

Entire Dataset, 572Mode – Double Linear




Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 2.328, m = 0.165, R^2 = 0.014, N = 21$


Height vs. Thickness

Entire Dataset, 572Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log




Diameter

$y_0 = 2.556, m = 0.082, R^2 = 0.003, N = 21$


Diameter vs. Thickness

Entire Dataset, 572Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.488, m = 1.198, R^2 = 0.407, N = 23$

Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = -199.312, m = 69.852, R^2 = 0.421, N = 23$

Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 4.506$, $m = 0.603$, $R^2 = 0.073$, $N = 23$

Height vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear



Height
 $y_0 = 325.058$, $m = 13.104$, $R^2 = 0.079$, $N = 23$

Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Diameter

$y_0 = 1.469, m = 1.165, R^2 = 0.231, N = 23$


Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Thickness


$y_0 = 4.52, m = 0.73, R^2 = 0.367, N = 23$

Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 7.378$, $m = -0.347$, $R^2 = 0.049$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 1148.987, m = -45.757, R^2 = 0.047, N = 23$

Width vs. Height

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.86$, $m = -0.052$, $R^2 = 0.004$, $N = 23$

Width vs. Height

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 42.882$, $m = -0.1$, $R^2 = 0.002$, $N = 23$

Width vs. Diameter

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 4.317$, $m = 0.079$, $R^2 = 0.01$, $N = 23$

Width vs. Diameter

Entire Dataset, 580Mode – Double Linear




Width

$$y_0 = 85.033, m = 0.539, R^2 = 0.013, N = 23$$

Width vs. Thickness

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 2.869$, $m = 0.068$, $R^2 = 0.002$, $N = 23$

Width vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 19.164$, $m = 0.149$, $R^2 = 0.005$, $N = 23$

Height vs. Diameter

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 1.479, m = 0.821, R^2 = 0.792, N = 23$


Height vs. Diameter

Entire Dataset, 580Mode – Double Linear



Height vs. Thickness


Entire Dataset, 580Mode – Double Log



Height
 $y_0 = 3.111$, $m = -0.015$, $R^2 = 0$, $N = 23$


Height vs. Thickness

Entire Dataset, 580Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter


$y_0 = 2.226, m = 0.183, R^2 = 0.008, N = 23$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Width

$y_0 = -648.412$, $m = 101.052$, $R^2 = 0.777$, $N = 30$

Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Height

$y_0 = -0.325, m = 1.913, R^2 = 0.498, N = 30$

Height vs. Fresh Weight


Entire Dataset, 582Mode – Double Linear



Height

$y_0 = -728.551, m = 39.625, R^2 = 0.438, N = 30$

Diameter vs. Fresh Weight
Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = -2.845, m = 2.118, R^2 = 0.741, N = 30$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter

$y_0 = -1028.727, m = 20.406, R^2 = 0.669, N = 30$


Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 8.565$, $m = -0.956$, $R^2 = 0.097$, $N = 30$


Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear



Diameter / Width
 $y_0 = 1937.443$, $m = -161.404$, $R^2 = 0.137$, $N = 30$


Width vs. Height

Entire Dataset, 582Mode – Double Log




Width vs. Height

Entire Dataset, 582Mode – Double Linear




Width vs. Diameter

Entire Dataset, 582Mode – Double Log




Width vs. Diameter

Entire Dataset, 582Mode – Double Linear




Width vs. Thickness

Entire Dataset, 582Mode – Double Log




Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.082$, $m = 0.932$, $R^2 = 0.716$, $N = 30$


Height vs. Diameter

Entire Dataset, 582Mode – Double Linear



Height vs. Thickness

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.911$, $m = 0.313$, $R^2 = 0.062$, $N = 30$

Height vs. Thickness

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 14.57$, $m = 0.174$, $R^2 = 0.066$, $N = 30$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = 1.215$, $m = 0.409$, $R^2 = 0.128$, $N = 30$

Diameter vs. Thickness


Entire Dataset, 582Mode – Double Linear



Diameter


$y_0 = 11.828, m = 0.104, R^2 = 0.137, N = 30$

Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = -1050.838, m = 114.159, R^2 = 0.733, N = 23$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log




Height

$$y_0 = 0.713, m = 1.764, R^2 = 0.771, N = 23$$

Height vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Height

$y_0 = -958.462$, $m = 59.362$, $R^2 = 0.729$, $N = 23$

Diameter vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter


$y_0 = -2.783, m = 2.191, R^2 = 0.89, N = 23$

Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Thickness
 $y_0 = 4.385$, $m = 0.819$, $R^2 = 0.124$, $N = 23$

Thickness vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Thickness


$y_0 = 361.518$, $m = 32.512$, $R^2 = 0.081$, $N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 6.484$, $m = 0.324$, $R^2 = 0.008$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 848.337$, $m = 63.497$, $R^2 = 0.005$, $N = 23$

Width vs. Height

Entire Dataset, 584Mode – Double Log




Width

$$y_0 = 1.308, m = 0.762, R^2 = 0.466, N = 23$$

Width vs. Height

Entire Dataset, 584Mode – Double Linear




Width

$$y_0 = 10.068, m = 1.317, R^2 = 0.471, N = 23$$


Width vs. Diameter

Entire Dataset, 584Mode – Double Log




Width vs. Diameter

Entire Dataset, 584Mode – Double Linear



Width vs. Thickness

Entire Dataset, 584Mode – Double Log




Width

$y_0 = 2.945, m = 0.074, R^2 = 0.006, N = 23$

Width vs. Thickness

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = 23.109$, $m = 0.04$, $R^2 = 0.001$, $N = 23$

Height vs. Diameter

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 1.523, m = 0.826, R^2 = 0.911, N = 23$


Height vs. Diameter

Entire Dataset, 584Mode – Double Linear



Height vs. Thickness


Entire Dataset, 584Mode – Double Log



Height
 $y_0 = 2.761$, $m = 0.113$, $R^2 = 0.017$, $N = 23$

Height vs. Thickness

Entire Dataset, 584Mode – Double Linear




Height

$y_0 = 21.343$, $m = 0.072$, $R^2 = 0.014$, $N = 23$

Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log




Diameter

$y_0 = 2.631, m = 0.119, R^2 = 0.014, N = 23$

Diameter vs. Thickness


Entire Dataset, 584Mode – Double Linear



Diameter

$y_0 = 21.469$, $m = 0.028$, $R^2 = 0.01$, $N = 23$


Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width
 $y_0 = 0.729$, $m = 2.031$, $R^2 = 0.502$, $N = 23$

Width vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



$y_0 = -685.214$, $m = 80.216$, $R^2 = 0.519$, $N = 23$


Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Height

$$y_0 = -534.151, m = 39.796, R^2 = 0.645, N = 23$$


Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 585Mode – Double Log




Thickness


$y_0 = 2.638, m = 1.299, R^2 = 0.434, N = 23$

Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width
 $y_0 = 4.77$, $m = 1.221$, $R^2 = 0.13$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = -65.75$, $m = 185.194$, $R^2 = 0.119$, $N = 23$


Width vs. Height

Entire Dataset, 585Mode – Double Log




Width vs. Height

Entire Dataset, 585Mode – Double Linear




Width vs. Diameter
Entire Dataset, 585Mode – Double Log



Width vs. Diameter


Entire Dataset, 585Mode – Double Linear



Width
 $y_0 = 17.225$, $m = 3.366$, $R^2 = 0.474$, $N = 23$


Width vs. Thickness

Entire Dataset, 585Mode – Double Log




Width vs. Thickness

Entire Dataset, 585Mode – Double Linear



Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 1.464, m = 0.831, R^2 = 0.884, N = 23$


Height vs. Diameter

Entire Dataset, 585Mode – Double Linear




Height vs. Thickness

Entire Dataset, 585Mode – Double Log



Height vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 15.196, m = 0.173, R^2 = 0.058, N = 23$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter


$y_0 = 1.087, m = 0.445, R^2 = 0.127, N = 23$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Width

$y_0 = 0.8, m = 1.893, R^2 = 0.713, N = 23$

Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = -703.499$, $m = 68.779$, $R^2 = 0.674$, $N = 23$

Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 0.981, m = 1.645, R^2 = 0.474, N = 23$


Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = -4.455$, $m = 2.49$, $R^2 = 0.861$, $N = 23$


Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Thickness


$y_0 = 5.62$, $m = 0.42$, $R^2 = 0.072$, $N = 23$

Thickness vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log



Diameter / Width
 $y_0 = 7.614$, $m = -0.61$, $R^2 = 0.019$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 1319.768$, $m = -96.493$, $R^2 = 0.009$, $N = 23$

Width vs. Height

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.697$, $m = 0.58$, $R^2 = 0.382$, $N = 23$

Width vs. Height

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 14.793$, $m = 0.825$, $R^2 = 0.357$, $N = 23$

Width vs. Diameter

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 2.235$, $m = 0.721$, $R^2 = 0.745$, $N = 23$

Width vs. Diameter

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 26.156$, $m = 2.755$, $R^2 = 0.7$, $N = 23$

Width vs. Thickness

Entire Dataset, 839Mode – Double Log




Width

$$y_0 = 2.904, m = -0.037, R^2 = 0.001, N = 23$$

Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 19.666$, $m = -0.124$, $R^2 = 0.013$, $N = 23$


Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear



Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 4.546$, $m = -0.498$, $R^2 = 0.106$, $N = 23$


Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter


$y_0 = 3.155, m = -0.082, R^2 = 0.002, N = 23$

Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log




Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Height

$y_0 = -0.157, m = 1.968, R^2 = 0.749, N = 28$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = -857.877, m = 52.403, R^2 = 0.784, N = 28$


Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Thickness
 $y_0 = 4.716, m = 0.672, R^2 = 0.098, N = 28$

Thickness vs. Fresh Weight


Entire Dataset, 845Mode – Double Linear



Thickness


$y_0 = 254.408, m = 31.926, R^2 = 0.1, N = 28$

Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 5.577$, $m = 0.765$, $R^2 = 0.015$, $N = 28$


Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -299.162$, $m = 278.753$, $R^2 = 0.046$, $N = 28$


Width vs. Height

Entire Dataset, 845Mode – Double Log




Width vs. Height


Entire Dataset, 845Mode – Double Linear



Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter
Entire Dataset, 845Mode – Double Linear



Width vs. Thickness

Entire Dataset, 845Mode – Double Log




Width

$y_0 = 2.602$, $m = 0.089$, $R^2 = 0.006$, $N = 28$


Width vs. Thickness

Entire Dataset, 845Mode – Double Linear




Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height vs. Diameter

Entire Dataset, 845Mode – Double Linear



Height vs. Thickness

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 2.69$, $m = 0.052$, $R^2 = 0.002$, $N = 28$


Height vs. Thickness

Entire Dataset, 845Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = 2.548, m = 0.073, R^2 = 0.004, N = 28$

Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter


$y_0 = 16.372, m = 0.018, R^2 = 0.006, N = 28$

Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log




Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 7.819$, $m = -1.269$, $R^2 = 0.165$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 975.395$, $m = -133.193$, $R^2 = 0.164$, $N = 23$


Width vs. Height

Entire Dataset, 854Mode – Double Log



Width vs. Height


Entire Dataset, 854Mode – Double Linear



Width

$y_0 = 11.39, m = 0.883, R^2 = 0.359, N = 23$

Width vs. Diameter
Entire Dataset, 854Mode – Double Log




Width

$y_0 = 2.393, m = 0.639, R^2 = 0.573, N = 23$


Width vs. Diameter

Entire Dataset, 854Mode – Double Linear



Width vs. Thickness

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 2.241$, $m = 0.24$, $R^2 = 0.026$, $N = 23$

Width vs. Thickness


Entire Dataset, 854Mode – Double Linear



Width
 $y_0 = 14.522$, $m = 0.249$, $R^2 = 0.023$, $N = 23$


Height vs. Diameter

Entire Dataset, 854Mode – Double Log




Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log




Height

$$y_0 = 4.191, m = -0.401, R^2 = 0.065, N = 23$$


Height vs. Thickness

Entire Dataset, 854Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log



Diameter

$y_0 = 3.968$, $m = -0.258$, $R^2 = 0.022$, $N = 23$

Diameter vs. Thickness

Entire Dataset, 854Mode – Double Linear

