

Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.262$, m = 1.537, $R^2 = 0.589$, N = 416

Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -409.874$, m = 71.467, $R^2 = 0.581$, N = 416

Height vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.271$, m = 1.527, $R^2 = 0.398$, N = 416

Height vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -383.003$, m = 36.237, $R^2 = 0.366$, N = 416

Diameter vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = -3.65$, m = 2.328, $R^2 = 0.692$, N = 416

Diameter vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -1086.411$, m = 23.083, $R^2 = 0.659$, N = 416

Thickness vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




Thickness $y_0 = 2.624$, m = 1.358, $R^2 = 0.41$, N = 416

Thickness vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




y_0 = -207.905, m = 54.115, R^2 =0.356, N = 416

Diameter / Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




Diameter / Width $y_0 = 7.383$, m = -0.444, $R^2 = 0.038$, N = 416

Diameter / Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 1255.1$, m = -72.049, $R^2 = 0.039$, N = 416

Width vs. Height Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 3.028$, m = 0.181, $R^2 = 0.048$, N = 416

Width vs. Height Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 29.546$, m = 0.324, $R^2 = 0.043$, N = 416

Width vs. Diameter Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 3.387$, m = 0.366, $R^2 = 0.262$, N = 416

Width vs. Diameter Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 54.409$, m = 1.73, $R^2 = 0.275$, N = 416

Width vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.241$, m = 0.262, $R^2 = 0.077$, N = 416

Width vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 15.961$, m = 0.249, $R^2 = 0.058$, N = 416

Height vs. Diameter Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.734$, m = 0.763, $R^2 = 0.778$, N = 416

Height vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear




y_0 = 19.642, m = 1.875, R^2 = 0.792, N = 416

Height vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.013$, m = 0.277, $R^2 = 0.059$, N = 416

Height vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 14.661$, m = 0.165, $R^2 = 0.063$, N = 416

Diameter vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.025$, m = 0.444, $R^2 = 0.113$, N = 416

Diameter vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




y_0 = 11.642, m = 0.103, R^2 = 0.108, N = 416

Diameter / Width vs. Dry Weight Entire Dataset, All AccessionsMode – Double Log




Diameter / Width $y_0 = 3.899$, m = -0.352, $R^2 = 0.028$, N = 416

Diameter / Width vs. Dry Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 42.373$, m = -2.131, $R^2 = 0.021$, N = 416

Width vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 1.327$, m = 1.906, $R^2 = 0.799$, N = 30

Width vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -504.832$, m = 80.585, $R^2 = 0.784$, N = 30

Height vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = -2.684$, m = 2.432, $R^2 = 0.624$, N = 30

Height vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




y_0 = -671.237, m = 31.188, R^2 = 0.549, N = 30

Diameter vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = -5.761$, m = 2.689, $R^2 = 0.737$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -799.671$, m = 15.583, $R^2 = 0.659$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 1.496$, m = 1.64, $R^2 = 0.364$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -478.456$, m = 58.983, $R^2 = 0.503$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 8.112$, m = -1.117, $R^2 = 0.162$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = 976.557$, m = -78.505, $R^2 = 0.149$, N = 30

Width vs. Height Entire Dataset, 242Mode – Double Log




 $y_0 = 2.644$, m = 0.374, $R^2 = 0.292$, N = 30

Width vs. Height Entire Dataset, 242Mode – Double Linear




 $y_0 = 21.545$, m = 1.186, $R^2 = 0.301$, N = 30

Width vs. Diameter Entire Dataset, 242Mode – Double Log




 $y_0 = 3.299$, m = 0.436, $R^2 = 0.411$, N = 30

Width vs. Diameter Entire Dataset, 242Mode – Double Linear




 $y_0 = 43.336$, m = 3.066, $R^2 = 0.418$, N = 30

Width vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 1.935$, m = 0.323, $R^2 = 0.17$, N = 30

Width vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 8.921$, m = 0.558, $R^2 = 0.26$, N = 30

Height vs. Diameter Entire Dataset, 242Mode – Double Log




 $y_0 = 0.906$, m = 0.971, $R^2 = 0.978$, N = 30

Height vs. Diameter Entire Dataset, 242Mode – Double Linear




 $y_0 = 2.359$, m = 2.168, $R^2 = 0.979$, N = 30

Height vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 1.284$, m = 0.404, $R^2 = 0.127$, N = 30

Height vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 8.942$, m = 0.183, $R^2 = 0.131$, N = 30

Diameter vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 0.822$, m = 0.436, $R^2 = 0.143$, N = 30

Diameter vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 8.18$, m = 0.091, $R^2 = 0.157$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 5.386$, m = -1.117, $R^2 = 0.162$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = 63.897$, m = -5.137, $R^2 = 0.149$, N = 30

Width vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 1.831$, m = 1.579, $R^2 = 0.665$, N = 30

Width vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -326.31$, m = 52.46, $R^2 = 0.709$, N = 30

Height vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 1.091$, m = 1.48, $R^2 = 0.411$, N = 30

Height vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -256.101$, m = 24.297, $R^2 = 0.393$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 246Mode – Double Log




Diameter vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -592.264$, m = 14.729, $R^2 = 0.671$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 4.387$, m = 0.641, $R^2 = 0.098$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




y_0 = 232.759, m = 16.162, R^2 = 0.06, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 7.046$, m = -0.592, $R^2 = 0.062$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 796.433$, m = -66.46, $R^2 = 0.076$, N = 30

Width vs. Height Entire Dataset, 246Mode – Double Log




 $y_0 = 2.634$, m = 0.281, $R^2 = 0.112$, N = 30

Width vs. Height Entire Dataset, 246Mode – Double Linear




 $y_0 = 21.469$, m = 0.568, $R^2 = 0.125$, N = 30

Width vs. Diameter Entire Dataset, 246Mode – Double Log




 $y_0 = 3.067$, m = 0.446, $R^2 = 0.359$, N = 30

Width vs. Diameter Entire Dataset, 246Mode – Double Linear




 $y_0 = 39.169$, m = 2.183, $R^2 = 0.397$, N = 30

Width vs. Thickness Entire Dataset, 246Mode – Double Log




 $y_0 = 2.63$, m = 0.028, $R^2 = 0.001$, N = 30

Width vs. Thickness Entire Dataset, 246Mode – Double Linear




Height vs. Diameter Entire Dataset, 246Mode – Double Log




 $y_0 = 1.444$, m = 0.834, $R^2 = 0.884$, N = 30

Height vs. Diameter Entire Dataset, 246Mode – Double Linear




y_0 = 11.783, m = 2.016, R^2 = 0.875, N = 30

Height vs. Thickness Entire Dataset, 246Mode – Double Log




 $y_0 = 3.049$, m = -0.101, $R^2 = 0.008$, N = 30


Height vs. Thickness Entire Dataset, 246Mode – Double Linear



Diameter vs. Thickness Entire Dataset, 246Mode – Double Log




Diameter vs. Thickness Entire Dataset, 246Mode – Double Linear




 $y_0 = 16.253$, m = -0.016, $R^2 = 0.003$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 3.728$, m = -0.419, $R^2 = 0.015$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 35.926$, m = -2.5, $R^2 = 0.017$, N = 30


Width vs. Fresh Weight Entire Dataset, 319Mode – Double Log



Width vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 5.576$, m = 0.366, $R^2 = 0.118$, N = 30

Height vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = -2.016$, m = 1.938, $R^2 = 0.737$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = -838.573$, m = 18.653, $R^2 = 0.709$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 4.653$, m = 0.733, $R^2 = 0.14$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 429.086$, m = 27.999, $R^2 = 0.128$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 7.171$, m = -0.112, $R^2 = 0.003$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 1122.991$, m = -5.059, $R^2 = 0$, N = 30

Width vs. Height Entire Dataset, 319Mode – Double Log




Width vs. Height Entire Dataset, 319Mode – Double Linear




 $y_0 = 33.853$, m = 0.707, $R^2 = 0.031$, N = 30


Width vs. Diameter Entire Dataset, 319Mode – Double Log



Width vs. Diameter Entire Dataset, 319Mode – Double Linear




Width vs. Thickness Entire Dataset, 319Mode – Double Log




 $y_0 = 3.041$, m = 0.04, $R^2 = 0.002$, N = 30


Width vs. Thickness Entire Dataset, 319Mode – Double Linear




Height vs. Diameter Entire Dataset, 319Mode – Double Log




Height vs. Diameter Entire Dataset, 319Mode – Double Linear



Height vs. Thickness Entire Dataset, 319Mode – Double Log




Height vs. Thickness Entire Dataset, 319Mode – Double Linear




 $y_0 = 21.941$, m = 0.037, $R^2 = 0.009$, N = 30

Diameter vs. Thickness Entire Dataset, 319Mode – Double Log




 $y_0 = 2.059$, m = 0.236, $R^2 = 0.042$, N = 30

Diameter vs. Thickness Entire Dataset, 319Mode – Double Linear




 $y_0 = 17.821$, m = 0.056, $R^2 = 0.039$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 2.552$, m = 0.392, $R^2 = 0.011$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 12.426$, m = 2.657, $R^2 = 0.018$, N = 30

Width vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 1.524$, m = 1.835, $R^2 = 0.652$, N = 30

Width vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = -0.195$, m = 2.017, $R^2 = 0.624$, N = 30

Height vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = -1231.049$, m = 67.207, $R^2 = 0.562$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = -4.143$, m = 2.479, $R^2 = 0.872$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = -1986.159$, m = 34.747, $R^2 = 0.811$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 4.424$, m = 0.917, $R^2 = 0.259$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = 561.706$, m = 42.352, $R^2 = 0.186$, N = 30


Diameter / Width vs. Fresh Weight Entire Dataset, 325Mode – Double Log



Diameter / Width vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




Width vs. Height Entire Dataset, 325Mode – Double Log




 $y_0 = 2.291$, m = 0.454, $R^2 = 0.26$, N = 30

Width vs. Height Entire Dataset, 325Mode – Double Linear




Width vs. Diameter Entire Dataset, 325Mode – Double Log




 $y_0 = 2.609$, m = 0.638, $R^2 = 0.556$, N = 30

Width vs. Diameter Entire Dataset, 325Mode – Double Linear




Width vs. Thickness Entire Dataset, 325Mode – Double Log




 $y_0 = 2.736$, m = 0.132, $R^2 = 0.011$, N = 30

Width vs. Thickness Entire Dataset, 325Mode – Double Linear




Height vs. Diameter Entire Dataset, 325Mode – Double Log




 $y_0 = 1.334$, m = 0.883, $R^2 = 0.844$, N = 30

Height vs. Diameter Entire Dataset, 325Mode – Double Linear




 $y_0 = 13.797$, m = 2.125, $R^2 = 0.836$, N = 30

Height vs. Thickness Entire Dataset, 325Mode – Double Log




 $y_0 = 0.955$, m = 0.59, $R^2 = 0.173$, N = 30

Height vs. Thickness Entire Dataset, 325Mode – Double Linear




 $y_0 = 11.022$, m = 0.306, $R^2 = 0.112$, N = 30

Diameter vs. Thickness Entire Dataset, 325Mode – Double Log




 $y_0 = 0.676$, m = 0.536, $R^2 = 0.132$, N = 30

Diameter vs. Thickness Entire Dataset, 325Mode – Double Linear




 $y_0 = 12.403$, m = 0.111, $R^2 = 0.08$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 325Mode – Double Log




Diameter / Width vs. Dry Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = 45.988$, m = -3.828, $R^2 = 0.012$, N = 30


Width vs. Fresh Weight Entire Dataset, 326Mode – Double Log



Width vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = -0.35$, m = 2.067, $R^2 = 0.758$, N = 29

Height vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = -920.898$, m = 57.858, $R^2 = 0.749$, N = 29


Diameter vs. Fresh Weight Entire Dataset, 326Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 3.143$, m = 1.129, $R^2 = 0.286$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = -43.813$, m = 37.84, $R^2 = 0.278$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 4.939$, m = 1.236, $R^2 = 0.048$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = -410.381$, m = 297.994, $R^2 = 0.073$, N = 29

Width vs. Height Entire Dataset, 326Mode – Double Log




Width vs. Height Entire Dataset, 326Mode – Double Linear




 $y_0 = 1.839$, m = 1.705, $R^2 = 0.628$, N = 29


Width vs. Diameter Entire Dataset, 326Mode – Double Log




Width vs. Diameter Entire Dataset, 326Mode – Double Linear



Width vs. Thickness Entire Dataset, 326Mode – Double Log




Width vs. Thickness Entire Dataset, 326Mode – Double Linear




 $y_0 = 12.525$, m = 0.731, $R^2 = 0.132$, N = 29

Height vs. Diameter Entire Dataset, 326Mode – Double Log




 $y_0 = 1.331$, m = 0.875, $R^2 = 0.904$, N = 29

Height vs. Diameter Entire Dataset, 326Mode – Double Linear




 $y_0 = 9.021$, m = 2.171, $R^2 = 0.904$, N = 29

Height vs. Thickness Entire Dataset, 326Mode – Double Log




 $y_0 = 2.249$, m = 0.283, $R^2 = 0.063$, N = 29

Height vs. Thickness Entire Dataset, 326Mode – Double Linear




 $y_0 = 18.009$, m = 0.231, $R^2 = 0.061$, N = 29


Diameter vs. Thickness Entire Dataset, 326Mode – Double Log



Diameter vs. Thickness Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 6.81$, m = -2.226, $R^2 = 0.062$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = 122.583$, m = -19.39, $R^2 = 0.052$, N = 29


Width vs. Fresh Weight Entire Dataset, 390Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 390Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 390Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 2.916$, m = 1.354, $R^2 = 0.546$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = -155.186$, m = 64.933, $R^2 = 0.454$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 8.513$, m = -1.031, $R^2 = 0.036$, N = 30


Diameter / Width vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Width vs. Height Entire Dataset, 390Mode – Double Log




Width vs. Height Entire Dataset, 390Mode – Double Linear




Width vs. Diameter Entire Dataset, 390Mode – Double Log



Width vs. Diameter Entire Dataset, 390Mode – Double Linear




Width vs. Thickness Entire Dataset, 390Mode – Double Log




 $y_0 = 1.252$, m = 0.588, $R^2 = 0.174$, N = 30

Width vs. Thickness Entire Dataset, 390Mode – Double Linear




Height vs. Diameter Entire Dataset, 390Mode – Double Log




 $y_0 = 1.669$, m = 0.816, $R^2 = 0.87$, N = 30

Height vs. Diameter Entire Dataset, 390Mode – Double Linear




Height vs. Thickness Entire Dataset, 390Mode – Double Log




 $y_0 = 1.12$, m = 0.58, $R^2 = 0.159$, N = 30


Height vs. Thickness Entire Dataset, 390Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 390Mode – Double Log



Diameter vs. Thickness Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 1.613$, m = 1.426, $R^2 = 0.044$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = -38.401$, m = 20.167, $R^2 = 0.068$, N = 30

Width vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 1.351$, m = 1.823, $R^2 = 0.679$, N = 29

Width vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -754.734$, m = 83.953, $R^2 = 0.66$, N = 29

Height vs. Fresh Weight Entire Dataset, 572Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -506.047$, m = 36.988, $R^2 = 0.632$, N = 29

Diameter vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = -2.084$, m = 1.974, $R^2 = 0.729$, N = 29

Diameter vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -827.277$, m = 19.288, $R^2 = 0.728$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 5.448$, m = 0.437, $R^2 = 0.106$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = 517.842$, m = 17.826, $R^2 = 0.082$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 6.82$, m = -0.066, $R^2 = 0$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = 736.414$, m = 25.295, $R^2 = 0.001$, N = 29

Width vs. Height Entire Dataset, 572Mode – Double Log




 $y_0 = 0.824$, m = 0.941, $R^2 = 0.711$, N = 29

Width vs. Height Entire Dataset, 572Mode – Double Linear




 $y_0 = 0.983$, m = 1.867, $R^2 = 0.707$, N = 29

Width vs. Diameter Entire Dataset, 572Mode – Double Log




 $y_0 = 2$, m = 0.836, $R^2 = 0.763$, N = 29

Width vs. Diameter Entire Dataset, 572Mode – Double Linear




 $y_0 = 11.576$, m = 3.944, $R^2 = 0.745$, N = 29

Width vs. Thickness Entire Dataset, 572Mode – Double Log




 $y_0 = 2.697$, m = 0.074, $R^2 = 0.002$, N = 29

Width vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 17.53$, m = 0.063, $R^2 = 0.001$, N = 29

Height vs. Diameter Entire Dataset, 572Mode – Double Log




Height vs. Diameter Entire Dataset, 572Mode – Double Linear




y_0 = 15.578, m = 1.947, R^2 = 0.895, N = 29

Height vs. Thickness Entire Dataset, 572Mode – Double Log




Height vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 19.939$, m = -0.033, $R^2 = 0.002$, N = 29

Diameter vs. Thickness Entire Dataset, 572Mode – Double Log




 $y_0 = 3.286$, m = -0.083, $R^2 = 0.002$, N = 29

Diameter vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 21.154$, m = -0.028, $R^2 = 0.006$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 2.529$, m = 0.428, $R^2 = 0.003$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 572Mode – Double Linear




y_0 = 13.391, m = 2.783, R^2 =0.003, N = 29


Width vs. Fresh Weight Entire Dataset, 580Mode – Double Log



Width vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 3.1$, m = 0.985, $R^2 = 0.283$, N = 30

Height vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = -14.367$, m = 21.638, $R^2 = 0.286$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 3.377$, m = 0.745, $R^2 = 0.14$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 248.992$, m = 6.67, $R^2 = 0.124$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 4.523$, m = 0.723, $R^2 = 0.278$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 204.284$, m = 30.344, $R^2 = 0.311$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 580Mode – Double Log




Diameter / Width vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 1162.207$, m = -50.028, $R^2 = 0.043$, N = 30

Width vs. Height Entire Dataset, 580Mode – Double Log




 $y_0 = 2.91$, m = 0.288, $R^2 = 0.066$, N = 30

Width vs. Height Entire Dataset, 580Mode – Double Linear




 $y_0 = 28.922$, m = 0.753, $R^2 = 0.065$, N = 30

Width vs. Diameter Entire Dataset, 580Mode – Double Log




 $y_0 = 3.723$, m = 0.29, $R^2 = 0.077$, N = 30

Width vs. Diameter Entire Dataset, 580Mode – Double Linear




 $y_0 = 66.613$, m = 1.636, $R^2 = 0.068$, N = 30

Width vs. Thickness Entire Dataset, 580Mode – Double Log




 $y_0 = 2.487$, m = 0.211, $R^2 = 0.019$, N = 30

Width vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 16.252$, m = 0.351, $R^2 = 0.026$, N = 30

Height vs. Diameter Entire Dataset, 580Mode – Double Log




y_0 = 2.475, m = 0.551, R^2 = 0.35, N = 30

Height vs. Diameter Entire Dataset, 580Mode – Double Linear




y_0 = 38.332, m = 1.317, R^2 = 0.382, N = 30

Height vs. Thickness Entire Dataset, 580Mode – Double Log




Height $y_0 = 4.011$, m = -0.257, $R^2 = 0.036$, N = 30

Height vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 26.821$, m = -0.13, $R^2 = 0.03$, N = 30

Diameter vs. Thickness Entire Dataset, 580Mode – Double Log




 $y_0 = 3.755$, m = -0.154, $R^2 = 0.011$, N = 30

Diameter vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 24.65$, m = -0.033, $R^2 = 0.009$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 4.08$, m = -0.391, $R^2 = 0.011$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 46.289$, m = -2.286, $R^2 = 0.01$, N = 30

Width vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 1.985$, m = 1.76, $R^2 = 0.795$, N = 30

Width vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = -0.325$, m = 1.913, $R^2 = 0.498$, N = 30


Height vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 582Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 3.033$, m = 1.232, $R^2 = 0.326$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = -203.485$, m = 52.351, $R^2 = 0.349$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 8.565$, m = -0.956, $R^2 = 0.097$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = 1937.443$, m = -161.404, $R^2 = 0.137$, N = 30

Width vs. Height Entire Dataset, 582Mode – Double Log




 $y_0 = 2.499$, m = 0.451, $R^2 = 0.383$, N = 30

Width vs. Height Entire Dataset, 582Mode – Double Linear




Width vs. Diameter Entire Dataset, 582Mode – Double Log




 $y_0 = 2.878$, m = 0.614, $R^2 = 0.586$, N = 30

Width vs. Diameter Entire Dataset, 582Mode – Double Linear




 $y_0 = 42.031$, m = 3.467, $R^2 = 0.569$, N = 30

Width vs. Thickness Entire Dataset, 582Mode – Double Log




 $y_0 = 2.051$, m = 0.375, $R^2 = 0.167$, N = 30

Width vs. Thickness Entire Dataset, 582Mode – Double Linear




Height vs. Diameter Entire Dataset, 582Mode – Double Log




 $y_0 = 1.082$, m = 0.932, $R^2 = 0.716$, N = 30

Height vs. Diameter Entire Dataset, 582Mode – Double Linear




Height vs. Thickness Entire Dataset, 582Mode – Double Log




 $y_0 = 1.911$, m = 0.313, $R^2 = 0.062$, N = 30

Height vs. Thickness Entire Dataset, 582Mode – Double Linear




 $y_0 = 14.57$, m = 0.174, $R^2 = 0.066$, N = 30


Diameter vs. Thickness Entire Dataset, 582Mode – Double Log



Diameter vs. Thickness Entire Dataset, 582Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 6.594$, m = -1.813, $R^2 = 0.077$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = 103.357$, m = -11.874, $R^2 = 0.103$, N = 30

Width vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 1.242$, m = 1.939, $R^2 = 0.692$, N = 31

Width vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = -1050.525$, m = 112.659, $R^2 = 0.743$, N = 31

Height vs. Fresh Weight Entire Dataset, 584Mode – Double Log




y_0 = 0.602, m = 1.794, R^2 = 0.776, N = 31

Height vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = -910.855$, m = 57.99, $R^2 = 0.753$, N = 31

Diameter vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = -2.993$, m = 2.236, $R^2 = 0.892$, N = 31

Diameter vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = -1381.904$, m = 28.916, $R^2 = 0.893$, N = 31

Thickness vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 4.446$, m = 0.792, $R^2 = 0.092$, N = 31

Thickness vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 503.783$, m = 25.851, $R^2 = 0.045$, N = 31

Diameter / Width vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 6.065$, m = 0.592, $R^2 = 0.025$, N = 31

Diameter / Width vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 684.011$, m = 96.99, $R^2 = 0.011$, N = 31

Width vs. Height Entire Dataset, 584Mode – Double Log




 $y_0 = 1.206$, m = 0.792, $R^2 = 0.48$, N = 31

Width vs. Height Entire Dataset, 584Mode – Double Linear




 $y_0 = 8.688$, m = 1.367, $R^2 = 0.489$, N = 31

Width vs. Diameter Entire Dataset, 584Mode – Double Log




 $y_0 = 2.114$, m = 0.792, $R^2 = 0.648$, N = 31

Width vs. Diameter Entire Dataset, 584Mode – Double Linear




 $y_0 = 19.706$, m = 3.468, $R^2 = 0.659$, N = 31

Width vs. Thickness Entire Dataset, 584Mode – Double Log




Width vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 24.592$, m = -0.035, $R^2 = 0.001$, N = 31

Height vs. Diameter Entire Dataset, 584Mode – Double Log




 $y_0 = 1.524$, m = 0.826, $R^2 = 0.922$, N = 31

Height vs. Diameter Entire Dataset, 584Mode – Double Linear




Height vs. Thickness Entire Dataset, 584Mode – Double Log




 $y_0 = 3.009$, m = 0.044, $R^2 = 0.003$, N = 31

Height vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 23.397$, m = 0.015, $R^2 = 0.001$, N = 31

Diameter vs. Thickness Entire Dataset, 584Mode – Double Log




 $y_0 = 2.894$, m = 0.061, $R^2 = 0.005$, N = 31

Diameter vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 23.18$, m = 0.008, $R^2 = 0.001$, N = 31

Diameter / Width vs. Dry Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 3.571$, m = -0.207, $R^2 = 0.002$, N = 31

Diameter / Width vs. Dry Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 30.004$, m = -0.212, $R^2 = 0$, N = 31

Width vs. Fresh Weight Entire Dataset, 585Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -693.336$, m = 80.006, $R^2 = 0.584$, N = 30


Height vs. Fresh Weight Entire Dataset, 585Mode – Double Log



Height vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = -3.125$, m = 2.236, $R^2 = 0.703$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -886.315$, m = 21.267, $R^2 = 0.726$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 2.618$, m = 1.319, $R^2 = 0.487$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -126.508$, m = 43.265, $R^2 = 0.422$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 5.882$, m = 0.507, $R^2 = 0.016$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = 435.127$, m = 81.663, $R^2 = 0.015$, N = 30

Width vs. Height Entire Dataset, 585Mode – Double Log




Width vs. Height Entire Dataset, 585Mode – Double Linear




 $y_0 = 6.578$, m = 1.411, $R^2 = 0.526$, N = 30

Width vs. Diameter Entire Dataset, 585Mode – Double Log




 $y_0 = 2.067$, m = 0.787, $R^2 = 0.596$, N = 30

Width vs. Diameter Entire Dataset, 585Mode – Double Linear




 $y_0 = 20.032$, m = 3.168, $R^2 = 0.571$, N = 30

Width vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 1.698$, m = 0.459, $R^2 = 0.101$, N = 30

Width vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 12.717$, m = 0.451, $R^2 = 0.082$, N = 30

Height vs. Diameter Entire Dataset, 585Mode – Double Log




Height vs. Diameter Entire Dataset, 585Mode – Double Linear




 $y_0 = 12.318$, m = 2.029, $R^2 = 0.887$, N = 30

Height vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 2.34$, m = 0.199, $R^2 = 0.026$, N = 30

Height vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 16.401$, m = 0.142, $R^2 = 0.031$, N = 30

Diameter vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 0.994$, m = 0.468, $R^2 = 0.11$, N = 30

Diameter vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 11.277$, m = 0.124, $R^2 = 0.11$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 6.611$, m = -2.267, $R^2 = 0.171$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 585Mode – Double Linear




y_0 = 92.042, m = -14.309, R^2 = 0.101, N = 30

Width vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 0.706$, m = 1.928, $R^2 = 0.722$, N = 29

Width vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = -733.916$, m = 70.47, $R^2 = 0.688$, N = 29

Height vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 1.247$, m = 1.57, $R^2 = 0.437$, N = 29

Height vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = -456.357$, m = 40.433, $R^2 = 0.449$, N = 29


Diameter vs. Fresh Weight Entire Dataset, 839Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 5.545$, m = 0.451, $R^2 = 0.094$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = 699.919$, m = 15.063, $R^2 = 0.043$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 8.162$, m = -0.997, $R^2 = 0.04$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




Width vs. Height Entire Dataset, 839Mode – Double Log




 $y_0 = 1.498$, m = 0.646, $R^2 = 0.457$, N = 29

Width vs. Height Entire Dataset, 839Mode – Double Linear




y_0 = 12.439, m = 0.939, R^2 = 0.444, N = 29

Width vs. Diameter Entire Dataset, 839Mode – Double Log




 $y_0 = 2.158$, m = 0.745, $R^2 = 0.798$, N = 29

Width vs. Diameter Entire Dataset, 839Mode – Double Linear




y_0 = 23.514, m = 2.873, R^2 = 0.764, N = 29

Width vs. Thickness Entire Dataset, 839Mode – Double Log




 $y_0 = 3.148$, m = -0.105, $R^2 = 0.005$, N = 29

Width vs. Thickness Entire Dataset, 839Mode – Double Linear




 $y_0 = 21.166$, m = -0.168, $R^2 = 0.021$, N = 29

Height vs. Diameter Entire Dataset, 839Mode – Double Log




 $y_0 = 1.916$, m = 0.735, $R^2 = 0.708$, N = 29

Height vs. Diameter Entire Dataset, 839Mode – Double Linear




 $y_0 = 23.289$, m = 1.978, $R^2 = 0.719$, N = 29

Height vs. Thickness Entire Dataset, 839Mode – Double Log




 $y_0 = 4.501$, m = -0.475, $R^2 = 0.086$, N = 29


Height vs. Thickness Entire Dataset, 839Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 839Mode – Double Log



Diameter vs. Thickness Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 839Mode – Double Log




y_0 = 1.188, m = 1.684, R^2 = 0.064, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = -53.904$, m = 23.132, $R^2 = 0.1$, N = 29

Width vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = -0.084$, m = 2.237, $R^2 = 0.825$, N = 28

Width vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -1014.6$, m = 89.852, $R^2 = 0.759$, N = 28

Height vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = -0.157$, m = 1.968, $R^2 = 0.749$, N = 28

Height vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -857.877$, m = 52.403, $R^2 = 0.784$, N = 28

Diameter vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = -3.262$, m = 2.251, $R^2 = 0.876$, N = 28

Diameter vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -1059.838$, m = 22.838, $R^2 = 0.878$, N = 28

Thickness vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 4.716$, m = 0.672, $R^2 = 0.098$, N = 28

Thickness vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




y_0 = 254.408, m = 31.926, R^2 =0.1, N = 28

Diameter / Width vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 5.577$, m = 0.765, $R^2 = 0.015$, N = 28

Diameter / Width vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -299.162$, m = 278.753, $R^2 = 0.046$, N = 28

Width vs. Height Entire Dataset, 845Mode – Double Log




Width vs. Height Entire Dataset, 845Mode – Double Linear




 $y_0 = 2.207$, m = 1.461, $R^2 = 0.703$, N = 28

Width vs. Diameter Entire Dataset, 845Mode – Double Log




 $y_0 = 1.562$, m = 0.944, $R^2 = 0.85$, N = 28


Width vs. Diameter Entire Dataset, 845Mode – Double Linear




Width vs. Thickness Entire Dataset, 845Mode – Double Log



Width vs. Thickness Entire Dataset, 845Mode – Double Linear




Height vs. Diameter Entire Dataset, 845Mode – Double Log




 $y_0 = 1.26$, m = 0.909, $R^2 = 0.924$, N = 28

Height vs. Diameter Entire Dataset, 845Mode – Double Linear




 $y_0 = 7.045$, m = 2.351, $R^2 = 0.938$, N = 28

Height vs. Thickness Entire Dataset, 845Mode – Double Log




 $y_0 = 2.69$, m = 0.052, $R^2 = 0.002$, N = 28

Height vs. Thickness Entire Dataset, 845Mode – Double Linear




 $y_0 = 16.9$, m = 0.031, $R^2 = 0.003$, N = 28

Diameter vs. Thickness Entire Dataset, 845Mode – Double Log




Diameter vs. Thickness Entire Dataset, 845Mode – Double Linear




 $y_0 = 16.372$, m = 0.018, $R^2 = 0.006$, N = 28

Diameter / Width vs. Dry Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 1.625$, m = 1.415, $R^2 = 0.039$, N = 28

Diameter / Width vs. Dry Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -3.59$, m = 10.945, $R^2 = 0.016$, N = 28

Width vs. Fresh Weight Entire Dataset, 854Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = -283.877$, m = 45.112, $R^2 = 0.642$, N = 30

Height vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 3.264$, m = 0.861, $R^2 = 0.222$, N = 30

Height vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 80.909$, m = 13.805, $R^2 = 0.196$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = -0.243$, m = 1.515, $R^2 = 0.449$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = -226.405$, m = 10.328, $R^2 = 0.447$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 4.585$, m = 0.506, $R^2 = 0.167$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 210.795$, m = 12.187, $R^2 = 0.157$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 7.407$, m = -0.98, $R^2 = 0.093$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 842.767$, m = -101.979, $R^2 = 0.089$, N = 30

Width vs. Height Entire Dataset, 854Mode – Double Log




Width vs. Height Entire Dataset, 854Mode – Double Linear




 $y_0 = 8.564$, m = 1.062, $R^2 = 0.346$, N = 30

Width vs. Diameter Entire Dataset, 854Mode – Double Log




 $y_0 = 2.179$, m = 0.714, $R^2 = 0.599$, N = 30

Width vs. Diameter Entire Dataset, 854Mode – Double Linear




 $y_0 = 18.751$, m = 2.835, $R^2 = 0.606$, N = 30

Width vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 2.712$, m = 0.062, $R^2 = 0.001$, N = 30

Width vs. Thickness Entire Dataset, 854Mode – Double Linear




 $y_0 = 16.995$, m = 0.072, $R^2 = 0.002$, N = 30

Height vs. Diameter Entire Dataset, 854Mode – Double Log




 $y_0 = 1.755$, m = 0.742, $R^2 = 0.843$, N = 30

Height vs. Diameter Entire Dataset, 854Mode – Double Linear




 $y_0 = 16.962$, m = 1.84, $R^2 = 0.833$, N = 30

Height vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 4.603$, m = -0.533, $R^2 = 0.131$, N = 30

Height vs. Thickness Entire Dataset, 854Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 4.53$, m = -0.397, $R^2 = 0.047$, N = 30

Diameter vs. Thickness Entire Dataset, 854Mode – Double Linear




 $y_0 = 24.655$, m = -0.102, $R^2 = 0.042$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 854Mode – Double Log



 $y_0 = 2.862$, m = 0.52, $R^2 = 0.007$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 854Mode – Double Linear



y_0 = 20.495, m = 4.845, R^2 = 0.004, N = 30