



Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Width vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Log




Height

$y_0 = 1.413, m = 1.482, R^2 = 0.386, N = 379$

Height vs. Fresh Weight

Entire Dataset, All AccessionsMode – Double Linear




Height

$y_0 = -307.17$, $m = 33.571$, $R^2 = 0.351$, $N = 379$

Diameter vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Log



Diameter

$y_0 = -3.678$, $m = 2.331$, $R^2 = 0.685$, $N = 379$

Diameter vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter

$y_0 = -1031.646, m = 22.284, R^2 = 0.656, N = 379$

Thickness vs. Fresh Weight


Entire Dataset, All AccessionsMode – Double Log




Thickness

$y_0 = 2.599$, $m = 1.361$, $R^2 = 0.421$, $N = 379$

Thickness vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Log




Diameter / Width
 $y_0 = 7.316$, $m = -0.412$, $R^2 = 0.036$, $N = 379$

Diameter / Width vs. Fresh Weight
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Height


Entire Dataset, All AccessionsMode – Double Log



Width

$y_0 = 3.117$, $m = 0.15$, $R^2 = 0.033$, $N = 379$


Width vs. Height
Entire Dataset, All AccessionsMode – Double Linear



Width


$$y_0 = 30.907, m = 0.25, R^2 = 0.024, N = 379$$

Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Log




Width
 $y_0 = 3.491, m = 0.331, R^2 = 0.222, N = 379$

Width vs. Diameter
Entire Dataset, All AccessionsMode – Double Linear



Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Width

$y_0 = 2.265$, $m = 0.253$, $R^2 = 0.072$, $N = 379$


Width vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Diameter


Entire Dataset, All AccessionsMode – Double Log



Height
 $y_0 = 1.782$, $m = 0.749$, $R^2 = 0.781$, $N = 379$


Height vs. Diameter

Entire Dataset, All AccessionsMode – Double Linear



Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Height

$$y_0 = 1.892, m = 0.309, R^2 = 0.074, N = 379$$

Height vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear




Height

$$y_0 = 13.992, m = 0.181, R^2 = 0.076, N = 379$$

Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Log




Diameter

$$y_0 = 0.839, m = 0.484, R^2 = 0.13, N = 379$$


Diameter vs. Thickness

Entire Dataset, All AccessionsMode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Width

$y_0 = 1.721, m = 1.745, R^2 = 0.785, N = 31$


Width vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Height

$y_0 = -1.01, m = 1.971, R^2 = 0.528, N = 31$

Height vs. Fresh Weight


Entire Dataset, 242Mode – Double Linear



Height


$y_0 = -531.992, m = 27.691, R^2 = 0.497, N = 31$

Diameter vs. Fresh Weight
Entire Dataset, 242Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 242Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Log




Diameter / Width
 $y_0 = 8.262$, $m = -1.201$, $R^2 = 0.228$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 242Mode – Double Linear



Width vs. Height

Entire Dataset, 242Mode – Double Log




Width


$y_0 = 2.521$, $m = 0.417$, $R^2 = 0.33$, $N = 31$

Width vs. Height

Entire Dataset, 242Mode – Double Linear




Width vs. Diameter
Entire Dataset, 242Mode – Double Log




Width vs. Diameter

Entire Dataset, 242Mode – Double Linear



Width vs. Thickness

Entire Dataset, 242Mode – Double Log




Width

$y_0 = 2.124$, $m = 0.251$, $R^2 = 0.13$, $N = 31$

Width vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width

$y_0 = 10.379$, $m = 0.449$, $R^2 = 0.209$, $N = 31$


Height vs. Diameter

Entire Dataset, 242Mode – Double Log



Height vs. Diameter

Entire Dataset, 242Mode – Double Linear




Height

$y_0 = 14.094$, $m = 1.851$, $R^2 = 0.884$, $N = 31$

Height vs. Thickness

Entire Dataset, 242Mode – Double Log




Height

$y_0 = 1.806, m = 0.262, R^2 = 0.075, N = 31$


Height vs. Thickness

Entire Dataset, 242Mode – Double Linear




Diameter vs. Thickness

Entire Dataset, 242Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 242Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 2.53$, $m = 1.315$, $R^2 = 0.518$, $N = 32$


Width vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Log




Height

$y_0 = 1.341, m = 1.402, R^2 = 0.371, N = 32$

Height vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear



Height

$y_0 = -222.61, m = 22.907, R^2 = 0.354, N = 32$

Diameter vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Diameter


$y_0 = -2.825, m = 2.088, R^2 = 0.643, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 246Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 246Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Log



Diameter / Width
 $y_0 = 6.641$, $m = -0.343$, $R^2 = 0.03$, $N = 32$

Diameter / Width vs. Fresh Weight
Entire Dataset, 246Mode – Double Linear




Diameter / Width

$y_0 = 685.507$, $m = -44.949$, $R^2 = 0.048$, $N = 32$

Width vs. Height

Entire Dataset, 246Mode – Double Log




Width


$y_0 = 2.917$, $m = 0.178$, $R^2 = 0.05$, $N = 32$

Width vs. Height

Entire Dataset, 246Mode – Double Linear




Width vs. Diameter
Entire Dataset, 246Mode – Double Log



Width
 $y_0 = 3.387$, $m = 0.328$, $R^2 = 0.218$, $N = 32$


Width vs. Diameter

Entire Dataset, 246Mode – Double Linear




Width vs. Thickness

Entire Dataset, 246Mode – Double Log




Width vs. Thickness

Entire Dataset, 246Mode – Double Linear




Height vs. Diameter

Entire Dataset, 246Mode – Double Log




Height vs. Diameter

Entire Dataset, 246Mode – Double Linear




Height vs. Thickness

Entire Dataset, 246Mode – Double Log



Height vs. Thickness

Entire Dataset, 246Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 246Mode – Double Log




Diameter


$y_0 = 2.765$, $m = -0.014$, $R^2 = 0$, $N = 32$

Diameter vs. Thickness

Entire Dataset, 246Mode – Double Linear



Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Width

$y_0 = 3.181, m = 1.371, R^2 = 0.565, N = 31$


Width vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Log




Height


$y_0 = 5.605$, $m = 0.357$, $R^2 = 0.113$, $N = 31$

Height vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear




Diameter vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 319Mode – Double Linear



Thickness vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Thickness

$y_0 = 4.646, m = 0.735, R^2 = 0.142, N = 31$

Thickness vs. Fresh Weight


Entire Dataset, 319Mode – Double Linear



Thickness


$y_0 = 419.134$, $m = 28.352$, $R^2 = 0.132$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Log




Diameter / Width
 $y_0 = 7.221$, $m = -0.139$, $R^2 = 0.005$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 319Mode – Double Linear




Width vs. Height

Entire Dataset, 319Mode – Double Log




Width vs. Height

Entire Dataset, 319Mode – Double Linear




Width vs. Diameter
Entire Dataset, 319Mode – Double Log




Width vs. Diameter

Entire Dataset, 319Mode – Double Linear




Width vs. Thickness
Entire Dataset, 319Mode – Double Log



Width
 $y_0 = 2.943, m = 0.075, R^2 = 0.006, N = 31$

Width vs. Thickness

Entire Dataset, 319Mode – Double Linear




Width

$y_0 = 22.422$, $m = 0.07$, $R^2 = 0.002$, $N = 31$

Height vs. Diameter


Entire Dataset, 319Mode – Double Log



Height
 $y_0 = 3.735$, $m = 0.237$, $R^2 = 0.252$, $N = 31$

Height vs. Diameter

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 59.959$, $m = 0.96$, $R^2 = 0.479$, $N = 31$

Height vs. Thickness

Entire Dataset, 319Mode – Double Log




Height

$y_0 = 3.106, m = 0.011, R^2 = 0, N = 31$

Height vs. Thickness

Entire Dataset, 319Mode – Double Linear




Height

$y_0 = 22.129, m = 0.031, R^2 = 0.006, N = 31$

Diameter vs. Thickness

Entire Dataset, 319Mode – Double Log




Diameter

$y_0 = 2.098, m = 0.227, R^2 = 0.038, N = 31$

Diameter vs. Thickness

Entire Dataset, 319Mode – Double Linear




Diameter

$y_0 = 17.943$, $m = 0.054$, $R^2 = 0.036$, $N = 31$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 1.99, m = 1.679, R^2 = 0.593, N = 24$

Width vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = -772.701, m = 96.661, R^2 = 0.621, N = 24$

Height vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 0.48, m = 1.822, R^2 = 0.574, N = 24$

Height vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Height
 $y_0 = -885.679$, $m = 56.88$, $R^2 = 0.502$, $N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Diameter

$y_0 = -3.792$, $m = 2.398$, $R^2 = 0.859$, $N = 24$

Diameter vs. Fresh Weight

Entire Dataset, 325Mode – Double Linear




Diameter

$y_0 = -1761.428, m = 32.114, R^2 = 0.797, N = 24$

Thickness vs. Fresh Weight

Entire Dataset, 325Mode – Double Log




Thickness

$y_0 = 4.36$, $m = 0.921$, $R^2 = 0.311$, $N = 24$

Thickness vs. Fresh Weight


Entire Dataset, 325Mode – Double Linear



Thickness


$y_0 = 501.883, m = 40.999, R^2 = 0.24, N = 24$

Diameter / Width vs. Fresh Weight Entire Dataset, 325Mode – Double Log



Diameter / Width
 $y_0 = 7.182$, $m = 0.039$, $R^2 = 0$, $N = 24$

Diameter / Width vs. Fresh Weight
Entire Dataset, 325Mode – Double Linear




Diameter / Width

$y_0 = 1751.166$, $m = -67.54$, $R^2 = 0.007$, $N = 24$


Width vs. Height

Entire Dataset, 325Mode – Double Log




Width vs. Height

Entire Dataset, 325Mode – Double Linear




Width vs. Diameter
Entire Dataset, 325Mode – Double Log



Width vs. Diameter

Entire Dataset, 325Mode – Double Linear




Width

$y_0 = 46.783, m = 2.316, R^2 = 0.461, N = 24$

Width vs. Thickness

Entire Dataset, 325Mode – Double Log




Width

$y_0 = 2.334$, $m = 0.254$, $R^2 = 0.037$, $N = 24$

Width vs. Thickness


Entire Dataset, 325Mode – Double Linear



Width
 $y_0 = 18.828$, $m = 0.192$, $R^2 = 0.017$, $N = 24$

Height vs. Diameter

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 1.481, m = 0.841, R^2 = 0.819, N = 24$


Height vs. Diameter

Entire Dataset, 325Mode – Double Linear



Height vs. Thickness

Entire Dataset, 325Mode – Double Log




Height

$y_0 = 0.869, m = 0.609, R^2 = 0.175, N = 24$


Height vs. Thickness

Entire Dataset, 325Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 325Mode – Double Log




Diameter

$y_0 = 0.235, m = 0.629, R^2 = 0.161, N = 24$


Diameter vs. Thickness

Entire Dataset, 325Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Width

$y_0 = 0.151, m = 2.322, R^2 = 0.775, N = 31$

Width vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = -1110.745, m = 115.697, R^2 = 0.734, N = 31$


Height vs. Fresh Weight

Entire Dataset, 326Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 326Mode – Double Linear



Height


$y_0 = -878.964, m = 56.698, R^2 = 0.721, N = 31$

Diameter vs. Fresh Weight
Entire Dataset, 326Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 326Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Log




Diameter / Width
 $y_0 = 5.871$, $m = 0.613$, $R^2 = 0.017$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 326Mode – Double Linear



Width vs. Height

Entire Dataset, 326Mode – Double Log




Width

$y_0 = 1.14, m = 0.808, R^2 = 0.529, N = 31$

Width vs. Height


Entire Dataset, 326Mode – Double Linear



Width

$y_0 = 6.289, m = 1.448, R^2 = 0.513, N = 31$


Width vs. Diameter
Entire Dataset, 326Mode – Double Log



Width
 $y_0 = 1.892$, $m = 0.86$, $R^2 = 0.714$, $N = 31$

Width vs. Diameter


Entire Dataset, 326Mode – Double Linear



Width


$y_0 = 10.517, m = 3.844, R^2 = 0.7, N = 31$

Width vs. Thickness
Entire Dataset, 326Mode – Double Log



Width vs. Thickness

Entire Dataset, 326Mode – Double Linear




Width

$y_0 = 13.512$, $m = 0.672$, $R^2 = 0.128$, $N = 31$

Height vs. Diameter

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 1.366, m = 0.865, R^2 = 0.891, N = 31$

Height vs. Diameter

Entire Dataset, 326Mode – Double Linear




Height

$y_0 = 9.937, m = 2.146, R^2 = 0.892, N = 31$

Height vs. Thickness

Entire Dataset, 326Mode – Double Log




Height

$y_0 = 2.257$, $m = 0.28$, $R^2 = 0.062$, $N = 31$

Height vs. Thickness


Entire Dataset, 326Mode – Double Linear



Height
 $y_0 = 18.008$, $m = 0.23$, $R^2 = 0.061$, $N = 31$

Diameter vs. Thickness

Entire Dataset, 326Mode – Double Log




Diameter

$y_0 = 1.756$, $m = 0.337$, $R^2 = 0.076$, $N = 31$

Diameter vs. Thickness


Entire Dataset, 326Mode – Double Linear



Diameter

$y_0 = 16.837$, $m = 0.108$, $R^2 = 0.07$, $N = 31$


Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Width
 $y_0 = 0.397, m = 2.107, R^2 = 0.679, N = 28$


Width vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Height

$y_0 = -0.018, m = 2.057, R^2 = 0.647, N = 28$

Height vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = -1081.48, m = 73.945, R^2 = 0.571, N = 28$

Diameter vs. Fresh Weight

Entire Dataset, 390Mode – Double Log




Diameter

$y_0 = -5.043, m = 2.703, R^2 = 0.797, N = 28$

Diameter vs. Fresh Weight


Entire Dataset, 390Mode – Double Linear



Diameter

$y_0 = -1866.982, m = 35.158, R^2 = 0.744, N = 28$

Thickness vs. Fresh Weight
Entire Dataset, 390Mode – Double Log




Thickness


$y_0 = 2.919, m = 1.348, R^2 = 0.553, N = 28$

Thickness vs. Fresh Weight

Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Log



Diameter / Width

$y_0 = 7.972$, $m = -0.619$, $R^2 = 0.017$, $N = 28$


Diameter / Width vs. Fresh Weight
Entire Dataset, 390Mode – Double Linear



Diameter / Width
 $y_0 = 2288.694, m = -248.251, R^2 = 0.028, N = 28$

Width vs. Height

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.524, m = 0.613, R^2 = 0.375, N = 28$


Width vs. Height

Entire Dataset, 390Mode – Double Linear



Width vs. Diameter

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 2.231$, $m = 0.711$, $R^2 = 0.71$, $N = 28$


Width vs. Diameter

Entire Dataset, 390Mode – Double Linear



Width vs. Thickness

Entire Dataset, 390Mode – Double Log




Width

$y_0 = 1.398$, $m = 0.545$, $R^2 = 0.149$, $N = 28$

Width vs. Thickness

Entire Dataset, 390Mode – Double Linear




Width

$$y_0 = 14.372, m = 0.376, R^2 = 0.088, N = 28$$

Height vs. Diameter

Entire Dataset, 390Mode – Double Log




Height

$$y_0 = 1.795, m = 0.779, R^2 = 0.851, N = 28$$


Height vs. Diameter

Entire Dataset, 390Mode – Double Linear



Height vs. Thickness

Entire Dataset, 390Mode – Double Log




Height

$y_0 = 1.034, m = 0.606, R^2 = 0.184, N = 28$

Height vs. Thickness

Entire Dataset, 390Mode – Double Linear




Height

$y_0 = 10.45, m = 0.402, R^2 = 0.152, N = 28$

Diameter vs. Thickness

Entire Dataset, 390Mode – Double Log




Diameter

$y_0 = -0.208, m = 0.744, R^2 = 0.198, N = 28$

Diameter vs. Thickness


Entire Dataset, 390Mode – Double Linear



Diameter

$y_0 = 8.817$, $m = 0.163$, $R^2 = 0.143$, $N = 28$

Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Width

$y_0 = 1.664, m = 1.728, R^2 = 0.647, N = 24$


Width vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 572Mode – Double Log



Height vs. Fresh Weight


Entire Dataset, 572Mode – Double Linear




Height

$y_0 = -577.638, m = 39.682, R^2 = 0.664, N = 24$

Diameter vs. Fresh Weight
Entire Dataset, 572Mode – Double Log




Diameter vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



$y_0 = -924.458$, $m = 20.716$, $R^2 = 0.773$, $N = 24$


Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Log




Thickness vs. Fresh Weight

Entire Dataset, 572Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Log



Diameter / Width
 $y_0 = 6.602$, $m = 0.086$, $R^2 = 0$, $N = 24$


Diameter / Width vs. Fresh Weight
Entire Dataset, 572Mode – Double Linear



Diameter / Width
 $y_0 = 537.376$, $m = 71.459$, $R^2 = 0.009$, $N = 24$

Width vs. Height

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 0.963$, $m = 0.894$, $R^2 = 0.699$, $N = 24$

Width vs. Height


Entire Dataset, 572Mode – Double Linear



Width

$y_0 = 2.492, m = 1.791, R^2 = 0.699, N = 24$


Width vs. Diameter
Entire Dataset, 572Mode – Double Log



Width
 $y_0 = 2.165, m = 0.78, R^2 = 0.725, N = 24$


Width vs. Diameter

Entire Dataset, 572Mode – Double Linear



Width vs. Thickness

Entire Dataset, 572Mode – Double Log




Width

$y_0 = 2.673$, $m = 0.094$, $R^2 = 0.004$, $N = 24$


Width vs. Thickness

Entire Dataset, 572Mode – Double Linear




Height vs. Diameter

Entire Dataset, 572Mode – Double Log




Height vs. Diameter

Entire Dataset, 572Mode – Double Linear



Height vs. Thickness

Entire Dataset, 572Mode – Double Log




Height

$y_0 = 2.742, m = 0.058, R^2 = 0.002, N = 24$

Height vs. Thickness


Entire Dataset, 572Mode – Double Linear



Height
 $y_0 = 18.822$, $m = 0.015$, $R^2 = 0$, $N = 24$


Diameter vs. Thickness

Entire Dataset, 572Mode – Double Log




Diameter vs. Thickness

Entire Dataset, 572Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log



Width
 $y_0 = 3.488, m = 1.198, R^2 = 0.407, N = 23$


Width vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Height vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Height

$y_0 = 4.506$, $m = 0.603$, $R^2 = 0.073$, $N = 23$

Height vs. Fresh Weight


Entire Dataset, 580Mode – Double Linear



Height
 $y_0 = 325.058$, $m = 13.104$, $R^2 = 0.079$, $N = 23$

Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Diameter

$y_0 = 1.469$, $m = 1.165$, $R^2 = 0.231$, $N = 23$


Diameter vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Log




Thickness

$y_0 = 4.52, m = 0.73, R^2 = 0.367, N = 23$


Thickness vs. Fresh Weight

Entire Dataset, 580Mode – Double Linear




$y_0 = 236.312$, $m = 29.417$, $R^2 = 0.368$, $N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Log



Diameter / Width
 $y_0 = 7.378$, $m = -0.347$, $R^2 = 0.049$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 580Mode – Double Linear



Diameter / Width
 $y_0 = 1148.987, m = -45.757, R^2 = 0.047, N = 23$

Width vs. Height

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 3.86$, $m = -0.052$, $R^2 = 0.004$, $N = 23$

Width vs. Height

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 42.882$, $m = -0.1$, $R^2 = 0.002$, $N = 23$

Width vs. Diameter

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 4.317$, $m = 0.079$, $R^2 = 0.01$, $N = 23$

Width vs. Diameter

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 85.033$, $m = 0.539$, $R^2 = 0.013$, $N = 23$

Width vs. Thickness

Entire Dataset, 580Mode – Double Log




Width

$y_0 = 2.869, m = 0.068, R^2 = 0.002, N = 23$

Width vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width

$y_0 = 19.164$, $m = 0.149$, $R^2 = 0.005$, $N = 23$

Height vs. Diameter


Entire Dataset, 580Mode – Double Log



Height
 $y_0 = 1.479$, $m = 0.821$, $R^2 = 0.792$, $N = 23$


Height vs. Diameter

Entire Dataset, 580Mode – Double Linear



Height vs. Thickness


Entire Dataset, 580Mode – Double Log



Height
 $y_0 = 3.111$, $m = -0.015$, $R^2 = 0$, $N = 23$

Height vs. Thickness


Entire Dataset, 580Mode – Double Linear



Height
 $y_0 = 22.085$, $m = -0.016$, $R^2 = 0$, $N = 23$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Log




Diameter


$y_0 = 2.226, m = 0.183, R^2 = 0.008, N = 23$

Diameter vs. Thickness

Entire Dataset, 580Mode – Double Linear




Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Width

$y_0 = -592.902$, $m = 97.773$, $R^2 = 0.764$, $N = 31$


Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Height vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = -622.182, m = 36.935, R^2 = 0.394, N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = -2.714, m = 2.088, R^2 = 0.722, N = 31$

Diameter vs. Fresh Weight

Entire Dataset, 582Mode – Double Linear




Diameter

$y_0 = -1000.147, m = 20.056, R^2 = 0.646, N = 31$


Thickness vs. Fresh Weight

Entire Dataset, 582Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 582Mode – Double Linear



Thickness


$y_0 = -181.258$, $m = 51.12$, $R^2 = 0.333$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Log



Diameter / Width
 $y_0 = 8.391$, $m = -0.859$, $R^2 = 0.097$, $N = 31$

Diameter / Width vs. Fresh Weight
Entire Dataset, 582Mode – Double Linear




Diameter / Width

$y_0 = 1827.372$, $m = -143.11$, $R^2 = 0.136$, $N = 31$


Width vs. Height

Entire Dataset, 582Mode – Double Log




Width vs. Height

Entire Dataset, 582Mode – Double Linear




Width vs. Diameter
Entire Dataset, 582Mode – Double Log




Width vs. Diameter

Entire Dataset, 582Mode – Double Linear




Width vs. Thickness
Entire Dataset, 582Mode – Double Log



Width
 $y_0 = 2.17$, $m = 0.332$, $R^2 = 0.138$, $N = 31$


Width vs. Thickness

Entire Dataset, 582Mode – Double Linear



Height vs. Diameter

Entire Dataset, 582Mode – Double Log




Height

$y_0 = 1.144, m = 0.915, R^2 = 0.711, N = 31$


Height vs. Diameter

Entire Dataset, 582Mode – Double Linear




Height vs. Thickness

Entire Dataset, 582Mode – Double Log



Height vs. Thickness

Entire Dataset, 582Mode – Double Linear




Height

$y_0 = 14.342, m = 0.179, R^2 = 0.073, N = 31$

Diameter vs. Thickness

Entire Dataset, 582Mode – Double Log




Diameter

$y_0 = 1.185, m = 0.416, R^2 = 0.132, N = 31$

Diameter vs. Thickness


Entire Dataset, 582Mode – Double Linear



Diameter


$y_0 = 11.7, m = 0.106, R^2 = 0.141, N = 31$

Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = -1050.838, m = 114.159, R^2 = 0.733, N = 23$

Height vs. Fresh Weight

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 0.713, m = 1.764, R^2 = 0.771, N = 23$

Height vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Height

$$y_0 = -958.462, m = 59.362, R^2 = 0.729, N = 23$$

Diameter vs. Fresh Weight
Entire Dataset, 584Mode – Double Log




Diameter

$y_0 = -2.783, m = 2.191, R^2 = 0.89, N = 23$


Diameter vs. Fresh Weight

Entire Dataset, 584Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 584Mode – Double Log




Thickness

$y_0 = 4.385$, $m = 0.819$, $R^2 = 0.124$, $N = 23$

Thickness vs. Fresh Weight


Entire Dataset, 584Mode – Double Linear



Thickness


$y_0 = 361.518$, $m = 32.512$, $R^2 = 0.081$, $N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Log



Diameter / Width
 $y_0 = 6.484$, $m = 0.324$, $R^2 = 0.008$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 584Mode – Double Linear



Diameter / Width
 $y_0 = 848.337$, $m = 63.497$, $R^2 = 0.005$, $N = 23$

Width vs. Height

Entire Dataset, 584Mode – Double Log




Width

$$y_0 = 1.308, m = 0.762, R^2 = 0.466, N = 23$$

Width vs. Height

Entire Dataset, 584Mode – Double Linear




Width

$$y_0 = 10.068, m = 1.317, R^2 = 0.471, N = 23$$


Width vs. Diameter

Entire Dataset, 584Mode – Double Log




Width vs. Diameter

Entire Dataset, 584Mode – Double Linear




Width vs. Thickness

Entire Dataset, 584Mode – Double Log



Width vs. Thickness

Entire Dataset, 584Mode – Double Linear




Width

$y_0 = 23.109$, $m = 0.04$, $R^2 = 0.001$, $N = 23$

Height vs. Diameter

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 1.523, m = 0.826, R^2 = 0.911, N = 23$


Height vs. Diameter

Entire Dataset, 584Mode – Double Linear



Height vs. Thickness

Entire Dataset, 584Mode – Double Log




Height

$y_0 = 2.761, m = 0.113, R^2 = 0.017, N = 23$

Height vs. Thickness

Entire Dataset, 584Mode – Double Linear




Height

$y_0 = 21.343$, $m = 0.072$, $R^2 = 0.014$, $N = 23$

Diameter vs. Thickness

Entire Dataset, 584Mode – Double Log




Diameter

$y_0 = 2.631, m = 0.119, R^2 = 0.014, N = 23$

Diameter vs. Thickness


Entire Dataset, 584Mode – Double Linear



Diameter


$y_0 = 21.469$, $m = 0.028$, $R^2 = 0.01$, $N = 23$

Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Width vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear




Width

$y_0 = -685.214, m = 80.216, R^2 = 0.519, N = 23$

Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 0.753, m = 1.68, R^2 = 0.597, N = 23$


Height vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Diameter

$y_0 = -2.726$, $m = 2.141$, $R^2 = 0.757$, $N = 23$


Diameter vs. Fresh Weight

Entire Dataset, 585Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 585Mode – Double Log




Thickness

$y_0 = 2.638, m = 1.299, R^2 = 0.434, N = 23$

Thickness vs. Fresh Weight


Entire Dataset, 585Mode – Double Linear



Thickness


$y_0 = -119.327, m = 41.433, R^2 = 0.362, N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Log



Diameter / Width
 $y_0 = 4.77$, $m = 1.221$, $R^2 = 0.13$, $N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 585Mode – Double Linear



Diameter / Width
 $y_0 = -65.75$, $m = 185.194$, $R^2 = 0.119$, $N = 23$


Width vs. Height

Entire Dataset, 585Mode – Double Log



Width vs. Height


Entire Dataset, 585Mode – Double Linear



Width


$$y_0 = 4.962, m = 1.522, R^2 = 0.459, N = 23$$

Width vs. Diameter
Entire Dataset, 585Mode – Double Log



Width vs. Diameter

Entire Dataset, 585Mode – Double Linear




Width

$y_0 = 17.225, m = 3.366, R^2 = 0.474, N = 23$


Width vs. Thickness

Entire Dataset, 585Mode – Double Log




Width vs. Thickness

Entire Dataset, 585Mode – Double Linear



Height vs. Diameter

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 1.464, m = 0.831, R^2 = 0.884, N = 23$


Height vs. Diameter

Entire Dataset, 585Mode – Double Linear



Height vs. Thickness

Entire Dataset, 585Mode – Double Log




Height

$y_0 = 2.251$, $m = 0.222$, $R^2 = 0.041$, $N = 23$

Height vs. Thickness

Entire Dataset, 585Mode – Double Linear




Height

$y_0 = 15.196, m = 0.173, R^2 = 0.058, N = 23$

Diameter vs. Thickness

Entire Dataset, 585Mode – Double Log




Diameter

$y_0 = 1.087, m = 0.445, R^2 = 0.127, N = 23$


Diameter vs. Thickness

Entire Dataset, 585Mode – Double Linear



Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 0.8, m = 1.893, R^2 = 0.713, N = 23$

Width vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = -703.499$, $m = 68.779$, $R^2 = 0.674$, $N = 23$


Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear



Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Log




Diameter


$y_0 = -4.455$, $m = 2.49$, $R^2 = 0.861$, $N = 23$

Diameter vs. Fresh Weight

Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Thickness
 $y_0 = 5.62$, $m = 0.42$, $R^2 = 0.072$, $N = 23$

Thickness vs. Fresh Weight


Entire Dataset, 839Mode – Double Linear



Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Log




Diameter / Width vs. Fresh Weight
Entire Dataset, 839Mode – Double Linear



Diameter / Width
 $y_0 = 1319.768$, $m = -96.493$, $R^2 = 0.009$, $N = 23$

Width vs. Height

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 1.697$, $m = 0.58$, $R^2 = 0.382$, $N = 23$

Width vs. Height


Entire Dataset, 839Mode – Double Linear



Width


$y_0 = 14.793$, $m = 0.825$, $R^2 = 0.357$, $N = 23$

$y_0 = 2.235, m = 0.721, R^2 = 0.745, N = 23$



Width vs. Diameter


Entire Dataset, 839Mode – Double Linear



Width
 $y_0 = 26.156$, $m = 2.755$, $R^2 = 0.7$, $N = 23$

Width vs. Thickness

Entire Dataset, 839Mode – Double Log




Width

$y_0 = 2.904$, $m = -0.037$, $R^2 = 0.001$, $N = 23$

Width vs. Thickness

Entire Dataset, 839Mode – Double Linear




Width

$y_0 = 19.666$, $m = -0.124$, $R^2 = 0.013$, $N = 23$


Height vs. Diameter

Entire Dataset, 839Mode – Double Log




Height vs. Diameter

Entire Dataset, 839Mode – Double Linear



Height vs. Thickness

Entire Dataset, 839Mode – Double Log




Height

$y_0 = 4.546$, $m = -0.498$, $R^2 = 0.106$, $N = 23$


Height vs. Thickness

Entire Dataset, 839Mode – Double Linear



Diameter vs. Thickness

Entire Dataset, 839Mode – Double Log




Diameter

$y_0 = 3.155, m = -0.082, R^2 = 0.002, N = 23$

Diameter vs. Thickness

Entire Dataset, 839Mode – Double Linear




Diameter

$y_0 = 20.223$, $m = -0.038$, $R^2 = 0.014$, $N = 23$

Width vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Width

$y_0 = 0.057$, $m = 2.187$, $R^2 = 0.715$, $N = 32$

Width vs. Fresh Weight


Entire Dataset, 845Mode – Double Linear



$y_0 = -977.161$, $m = 87.825$, $R^2 = 0.691$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Height

$y_0 = -0.198$, $m = 1.977$, $R^2 = 0.757$, $N = 32$

Height vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Height

$y_0 = -835.643, m = 51.488, R^2 = 0.777, N = 32$

Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Diameter

$y_0 = -3.354, m = 2.271, R^2 = 0.875, N = 32$


Diameter vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear



Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Log




Thickness


$y_0 = 4.267$, $m = 0.827$, $R^2 = 0.159$, $N = 32$

Thickness vs. Fresh Weight

Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Log



Diameter / Width
 $y_0 = 5.058$, $m = 1.126$, $R^2 = 0.066$, $N = 32$


Diameter / Width vs. Fresh Weight
Entire Dataset, 845Mode – Double Linear



Diameter / Width
 $y_0 = -152.027, m = 238.481, R^2 = 0.07, N = 32$


Width vs. Height

Entire Dataset, 845Mode – Double Log




Width vs. Height

Entire Dataset, 845Mode – Double Linear




Width vs. Diameter
Entire Dataset, 845Mode – Double Log




Width vs. Diameter

Entire Dataset, 845Mode – Double Linear




Width vs. Thickness
Entire Dataset, 845Mode – Double Log



Width
 $y_0 = 2.473$, $m = 0.126$, $R^2 = 0.01$, $N = 32$

Width vs. Thickness

Entire Dataset, 845Mode – Double Linear




Width

$y_0 = 15.056, m = 0.126, R^2 = 0.014, N = 32$

Height vs. Diameter

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 1.282$, $m = 0.902$, $R^2 = 0.929$, $N = 32$


Height vs. Diameter

Entire Dataset, 845Mode – Double Linear



Height vs. Thickness

Entire Dataset, 845Mode – Double Log




Height

$y_0 = 2.213$, $m = 0.185$, $R^2 = 0.029$, $N = 32$

Height vs. Thickness


Entire Dataset, 845Mode – Double Linear



Height
 $y_0 = 14.985$, $m = 0.083$, $R^2 = 0.019$, $N = 32$


Diameter vs. Thickness

Entire Dataset, 845Mode – Double Log



Diameter vs. Thickness


Entire Dataset, 845Mode – Double Linear



Diameter


$y_0 = 14.494$, $m = 0.038$, $R^2 = 0.024$, $N = 32$

Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log




Width vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Height vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Log




Diameter vs. Fresh Weight

Entire Dataset, 854Mode – Double Linear




Thickness vs. Fresh Weight

Entire Dataset, 854Mode – Double Log



Thickness vs. Fresh Weight


Entire Dataset, 854Mode – Double Linear



Thickness


$y_0 = 169.664$, $m = 14.294$, $R^2 = 0.179$, $N = 23$

Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Log



Diameter / Width
 $y_0 = 7.819, m = -1.269, R^2 = 0.165, N = 23$


Diameter / Width vs. Fresh Weight
Entire Dataset, 854Mode – Double Linear



Diameter / Width
 $y_0 = 975.395$, $m = -133.193$, $R^2 = 0.164$, $N = 23$


Width vs. Height

Entire Dataset, 854Mode – Double Log



Width vs. Height

Entire Dataset, 854Mode – Double Linear




Width

$y_0 = 11.39, m = 0.883, R^2 = 0.359, N = 23$

Width vs. Diameter

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 2.393, m = 0.639, R^2 = 0.573, N = 23$


Width vs. Diameter

Entire Dataset, 854Mode – Double Linear



Width vs. Thickness

Entire Dataset, 854Mode – Double Log




Width

$y_0 = 2.241$, $m = 0.24$, $R^2 = 0.026$, $N = 23$

Width vs. Thickness


Entire Dataset, 854Mode – Double Linear



Width
 $y_0 = 14.522$, $m = 0.249$, $R^2 = 0.023$, $N = 23$

Height vs. Diameter


Entire Dataset, 854Mode – Double Log



Height
 $y_0 = 1.471$, $m = 0.831$, $R^2 = 0.852$, $N = 23$


Height vs. Diameter

Entire Dataset, 854Mode – Double Linear



Height vs. Thickness

Entire Dataset, 854Mode – Double Log




Height

$y_0 = 4.191$, $m = -0.401$, $R^2 = 0.065$, $N = 23$

Height vs. Thickness

Entire Dataset, 854Mode – Double Linear




Height

$y_0 = 25.374$, $m = -0.275$, $R^2 = 0.06$, $N = 23$

Diameter vs. Thickness

Entire Dataset, 854Mode – Double Log



Diameter

$y_0 = 3.968$, $m = -0.258$, $R^2 = 0.022$, $N = 23$

Diameter vs. Thickness

Entire Dataset, 854Mode – Double Linear

